

Qifeng Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/839700/publications.pdf>

Version: 2024-02-01

66
papers

3,450
citations

201674

27
h-index

144013

57
g-index

66
all docs

66
docs citations

66
times ranked

5078
citing authors

#	ARTICLE	IF	CITATIONS
1	Exosomal non-coding RNAs: Emerging roles in bilateral communication between cancer cells and macrophages. <i>Molecular Therapy</i> , 2022, 30, 1036-1053.	8.2	8
2	MTDH Promotes Intestinal Inflammation by Positively Regulating TLR Signalling. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 2103-2117.	1.3	15
3	A High Epigenetic Risk Score Shapes the Non-Inflamed Tumor Microenvironment in Breast Cancer. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 675198.	3.5	1
4	A novel long non-coding RNA AC073352.1 promotes metastasis and angiogenesis via interacting with YBX1 in breast cancer. <i>Cell Death and Disease</i> , 2021, 12, 670.	6.3	26
5	Evaluation of Carbon Nanoparticle Suspension and Methylene Blue Localization for Preoperative Localization of Nonpalpable Breast Lesions: A Comparative Study. <i>Frontiers in Surgery</i> , 2021, 8, 757694.	1.4	6
6	Metastatic heterogeneity of breast cancer: Molecular mechanism and potential therapeutic targets. <i>Seminars in Cancer Biology</i> , 2020, 60, 14-27.	9.6	460
7	Galactogram Grading System for Identifying Breast Cancer With Nipple Discharge. <i>Clinical Breast Cancer</i> , 2020, 20, e214-e219.	2.4	1
8	Impact of histotypes on preferential organ-specific metastasis in triple-negative breast cancer. <i>Cancer Medicine</i> , 2020, 9, 872-881.	2.8	13
9	Special subtypes with favorable prognosis in breast cancer: A registry-based cohort study and network meta-analysis. <i>Cancer Treatment Reviews</i> , 2020, 91, 102108.	7.7	11
10	Identification of DGUOK-AS1 as a Prognostic Factor in Breast Cancer by Bioinformatics Analysis. <i>Frontiers in Oncology</i> , 2020, 10, 1092.	2.8	12
11	LncRNA LINP1 confers tamoxifen resistance and negatively regulated by ER signaling in breast cancer. <i>Cellular Signalling</i> , 2020, 68, 109536.	3.6	35
12	Evaluation of efficacy of chemotherapy for mucinous carcinoma: a surveillance, epidemiology, and end results cohort study. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592097560.	3.2	3
13	Identification and preservation of stained sentinel lymph nodes in breast cancer. <i>Oncology Letters</i> , 2020, 20, 1-1.	1.8	7
14	Clinicopathological features of granulomatous lobular mastitis and mammary duct ectasia. <i>Oncology Letters</i> , 2020, 19, 840-848.	1.8	14
15	SREBP1, targeted by miR-18a-5p, modulates epithelial-mesenchymal transition in breast cancer via forming a co-repressor complex with Snail and HDAC1/2. <i>Cell Death and Differentiation</i> , 2019, 26, 843-859.	11.2	130
16	EGFL9 promotes breast cancer metastasis by inducing cMET activation and metabolic reprogramming. <i>Nature Communications</i> , 2019, 10, 5033.	12.8	42
17	Disulfiram and BKM120 in Combination with Chemotherapy Impede Tumor Progression and Delay Tumor Recurrence in Tumor Initiating Cell-Rich TNBC. <i>Scientific Reports</i> , 2019, 9, 236.	3.3	29
18	Enlarged para-sentinel lymph node dissection is not necessary in breast cancer patients undergoing sentinel lymph node biopsy. <i>Breast Journal</i> , 2019, 25, 1025-1028.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Relationship between Upper Extremity Lymphatic Drainage and Sentinel Lymph Nodes in Patients with Breast Cancer. <i>Journal of Oncology</i> , 2019, 2019, 1-7.	1.3	12
20	Comparative prognostic analysis for triple-negative breast cancer with metaplastic and invasive ductal carcinoma. <i>Journal of Clinical Pathology</i> , 2019, 72, 418-424.	2.0	37
21	Identification of Prognostic Alternative Splicing Signature in Breast Carcinoma. <i>Frontiers in Genetics</i> , 2019, 10, 278.	2.3	49
22	Epigenetic Regulation of <i>NAMPT</i> by <i>NAMPT-AS</i> Drives Metastatic Progression in Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2019, 79, 3347-3359.	0.9	103
23	Individualized Prediction of Survival Benefit from Postmastectomy Radiotherapy for Patients with Breast Cancer with One to Three Positive Axillary Lymph Nodes. <i>Oncologist</i> , 2019, 24, e1286-e1293.	3.7	7
24	Long noncoding RNA LINP1 acts as an oncogene and promotes chemoresistance in breast cancer. <i>Cancer Biology and Therapy</i> , 2018, 19, 120-131.	3.4	62
25	Borderline ER-Positive Primary Breast Cancer Gains No Significant Survival Benefit From Endocrine Therapy: A Systematic Review and Meta-Analysis. <i>Clinical Breast Cancer</i> , 2018, 18, 1-8.	2.4	61
26	Internal Mammary Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy in Breast Cancer. <i>Journal of Breast Cancer</i> , 2018, 21, 442.	1.9	8
27	Bioinformatics-based interaction analysis of miR-92a-3p and key genes in tamoxifen-resistant breast cancer cells. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 117-128.	5.6	33
28	CCL20 triggered by chemotherapy hinders the therapeutic efficacy of breast cancer. <i>PLoS Biology</i> , 2018, 16, e2005869.	5.6	60
29	53BP1 inhibits the migration and regulates the chemotherapy resistance of ovarian cancer cells. <i>Oncology Letters</i> , 2018, 15, 9917-9922.	1.8	7
30	The oncogenic potentials and diagnostic significance of long non-coding RNA LINC00310 in breast cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 4486-4495.	3.6	21
31	Cepharanthine Induces Autophagy, Apoptosis and Cell Cycle Arrest in Breast Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2017, 41, 1633-1648.	1.6	63
32	Differential effects on lung and bone metastasis of breast cancer by Wnt signalling inhibitor DKK1. <i>Nature Cell Biology</i> , 2017, 19, 1274-1285.	10.3	218
33	Huaier extract restrains the proliferative potential of endocrine-resistant breast cancer cells through increased ATM by suppressing miR-203. <i>Scientific Reports</i> , 2017, 7, 7313.	3.3	20
34	Huaier Extract Inhibits Breast Cancer Progression Through a LncRNA-H19/MiR-675-5p Pathway. <i>Cellular Physiology and Biochemistry</i> , 2017, 44, 581-593.	1.6	45
35	The prognosis of invasive micropapillary carcinoma compared with invasive ductal carcinoma in the breast: a meta-analysis. <i>BMC Cancer</i> , 2017, 17, 839.	2.6	30
36	Cooperative oncogenic effect and cell signaling crosstalk of co-occurring HER2 and mutant PIK3CA in mammary epithelial cells. <i>International Journal of Oncology</i> , 2017, 51, 1320-1330.	3.3	5

#	ARTICLE	IF	CITATIONS
37	Dose invasive apocrine adenocarcinoma has worse prognosis than invasive ductal carcinoma of breast: evidence from SEER database. <i>Oncotarget</i> , 2017, 8, 24579-24592.	1.8	28
38	Huaier aqueous extract protects against dextran sulfate sodium-induced experimental colitis in mice by inhibiting NLRP3 inflammasome activation. <i>Oncotarget</i> , 2017, 8, 32937-32945.	1.8	19
39	Precise intraoperative sentinel lymph node biopsies guided by lymphatic drainage in breast cancer. <i>Oncotarget</i> , 2017, 8, 63064-63072.	1.8	9
40	Development and validation of a surgical-pathologic staging and scoring system for cervical cancer. <i>Oncotarget</i> , 2016, 7, 21054-21063.	1.8	7
41	rs621554 single nucleotide polymorphism of DLC1 is associated with breast cancer susceptibility and prognosis. <i>Molecular Medicine Reports</i> , 2016, 13, 4095-4100.	2.4	3
42	Periareolar incision for the management of benign breast tumors. <i>Oncology Letters</i> , 2016, 12, 3259-3263.	1.8	9
43	Radiosensitization effect of Huaier on breast cancer cells. <i>Oncology Reports</i> , 2016, 35, 2843-2850.	2.6	22
44	Comparison of adjuvant ED and EC-D regimens in operable breast invasive ductal carcinoma. <i>Oncology Letters</i> , 2016, 12, 1448-1454.	1.8	2
45	miR-409-3p suppresses breast cancer cell growth and invasion by targeting Akt1. <i>Biochemical and Biophysical Research Communications</i> , 2016, 469, 189-195.	2.1	64
46	53 BP 1 suppresses epithelial-mesenchymal transition by downregulating ZEB 1 through micro RNA α 200b/429 in breast cancer. <i>Cancer Science</i> , 2015, 106, 982-989.	3.9	28
47	Identification of multi-target effects of Huaier aqueous extract via microarray profiling in triple-negative breast cancer cells. <i>International Journal of Oncology</i> , 2015, 46, 2047-2056.	3.3	16
48	Enhanced effect of photodynamic therapy in ovarian cancer using a nanoparticle drug delivery system. <i>International Journal of Oncology</i> , 2015, 47, 1070-1076.	3.3	8
49	Huaier aqueous extract inhibits cervical cancer cell proliferation via JNK/p38 pathway. <i>International Journal of Oncology</i> , 2015, 47, 1054-1060.	3.3	27
50	Knockdown of metadherin inhibits angiogenesis in breast cancer. <i>International Journal of Oncology</i> , 2015, 46, 2459-2466.	3.3	17
51	Epigenetic Activation of TWIST1 by MTDH Promotes Cancer Stem-like Cell Traits in Breast Cancer. <i>Cancer Research</i> , 2015, 75, 3672-3680.	0.9	76
52	The CUL4B/AKT/ β 2-Catenin Axis Restricts the Accumulation of Myeloid-Derived Suppressor Cells to Prohibit the Establishment of a Tumor-Permissive Microenvironment. <i>Cancer Research</i> , 2015, 75, 5070-5083.	0.9	42
53	<i>JAM3</i> methylation status as a biomarker for diagnosis of preneoplastic and neoplastic lesions of the cervix. <i>Oncotarget</i> , 2015, 6, 44373-44387.	1.8	27
54	Trail Resistance Induces Epithelial-Mesenchymal Transition and Enhances Invasiveness by Suppressing PTEN via miR-221 in Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e99067.	2.5	45

#	ARTICLE	IF	CITATIONS
55	A genetic variant in p63 (rs17506395) is associated with breast cancer susceptibility and prognosis. <i>Gene</i> , 2014, 535, 170-176.	2.2	10
56	MicroRNA-339-5p inhibits colorectal tumorigenesis through regulation of the MDM2/p53 signaling. <i>Oncotarget</i> , 2014, 5, 9106-9117.	1.8	58
57	miR-145 inhibits tumor growth and metastasis by targeting metadherin in high-grade serous ovarian carcinoma. <i>Oncotarget</i> , 2014, 5, 10816-10829.	1.8	91
58	A multiplex methylation-specific PCR assay for detection of early-stage ovarian cancer using cell-free serum DNA. <i>Journal of Clinical Oncology</i> , 2013, 31, 5535-5535.	1.6	0
59	Locoregional Relapse and Distant Metastasis in Conservatively Managed Triple Negative Early-Stage Breast Cancer. <i>Journal of Clinical Oncology</i> , 2006, 24, 5652-5657.	1.6	956
60	Prognostic value of Bcl-2 in invasive breast cancer receiving chemotherapy and endocrine therapy. <i>Oncology Reports</i> , 2003, 10, 121-5.	2.6	31
61	Retinoid, Retinoic Acid Receptor \hat{I}^2 and Breast Cancer. <i>Breast Cancer Research and Treatment</i> , 2002, 76, 167-173.	2.5	51
62	The Fragile Histidine Triad gene and breast cancer. <i>Medical Science Monitor</i> , 2002, 8, RA140-4.	1.1	5
63	Two-hit inactivation of FHIT by loss of heterozygosity and hypermethylation in breast cancer. <i>Clinical Cancer Research</i> , 2002, 8, 2890-3.	7.0	49
64	BRCA1 in non-inherited breast carcinomas (Review). <i>Oncology Reports</i> , 2002, 9, 1329-33.	2.6	14
65	Loss of Msh2 is not associated with FHIT deletion in breast carcinomas. <i>Anticancer Research</i> , 2002, 22, 2591-5.	1.1	1
66	Prognostic significance of BRCA1 expression in Japanese sporadic breast carcinomas. <i>Cancer</i> , 2001, 92, 54-60.	4.1	81