

Kamal Youcef-Toumi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/839819/kamal-youcef-toumi-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

2,730
citations

25
h-index

47
g-index

160
ext. papers

3,387
ext. citations

5.5
avg, IF

5.48
L-index

#	Paper	IF	Citations
137	A Time Delay Controller for Systems With Unknown Dynamics. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1990 , 112, 133-142	1.6	418
136	Multifunctional "Hydrogel Skins" on Diverse Polymers with Arbitrary Shapes. <i>Advanced Materials</i> , 2019 , 31, e1807101	24	146
135	Terminal sliding mode control for the trajectory tracking of underactuated Autonomous Underwater Vehicles. <i>Ocean Engineering</i> , 2017 , 129, 613-625	3.9	138
134	Analysis and Design of a Direct-Drive Arm With a Five-Bar-Link Parallel Drive Mechanism. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1984 , 106, 225-230	1.6	117
133	Trajectory tracking sliding mode control of underactuated AUVs. <i>Nonlinear Dynamics</i> , 2016 , 84, 1079-1091	3.1	107
132	Design of Machines With Compliant Bodies for Biomimetic Locomotion in Liquid Environments. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2006 , 128, 3-13	1.6	102
131	Real-time economic dispatch for the supply side of the energy-water nexus. <i>Applied Energy</i> , 2014 , 122, 42-52	10.7	93
130	Swimming performance of a biomimetic compliant fish-like robot. <i>Experiments in Fluids</i> , 2009 , 47, 927-939	2.5	69
129	High-bandwidth AFM-based rheology reveals that cartilage is most sensitive to high loading rates at early stages of impairment. <i>Biophysical Journal</i> , 2013 , 104, 1529-37	2.9	66
128	. <i>IEEE Transactions on Industrial Informatics</i> , 2016 , 12, 809-819	11.9	65
127	Fabrication of large area nanostructured magnets by interferometric lithography. <i>IEEE Transactions on Magnetics</i> , 1998 , 34, 1087-1089	2	61
126	Computational fluid dynamic simulation of small leaks in water pipelines for direct leak pressure transduction. <i>Computers and Fluids</i> , 2012 , 57, 110-123	2.8	51
125	Aggrecan nanoscale solid-fluid interactions are a primary determinant of cartilage dynamic mechanical properties. <i>ACS Nano</i> , 2015 , 9, 2614-25	16.7	48
124	Dynamic cell fractionation and transportation using moving dielectrophoresis. <i>Analytical Chemistry</i> , 2007 , 79, 6975-87	7.8	45
123	Modeling, design, and control integration: a necessary step in mechatronics. <i>IEEE/ASME Transactions on Mechatronics</i> , 1996 , 1, 29-38	5.5	43
122	Characterization of Environmental Dust in the Dammam Area and Mud After-Effects on Bisphenol-A Polycarbonate Sheets. <i>Scientific Reports</i> , 2016 , 6, 24308	4.9	37
121	Design of a Novel In-Pipe Reliable Leak Detector. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015 , 20, 824-833	5.5	36

120	Cell motion model for moving dielectrophoresis. <i>Analytical Chemistry</i> , 2008 , 80, 5454-61	7.8	35
119	The impact of storage facility capacity and ramping capabilities on the supply side economic dispatch of the energy-water nexus. <i>Energy</i> , 2014 , 66, 363-377	7.9	33
118	Use of self-actuating and self-sensing cantilevers for imaging biological samples in fluid. <i>Nanotechnology</i> , 2009 , 20, 434003	3.4	32
117	. <i>IEEE Transactions on Wireless Communications</i> , 2014 , 13, 3510-3523	9.6	31
116	A Time Delay Controller for Systems with Unknown Dynamics 1988 ,		31
115	Modeling of dielectrophoretic force for moving dielectrophoresis electrodes. <i>Journal of Electrostatics</i> , 2008 , 66, 514-525	1.7	28
114	The Design of Open-Loop Manipulator Arms With Decoupled and Configuration-Invariant Inertia Tensors. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1987 , 109, 268-275	1.6	28
113	DMCMN: In Depth Characterization and Control of AFM Cantilevers With Integrated Sensing and Actuation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2009 , 131,	1.6	27
112	Demand side management in a day-ahead wholesale market: A comparison of industrial & social welfare approaches. <i>Applied Energy</i> , 2015 , 156, 642-654	10.7	24
111	Review Article: Active scanning probes: A versatile toolkit for fast imaging and emerging nanofabrication. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2017 , 35, 06G101	1.3	24
110	. <i>IEEE Transactions on Automation Science and Engineering</i> , 1993 , 9, 102-108		22
109	. <i>IEEE Transactions on Industrial Electronics</i> , 2015 , 62, 2448-2458	8.9	21
108	. <i>IEEE Transactions on Industrial Electronics</i> , 2015 , 62, 2459-2467	8.9	20
107	Adaptive task allocation for multi-UAV systems based on bacteria foraging behaviour. <i>Applied Soft Computing Journal</i> , 2019 , 83, 105643	7.5	20
106	Optimal network flow for the supply side of the energy-water nexus 2013 ,		20
105	Compensator design for improved counterbalancing in high speed atomic force microscopy. <i>Review of Scientific Instruments</i> , 2011 , 82, 113712	1.7	18
104	Dimensional variation in production of high-aspect-ratio micro-pillars array by micro powder injection molding. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 89, 721-728	2.6	18
103	Computer-aided analysis of reconfigurable fixtures and sheet metal parts for robotic drilling. <i>Robotics and Computer-Integrated Manufacturing</i> , 1988 , 4, 387-393	9.2	18

102	Charge Controller With Decoupled and Self-Compensating Configurations for Linear Operation of Piezoelectric Actuators in a Wide Bandwidth. <i>IEEE Transactions on Industrial Electronics</i> , 2019 , 66, 5392-5402	8.0	18
101	Demand side management in power grid enterprise control: A comparison of industrial & social welfare approaches. <i>Applied Energy</i> , 2017 , 187, 833-846	10.7	17
100	Design and control of multi-actuated atomic force microscope for large-range and high-speed imaging. <i>Ultramicroscopy</i> , 2016 , 160, 213-224	3.1	17
99	. <i>IEEE Access</i> , 2018 , 6, 56737-56749	3.5	17
98	Relative merits of load following reserves & energy storage market integration towards power system imbalances. <i>International Journal of Electrical Power and Energy Systems</i> , 2016 , 74, 222-229	5.1	16
97	Analysis and Design of an In-Pipe System for Water Leak Detection 2011 ,		16
96	White-light scanning interferometer for absolute nano-scale gap thickness measurement. <i>Optics Express</i> , 2009 , 17, 15104-17	3.3	16
95	Design of a mechanical-tunable filter spectrometer for noninvasive glucose measurement. <i>Applied Optics</i> , 2004 , 43, 2680-8	1.7	15
94	Control for Dynamic Positioning and Way-point Tracking of Underactuated Autonomous Underwater Vehicles Using Sliding Mode Control. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , 2019 , 95, 1113-1132	2.9	15
93	Towards Continuous Authentication in Internet of Things Based on Secret Sharing Scheme 2015 ,		14
92	Event triggered state estimation techniques for power systems with integrated variable energy resources. <i>ISA Transactions</i> , 2015 , 56, 165-72	5.5	14
91	The need for holistic enterprise control assessment methods for the future electricity grid. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 56, 669-685	16.2	14
90	A soft body under-actuated approach to multi degree of freedom biomimetic robots: A stingray example 2010 ,		14
89	On automating atomic force microscopes: An adaptive control approach. <i>Control Engineering Practice</i> , 2007 , 15, 349-361	3.9	13
88	Flexible fixturing and automatic drilling of sheet metal parts using a robot manipulator. <i>Robotics and Computer-Integrated Manufacturing</i> , 1989 , 5, 371-380	9.2	13
87	A multi-agent system transient stability platform for resilient self-healing operation of multiple microgrids 2014 ,		12
86	Multi-eigenmode control for high material contrast in bimodal and higher harmonic atomic force microscopy. <i>Nanotechnology</i> , 2015 , 26, 235706	3.4	12
85	An enhanced method for the determination of load following reserves 2014 ,		12

84	Reliable Sensing of Leaks in Pipelines 2013 ,		12
83	Variable energy resource induced power system imbalances: Mitigation by increased system flexibility, spinning reserves and regulation 2013 ,		12
82	Optimal coverage of an infrastructure network using sensors with distance-decaying sensing quality. <i>Automatica</i> , 2013 , 49, 3351-3358	5.7	11
81	Three-dimensional profile stitching based on the fiducial markers for microfluidic devices. <i>Optics Communications</i> , 2009 , 282, 493-499	2	11
80	Non-Linear Analysis of Vehicle Dynamics (NAVDyn): A Reduced Order Model for Vehicle Handling Analysis 2000 ,		11
79	Variable energy resource induced power system imbalances: A generalized assessment approach 2013 ,		10
78	Trade-offs and performance limitations in mechatronic systems: a case study. <i>Annual Reviews in Control</i> , 2004 , 28, 181-192	10.3	10
77	. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015 , 20, 2391-2402	5.5	9
76	Fish-Inspired Task Allocation Algorithm for Multiple Unmanned Aerial Vehicles in Search and Rescue Missions. <i>Remote Sensing</i> , 2021 , 13, 27	5	9
75	Smart recovery decision-making for end-of-life products in the context of ubiquitous information and computational intelligence. <i>Journal of Cleaner Production</i> , 2020 , 272, 122804	10.3	9
74	Modeling and Control of Piezoelectric Hysteresis: A Polynomial-Based Fractional Order Disturbance Compensation Approach. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 3348-3358	8.9	9
73	A Multi-Agent System Coordination Approach for Resilient Self-Healing Operations in Multiple Microgrids 2015 , 269-285		8
72	Experimental study of interactions in the nanostructured Ni pillar arrays. <i>Journal of Applied Physics</i> , 2000 , 87, 5123-5125	2.5	8
71	Automated setup and reconfiguration for modular fixturing. <i>Robotics and Computer-Integrated Manufacturing</i> , 1989 , 5, 357-370	9.2	8
70	Dynamic task allocation in an uncertain environment with heterogeneous multi-agents. <i>Autonomous Robots</i> , 2019 , 43, 1639-1664	3	8
69	An enhanced method for the determination of the regulation reserves 2015 ,		7
68	A comparison of day-ahead wholesale market: Social welfare vs industrial demand side management 2015 ,		7
67	An a priori analytical method for the determination of operating reserve requirements. <i>International Journal of Electrical Power and Energy Systems</i> , 2017 , 86, 1-17	5.1	7

66	1983,		7
65	A balanced evacuation algorithm for facilities with multiple exits. <i>European Journal of Operational Research</i> , 2021 , 289, 285-296	5.6	7
64	Automatic Vision-Guided Micromanipulation for Versatile Deployment and Portable Setup. <i>IEEE Transactions on Automation Science and Engineering</i> , 2018 , 15, 1609-1620	4.9	7
63	Design and analysis of novel friction controlling mechanism with minimal energy for in-pipe robot applications 2012 ,		6
62	Maneuverability of a robotic tuna with compliant body 2008 ,		6
61	Towards automatic robot-assisted microscopy: An uncalibrated approach for robotic vision-guided micromanipulation 2016 ,		6
60	Ultra-Wideband Radar for Robust Inspection Drone in Underground Coal Mines 2018 ,		6
59	An enhanced method for the determination of the ramping reserves 2015 ,		5
58	Lights Out! Nano-Scale Topography Imaging of Sample Surface in Opaque Liquid Environments with Coated Active Cantilever Probes. <i>Nanomaterials</i> , 2019 , 9,	5.4	5
57	Impacts of industrial baseline errors in demand side management enabled enterprise control 2015 ,		5
56	A power grid enterprise control method for energy storage system integration 2014 ,		5
55	Modeling and analysis of an in-pipe robotic leak detector 2014 ,		5
54	An In-Pipe Leak Detection Sensor: Sensing Capabilities and Evaluation 2011 ,		5
53	Quantifying Acoustic and Pressure Sensing for In-Pipe Leak Detection 2010 ,		5
52	Design and Evaluation of an In-Pipe Leak Detection Sensing Technique Based on Force Transduction 2012 ,		5
51	Comprehensive study of charge-based motion control for piezoelectric nanopositioners: Modeling, instrumentation and controller design. <i>Mechanical Systems and Signal Processing</i> , 2022 , 166, 108477	7.8	5
50	Selection of Important Parameters Using Uncertainty and Sensitivity Analysis. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015 , 20, 13-23	5.5	4
49	Limitations of Underactuated Modal Damping for Multistage Vibration Isolation Systems. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015 , 20, 393-404	5.5	4

48	Design of a maneuverable swimming robot for in-pipe missions 2015 ,		4
47	An Integrated Energy and Water Market for the Supply Side of the Energy-Water Nexus in the Engineered Infrastructure 2014 ,		4
46	Characterization of In-Pipe Acoustic Wave for Water Leak Detection 2011 ,		4
45	Extracting cancer cell line electrochemical parameters at the single cell level using a microfabricated device. <i>Biotechnology Journal</i> , 2009 , 4, 216-23	5.6	4
44	Sensitivity analysis of near-infrared glucose absorption signals: toward noninvasive blood glucose sensing 2000 ,		4
43	A general model validation and testing tool. <i>Reliability Engineering and System Safety</i> , 2020 , 195, 1066846.3		4
42	A Practical Minimalism Approach to In-pipe Robot Localization 2019 ,		4
41	Confidence-Based Hybrid Tracking to Overcome Visual Tracking Failures in Calibration-Less Vision-Guided Micromanipulation. <i>IEEE Transactions on Automation Science and Engineering</i> , 2020 , 17, 524-536	4.9	4
40	Soft-Body Robot Fish. <i>Springer Tracts in Mechanical Engineering</i> , 2015 , 161-191	0.3	3
39	Detection & estimation algorithms for in-pipe leak detection 2014 ,		3
38	Controlling stochastic growth processes on lattices: Wildfire management with robotic fire extinguishers 2014 ,		3
37	RIM Propeller for Micro Autonomous Underwater Vehicles 2014 ,		3
36	Characterization of dynamic behavior of flexure-based mechanisms for precision angular alignment 2008 ,		3
35	A generalized Bayesian approach to model calibration. <i>Reliability Engineering and System Safety</i> , 2020 , 204, 107141	6.3	3
34	A modular low-cost atomic force microscope for precision mechatronics education. <i>Mechatronics</i> , 2021 , 76, 102550	3	3
33	Context-Aware Gossip-Based Protocol for Internet of Things Applications. <i>Sensors</i> , 2018 , 18,	3.8	3
32	Principle, implementation, and applications of charge control for piezo-actuated nanopositioners: A comprehensive review. <i>Mechanical Systems and Signal Processing</i> , 2022 , 171, 108885	7.8	3
31	Modeling and parameter estimation for in-pipe swimming robots 2015 ,		2

30	Design of a leak sensor for operating water pipe systems 2017 ,		2
29	Self-initialization and recovery for uninterrupted tracking in vision-guided micromanipulation 2017 ,		2
28	Impacts of Industrial Baseline Errors on Costs and Social Welfare in the Demand Side Management of Day-Ahead Wholesale Markets 2015 ,		2
27	Large-area and high-resolution distortion measurement based on Moiré fringe method for hot embossing process. <i>Optics Express</i> , 2009 , 17, 18394-407	3-3	2
26	Robust adaptive control of a class of switched systems 2008 ,		2
25	NIR measurements of glucose in synthetic biological solutions using high-throughput angle-tuned filter spectrometer 2004 ,		2
24	High-precision metrology by means of a novel stereo imaging technique based on atomic force microscopy 2001 ,		2
23	Unevenly spaced continuous measurement approach for dual rotating-retarder Mueller matrix ellipsometry. <i>Optics Express</i> , 2019 , 27, 14736-14753	3-3	2
22	Why simple quadrature is just as good as Monte Carlo. <i>Monte Carlo Methods and Applications</i> , 2020 , 26, 1-16	0-4	2
21	Image-Based Lateral Position, Steering Behavior Estimation, and Road Curvature Prediction for Motorcycles. <i>IEEE Robotics and Automation Letters</i> , 2018 , 3, 2694-2701	4-2	2
20	Building block 3D printing based on molecular self-assembly monolayer with self-healing properties.. <i>Scientific Reports</i> , 2022 , 12, 6806	4-9	2
19	Analysis and control of a thermal management system for robots in temperature-restricted environments 2014 ,		1
18	Relay node placement in wireless sensor networks for pipeline inspection 2013 ,		1
17	MIT Leak Detector: An in-pipe leak detection robot 2014 ,		1
16	Modal damping of a quadruple pendulum for advanced gravitational wave detectors 2012 ,		1
15	Actuator sizing of a quadruple pendulum for advanced gravitational wave detectors 2011 ,		1
14	SINGLE-MOLECULE DNA SEQUENCING WITH FUNCTIONALIZED CARBON NANOTUBE PROBES. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2006 , 39, 825-830		1
13	Measurements and quality assessments of near-infrared plasma glucose spectra in the combination band region using a scanning filter spectrometer. <i>Journal of Biomedical Optics</i> , 2005 , 10, 064039	3-5	1

12	Explicit Energy Storage Fields and Their Application to Structural Property Inspection of Physical Systems. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1999 , 121, 402-409	1.6	1
11	Angle Sensor with STM. (2nd Report). Atom Tracking and Yaw Measurement.. <i>Journal of the Japan Society for Precision Engineering</i> , 1997 , 63, 807-811	0.1	1
10	Design and Control of a Multi-Actuated Nanopositioning Stage with Stacked Structure 2019 ,		1
9	Statically Stable Charge Sensing Method for Precise Displacement Estimation of Piezoelectric Stack-Based Nanopositioning. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 8550-8560	8.9	1
8	Feedback-Assisted Feedforward Hysteresis Compensation: A Unified Approach and Applications to Piezoactuated Nanopositioners. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 11245-11254	8.9	1
7	Intelligent disassembly of electric-vehicle batteries: a forward-looking overview. <i>Resources, Conservation and Recycling</i> , 2022 , 182, 106207	11.9	1
6	Quantification and reduction of Poisson-Gaussian mixed noise induced errors in ellipsometry. <i>Optics Express</i> , 2021 , 29, 27057-27070	3.3	0
5	Integrated Design and Control of Flexure-Based Nanopositioning Systems [Part I: Methodology. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2011 , 44, 9406-9412		
4	Integrated Design and Control of Flexure-Based Nanopositioning Systems [Part II: Application Case Study. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2011 , 44, 9397-9405		
3	Robust Adaptive Control of Atomic Force Microscopes. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2004 , 37, 669-674		
2	Guest Editors Introduction to the Special Issue on RGB-D Vision: Methods and Applications. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2020 , 42, 2329-2332	13.3	
1	Magnetohydrodynamic Energy Harvester for Low-Power Pipe Instrumentation. <i>IEEE/ASME Transactions on Mechatronics</i> , 2022 , 1-10	5.5	