

Stephen T Beirne

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8398585/stephen-t-beirne-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

2,636
citations

27
h-index

50
g-index

78
ext. papers

3,158
ext. citations

7.5
avg, IF

5.09
L-index

#	Paper	IF	Citations
73	Knitted Strain Sensor Textiles of Highly Conductive All-Polymeric Fibers. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 21150-8	9.5	204
72	A wearable electrochemical sensor for the real-time measurement of sweat sodium concentration. <i>Analytical Methods</i> , 2010 , 2, 342	3.2	188
71	In situ handheld three-dimensional bioprinting for cartilage regeneration. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, 611-621	4.4	155
70	Bio-ink for on-demand printing of living cells. <i>Biomaterials Science</i> , 2013 , 1, 224-230	7.4	153
69	Three dimensional (3D) printed electrodes for interdigitated supercapacitors. <i>Electrochemistry Communications</i> , 2014 , 41, 20-23	5.1	150
68	Development of the Biopen: a handheld device for surgical printing of adipose stem cells at a chondral wound site. <i>Biofabrication</i> , 2016 , 8, 015019	10.5	136
67	Extrusion printing of ionic-covalent entanglement hydrogels with high toughness. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 4939-4946	7.3	133
66	Carbon nanotube - reduced graphene oxide composites for thermal energy harvesting applications. <i>Advanced Materials</i> , 2013 , 25, 6602-6	24	130
65	Development of Graphene Oxide/Polyaniline Inks for High Performance Flexible Microsupercapacitors via Extrusion Printing. <i>Advanced Functional Materials</i> , 2018 , 28, 1706592	15.6	112
64	High Power Density Electrochemical Thermocells for Inexpensively Harvesting Low-Grade Thermal Energy. <i>Advanced Materials</i> , 2017 , 29, 1605652	24	108
63	WEATCHIP Wearable Platform for Harvesting and Analysing Sweat Sodium Content. <i>Electroanalysis</i> , 2016 , 28, 1283-1289	3	95
62	3D printed metal columns for capillary liquid chromatography. <i>Analyst, The</i> , 2014 , 139, 6343-7	5	76
61	Manganosite-microwave exfoliated graphene oxide composites for asymmetric supercapacitor device applications. <i>Electrochimica Acta</i> , 2013 , 101, 99-108	6.7	75
60	3D printed titanium micro-bore columns containing polymer monoliths for reversed-phase liquid chromatography. <i>Analytica Chimica Acta</i> , 2016 , 910, 84-94	6.6	55
59	3D-Printed Conical Arrays of TiO ₂ Electrodes for Enhanced Photoelectrochemical Water Splitting. <i>Advanced Energy Materials</i> , 2017 , 7, 1701060	21.8	48
58	Monitoring chemical plumes in an environmental sensing chamber with a wireless chemical sensor network. <i>Sensors and Actuators B: Chemical</i> , 2007 , 121, 142-149	8.5	47
57	3D Printing for Electrocatalytic Applications. <i>Joule</i> , 2019 , 3, 1835-1849	27.8	45

56	Advanced Wearable Thermocells for Body Heat Harvesting. <i>Advanced Energy Materials</i> , 2020 , 10, 2002539-41	11.8	41
55	Recent Development of Fabricating Flexible Micro-Supercapacitors for Wearable Devices. <i>Advanced Materials Technologies</i> , 2018 , 3, 1800028	6.8	40
54	Three-Dimensional Printing of Abrasive, Hard, and Thermally Conductive Synthetic Microdiamond-Polymer Composite Using Low-Cost Fused Deposition Modeling Printer. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4353-4363	9.5	40
53	Human Neural Tissues from Neural Stem Cells Using Conductive Biogel and Printed Polymer Microelectrode Arrays for 3D Electrical Stimulation. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1900425	10.1	35
52	Multitechnology Biofabrication: A New Approach for the Manufacturing of Functional Tissue Structures?. <i>Trends in Biotechnology</i> , 2020 , 38, 1316-1328	15.1	35
51	Facile Fabrication of Flexible Microsupercapacitor with High Energy Density. <i>Advanced Materials Technologies</i> , 2016 , 1, 1600166	6.8	35
50	Development of a Coaxial 3D Printing Platform for Biofabrication of Implantable Islet-Containing Constructs. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1801181	10.1	34
49	Investigating the Effect of Column Geometry on Separation Efficiency using 3D Printed Liquid Chromatographic Columns Containing Polymer Monolithic Phases. <i>Analytical Chemistry</i> , 2018 , 90, 1186-1194	7.8	33
48	Conductive Tough Hydrogel for Bioapplications. <i>Macromolecular Bioscience</i> , 2018 , 18, 1700270	5.5	32
47	Coaxial additive manufacture of biomaterial composite scaffolds for tissue engineering. <i>Biofabrication</i> , 2014 , 6, 025002	10.5	30
46	Evaluation of a low cost wireless chemical sensor network for environmental monitoring 2008 ,		26
45	Fabrication and characterization of a magnetic micro-actuator based on deformable Fe-doped PDMS artificial cilium using 3D printing. <i>Smart Materials and Structures</i> , 2015 , 24, 035015	3.4	23
44	Electrical Stimulation with a Conductive Polymer Promotes Neurite Outgrowth and Synaptogenesis in Primary Cortical Neurons in 3D. <i>Scientific Reports</i> , 2018 , 8, 9855	4.9	22
43	Supercapacitors: Development of Graphene Oxide/Polyaniline Inks for High Performance Flexible Microsupercapacitors via Extrusion Printing (Adv. Funct. Mater. 21/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870142	15.6	18
42	Wireless aquatic navigator for detection and analysis (WANDA). <i>Sensors and Actuators B: Chemical</i> , 2010 , 150, 425-435	8.5	17
41	Extrusion Printed Graphene/Polycaprolactone/Composites for Tissue Engineering. <i>Materials Science Forum</i> , 2013 , 773-774, 496-502	0.4	16
40	Processable Thermally Conductive Polyurethane Composite Fibers. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1800542	3.9	16
39	Development of rhamnose-rich hydrogels based on sulfated xylorhamno-uronic acid toward wound healing applications. <i>Biomaterials Science</i> , 2019 , 7, 3497-3509	7.4	14

38	Performance enhancement of single-walled nanotube/microwave exfoliated graphene oxide composite electrodes using a stacked electrode configuration. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 14835-14843	13	14
37	Electrotactic ionic liquid droplets. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 1069-1075	8.5	13
36	Remote real-time monitoring of subsurface landfill gas migration. <i>Sensors</i> , 2011 , 11, 6603-28	3.8	13
35	The significance of supporting electrolyte on poly (vinyl alcohol)/iron(II)/iron(III) solid-state electrolytes for wearable thermo-electrochemical cells. <i>Electrochemistry Communications</i> , 2021 , 124, 106938	5.1	13
34	The optimisation of a paired emitter/detector diode optical pH sensing device. <i>Sensors and Actuators B: Chemical</i> , 2011 , 153, 182-187	8.5	12
33	A 3D-Printed Electrochemical Water Splitting Cell. <i>Advanced Materials Technologies</i> , 2019 , 4, 1900433	6.8	11
32	Free-form co-axial bioprinting of a gelatin methacryloyl bio-ink by direct in situ photo-crosslinking during extrusion. <i>Bioprinting</i> , 2020 , 19, e00087	7	11
31	Autonomous greenhouse gas measurement system for analysis of gas migration on landfill sites 2010 ,		11
30	Advanced fabrication approaches to controlled delivery systems for epilepsy treatment. <i>Expert Opinion on Drug Delivery</i> , 2018 , 15, 915-925	8	11
29	The Bionic Bra: Using electromaterials to sense and modify breast support to enhance active living. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2018 , 5, 2055668318775905	1.7	9
28	3D-Printed Wearable Electrochemical Energy Devices. <i>Advanced Functional Materials</i> , 2103092	15.6	9
27	System and process development for coaxial extrusion in fused deposition modelling. <i>Rapid Prototyping Journal</i> , 2017 , 23, 543-550	3.8	8
26	Additive Manufacturing, Modeling and Performance Evaluation of 3D Printed Fins for Surfboards. <i>MRS Advances</i> , 2017 , 2, 913-920	0.7	8
25	Porosity of Bleb Capsule declines rapidly with Fluid Challenge. <i>Journal of Current Glaucoma Practice</i> , 2016 , 10, 91-96	1.1	8
24	Wearable technology for the real-time analysis of sweat during exercise 2008 ,		6
23	Bipolar electroactive conducting polymers for wireless cell stimulation. <i>Applied Materials Today</i> , 2020 , 21, 100804	6.6	6
22	Determination of bleb capsule porosity with an experimental glaucoma drainage device and measurement system. <i>JAMA Ophthalmology</i> , 2015 , 133, 549-54	3.9	5
21	3D Printed Electrodes for Improved Gas Reactant Transport for Electrochemical Reactions. <i>3D Printing and Additive Manufacturing</i> , 2018 , 5, 215-219	4	5

20	Development of a Coaxial Melt Extrusion Printing process for specialised composite bioscaffold fabrication 2013 ,		5
19	Three-Dimensional Printed Braided Sleeves for Manufacturing McKibben Artificial Muscles. <i>3D Printing and Additive Manufacturing</i> , 2019 , 6, 57-62	4	5
18	Wireless electrochemiluminescence at functionalised gold microparticles using 3D titanium electrode arrays. <i>Chemical Communications</i> , 2021 , 57, 4642-4645	5.8	5
17	Additive manufacturing enables personalised porous high-density polyethylene surgical implant manufacturing with improved tissue and vascular ingrowth. <i>Applied Materials Today</i> , 2021 , 22, 100965	6.6	4
16	3D bioprinting dermal-like structures using species-specific ulvan. <i>Biomaterials Science</i> , 2021 , 9, 2424-2438	4	4
15	3D printing of highly flexible, cytocompatible nanocomposites for thermal management. <i>Journal of Materials Science</i> , 2021 , 56, 6385-6400	4.3	4
14	Cell compatible encapsulation of filaments into 3D hydrogels. <i>Biofabrication</i> , 2016 , 8, 025013	10.5	3
13	Electrochemiluminescence at 3D Printed Titanium Electrodes. <i>Frontiers in Chemistry</i> , 2021 , 9, 662810	5	3
12	Ionic interactions to tune mechanical and electrical properties of hydrated liquid crystal graphene oxide films. <i>Materials Chemistry and Physics</i> , 2017 , 186, 90-97	4.4	2
11	Chemical event tracking using a low-cost wireless chemical sensing network 2008 ,		2
10	Sensor node localisation using a stereo camera rig 2007 ,		2
9	All-polymer wearable thermoelectrochemical cells harvesting body heat.. <i>IScience</i> , 2021 , 24, 103466	6.1	2
8	Modeling the upper airway: A precursor to personalized surgical interventions for the treatment of sleep apnea. <i>Journal of Biomedical Materials Research - Part A</i> , 2020 , 108, 1419-1425	5.4	1
7	Wearable Photo-Thermo-Electrochemical Cells (PTECs) Harvesting Solar Energy.. <i>Macromolecular Rapid Communications</i> , 2022 , e2200001	4.8	1
6	Data on the bipolar electroactive conducting polymers for wireless cell stimulation. <i>Data in Brief</i> , 2020 , 33, 106406	1.2	1
5	Fused filament fabrication 3D printed polylactic acid electroosmotic pumps. <i>Lab on A Chip</i> , 2021 , 21, 3338-3351	7.2	1
4	Hollow-Fiber Melt Electrowriting Using a 3D-Printed Coaxial Nozzle. <i>Advanced Engineering Materials</i> , 2019 , 21, 190750	9.5	1
3	Wearable Sensor for Real-Time Monitoring of Electrolytes in Sweat. <i>Proceedings (mdpi)</i> , 2017 , 1, 724	0.3	

- 2 Microcosm: A Low Cost 3-D Wireless Sensor Test-Bed Within a Controllable Environment. *Lecture Notes in Computer Science*, **2006**, 820-834 0.9
- 1 Smart polymer implants as an emerging technology for treating airway collapse in obstructive sleep apnea: a pilot (proof of concept) study. *Journal of Clinical Sleep Medicine*, **2021**, 17, 315-324 3.1