

Steve R Roffler

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8398990/steve-r-roffler-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

4,311
citations

36
h-index

58
g-index

141
ext. papers

4,847
ext. citations

7.6
avg, IF

5.11
L-index

#	Paper	IF	Citations
137	CD44v6 dependence of premetastatic niche preparation by exosomes. <i>Neoplasia</i> , 2009 , 11, 1093-105	6.4	273
136	Display of GPI-anchored anti-EGFR nanobodies on extracellular vesicles promotes tumour cell targeting. <i>Journal of Extracellular Vesicles</i> , 2016 , 5, 31053	16.4	190
135	Cutting Edge: mechanical forces acting on T cells immobilized via the TCR complex can trigger TCR signaling. <i>Journal of Immunology</i> , 2010 , 184, 5959-63	5.3	154
134	Antitumor and antimetastatic activity of IL-23. <i>Journal of Immunology</i> , 2003 , 171, 600-7	5.3	151
133	Accelerated clearance of polyethylene glycol-modified proteins by anti-polyethylene glycol IgM. <i>Bioconjugate Chemistry</i> , 1999 , 10, 520-8	6.3	124
132	In situ extractive fermentation of acetone and butanol. <i>Biotechnology and Bioengineering</i> , 1988 , 31, 135-43	4.3	105
131	In situ recovery of fermentation products. <i>Trends in Biotechnology</i> , 1984 , 2, 129-136	15.1	100
130	Analytical measurement of PEGylated molecules. <i>Bioconjugate Chemistry</i> , 2012 , 23, 881-99	6.3	89
129	Extractive Fermentation of Acetone and Butanol: Process Design and Economic Evaluation. <i>Biotechnology Progress</i> , 1987 , 3, 131-140	2.8	81
128	Combination of tumor site-located CTL-associated antigen-4 blockade and systemic regulatory T-cell depletion induces tumor-destructive immune responses. <i>Cancer Research</i> , 2007 , 67, 5929-39	10.1	79
127	Measurement of Pre-Existing IgG and IgM Antibodies against Polyethylene Glycol in Healthy Individuals. <i>Analytical Chemistry</i> , 2016 , 88, 10661-10666	7.8	78
126	Design and synthesis of water-soluble glucuronide derivatives of camptothecin for cancer prodrug monotherapy and antibody-directed enzyme prodrug therapy (ADEPT). <i>Journal of Medicinal Chemistry</i> , 1999 , 42, 3623-8	8.3	71
125	Sensitive quantification of PEGylated compounds by second-generation anti-poly(ethylene glycol) monoclonal antibodies. <i>Bioconjugate Chemistry</i> , 2010 , 21, 1264-70	6.3	70
124	Monoclonal antibody-based quantitation of poly(ethylene glycol)-derivatized proteins, liposomes, and nanoparticles. <i>Bioconjugate Chemistry</i> , 2005 , 16, 1225-31	6.3	70
123	Prognosis of non-small cell lung cancer patients by detecting circulating cancer cells in the peripheral blood with multiple marker genes. <i>Clinical Cancer Research</i> , 2005 , 11, 173-9	12.9	69
122	Activation of phospholipase C delta1 through C2 domain by a Ca(2+)-enzyme-phosphatidylserine ternary complex. <i>Journal of Biological Chemistry</i> , 1999 , 274, 21995-2001	5.4	67
121	An activity-based near-infrared glucuronide trapping probe for imaging β glucuronidase expression in deep tissues. <i>Journal of the American Chemical Society</i> , 2012 , 134, 3103-10	16.4	65

120	Identification of CD46 binding sites within the adenovirus serotype 35 fiber knob. <i>Journal of Virology</i> , 2007 , 81, 12785-92	6.6	64
119	CD13 (aminopeptidase N) can associate with tumor-associated antigen L6 and enhance the motility of human lung cancer cells. <i>International Journal of Cancer</i> , 2005 , 116, 243-52	7.5	64
118	Anti-neoplastic glucuronide prodrug treatment of human tumor cells targeted with a monoclonal antibody-enzyme conjugate. <i>Biochemical Pharmacology</i> , 1991 , 42, 2062-5	6	64
117	Tumor-targeting prodrug-activating bacteria for cancer therapy. <i>Cancer Gene Therapy</i> , 2008 , 15, 393-401	5.4	58
116	Tumor-associated antigen L6 and the invasion of human lung cancer cells. <i>Clinical Cancer Research</i> , 2003 , 9, 2807-16	12.9	52
115	Surfection: a new platform for transfected cell arrays. <i>Nucleic Acids Research</i> , 2004 , 32, e33	20.1	51
114	Efficient clearance of poly(ethylene glycol)-modified immunoenzyme with anti-PEG monoclonal antibody for prodrug cancer therapy. <i>Bioconjugate Chemistry</i> , 2000 , 11, 258-66	6.3	51
113	Pre-existing anti-polyethylene glycol antibody reduces the therapeutic efficacy and pharmacokinetics of PEGylated liposomes. <i>Theranostics</i> , 2018 , 8, 3164-3175	12.1	50
112	In vitro and in vivo properties of adenovirus vectors with increased affinity to CD46. <i>Journal of Virology</i> , 2008 , 82, 10567-79	6.6	50
111	Coadministration of epithelial junction opener JO-1 improves the efficacy and safety of chemotherapeutic drugs. <i>Clinical Cancer Research</i> , 2012 , 18, 3340-51	12.9	45
110	Poly(ethylene glycol) modification of beta-glucuronidase-antibody conjugates for solid-tumor therapy by targeted activation of glucuronide prodrugs. <i>Cancer Immunology, Immunotherapy</i> , 1997 , 44, 305-15	7.4	43
109	Enzyme-activated Prodrug Therapy Enhances Tumor-specific Replication of Adenovirus Vectors. <i>Cancer Research</i> , 2002 , 62, 6089-98	10.1	43
108	Antiangiogenesis targeting tumor microenvironment synergizes glucuronide prodrug antitumor activity. <i>Clinical Cancer Research</i> , 2009 , 15, 4600-11	12.9	42
107	Membrane-localized activation of glucuronide prodrugs by beta-glucuronidase enzymes. <i>Cancer Gene Therapy</i> , 2007 , 14, 187-200	5.4	42
106	Anti-PEG antibodies alter the mobility and biodistribution of densely PEGylated nanoparticles in mucus. <i>Acta Biomaterialia</i> , 2016 , 43, 61-70	10.8	40
105	In situ adenovirus vaccination engages T effector cells against cancer. <i>Vaccine</i> , 2009 , 27, 4225-39	4.1	40
104	Bystander killing of tumour cells by antibody-targeted enzymatic activation of a glucuronide prodrug. <i>British Journal of Cancer</i> , 1999 , 79, 1378-85	8.7	40
103	Expression of chimeric monomer and dimer proteins on the plasma membrane of mammalian cells. <i>Biotechnology and Bioengineering</i> , 1999 , 65, 160-9	4.9	38

102	A genome-wide association study identifies a novel susceptibility locus for the immunogenicity of polyethylene glycol. <i>Nature Communications</i> , 2017 , 8, 522	17.4	37
101	Conditional internalization of PEGylated nanomedicines by PEG engagers for triple negative breast cancer therapy. <i>Nature Communications</i> , 2017 , 8, 15507	17.4	36
100	One-step mixing with humanized anti-mPEG bispecific antibody enhances tumor accumulation and therapeutic efficacy of mPEGylated nanoparticles. <i>Biomaterials</i> , 2014 , 35, 9930-9940	15.6	34
99	Treatment of hepatocellular carcinoma with adeno-associated virus encoding interleukin-15 superagonist. <i>Human Gene Therapy</i> , 2010 , 21, 611-21	4.8	34
98	Anti-EphA2 antibodies decrease EphA2 protein levels in murine CT26 colorectal and human MDA-231 breast tumors but do not inhibit tumor growth. <i>Neoplasia</i> , 2006 , 8, 18-30	6.4	33
97	Anti-4-1BB-based immunotherapy for autoimmune diabetes: lessons from a transgenic non-obese diabetic (NOD) model. <i>Journal of Autoimmunity</i> , 2003 , 21, 247-54	15.5	32
96	A chelating agent possessing cytotoxicity and antimicrobial activity: 7-morpholinomethyl-8-hydroxyquinoline. <i>Life Sciences</i> , 1999 , 64, 813-25	6.8	32
95	Premature Drug Release from Polyethylene Glycol (PEG)-Coated Liposomal Doxorubicin Formation of the Membrane Attack Complex. <i>ACS Nano</i> , 2020 , 14, 7808-7822	16.7	31
94	Endocytosis of PEGylated agents enhances cancer imaging and anticancer efficacy. <i>Molecular Cancer Therapeutics</i> , 2010 , 9, 1903-12	6.1	30
93	Anti-tumour activity and toxicity of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in mice. <i>British Journal of Cancer</i> , 2002 , 86, 1634-8	8.7	30
92	Activation of lymphocytes by anti-CD3 single-chain antibody dimers expressed on the plasma membrane of tumor cells. <i>Gene Therapy</i> , 2000 , 7, 339-47	4	29
91	Protein 4.1R binding to eIF3-p44 suggests an interaction between the cytoskeletal network and the translation apparatus. <i>Blood</i> , 2000 , 96, 747-753	2.2	29
90	Development of a universal anti-polyethylene glycol reporter gene for noninvasive imaging of PEGylated probes. <i>Journal of Nuclear Medicine</i> , 2010 , 51, 933-41	8.9	28
89	Selective Delivery of PEGylated Compounds to Tumor Cells by Anti-PEG Hybrid Antibodies. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 1317-26	6.1	27
88	Gene expression imaging by enzymatic catalysis of a fluorescent probe via membrane-anchored beta-glucuronidase. <i>Gene Therapy</i> , 2007 , 14, 565-74	4	27
87	Doxorubicin: monoclonal antibody conjugate for therapy of human cervical carcinoma. <i>International Journal of Cancer</i> , 1992 , 51, 274-82	7.5	27
86	Directed evolution of a lysosomal enzyme with enhanced activity at neutral pH by mammalian cell-surface display. <i>Chemistry and Biology</i> , 2008 , 15, 1277-86		26
85	Doxebo (doxorubicin-free Doxil-like liposomes) is safe to use as a pre-treatment to prevent infusion reactions to PEGylated nanodrugs. <i>Journal of Controlled Release</i> , 2019 , 306, 138-148	11.7	25

84	Cancer immunotherapy using a membrane-bound interleukin-12 with B7-1 transmembrane and cytoplasmic domains. <i>Molecular Therapy</i> , 2012 , 20, 927-37	11.7	25
83	Design of transgenes for efficient expression of active chimeric proteins on mammalian cells. <i>Biotechnology and Bioengineering</i> , 2001 , 73, 313-23	4.9	25
82	Sensitive measurement of polyethylene glycol-modified proteins. <i>BioTechniques</i> , 2001 , 30, 396-402	2.5	25
81	Polyethylene Glycol Immunogenicity: Theoretical, Clinical, and Practical Aspects of Anti-Polyethylene Glycol Antibodies. <i>ACS Nano</i> , 2021 , 15, 14022-14048	16.7	25
80	Engineering Chimeric Receptors To Investigate the Size- and Rigidity-Dependent Interaction of PEGylated Nanoparticles with Cells. <i>ACS Nano</i> , 2016 , 10, 648-62	16.7	24
79	Measurement of poly(ethylene glycol) by cell-based anti-poly(ethylene glycol) ELISA. <i>Analytical Chemistry</i> , 2010 , 82, 2355-62	7.8	24
78	Cure of malignant ascites and generation of protective immunity by monoclonal antibody-targeted activation of a glucuronide prodrug in rats. <i>International Journal of Cancer</i> , 1997 , 73, 392-402	7.5	23
77	Flow cytometric analysis of DNA binding and cleavage by cell surface-displayed homing endonucleases. <i>Nucleic Acids Research</i> , 2007 , 35, 2748-58	20.1	23
76	The immunization site of cytokine-secreting tumor cell vaccines influences the trafficking of tumor-specific T lymphocytes and antitumor efficacy against regional tumors. <i>Journal of Immunology</i> , 2004 , 173, 6025-32	5.3	23
75	Disruption of Scube2 Impairs Endochondral Bone Formation. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 1255-67	6.3	22
74	A membrane antibody receptor for noninvasive imaging of gene expression. <i>Gene Therapy</i> , 2006 , 13, 412-20	4	22
73	Potentiation of antitumor immunity by antibody-directed enzyme prodrug therapy. <i>International Journal of Cancer</i> , 2001 , 94, 850-8	7.5	22
72	Characterization of an antineoplastic glucuronide prodrug. <i>Biochemical Pharmacology</i> , 1999 , 58, 325-8	6	22
71	Label-free detection of rare cell in human blood using gold nano slit surface plasmon resonance. <i>Biosensors</i> , 2015 , 5, 98-117	5.9	21
70	Transgenic expression of single-chain anti-CTLA-4 Fv on beta cells protects nonobese diabetic mice from autoimmune diabetes. <i>Journal of Immunology</i> , 2009 , 183, 2277-85	5.3	21
69	In vivo positron emission tomography imaging of protease activity by generation of a hydrophobic product from a noninhibitory protease substrate. <i>Clinical Cancer Research</i> , 2012 , 18, 238-47	12.9	21
68	Detection of alphafetoprotein-expressing cells in the blood of patients with hepatoma and hepatitis. <i>British Journal of Cancer</i> , 1997 , 75, 928-33	8.7	20
67	Stable expression of chimeric anti-CD3 receptors on mammalian cells for stimulation of antitumor immunity. <i>Cancer Gene Therapy</i> , 2003 , 10, 779-90	5.4	20

66	Synthesis and Antitumor Properties of BQC-Glucuronide, a Camptothecin Prodrug for Selective Tumor Activation. <i>Molecular Pharmaceutics</i> , 2016 , 13, 1242-50	5.6	19
65	Endothelial SCUBE2 Interacts With VEGFR2 and Regulates VEGF-Induced Angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 144-155	9.4	19
64	Enhancement of CPT-11 antitumor activity by adenovirus-mediated expression of β glucuronidase in tumors. <i>Cancer Gene Therapy</i> , 2011 , 18, 381-9	5.4	19
63	Adenovirus-mediated intratumoral expression of immunostimulatory proteins in combination with systemic Treg inactivation induces tumor-destructive immune responses in mouse models. <i>Cancer Gene Therapy</i> , 2011 , 18, 407-18	5.4	19
62	Membrane-tethered proteins for basic research, imaging, and therapy. <i>Medicinal Research Reviews</i> , 2008 , 28, 885-928	14.4	19
61	Inhibition of the plasma SCUBE1, a novel platelet adhesive protein, protects mice against thrombosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 1390-8	9.4	18
60	Selective cancer therapy by extracellular activation of a highly potent glycosidic duocarmycin analogue. <i>Molecular Pharmaceutics</i> , 2013 , 10, 1773-82	5.6	18
59	Cytotoxicity and antimicrobial activity of some naphthol derivatives. <i>Archiv Der Pharmazie</i> , 1995 , 328, 197-201	4.3	18
58	Preclinical safety and efficacy studies with an affinity-enhanced epithelial junction opener and PEGylated liposomal doxorubicin. <i>Molecular Therapy - Methods and Clinical Development</i> , 2015 , 2, 15005	6.4	17
57	A humanized immunoenzyme with enhanced activity for glucuronide prodrug activation in the tumor microenvironment. <i>Bioconjugate Chemistry</i> , 2011 , 22, 938-48	6.3	17
56	Local enzymatic hydrolysis of an endogenously generated metabolite can enhance CPT-11 anticancer efficacy. <i>Molecular Cancer Therapeutics</i> , 2009 , 8, 940-6	6.1	17
55	Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin. <i>Biochemical Pharmacology</i> , 2003 , 66, 1181-7	6	17
54	Micro-PET imaging of beta-glucuronidase activity by the hydrophobic conversion of a glucuronide probe. <i>Radiology</i> , 2009 , 252, 754-62	20.5	16
53	Hapten-directed targeting to single-chain antibody receptors. <i>Cancer Gene Therapy</i> , 2004 , 11, 380-8	5.4	16
52	Enhanced drug internalization and therapeutic efficacy of PEGylated nanoparticles by one-step formulation with anti-mPEG bispecific antibody in intrinsic drug-resistant breast cancer. <i>Biomaterials Science</i> , 2019 , 7, 3404-3417	7.4	15
51	A novel HLA-A2-restricted CTL epitope of tumor-associated antigen L6 can inhibit tumor growth in vivo. <i>Journal of Immunotherapy</i> , 2012 , 35, 235-44	5	15
50	Elevated topoisomerase I activity in cervical cancer as a target for chemoradiation therapy. <i>Gynecologic Oncology</i> , 2000 , 79, 272-80	4.9	15
49	PET imaging of β glucuronidase activity by an activity-based ^{124}I -trapping probe for the personalized glucuronide prodrug targeted therapy. <i>Molecular Cancer Therapeutics</i> , 2014 , 13, 2852-63	6.1	14

48	A simple method for the production of recombinant proteins from mammalian cells. <i>Biotechnology and Applied Biochemistry</i> , 2004 , 40, 167-72	2.8	14
47	The Affinity of Elongated Membrane-Tethered Ligands Determines Potency of T Cell Receptor Triggering. <i>Frontiers in Immunology</i> , 2017 , 8, 793	8.4	13
46	Combination cancer therapy by hapten-targeted prodrug-activating enzymes and cytokines. <i>Bioconjugate Chemistry</i> , 2006 , 17, 707-14	6.3	13
45	The B7-1 cytoplasmic tail enhances intracellular transport and mammalian cell surface display of chimeric proteins in the absence of a linear ER export motif. <i>PLoS ONE</i> , 2013 , 8, e75084	3.7	12
44	Immuno-therapy with anti-CTLA4 antibodies in tolerized and non-tolerized mouse tumor models. <i>PLoS ONE</i> , 2011 , 6, e22303	3.7	12
43	Optimization of an Anti-poly(ethylene glycol) (anti-PEG) Cell-Based Capture System To Quantify PEG and PEGylated Molecules. <i>Analytical Chemistry</i> , 2016 , 88, 12371-12379	7.8	11
42	Reloadable multidrug capturing delivery system for targeted ischemic disease treatment. <i>Science Translational Medicine</i> , 2016 , 8, 365ra160	17.5	11
41	Sensitivity of PEGylated interferon detection by anti-polyethylene glycol (PEG) antibodies depends on PEG length. <i>Bioconjugate Chemistry</i> , 2013 , 24, 1408-13	6.3	11
40	ECSTASY, an adjustable membrane-tethered/soluble protein expression system for the directed evolution of mammalian proteins. <i>Protein Engineering, Design and Selection</i> , 2012 , 25, 367-75	1.9	11
39	Structural basis of polyethylene glycol recognition by antibody. <i>Journal of Biomedical Science</i> , 2020 , 27, 12	13.3	11
38	High-Affinity Ligands Can Trigger T Cell Receptor Signaling Without CD45 Segregation. <i>Frontiers in Immunology</i> , 2018 , 9, 713	8.4	10
37	Effect of Cellular Location of Human Carboxylesterase 2 on CPT-11 Hydrolysis and Anticancer Activity. <i>PLoS ONE</i> , 2015 , 10, e0141088	3.7	10
36	Discovery of specific inhibitors for intestinal E. coli β glucuronidase through in silico virtual screening. <i>Scientific World Journal, The</i> , 2015 , 2015, 740815	2.2	10
35	Effect of pH and human serum albumin on the cytotoxicity of a glucuronide prodrug of 9-aminocamptothecin. <i>Cancer Chemotherapy and Pharmacology</i> , 2007 , 60, 7-17	3.5	10
34	Both IgM and IgG Antibodies Against Polyethylene Glycol Can Alter the Biological Activity of Methoxy Polyethylene Glycol-Epoetin Beta in Mice. <i>Pharmaceutics</i> , 2019 , 12,	6.4	10
33	Replacement of L-amino acid peptides with D-amino acid peptides mitigates anti-PEG antibody generation against polymer-peptide conjugates in mice. <i>Journal of Controlled Release</i> , 2021 , 331, 142-153	11.7	10
32	Toward reducing immunogenicity of enzyme replacement therapy: altering the specificity of human β glucuronidase to compensate for β glucuronidase deficiency. <i>Protein Engineering, Design and Selection</i> , 2015 , 28, 519-29	1.9	9
31	Versatile online SPE-HPLC method for the analysis of Irinotecan and its clinically relevant metabolites in biomaterials. <i>Journal of Separation Science</i> , 2014 , 37, 360-7	3.4	9

30	Tumor-localized ligation of CD3 and CD28 with systemic regulatory T-cell depletion induces potent innate and adaptive antitumor responses. <i>Clinical Cancer Research</i> , 2009 , 15, 2756-66	12.9	9
29	Chimeric peptide containing both B and T cells epitope of tumor-associated antigen L6 enhances anti-tumor effects in HLA-A2 transgenic mice. <i>Cancer Letters</i> , 2016 , 377, 126-33	9.9	9
28	A Secondary Antibody-Detecting Molecular Weight Marker with Mouse and Rabbit IgG Fc Linear Epitopes for Western Blot Analysis. <i>PLoS ONE</i> , 2016 , 11, e0160418	3.7	8
27	Enhancement Effect of a Variable Topology of a Membrane-Tethered Anti-Poly(ethylene glycol) Antibody on the Sensitivity for Quantifying PEG and PEGylated Molecules. <i>Analytical Chemistry</i> , 2017 , 89, 6082-6090	7.8	7
26	Mimicking the germinal center reaction in hybridoma cells to isolate temperature-selective anti-PEG antibodies. <i>MAbs</i> , 2014 , 6, 1069-83	6.6	7
25	A recombinant scFv-FasLext as a targeting cytotoxic agent against human Jurkat-Ras cancer. <i>Journal of Biomedical Science</i> , 2013 , 20, 16	13.3	7
24	High-throughput sorting of the highest producing cell via a transiently protein-anchored system. <i>PLoS ONE</i> , 2014 , 9, e102569	3.7	7
23	Reversible glycosidic switch for secure delivery of molecular nanocargos. <i>Nature Communications</i> , 2018 , 9, 1843	17.4	6
22	Development of an Anti-Methoxy Poly(ethylene glycol) (HmPEG) Cell-Based Capture System to Measure mPEG and mPEGylated Molecules. <i>Macromolecules</i> , 2014 , 47, 6880-6888	5.5	6
21	Clearance kinetics of biomaterials affects stem cell retention and therapeutic efficacy. <i>Biomacromolecules</i> , 2014 , 15, 564-73	6.9	6
20	A regularly spaced and self-revealing protein ladder for anti-tag Western blot analysis. <i>Analytical Biochemistry</i> , 2012 , 431, 1-3	3.1	6
19	Using anti-poly(ethylene glycol) bioparticles for the quantitation of PEGylated nanoparticles. <i>Scientific Reports</i> , 2016 , 6, 39119	4.9	6
18	Flow cytometry analysis of anti-polyethylene glycol antibodies in human plasma. <i>Toxicology Reports</i> , 2021 , 8, 148-154	4.8	6
17	Bispecific antibody (HER2-mPEG) enhances anti-cancer effects by precise targeting and accumulation of mPEGylated liposomes. <i>Acta Biomaterialia</i> , 2020 , 111, 386-397	10.8	5
16	Characterization of mullerian inhibiting substance binding on cervical carcinoma cells demonstrated by immunocytochemistry. <i>Tissue and Cell</i> , 1994 , 26, 467-76	2.7	5
15	Impediments to enhancement of CPT-11 anticancer activity by E. coli directed beta-glucuronidase therapy. <i>PLoS ONE</i> , 2015 , 10, e0118028	3.7	5
14	A HLA-A2-restricted CTL epitope induces anti-tumor effects against human lung cancer in mouse xenograft model. <i>Oncotarget</i> , 2016 , 7, 671-83	3.3	5
13	Transient AID expression for in situ mutagenesis with improved cellular fitness. <i>Scientific Reports</i> , 2018 , 8, 9413	4.9	5

12	Double attack strategy for leukemia using a pre-targeting bispecific antibody (CD20 Ab-mPEG scFv) and actively attracting PEGylated liposomal doxorubicin to enhance anti-tumor activity. <i>Journal of Nanobiotechnology</i> , 2021 , 19, 16	9.4	5
11	Entropy-driven binding of gut bacterial β -glucuronidase inhibitors ameliorates irinotecan-induced toxicity. <i>Communications Biology</i> , 2021 , 4, 280	6.7	4
10	Simply Mixing Poly Protein G with Detection Antibodies Enhances the Detection Limit and Sensitivity of Immunoassays. <i>Analytical Chemistry</i> , 2019 , 91, 8310-8317	7.8	3
9	PEGylated Liposomal Methyl Prednisolone Succinate does not Induce Infusion Reactions in Patients: A Correlation Between in Vitro Immunological and in Vivo Clinical Studies. <i>Molecules</i> , 2020 , 25,	4.8	3
8	Anti-tumor immunoglobulin M increases lung metastasis in an experimental model of malignant melanoma. <i>Clinical and Experimental Metastasis</i> , 2003 , 20, 103-9	4.7	3
7	The interplay between membrane topology and mechanical forces in regulating T cell receptor activity.. <i>Communications Biology</i> , 2022 , 5, 40	6.7	2
6	Impact of anti-PEG antibody affinity on accelerated blood clearance of pegylated epoetin beta in mice. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 146, 112502	7.5	2
5	Cure of malignant ascites and generation of protective immunity by monoclonal antibody-targeted activation of a glucuronide prodrug in rats 1997 , 73, 392		1
4	Translational development of a tumor junction opening technology.. <i>Scientific Reports</i> , 2022 , 12, 7753	4.9	0
3	Presence of cloning vector sequences in the untranslated region of some genes in Genbank. <i>Journal of Biomedical Science</i> , 2000 , 7, 529-30	13.3	
2	Characterization of A Tumor-Specific Antigen Expressing on Chang Hepatoma Ascites Cells.. <i>Acta Histochemica Et Cytochemica</i> , 2000 , 33, 367-375	1.9	
1	Localization and therapy of human cervical tumor xenografts with radiolabeled monoclonal antibody 1H10. <i>Gynecologic Oncology</i> , 1992 , 47, 93-101	4.9	