

# Wei-Ke Su

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8399209/publications.pdf>

Version: 2024-02-01

65  
papers

1,922  
citations

304743

22  
h-index

276875

41  
g-index

68  
all docs

68  
docs citations

68  
times ranked

1807  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diastereomer recognition of three pairs of tetracyclines by electrospray ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2022, 36, e9221.	1.5	1
2	Mechanochemical C <sup>+</sup> X/C <sup>+</sup> H Functionalization: An Alternative Strategic Access to Pharmaceuticals. <i>European Journal of Organic Chemistry</i> , 2022, 2022, .	2.4	23
3	Preparation, physicochemical and pharmacological study of 10-hydroxycamptothecin solid dispersion with complexation agent $\alpha$ -xylan-nonanoic acid amphiphilic conjugates. <i>International Journal of Biological Macromolecules</i> , 2022, 204, 224-233.	7.5	3
4	Front Cover: Mechanochemical C <sup>+</sup> X/C <sup>+</sup> H Functionalization: An Alternative Strategic Access to Pharmaceuticals ( <i>Eur. J. Org. Chem.</i> 8/2022). <i>European Journal of Organic Chemistry</i> , 2022, 2022, .	2.4	2
5	Generation of aryl radicals from <i>in situ</i> activated homolytic scission: driving radical reactions by ball milling. <i>Green Chemistry</i> , 2022, 24, 4557-4565.	9.0	10
6	Study of Chemical Compositions and Anticancer Effects of <i>Paris polyphylla</i> var. <i>Chinensis</i> Leaves. <i>Molecules</i> , 2022, 27, 2724.	3.8	5
7	Preparation of DNC Solid Dispersion by a Mechanochemical Method with Glycyrrhizic Acid and Polyvinylpyrrolidone to Enhance Bioavailability and Activity. <i>Polymers</i> , 2022, 14, 2037.	4.5	2
8	Free-Radical Initialized Cyclization of 2-(3-Arylpropionyl)benzaldehydes with Toluene Derivatives: Access to Benzylated 1,4-Naphthoquinones via Copper-Catalyzed Cascade Reaction. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 484-489.	4.3	16
9	Liquid-Assisted Grinding Mechanochemistry in the Synthesis of Pharmaceuticals. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 1246-1271.	4.3	170
10	Solubility, Permeability, Anti-Inflammatory Action and In Vivo Pharmacokinetic Properties of Several Mechanochemically Obtained Pharmaceutical Solid Dispersions of Nimesulide. <i>Molecules</i> , 2021, 26, 1513.	3.8	12
11	Research on Preparation of 5-ASA Colon-Specific Hydrogel Delivery System without Crosslinking Agent by Mechanochemical Method. <i>Pharmaceutical Research</i> , 2021, 38, 693-706.	3.5	11
12	Highly Stereoselective Intramolecular Carbofluorination of Internal $\alpha,\beta$ -Ynones Promoted by Selectfluor. <i>Organic Letters</i> , 2021, 23, 4488-4492.	4.6	12
13	Inositol hexanicotinate self-micelle solid dispersion is an efficient drug delivery system in the mouse model of non-alcoholic fatty liver disease. <i>International Journal of Pharmaceutics</i> , 2021, 602, 120576.	5.2	6
14	Preparation of camptothecin micelles self-assembled from disodium glycyrrhizin and tannic acid with enhanced antitumor activity. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021, 164, 75-85.	4.3	18
15	Mechanochemical Magnesium-Mediated Minisci C <sup>+</sup> H Alkylation of Pyrimidines with Alkyl Bromides and Chlorides. <i>Organic Letters</i> , 2021, 23, 6423-6428.	4.6	27
16	Preparation of astaxanthin micelles self-assembled by a mechanochemical method from hydroxypropyl $\beta$ -cyclodextrin and glyceryl monostearate with enhanced antioxidant activity. <i>International Journal of Pharmaceutics</i> , 2021, 605, 120799.	5.2	18
17	NMR-based Metabolomic Techniques Identify the Anticancer Effects of Three Polyphyllins in HepG2 Cells. <i>Current Pharmaceutical Analysis</i> , 2021, 17, .	0.6	0
18	Highly Efficient Modular Construction of Functional Drug Delivery Platform Based on Amphiphilic Biodegradable Polymers via Click Chemistry. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10407.	4.1	5

#	ARTICLE	IF	CITATIONS
19	Preparation of pectin-tannic acid coated core-shell nanoparticle for enhanced bioavailability and antihyperlipidemic activity of curcumin. <i>Food Hydrocolloids</i> , 2021, 119, 106858.	10.7	22
20	Two approaches for the synthesis of levo-praziquantel. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 4507-4514.	2.8	10
21	Antihyperuricemic and nephroprotective effects of extracts from <i>Orthosiphon stamineus</i> in hyperuricemic mice. <i>Journal of Pharmacy and Pharmacology</i> , 2020, 72, 551-560.	2.4	8
22	Mechanochemical Asymmetric Cross-Dehydrogenative Coupling Reaction: Liquid-Assisted Grinding Enables Reaction Acceleration and Enantioselectivity Control. <i>Advanced Synthesis and Catalysis</i> , 2020, 362, 893-902.	4.3	21
23	Palladium-Catalyzed C-H/C-H Cross-Coupling by Mechanochemistry: Direct Alkenylation and Heteroarylation of N1-Protected 1 <i>H</i> -Indazoles. <i>Journal of Organic Chemistry</i> , 2020, 85, 1009-1021.	3.2	31
24	Self-assembling poly(ethylene glycol)-block-poly(lactide)-cabazitaxel conjugate nanoparticles for anticancer therapy with high efficacy and low in vivo toxicity. <i>International Journal of Pharmaceutics</i> , 2020, 574, 118879.	5.2	23
25	An investigation of the synthesis of vilazodone. <i>Journal of Chemical Research</i> , 2020, 44, 243-247.	1.3	3
26	Synthesis of a Crizotinib Intermediate via Highly Efficient Catalytic Hydrogenation in Continuous Flow. <i>Organic Process Research and Development</i> , 2020, 24, 2252-2259.	2.7	15
27	Construction of C(sp <sup>2</sup> )-C(sp <sup>3</sup> ) Bond between Quinoxalin-2(1H)-ones and N-Hydroxyphthalimide Esters via Photocatalytic Decarboxylative Coupling. <i>Chemistry - an Asian Journal</i> , 2019, 14, 3344-3349.	3.3	59
28	Mechanochemical Oxidative Heck Coupling of Activated and Unactivated Alkenes: A Chemo-, Regio- and Stereo-Controlled Synthesis of Alkenylbenzenes. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 5133-5139.	4.3	20
29	Preparation, physicochemical and pharmacological study of curcumin solid dispersion with an arabinogalactan complexation agent. <i>International Journal of Biological Macromolecules</i> , 2019, 128, 158-166.	7.5	30
30	Metal-free synthesis of 2,2-disubstituted indolin-3-ones. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 2199-2203.	2.8	40
31	Selection of fluorescent dye for tracking biodistribution of paclitaxel in live imaging. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 181, 872-878.	5.0	13
32	Decarboxylative acylation of <i>N</i> -free indoles enabled by a catalytic amount of copper catalyst and liquid-assisted grinding. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 4446-4451.	2.8	27
33	Diastereomer recognition of oxytetracycline and its 4-epimer by electrospray ionization mass spectrometry and mechanistic investigation. <i>Journal of Mass Spectrometry</i> , 2019, 54, 1013-1018.	1.6	3
34	Metal-free chemoselective reduction of nitroaromatics to anilines via hydrogen transfer strategy. <i>Chemical Papers</i> , 2019, 73, 965-975.	2.2	7
35	Effects of anthraquinones from <i>Cassia occidentalis</i> L. on ovalbumin-induced airways inflammation in a mouse model of allergic asthma. <i>Journal of Ethnopharmacology</i> , 2018, 221, 1-9.	4.1	33
36	Extraction, partial characterization and bioactivity of polysaccharides from <i>Senecio scandens</i> Buch.-Ham. <i>International Journal of Biological Macromolecules</i> , 2018, 109, 535-543.	7.5	14

#	ARTICLE	IF	CITATIONS
37	Preparation of curcumin self-micelle solid dispersion with enhanced bioavailability and cytotoxic activity by mechanochemistry. <i>Drug Delivery</i> , 2018, 25, 198-209.	5.7	102
38	Solvent-free mechanochemical Buchwald-Hartwig amination of aryl chlorides without inert gas protection. <i>Tetrahedron Letters</i> , 2018, 59, 2277-2280.	1.4	52
39	A copper/O <sub>2</sub> -mediated direct sp <sup>3</sup> C-H/N-H cross-dehydrogen coupling reaction of acylated amines and N-aryl glycine esters. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 2902-2909.	2.8	23
40	Photocatalytic aerobic cross-coupling reaction of N-substituted anilines with N-aryl glycine esters: Synthesis of $\alpha$ -aryl $\beta$ -amino esters. <i>Tetrahedron Letters</i> , 2018, 59, 4364-4369.	1.4	17
41	Bromide-assisted chemoselective Heck reaction of 3-bromoindazoles under high-speed ball-milling conditions: synthesis of axitinib. <i>Beilstein Journal of Organic Chemistry</i> , 2018, 14, 786-795.	2.2	23
42	Atorvastatin calcium inclusion complexation with polysaccharide arabinogalactan and saponin disodium glycyrrhizate for increasing of solubility and bioavailability. <i>Drug Delivery and Translational Research</i> , 2018, 8, 1200-1213.	5.8	18
43	Physicochemical and Toxic Properties of Novel Genipin Drug Delivery Systems Prepared by Mechanochemistry. <i>Current Drug Delivery</i> , 2018, 15, 727-736.	1.6	4
44	One-Pot $\alpha$ -Proline-Mediated Stereoselective $\alpha$ -C(sp <sup>2</sup> )-H Fluorination of $\alpha,\beta$ -Unsaturated Aldehydes through Methoxyfluorination-Elimination. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 3631-3634.	2.4	5
45	Enhanced solubility and bioavailability of simvastatin by mechanochemically obtained complexes. <i>International Journal of Pharmaceutics</i> , 2017, 534, 108-118.	5.2	64
46	Cobalt(III)-Catalyzed Fast and Solvent-Free C-H Allylation of Indoles Using Mechanochemistry. <i>Journal of Organic Chemistry</i> , 2017, 82, 10665-10672.	3.2	75
47	Aldehyde-induced metal-free decarboxylation of $\beta$ -amino acids to synthesize N-alkyl- $\beta$ -alkenyl cyclic amines with high stereoselectivity. <i>Tetrahedron Letters</i> , 2017, 58, 3174-3177.	1.4	8
48	Encaging palladium(0) in layered double hydroxide: A sustainable catalyst for solvent-free and ligand-free Heck reaction in a ball mill. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 1661-1668.	2.2	14
49	Selective Extraction of Gardenia Yellow and Geniposide from <i>Gardenia jasminoides</i> by Mechanochemistry. <i>Molecules</i> , 2016, 21, 540.	3.8	19
50	Selective Extraction of Flavonoids from <i>Sophora flavescens</i> Ait. by Mechanochemistry. <i>Molecules</i> , 2016, 21, 989.	3.8	16
51	Investigation the inclusion complexes of valsartan with polysaccharide arabinogalactan from larch <i>Larix sibirica</i> and (2-hydroxypropyl)- $\beta$ -cyclodextrin: preparation, characterization and physicochemical properties. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2016, 85, 93-104.	1.6	10
52	Liquid-Assisted Grinding Accelerating: Suzuki-Miyaura Reaction of Aryl Chlorides under High-Speed Ball-Milling Conditions. <i>Journal of Organic Chemistry</i> , 2016, 81, 10049-10055.	3.2	100
53	Extraction, characterization, and biological activity of polysaccharides from <i>Sophora flavescens</i> Ait.. <i>International Journal of Biological Macromolecules</i> , 2016, 93, 459-467.	7.5	26
54	Mechanically Induced Fe(III) Catalysis at Room Temperature: Solvent-Free Cross-Dehydrogenative Coupling of 3-Benzyl Indoles with Methylenes/Indoles. <i>Journal of Organic Chemistry</i> , 2016, 81, 11514-11520.	3.2	47

#	ARTICLE	IF	CITATIONS
55	Mechanochemical Oxidative Mannich Reaction: Evaluation of Chemical and Mechanical Parameters for the Mild and Chemoselective Coupling of <i>N</i> -tert-butoxycarbonyltetrahydroquinolines and Ketones. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 5340-5344.	2.4	23
56	Mechanochemically Activated Oxidative Coupling of Indoles with Acrylates through C-H Activation: Synthesis of 3-Vinylindoles and 1,2-Diindolyl Propionates and Study of the Mechanism. <i>Journal of Organic Chemistry</i> , 2016, 81, 6049-6055.	3.2	71
57	Mechanically activated ring-opening reactions of <i>N</i> -acyl-1,2,3,4-tetrahydroisoquinolines derived from the synthesis of praziquantel intermediate. <i>Tetrahedron</i> , 2015, 71, 6116-6123.	1.9	9
58	An efficient protocol for multicomponent synthesis of functionalized chromeno[4,3- <i>b</i> ]pyrrol-4(1 <i>H</i> )-one derivatives. <i>Tetrahedron Letters</i> , 2015, 56, 2476-2479.	1.4	26
59	Partial characterization, antioxidant and antitumor activities of polysaccharides from <i>Philomycusbilineatus</i> . <i>International Journal of Biological Macromolecules</i> , 2014, 65, 573-580.	7.5	25
60	Palladium-Catalyzed Direct Addition of 2-Aminobenzonitriles to Sodium Arylsulfonates: Synthesis of <i>o</i> -Aminobenzophenones. <i>Molecules</i> , 2014, 19, 6439-6449.	3.8	16
61	Fast, solvent-free asymmetric alkynylation of prochiral sp <sup>3</sup> C-H bonds in a ball mill for the preparation of optically active tetrahydroisoquinoline derivatives. <i>Tetrahedron Letters</i> , 2013, 54, 2006-2009.	1.4	87
62	Synthesis and Antitumor Activity of Novel Coumarin Derivatives via a Three-component Reaction in Water. <i>Chinese Journal of Chemistry</i> , 2013, 31, 507-514.	4.9	57
63	Mechanically activated synthesis of stilbene derivatives by high-speed ball milling. <i>Applied Organometallic Chemistry</i> , 2012, 26, 145-147.	3.5	36
64	Solvent-Free Cross-Dehydrogenative Coupling Reactions under High Speed Ball-Milling Conditions Applied to the Synthesis of Functionalized Tetrahydroisoquinolines. <i>Journal of Organic Chemistry</i> , 2011, 76, 9144-9150.	3.2	151
65	A novel sulfonic acid functionalized ionic liquid catalyzed multicomponent synthesis of 10,11-dihydrochromeno[4,3- <i>b</i> ]chromene-6,8(7 <i>H</i> ,9 <i>H</i> )-dione derivatives in water. <i>Tetrahedron Letters</i> , 2011, 52, 2601-2604.	1.4	78