Xiurong Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8399430/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Study on the differences in sludge toxicity and microbial community structure caused by catechol, resorcinol and hydroquinone with metagenomic analysis. Journal of Environmental Management, 2022, 302, 114027.	7.8	16
2	Bacterial diversity evolution process based on physicochemical characteristics of sludge treating hydroquinone during acclimation. Environmental Science and Pollution Research, 2022, 29, 31686-31699.	5.3	1
3	Deciphering the Changes of Sludge Toxicity and the Succession of Dominant Bacteria During the Process of Catechol Degradation by Acclimated Sludge. Waste and Biomass Valorization, 2022, 13, 4285-4296.	3.4	1
4	Enhancement performance of CO2 on the organic toxicity removal of sludge by Scenedesmus obliquus with proteomics analysis. Journal of CO2 Utilization, 2022, 61, 102038.	6.8	4
5	Acclimatization of resorcinol results in microbial community dynamics and physicochemical characteristics of aerobic activated sludge. Journal of Cleaner Production, 2022, 364, 132467.	9.3	1
6	Effects of different concentrations of CO2ÂonÂScenedesmus obliquusÂto overcome sludge extract toxicity and accumulate biomass. Chemosphere, 2022, 305, 135514.	8.2	3
7	Study of enhanced nitrogen removal efficiency and microbial characteristics of an improved two-stage A/O process. Environmental Technology (United Kingdom), 2021, 42, 4306-4316.	2.2	3
8	The release and removal of sludge toxicity by different disintegration methods. Journal of Cleaner Production, 2021, 278, 123578.	9.3	14
9	Cultivation of energy microalga <i>Chlorella vulgaris</i> with low–toxic sludge extract. Water Science and Technology, 2021, 83, 818-830.	2.5	4
10	Comparison of nitrogen removal efficiency and microbial characteristics of modified two-stage A/O, A2/O and SBR processes. Environmental Geochemistry and Health, 2021, 43, 4687-4699.	3.4	1
11	The influence of light intensity and organic content on cultivation of Chlorella vulgaris in sludge extracts diluted with BG11. Aquaculture International, 2021, 29, 2131-2144.	2.2	2
12	Deciphering and Suppressing Overâ€Oxidized Nitrogen in Nickelâ€Catalyzed Urea Electrolysis. Angewandte Chemie, 2021, 133, 26860-26866.	2.0	18
13	Deciphering and Suppressing Overâ€Oxidized Nitrogen in Nickelâ€Catalyzed Urea Electrolysis. Angewandte Chemie - International Edition, 2021, 60, 26656-26662.	13.8	81
14	Innenrücktitelbild: Deciphering and Suppressing Overâ€Oxidized Nitrogen in Nickelâ€Catalyzed Urea Electrolysis (Angew. Chem. 51/2021). Angewandte Chemie, 2021, 133, 27071-27071.	2.0	0
15	Contrast of sludge toxicity variation during treatment of wastewater containing mixed chlorophenols and single chlorophenol. Environmental Engineering Research, 2021, 26, 200335-0.	2.5	1
16	Optimal regulation of N/P in horizontal sub-surface flow constructed wetland through quantitative phosphorus removal by steel slag fed. Environmental Science and Pollution Research, 2020, 27, 5779-5787.	5.3	8
17	Toxicity removal and biodegradability enhancement of sludge extract in hydroquinone-rich wastewater via cultivation of Chlorella vulgaris. Journal of Cleaner Production, 2020, 277, 124030.	9.3	14
18	Correlation between the uncoupling metabolism induced by 2,4,6-trichlorophenol and sludge toxicity in sequence batch reactors. Water Science and Technology, 2020, 82, 1971-1981.	2.5	2

XIURONG CHEN

#	Article	IF	CITATIONS
19	Two-stage coagulation process for enhanced oil removal from coal chemical wastewater. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2020, 55, 1563-1570.	1.7	5
20	Two-stage air stripping combined with hydrolysis acidification process for coal gasification wastewater pretreatment. Water Science and Technology, 2019, 79, 2185-2194.	2.5	4
21	Cultivation of Chlorella vulgaris in sludge extracts: Nutrient removal and algal utilization. Bioresource Technology, 2019, 280, 505-510.	9.6	20
22	Cultivation of <scp><i>Chlorella vulgaris</i></scp> in sludge extract from resorcinolâ€rich wastewater: the removal and inhibitory effect of sludge toxicity. Journal of Chemical Technology and Biotechnology, 2019, 94, 1240-1248.	3.2	16
23	Effects of hydraulic retention time and proteins on sludge toxicity for 4â€chlorophenol wastewater treatment in sequencing batch reactors. Water and Environment Journal, 2019, 33, 158-166.	2.2	1
24	Acclimation process of cultivating Chlorella vulgaris in toxic excess sludge extract and its response mechanism. Science of the Total Environment, 2018, 628-629, 858-869.	8.0	11
25	Effects of carbon sources on sludge performance and microbial community for 4-chlorophenol wastewater treatment in sequencing batch reactors. Bioresource Technology, 2018, 255, 22-28.	9.6	88
26	Using Chlorella vulgaris to treat toxic excess sludge extract, and identification of its response mechanism by proteomics approach. Bioresource Technology, 2018, 253, 188-196.	9.6	11
27	Effects of 4-chlorophenol wastewater treatment on sludge acute toxicity, microbial diversity and functional genes expression in an activated sludge process. Bioresource Technology, 2018, 265, 39-44.	9.6	28
28	Achieving enhanced denitrification via hydrocyclone treatment on mixed liquor recirculation in the anoxic/aerobic process. Chemosphere, 2017, 189, 206-212.	8.2	15
29	Effects of elevated 4-chlorophenol loads on components of polysaccharides and proteins and toxicity in an activated sludge process. Chemical Engineering Journal, 2017, 330, 236-244.	12.7	41
30	Chlorella vulgaris cultivation in sludge extracts from 2,4,6-TCP wastewater treatment for toxicity removal and utilization. Journal of Environmental Management, 2017, 187, 146-153.	7.8	42
31	The Growth Behavior of Chlorella vulgaris in Bisphenol a under different Cultural Conditions. , 2017, 07, .		3
32	The investigation of different pollutants and operation processes on sludge toxicity in sequencing batch bioreactors. Environmental Technology (United Kingdom), 2016, 37, 2048-2057.	2.2	5
33	Correlation between microbial diversity and toxicity of sludge treating synthetic wastewater containing 4-chlorophenol in sequencing batch reactors. Chemosphere, 2016, 153, 138-145.	8.2	34
34	Exploring the relationship between the EPS property and the toxicity of sludge for treating 4-chlorophenol synthetic wastewater in a sequencing batch reactor. International Biodeterioration and Biodegradation, 2016, 110, 24-31.	3.9	19
35	Contrasting sludge toxicity under various starting modes (shocking or acclimating) and original organics (with or without N, N-dimethylformamide (DMF)). International Biodeterioration and Biodegradation, 2015, 104, 435-442.	3.9	21
36	Toxicity in different molecular-weight fractions of sludge treating synthetic wastewater containing 4-chlorophenol. International Biodeterioration and Biodegradation, 2015, 104, 251-257.	3.9	21

XIURONG CHEN

#	Article	IF	CITATIONS
37	Successful startup of a full-scale acrylonitrile wastewater biological treatment plant (ACN-WWTP) by eliminating the inhibitory effects of toxic compounds on nitrification. Water Science and Technology, 2014, 69, 553-559.	2.5	6
38	Mechanism of toxicity formation and spatial distribution in activated sludge treating synthetic effluent containing bisphenol A (BPA). Chemical Engineering Journal, 2014, 250, 91-98.	12.7	57
39	A control strategy for promoting the stability of denitrifying granular sludge in upflow sludge blankets. Environmental Technology (United Kingdom), 2014, 35, 52-59.	2.2	15
40	The influence of SBR parameters on the sludge toxicity of synthetic wastewater containing bisphenol A. Environmental Science and Pollution Research, 2014, 21, 9287-9296.	5.3	6
41	Toxicity formation and distribution in activated sludge during treatment of N,N-dimethylformamide (DMF) wastewater. Journal of Hazardous Materials, 2014, 264, 278-285.	12.4	28
42	Toxicity formation and reduction by changing parameters in the process of activated sludge treating bisphenol A (BPA) wastewater. WIT Transactions on the Built Environment, 2014, , .	0.0	0
43	Effect of the addition of organic carbon sources on nitrous oxide emission in anaerobic-aerobic (low) Tj ETQq1 1 (China, 2010, 4, 490-499.).784314 0.8	rgBT /Over 11