

# Roser Pleixats

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8399464/publications.pdf>

Version: 2024-02-01

139  
papers

5,335  
citations

70961

41  
h-index

106150

65  
g-index

163  
all docs

163  
docs citations

163  
times ranked

4664  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Selective capture of palladium(II) from highly acidic solution by proline-valinol amide functionalized silica nanoparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 648, 129374.                | 2.3 | 9         |
| 2  | Synthesis of triethoxysilylated cyclen derivatives, grafting on magnetic mesoporous silica nanoparticles and application to metal ion adsorption. <i>RSC Advances</i> , 2021, 11, 10777-10784.   | 1.7 | 5         |
| 3  | Recent Advances on Antimicrobial and Anti-Inflammatory Cotton Fabrics Containing Nanostructures. <i>Molecules</i> , 2021, 26, 3008.  | 1.7 | 42        |
| 4  | The synthetic approaches, properties, classification and heavy metal adsorption applications of periodic mesoporous organosilicas. <i>Separation and Purification Technology</i> , 2021, 277, 119453.                                    | 3.9 | 17        |
| 5  | Functionalized silica nanoparticles: classification, synthetic approaches and recent advances in adsorption applications. <i>Nanoscale</i> , 2021, 13, 15998-16016.  | 2.8 | 77        |
| 6  | Synthesis of Cyclen-Functionalized Ethenylene-Based Periodic Mesoporous Organosilica Nanoparticles and Metal-Ion Adsorption Studies. <i>ChemNanoMat</i> , 2020, 6, 1625-1634.  | 1.5 | 7         |
| 7  | Rhodium Nanoparticles Stabilized by PEG-Tagged Imidazolium Salts as Recyclable Catalysts for the Hydrosilylation of Internal Alkynes and the Reduction of Nitroarenes. <i>Catalysts</i> , 2020, 10, 1195.                                | 1.6 | 6         |
| 8  | Anti-inflammatory Cotton Fabrics and Silica Nanoparticles with Potential Topical Medical Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 25658-25675.  | 4.0 | 20        |
| 9  | Gold nanoparticles stabilized by PEG-tagged imidazolium salts as recyclable catalysts for the synthesis of propargylamines and the cycloisomerization of $\beta$ -alkynoic acids. <i>New Journal of Chemistry</i> , 2020, 44, 6130-6141. | 1.4 | 17        |
| 10 | Periodic Mesoporous Organosilica Nanoparticles with BOC Group, towards HIFU Responsive Agents. <i>Molecules</i> , 2020, 25, 974.   | 1.7 | 10        |
| 11 | Preparation and Characterization of Novel Mixed Periodic Mesoporous Organosilica Nanoparticles. <i>Materials</i> , 2020, 13, 1569.   | 1.3 | 5         |
| 12 | Recyclable Mesoporous Organosilica Nanoparticles Derived from Proline-Valinol Amides for Asymmetric Organocatalysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 14815-14828.  | 3.2 | 22        |
| 13 | Antibiotic protected silver nanoparticles for microbicidal cotton. <i>Tetrahedron</i> , 2019, 75, 102-108.   | 1.0 | 11        |
| 14 | Soluble Pt Nanoparticles Stabilized by a Trisimidazolium Tetrafluoroborate as Efficient and Recyclable Catalyst for the Stereoselective Hydrosilylation of Alkynes. <i>ChemistrySelect</i> , 2018, 3, 11486-11493.                       | 0.7 | 10        |
| 15 | Nickel Nanoparticles Stabilized by Trisimidazolium Salts: Synthesis, Characterization and Application as Recyclable Catalysts for the Reduction of Nitroarenes. <i>ChemistrySelect</i> , 2018, 3, 8597-8603.                             | 0.7 | 9         |
| 16 | Recyclable Silica-Supported Proline Sulphonamide Organocatalysts for Asymmetric Direct Aldol Reaction.. <i>ChemistrySelect</i> , 2016, 1, 6741-6748.   | 0.7 | 10        |
| 17 | Acid Activation in Phenyliodine Dicarboxylates: Direct Observation, Structures, and Implications. <i>Journal of the American Chemical Society</i> , 2016, 138, 12747-12750.  | 6.6 | 127       |
| 18 | Sol-Gel Immobilized N-Heterocyclic Carbene Gold Complex as a Recyclable Catalyst for the Rearrangement of Allylic Esters and the Cycloisomerization of $\beta$ -alkynoic Acids. <i>ChemCatChem</i> , 2016, 8, 2824-2831.                 | 1.8 | 15        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Recyclable organocatalysts based on hybrid silicas. <i>Green Chemistry</i> , 2016, 18, 881-922.  | 4.6 | 103       |
| 20 | Water-soluble Gold Nanoparticles: From Catalytic Selective Nitroarene Reduction in Water to Refractive Index Sensing. <i>Chemistry - an Asian Journal</i> , 2015, 10, 2437-2443.                                       | 1.7 | 23        |
| 21 | Rhodium Nanoflowers Stabilized by a Nitrogen-rich PEG-tagged Substrate as Recyclable Catalyst for the Stereoselective Hydrosilylation of Internal Alkynes. <i>Advanced Synthesis and Catalysis</i> , 2015, 357, 89-99. | 2.1 | 37        |
| 22 | Oxidative Breakdown of Iodoalkanes to Catalytically Active Iodine Species: A Case Study in the $\alpha$ -tosyloxylation of Ketones. <i>ChemCatChem</i> , 2014, 6, 468-472.   | 1.8 | 12        |
| 23 | Hydrosilylation of Internal Alkynes Catalyzed by Tris-imidazolium Salt-stabilized Palladium Nanoparticles. <i>Advanced Synthesis and Catalysis</i> , 2014, 356, 179-188.   | 2.1 | 55        |
| 24 | Heck, Sonogashira, and Hiyama Reactions Catalyzed by Palladium Nanoparticles Stabilized by Tris-imidazolium Salt. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 3001-3008.                                | 1.2 | 28        |
| 25 | Rhodium-NHC Hybrid Silica Materials as Recyclable Catalysts for [2+2+2] Cycloaddition Reactions of Alkynes. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 6242-6251.                                      | 1.2 | 19        |
| 26 | An Alternative to the Classical $\alpha$ -arylation: The Transfer of an Intact $\alpha$ -iodoaryl from $\text{ArI}(\text{OCCF}_3)_2$ . <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11298-11301.       | 7.2 | 102       |
| 27 | Direct Arylation of Oligonaphthalenes Using $\text{PIFA}/\text{BF}_3 \cdot \text{Et}_2\text{O}$ : From Double Arylation to Larger Oligoarene Products. <i>Journal of Organic Chemistry</i> , 2013, 78, 8169-8175.      | 1.7 | 20        |
| 28 | Silica-immobilized N,O-prolinate ruthenium benzylidene complexes for catalytic applications. <i>Journal of Sol-Gel Science and Technology</i> , 2013, 65, 93-103.  | 1.1 | 6         |
| 29 | Sol-gel immobilized aryl iodides for the catalytic oxidative $\alpha$ -tosyloxylation of ketones. <i>Reactive and Functional Polymers</i> , 2013, 73, 192-199.   | 2.0 | 10        |
| 30 | Catalytic applications of recyclable silica immobilized NHC-ruthenium complexes. <i>Tetrahedron</i> , 2013, 69, 341-348.   | 1.0 | 25        |
| 31 | Nanostructuring of Ionic Bridged Silsesquioxanes. <i>Chemistry - an Asian Journal</i> , 2013, 8, 2235-2241.  | 1.7 | 4         |
| 32 | DFT Study on the Recovery of Hoveyda-Grubbs Type Catalyst Precursors in Enyne and Diene Ring-closing Metathesis. <i>Chemistry - A European Journal</i> , 2013, 19, 14553-14565.  | 1.7 | 30        |
| 33 | Recyclable silica-supported prolinamide organocatalysts for direct asymmetric Aldol reaction in water. <i>Green Chemistry</i> , 2012, 14, 1601.  | 4.6 | 60        |
| 34 | Recyclable Hybrid Silica-based Catalysts Derived from Pd-NHC Complexes for Suzuki, Heck and Sonogashira Reactions. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 3625-3635.                               | 1.2 | 69        |
| 35 | Palladium Nanoparticles in Suzuki Cross-couplings: Tapping into the Potential of Tris-imidazolium Salts for Nanoparticle Stabilization. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 651-662.                  | 2.1 | 59        |
| 36 | Sol-gel immobilized Hoveyda-Grubbs complex through the NHC ligand: A recyclable metathesis catalyst. <i>Journal of Molecular Catalysis A</i> , 2012, 357, 59-66.   | 4.8 | 46        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Prolinamide bridged silsesquioxane as an efficient, eco-compatible and recyclable chiral organocatalyst. <i>New Journal of Chemistry</i> , 2011, 35, 2766.   | 1.4 | 27        |
| 38 | Imidazolium-derived organosilicas for catalytic applications. <i>Catalysis Science and Technology</i> , 2011, 1, 1544.   | 2.1 | 59        |
| 39 | Stereoselective Synthesis of Unsymmetrical $\beta$ , $\gamma$ -Diarylacrylates by a Heck-Matsuda Reaction: Versatile Building Blocks for Asymmetric Synthesis of $\beta$ , $\gamma$ -Diphenylpropanoates, 3-Aryl-indole, and 4-Aryl-3,4-dihydro-quinolin-2-one and Formal Synthesis of ( $\beta$ )-Indatraline. <i>Journal of Organic Chemistry</i> , 2011, 76, 857-869. | 1.7 | 65        |
| 40 | Silica and hybrid silica hollow spheres from imidazolium-based templating agents. <i>Journal of Materials Chemistry</i> , 2011, 21, 1058-1063.   | 6.7 | 14        |
| 41 | Mechanistic Insights into Ring-Closing Enyne Metathesis with the Second-Generation Grubbs-Hoveyda Catalyst: A DFT Study. <i>Chemistry - A European Journal</i> , 2011, 17, 7506-7520.  | 1.7 | 56        |
| 42 | Organic-Inorganic Hybrid Silica Material Derived from a Monosilylated Grubbs-Hoveyda Ruthenium Carbene as a Recyclable Metathesis Catalyst. <i>Molecules</i> , 2010, 15, 5756-5767.  | 1.7 | 12        |
| 43 | Water-Soluble Palladium Nanoparticles: Click Synthesis and Applications as a Recyclable Catalyst in Suzuki Cross-Couplings in Aqueous Media. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 5090-5099.   | 1.2 | 55        |
| 44 | DFT Mechanistic Study on Diene Metathesis Catalyzed by Ru-Based Grubbs-Hoveyda-Type Carbenes: The Key Role of $\pi$ -Electron Density Delocalization in the Hoveyda Ligand. <i>Chemistry - A European Journal</i> , 2010, 16, 7331-7343.   | 1.7 | 78        |
| 45 | Tsuji-Trost allylations with palladium recovery by phosphines/Pd(0)-triolefinic macrocyclic catalysts. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 1231-1236.  | 0.8 | 15        |
| 46 | Direct Assembly of Polyarenes via C-C Coupling Using PIFA/BF <sub>3</sub> ·Et <sub>2</sub> O. <i>Journal of the American Chemical Society</i> , 2010, 132, 17980-17982.  | 6.6 | 56        |
| 47 | Organic-inorganic hybrid silica materials containing imidazolium and dihydroimidazolium salts as recyclable organocatalysts for Knoevenagel condensations. <i>Green Chemistry</i> , 2009, 11, 1815.  | 4.6 | 59        |
| 48 | Water-soluble metal nanoparticles with PEG-tagged 15-membered azamacrocycles as stabilizers. <i>Dalton Transactions</i> , 2009, , 7748.  | 1.6 | 30        |
| 49 | Self-assembled platinum nanoparticles into heavily fluorinated templates: reactive gas effect on the morphology. <i>New Journal of Chemistry</i> , 2009, 33, 1529.   | 1.4 | 11        |
| 50 | Hybrid Organic-Inorganic Materials from Di-(2-pyridyl)methylamine-Palladium Dichloride Complex as Recoverable Catalysts for Suzuki, Heck and Sonogashira Reactions. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 577-590.  | 2.1 | 77        |
| 51 | Recoverable Palladium Catalysts for Suzuki-Miyaura Cross-Coupling Reactions Based on Organic-Inorganic Hybrid Silica Materials Containing Imidazolium and Dihydroimidazolium Salts. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 2566-2574.  | 2.1 | 44        |
| 52 | Hybrid silica materials derived from Hoveyda-Grubbs ruthenium carbenes. Electronic effects of the nitro group on the activity and recyclability as diene and enyne metathesis catalysts. <i>Tetrahedron</i> , 2008, 64, 6770-6781.   | 1.0 | 38        |
| 53 | Rate and Mechanism of the Oxidative Addition of Aryl Halides to Palladium(0) Complexes Generated <i>in Situ</i> from a Pd(0)-Trioletin Macroyclic Complex and Phosphines. <i>Organometallics</i> , 2008, 27, 2421-2427.  | 1.1 | 13        |
| 54 | Ionic Liquid Crystals Based on Mesitylene-Containing Bis- and Trisimidazolium Salts. <i>Langmuir</i> , 2008, 24, 259-265.  | 1.6 | 52        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Phosphine-Free Perfluoro-Tagged Palladium Nanoparticles Supported on Fluorous Silica Gel: Application to the Heck Reaction. <i>Organic Letters</i> , 2008, 10, 561-564.   | 2.4 | 64        |
| 56 | Formation of nanocomposites of platinum nanoparticles embedded into heavily fluorinated aniline and displaying long range organization. <i>Journal of Materials Chemistry</i> , 2008, 18, 660-666.  | 6.7 | 13        |
| 57 | Hybrid Organic-Inorganic Materials Derived from a Monosilylated Hoveyda-Type Ligand as Recyclable Diene and Enyne Metathesis Catalysts. <i>Advanced Synthesis and Catalysis</i> , 2007, 349, 1701-1713.   | 2.1 | 48        |
| 58 | Organic-inorganic hybrid materials containing 15-membered azamacrocyclic triolefinic palladium(0) complexes. <i>Journal of Molecular Catalysis A</i> , 2007, 269, 204-213.  | 4.8 | 18        |
| 59 | 15-Membered triolefinic macrocycles as stabilizers of palladium(0) nanoparticles. <i>New Journal of Chemistry</i> , 2006, 30, 1584-1594.  | 1.4 | 36        |
| 60 | Palladium Nanoparticles Entrapped in Heavily Fluorinated Compounds. <i>Chemistry of Materials</i> , 2006, 18, 716-722.  | 3.2 | 38        |
| 61 | Chiral and Stable Palladium(0) Complexes of Polyunsaturated Aza-macrocyclic Ligands: Synthesis and Structural Analysis. <i>Organometallics</i> , 2006, 25, 5612-5620.   | 1.1 | 14        |
| 62 | Hybrid organic-inorganic silica materials containing di(2-pyridyl)methylamine-palladium dichloride complex as recyclable catalysts for Suzuki cross-coupling reactions. <i>Tetrahedron Letters</i> , 2006, 47, 2399-2403.   | 0.7 | 53        |
| 63 | Preparation of a hybrid organic-inorganic material containing macrocyclic triolefinic 15-membered palladium(0) complex. Catalytic activity in Suzuki cross-coupling and butadiene telomerization reactions. <i>Applied Catalysis A: General</i> , 2006, 297, 117-124. | 2.2 | 37        |
| 64 | Synthesis of Ruthenium Nanoparticles Stabilized by Heavily Fluorinated Compounds. <i>Advanced Functional Materials</i> , 2006, 16, 2008-2015.   | 7.8 | 28        |
| 65 | Hybrid-Bridged Silsesquioxane as Recyclable Metathesis Catalyst Derived from a Bis-Silylated Hoveyda-Type Ligand. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 751-762.   | 2.1 | 53        |
| 66 | Suzuki Cross-Couplings on Aryl (Heteroaryl) Bromides and Chlorides with Bulky Aliphatic Phosphines/Pd(0)-Triolefinic Macrocyclic Catalyst. <i>Synlett</i> , 2006, 2006, 3001-3004.  | 1.0 | 29        |
| 67 | Gold nanoparticles entrapped in heavily fluorinated compounds. <i>Journal of Fluorine Chemistry</i> , 2005, 126, 1435-1438.   | 0.9 | 16        |
| 68 | The Effect of Chloride Ions on the Mechanism of the Oxidative Addition of Cyclic Allylic Carbonates to Pd(0) Complexes by Formation of Neutral [(1-allyl)PdCl <sub>2</sub> ] Complexes. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 4277-4286.         | 1.2 | 23        |
| 69 | Palladium Nanoparticles Obtained from Palladium Salts and Tributylamine in Molten Tetrabutylammonium Bromide: Their Use for Hydrogenolysis-Free Hydrogenation of Olefins. <i>ChemInform</i> , 2005, 36, no.   | 0.1 | 0         |
| 70 | Nucleophilic Aromatic Substitution on 4-Fluorophenylsulfonamides: Nitrogen, Oxygen, and Sulfur Nucleophiles. <i>Synlett</i> , 2005, 2005, 449-452.  | 1.0 | 1         |
| 71 | 15-Membered Triolefinic Macrocycles, Their Coordination Chemistry with Transition Metals, and the Catalytic Properties of Their Palladium Metal Complexes. <i>ChemInform</i> , 2004, 35, no.  | 0.1 | 0         |
| 72 | A macrocyclic triolefinic palladium(0) complex covalently anchored to a mesostructured silica as active and reusable catalyst for Suzuki cross-coupling reactions. <i>Tetrahedron Letters</i> , 2004, 45, 8789-8791.  | 0.7 | 35        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Organometallic chemistry of 15-membered tri-olefinic macrocycles: catalysis by palladium(0) complexes in carbon-carbon bond-forming reactions. <i>Journal of Organometallic Chemistry</i> , 2004, 689, 3669-3684.  | 0.8 | 49        |
| 74 | Allylic Substitution Mediated by Water and Palladium: An Unusual Role of a Palladium(II) Catalyst and ESI-MS Analysis. <i>Organometallics</i> , 2004, 23, 4796-4799.   | 1.1 | 44        |
| 75 | Palladium nanoparticles obtained from palladium salts and tributylamine in molten tetrabutylammonium bromide: their use for hydrogenolysis-free hydrogenation of olefins. <i>New Journal of Chemistry</i> , 2004, 28, 1550-1553.   | 1.4 | 62        |
| 76 | 15-Membered triolefinic macrocycles, their coordination chemistry with transition metals, and the catalytic properties of their palladium metal complexes. A review.. <i>Arkivoc</i> , 2004, 2004, 109-129.  | 0.3 | 28        |
| 77 | 15-Membered Triolefinic Macrocycles: Catalytic Role of (E,E,E)-1,6,11-Tris(arenesulfonyl)-1,6,11-triazacyclopentadeca-3,8,13-triene Complexes of Palladium(0) in the Presence of Phosphanes. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 274-283.                         | 1.2 | 25        |
| 78 | Formation of Carbon-Carbon Bonds under Catalysis by Transition-Metal Nanoparticles.. <i>ChemInform</i> , 2003, 34, no.   | 0.1 | 0         |
| 79 | The silicon effect on the regioselectivity of the Tsuji-Trost reaction. Experimental and theoretical approaches. <i>Journal of Organometallic Chemistry</i> , 2003, 687, 337-345.  | 0.8 | 13        |
| 80 | Formation of Carbon-Carbon Bonds under Catalysis by Transition-Metal Nanoparticles. <i>Accounts of Chemical Research</i> , 2003, 36, 638-643.  | 7.6 | 591       |
| 81 | Theoretical Study on the Regioselectivity of Nucleophilic Attack in Silyl-Substituted (Diphosphino)( $\eta$ -3-allyl)palladium Cations. <i>Organometallics</i> , 2002, 21, 2407-2412.  | 1.1 | 28        |
| 82 | Palladium nanoparticles stabilised by polyfluorinated chains. <i>Chemical Communications</i> , 2002, , 60-61.  | 2.2 | 35        |
| 83 | Fluorous Phase Soluble Palladium Nanoparticles as Recoverable Catalysts for Suzuki Cross-Coupling and Heck Reactions. <i>Organometallics</i> , 2001, 20, 4524-4528.  | 1.1 | 149       |
| 84 | The first 1,3-dithiol-2-ylidene donor-acceptor chromophores containing an azine spacer: synthesis, electrochemical and nonlinear optical properties. <i>Journal of Materials Chemistry</i> , 2001, 11, 374-380.  | 6.7 | 32        |
| 85 | 15-Membered macrocyclic triolefin: role in recovering active palladium catalyst for the telomerization of butadiene with methanol. <i>Tetrahedron Letters</i> , 2001, 42, 7055-7057.   | 0.7 | 28        |
| 86 | Preparation of nitrogen-containing 20-membered tetraolefinic macrocycles: (E,E,E)-1,6,11,16-tetra(arylsulfonyl)-1,6,11,16-tetraazacycloicosa-3,8,13,18-tetraenes. <i>Tetrahedron Letters</i> , 2001, 42, 9001-9003.  | 0.7 | 6         |
| 87 | Metal complexes of 15-membered triolefinic macrocycles. (E,E,Z)-1,6,11-Tris[(2,4,6-triisopropylphenyl)sulfonyl]-1,6,11-triazacyclopentadeca-3,8,13-triene and its palladium(0), platinum(0), and silver(I) complexes. <i>Tetrahedron Letters</i> , 2001, 42, 4337-4339.                  | 0.7 | 9         |
| 88 | The First Transition Metal Complexes of 15-Membered Triolefinic Macrocycles: (E,E,E)-1,6,11-Tris(arenesulfonyl)-1,6,11-triazacyclopentadeca-3,8,13-triene Complexes of Palladium(0), Platinum(0), and Silver(I). <i>European Journal of Inorganic Chemistry</i> , 2001, 2001, 1999-2006. | 1.0 | 26        |
| 89 | Preparation of Nitrogen-Containing 15-Membered Triolefinic Macrocycles: (E,E,E)-1,6,11-Tris(arylsulfonyl)-1,6,11-triazacyclopentadeca-3,8,13-trienes. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 329-337.  | 1.2 | 36        |
| 90 | Preparation of Tricyclic and Tetracyclic Benzoxepin Derivatives by One-Pot Enyne Metathesis/Diels-Alder Reaction. <i>Synlett</i> , 2001, 2001, 1784-1786.  | 1.0 | 48        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Palladium(0) Complexes of a 15-Membered Macrocyclic Triolefin as a Recoverable Catalyst - Monomer- and Polystyrene-Anchored Versions. <i>European Journal of Organic Chemistry</i> , 2000, 2000, 239-243.  | 1.2 | 53        |
| 92  | Oxidative Addition of Allylic Carbonates to Palladium(0) Complexes: Reversibility and Isomerization. <i>Chemistry - A European Journal</i> , 2000, 6, 3372-3376.   | 1.7 | 50        |
| 93  | Copper(I) Oxide Mediated Perfluoroalkylation of Anilines. <i>Synlett</i> , 1999, 1999, 1996-1998.  | 1.0 | 14        |
| 94  | Application of matrix-assisted laser desorption/ionization time-of-flight mass spectrometry to the structure determination of medium and large macrocycles formed by palladium(0)-catalyzed allylation of arenesulfonamides, sulfamide, and cyanamide. , 1999, 13, 2359-2365.  |     | 3         |
| 95  | Palladium(0)-Catalyzed Reaction of Acidic Anilines with (Z)-2-Butene-1,4-diyl Dicarboxylate " Preparation of N-Aryl-4-vinylloxazolidin-2-ones. <i>European Journal of Organic Chemistry</i> , 1999, 1999, 181-186.   | 1.2 | 11        |
| 96  | Density Functional Study on the Regioselectivity of Nucleophilic Attack in 1,3-Disubstituted (Diphosphino)( $\eta$ -3-allyl)palladium Cations. <i>Organometallics</i> , 1999, 18, 4934-4941.   | 1.1 | 48        |
| 97  | Electrospray Ionization Mass Spectrometry Detection of Intermediates in the Palladium-Catalyzed Oxidative Self-Coupling of Areneboronic Acids. <i>Journal of Organic Chemistry</i> , 1999, 64, 3592-3594.  | 1.7 | 100       |
| 98  | 3-Aryl and 5-aryl-4-methoxy-6-methyl-2H-pyran-2-ones by Suzuki cross-coupling reactions of 3- and 5-halogeno-4-methoxy-6-methyl-2H-pyran-2-ones. <i>Tetrahedron</i> , 1998, 54, 7813-7818.   | 1.0 | 29        |
| 99  | Palladium(0)-catalyzed allylation of highly acidic and non-nucleophilic arenesulfonamides, sulfamide, and cyanamide. I. <i>Tetrahedron</i> , 1998, 54, 14869-14884.  | 1.0 | 40        |
| 100 | Palladium(0)-catalyzed allylation of highly acidic and non-nucleophilic arenesulfonamides, sulfamide, and cyanamide. II. Formation of medium and large heterocycles. <i>Tetrahedron</i> , 1998, 54, 14885-14904.   | 1.0 | 33        |
| 101 | Highly diastereoselective monoalkylation and Michael addition of N-(diphenylmethylene)glycinesultam under solid-liquid phase-transfer catalysis conditions using potassium carbonate as base. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 1967-1977.  | 1.8 | 33        |
| 102 | Palladium(0)-Catalyzed Allylation of Highly Acidic and Nonnucleophilic Anilines. The Origin of Stereochemical Scrambling When Using Allylic Carbonates. <i>Journal of Organic Chemistry</i> , 1998, 63, 6160-6166.   | 1.7 | 55        |
| 103 | Stereospecific Preparation of (E) and (Z)-3,3-Diarylacrylonitriles by Heck Reaction. <i>Synlett</i> , 1997, 1997, 1157-1158.   | 1.0 | 30        |
| 104 | Preparation and NMR Spectroscopy of (1,2-Bis(diphenylphosphino)ethane)( $\eta$ -3-1,3-diarylallyl)- palladium Tetrafluoroborates. Correlation of Chemical Shifts with Hammett Substituent Constants and with the Regioselectivity of Nucleophilic Attack. <i>Organometallics</i> , 1997, 16, 205-209.                                  | 1.1 | 30        |
| 105 | Preparation, antimicrobial evaluation, and mutagenicity of [2-hydroxyaryl]-[1-methyl-5-nitro-1H-2-imidazolyl]methanols, [5-tert-Butyl-2-methylaminophenyl]-[1-methyl-5-nitro-1H-2-imidazolyl]methanol, and [2-Hydroxyaryl]-[1-methyl-5-nitro-1H-2-imidazolyl] ketones. <i>Bioorganic and Medicinal Chemistry</i> , 1997, 5, 1959-1968. | 1.4 | 5         |
| 106 | Structural NMR Studies on Aryl-Substituted $\eta$ -Allyl-Pd(II) Complexes by Concerted Use of Gradient-Based Experiments. , 1997, 35, 227-236.   |     | 18        |
| 107 | Palladium-Catalyzed Suzuki-Type Self-Coupling of Arylboronic Acids. A Mechanistic Study. <i>Journal of Organic Chemistry</i> , 1996, 61, 2346-2351.  | 1.7 | 320       |
| 108 | (1-(Dimethylamino)-2-(diphenylphosphino)ethane)( $\eta$ -3-1-arylallyl)palladium Tetrafluoroborates. Preparation, Isomeric Equilibria, and Correlations of NMR Chemical Shifts with Hammett Substituent Constants. <i>Journal of Organic Chemistry</i> , 1996, 61, 758-763.  | 1.7 | 24        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Non-Catalyzed C-Alkylation of Phenols With Cyclic Secondary Alkyl Bromides. Synthetic Communications, 1996, 26, 3885-3895.   | 1.1 | 9         |
| 110 | Ethyl N-(diphenylmethylene)glycinate as anionic glycine equivalent. Monoalkylation, dialkylation and Michael additions under solid-liquid phase-transfer catalysis. Tetrahedron, 1996, 52, 8365-8386.  | 1.0 | 33        |
| 111 | Palladium(0)-catalysed allylation of uracils and thioracils. Influence of the solvent on the regioselectivity of the allylation. Tetrahedron, 1996, 52, 9521-9534.   | 1.0 | 30        |
| 112 | Stereospecific preparation of ethyl (E) and (Z)-3-aryl-e-phenylpropenoates by heck reaction. Tetrahedron Letters, 1996, 37, 7449-7452.   | 0.7 | 79        |
| 113 | Preparation, antimicrobial evaluation and mutagenicity of differently substituted [2-hydroxyaryl]-[1-methyl-5-nitro-1H-2-imidazolyl]methanols. Bioorganic and Medicinal Chemistry Letters, 1996, 6, 1781-1784.   | 1.0 | 4         |
| 114 | Palladium(0)-Catalyzed Allylation of Ambident Nucleophilic Aromatic Heterocycles. Advances in Heterocyclic Chemistry, 1996, 66, 73-129.  | 0.9 | 18        |
| 115 | Ethyl N-(diphenylmethylene)glycinate as anionic glycine equivalent transition metal mediated preparation of bicyclic and tricyclic $\alpha,\beta$ -disubstituted $\alpha$ -amino acids and derivatives. Liebigs Annalen, 1995, 1995, 1807-1814.                                  | 0.8 | 11        |
| 116 | FeCl <sub>3</sub> -catalyzed conjugate addition of secondary amines, imidazole and pyrazole to methyl 2-acetamidoacrylate. Preparation of $\beta$ -dialkylamino- $\alpha$ -alanine and $\beta$ -(N-heteroaryl)- $\alpha$ -alanine derivatives. Tetrahedron, 1995, 51, 8355-8362. | 1.0 | 55        |
| 117 | Preparation of 1,3-Diarylpropenes by Phosphine-Free Palladium(0)-Catalyzed Suzuki-Type Coupling of Allyl Bromides with Arylboronic Acids. Journal of Organic Chemistry, 1995, 60, 2396-2397.   | 1.7 | 99        |
| 118 | (1,2-Bis(diphenylphosphino)ethane)( $\eta$ -3-1-arylallyl)palladium Tetrafluoroborates. Distribution of the Positive Charge Density by Correlation of NMR Chemical Shifts with Hammett Substituent Constants. Organometallics, 1995, 14, 2463-2469.                              | 1.1 | 26        |
| 119 | Palladium-catalyzed allylation of 3-hydroxyisoxazole, 5-isoxazolone and 5-pyrazolone Systems. Tetrahedron, 1994, 50, 515-528.  | 1.0 | 30        |
| 120 | Palladium(0)-catalyzed allylation of uracils and 2-thiouracils drastic effect of an aqueous reaction medium on the regioselectivity. Tetrahedron Letters, 1994, 35, 7085-7088.   | 0.7 | 29        |
| 121 | An expeditious preparation of $\eta$ -3-allylpalladium tetrafluoroborates using the 2,4,6-triphenylpyridine neutral leaving group. Organometallics, 1994, 13, 397-398.   | 1.1 | 10        |
| 122 | Bicyclic Compounds Structurally Related to Dehydroacetic Acid and Triacetic Acid Lactone. Heterocycles, 1994, 37, 585.   | 0.4 | 8         |
| 123 | Palladium-catalyzed allylation of 5-membered heterocyclic ambident sulfur nucleophiles. Tetrahedron, 1993, 49, 1465-1470.  | 1.0 | 26        |
| 124 | Synthesis of $\alpha$ -substituted and $\beta,\beta$ -disubstituted $\alpha$ -amino acids by controlled mono- and dialkylation of ethyl N-diphenylmethyleneglycinate. Tetrahedron Letters, 1993, 34, 8535-8538.  | 0.7 | 21        |
| 125 | Preparation of benzo[b]thiophenes by Pd(0)-catalyzed intramolecular cyclization of allyl (and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T   | 1.0 | 40        |
| 126 | Palladium-catalyzed allylation of pyrimidine-2,4-diones (uracils) and of 6-membered heterocyclic ambident sulfur nucleophiles. Tetrahedron, 1993, 49, 1457-1464.   | 1.0 | 44        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Preparation of 5H-(2,4-Difluorophenyl)pyrazolo-[1,2-a][1,2,4]-triazol-4-ium Chloride. An Example of a New Type of Heterocyclic Salt. <i>Synthetic Communications</i> , 1993, 23, 1245-1250.  | 1.1 | 4         |
| 128 | Diels-Alder Reactions of 1,1-Disubstituted 3,4-Dimethylene-cyclopentanes. Preparation of Indanes and Diazaindanes. <i>Synthetic Communications</i> , 1993, 23, 601-612.  | 1.1 | 9         |
| 129 | Crystal structure of trans-(benzenethiolato)-chlorobis(triphenylphosphine)palladium(II), Pd(SC <sub>6</sub> H <sub>5</sub> )(P(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> ) <sub>2</sub> Cl. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 1993, 208, 249-252. | 0.4 | 2         |
| 130 | Palladium-Catalyzed Preparation of Dialkyl Allylphosphonates. A New Preparation of Diethyl 2-Oxoethylphosphonate. <i>Synthetic Communications</i> , 1992, 22, 2219-2228.   | 1.1 | 20        |
| 131 | Dehydroacetic Acid, Triacetic Acid Lactone, and Related Pyrones. <i>Advances in Heterocyclic Chemistry</i> , 1992, 53, 1-84.   | 0.9 | 41        |
| 132 | 4-amino-6-methyl-2-pyran-2-one. Preparation and reactions with aromatic aldehydes. <i>Tetrahedron</i> , 1990, 46, 7885-7892.   | 1.0 | 36        |
| 133 | A novel bidentate silicon containing ligand: cyclopentadienyldimethylsilane. <i>Journal of Organometallic Chemistry</i> , 1990, 381, C1-C6.  | 0.8 | 14        |
| 134 | The photosubstitution of 2-fluoro-4-nitroanisole with n-hexylamine. Evidence of two different triplet excited states in a dual mechanistic pathway.. <i>Tetrahedron</i> , 1990, 46, 1343-1352.   | 1.0 | 9         |
| 135 | C-Allylation of L-ascorbic acid under palladium(0) catalysis. <i>Journal of Organic Chemistry</i> , 1990, 55, 4925-4928.   | 1.7 | 26        |
| 136 | The photoreactions of 2-fluoro-4-nitroanisole with amines. The search for new biochemical photoprobes. <i>Tetrahedron Letters</i> , 1989, 30, 2427-2428.   | 0.7 | 13        |
| 137 | The search for new biochemical photoprobes. II. The nucleophilic photosubstitution of 2-fluoro-4-nitroanisole.. <i>Tetrahedron</i> , 1989, 45, 7817-7826.  | 1.0 | 11        |
| 138 | A Method for the Alkylation at C-3 of 4-Hydroxy-6-methyl-2-pyrone (Triacetic Acid Lactone). <i>Synthesis</i> , 1984, 1984, 430-431.  | 1.2 | 20        |
| 139 | The Tsuji-Trost Reaction and Related Carbon-Carbon Bond Formation Reactions: Palladium-Catalyzed Allylation with Allyl Carbonates. , 0, , 1707-1767.   |     | 1         |