

J Gasparotto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8399924/publications.pdf>

Version: 2024-02-01

57
papers

1,489
citations

304368

22
h-index

360668

35
g-index

58
all docs

58
docs citations

58
times ranked

2534
citing authors

#	ARTICLE	IF	CITATIONS
1	High fat diet-induced obesity causes a reduction in brain tyrosine hydroxylase levels and non-motor features in rats through metabolic dysfunction, neuroinflammation and oxidative stress. <i>Nutritional Neuroscience</i> , 2022, 25, 1026-1040.	1.5	21
2	A review on the environmental impact of phosphogypsum and potential health impacts through the release of nanoparticles. <i>Chemosphere</i> , 2022, 286, 131513.	4.2	70
3	Hypoxia-Inducible Factor-1 \pm (HIF-1 \pm) Inhibition Impairs Retinoic Acid-Induced Differentiation in SH-SY5Y Neuroblastoma Cells, Leading to Reduced Neurite Length and Diminished Gene Expression Related to Cell Differentiation. <i>Neurochemical Research</i> , 2022, 47, 409-421.	1.6	2
4	Probiotics and the gut-brain axis. , 2022, , 451-466.		0
5	Toxicological effects of mining hazard elements. <i>Energy Geoscience</i> , 2022, 3, 255-262.	1.3	8
6	Convergent pathways of the gut microbiotaâ€“brain axis and neurodegenerative disorders. <i>Gastroenterology Report</i> , 2022, 10, goac017.	0.6	16
7	Coal as an energy source and its impacts on human health. <i>Energy Geoscience</i> , 2021, 2, 113-120.	1.3	57
8	Nanoparticles in fossil and mineral fuel sectors and their impact on environment and human health: A review and perspective. <i>Gondwana Research</i> , 2021, 92, 184-201.	3.0	44
9	Intranasal HSP70 administration protects against dopaminergic denervation and modulates neuroinflammatory response in the 6-OHDA rat model. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 14, 100253.	1.3	7
10	Neurological impairment caused by <i>Schistosoma mansoni</i> systemic infection exhibits early features of idiopathic neurodegenerative disease. <i>Journal of Biological Chemistry</i> , 2021, 297, 100979.	1.6	4
11	Role of toll-like receptor 4 and sex in 6-hydroxydopamineâ€“induced behavioral impairments and neurodegeneration in mice. <i>Neurochemistry International</i> , 2021, 151, 105215.	1.9	4
12	Characterization and modulation of microglial phenotypes in an animal model of severe sepsis. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 88-97.	1.6	27
13	Short and long TNF α exposure recapitulates canonical astrogliosis events in humanâ€“induced pluripotent stem cellsâ€“derived astrocytes. <i>Glia</i> , 2020, 68, 1396-1409.	2.5	30
14	Systemic Inflammation Changes the Site of RAGE Expression from Endothelial Cells to Neurons in Different Brain Areas. <i>Molecular Neurobiology</i> , 2019, 56, 3079-3089.	1.9	21
15	Retinoic acid downregulates thiol antioxidant defences and homologous recombination while promotes A549 cells sensitization to cisplatin. <i>Cellular Signalling</i> , 2019, 62, 109356.	1.7	7
16	BRCA-1 depletion impairs pro-inflammatory polarization and activation of RAW 264.7 macrophages in a NF- κ B-dependent mechanism. <i>Molecular and Cellular Biochemistry</i> , 2019, 462, 11-23.	1.4	3
17	Obesity associated with coal ash inhalation triggers systemic inflammation and oxidative damage in the hippocampus of rats. <i>Food and Chemical Toxicology</i> , 2019, 133, 110766.	1.8	38
18	Oral administration of carvacrol/ β -cyclodextrin complex protects against 6-hydroxydopamine-induced dopaminergic denervation. <i>Neurochemistry International</i> , 2019, 126, 27-35.	1.9	13

#	ARTICLE	IF	CITATIONS
19	Guarana supplementation attenuated obesity, insulin resistance, and adipokines dysregulation induced by a standardized human Western diet via brown adipose tissue activation. <i>Phytotherapy Research</i> , 2019, 33, 1394-1403.	2.8	13
20	Anti-NMDA Receptor Autoantibody Is an Independent Predictor of Hospital Mortality but Not Brain Dysfunction in Septic Patients. <i>Frontiers in Neurology</i> , 2019, 10, 221.	1.1	4
21	The effects of retinol oral supplementation in 6-hydroxydopamine dopaminergic denervation model in Wistar rats. <i>Neurochemistry International</i> , 2019, 125, 25-34.	1.9	11
22	Immune neutralization of the receptor for advanced glycation end products reduce liver oxidative damage induced by an acute systemic injection of lipopolysaccharide. <i>Journal of Biochemistry</i> , 2018, 163, 515-523.	0.9	4
23	Aminochrome decreases NGF, GDNF and induces neuroinflammation in organotypic midbrain slice cultures. <i>NeuroToxicology</i> , 2018, 66, 98-106.	1.4	27
24	Glycine Administration Alters MAPK Signaling Pathways and Causes Neuronal Damage in Rat Brain: Putative Mechanisms Involved in the Neurological Dysfunction in Nonketotic Hyperglycinemia. <i>Molecular Neurobiology</i> , 2018, 55, 741-750.	1.9	10
25	A new animal diet based on human Western diet is a robust diet-induced obesity model: comparison to high-fat and cafeteria diets in term of metabolic and gut microbiota disruption. <i>International Journal of Obesity</i> , 2018, 42, 525-534.	1.6	148
26	Receptor for advanced glycation end products mediates sepsis-triggered amyloid- β accumulation, Tau phosphorylation, and cognitive impairment. <i>Journal of Biological Chemistry</i> , 2018, 293, 226-244.	1.6	94
27	Obese rats are more vulnerable to inflammation, genotoxicity and oxidative stress induced by coal dust inhalation than non-obese rats. <i>Ecotoxicology and Environmental Safety</i> , 2018, 165, 44-51.	2.9	65
28	Anti-RAGE antibody selectively blocks acute systemic inflammatory responses to LPS in serum, liver, CSF and striatum. <i>Brain, Behavior, and Immunity</i> , 2017, 62, 124-136.	2.0	34
29	Retinol (Vitamin A) Increases α -Synuclein, β -Amyloid Peptide, Tau Phosphorylation and RAGE Content in Human SH-SY5Y Neuronal Cell Line. <i>Neurochemical Research</i> , 2017, 42, 2788-2797.	1.6	10
30	Extracellular HSP70 Activates ERK1/2, NF- κ B and Pro-Inflammatory Gene Transcription Through Binding with RAGE in A549 Human Lung Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2017, 42, 2507-2522.	1.1	72
31	Role of vitamin A oral supplementation on oxidative stress and inflammatory response in the liver of trained rats. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 1192-1200.	0.9	10
32	Changes in Cell Cycle and Up-Regulation of Neuronal Markers During SH-SY5Y Neurodifferentiation by Retinoic Acid are Mediated by Reactive Species Production and Oxidative Stress. <i>Molecular Neurobiology</i> , 2017, 54, 6903-6916.	1.9	26
33	Effects of Freeze-Thaw and Storage on Enzymatic Activities, Protein Oxidative Damage, and Immunocontent of the Blood, Liver, and Brain of Rats. <i>Biopreservation and Biobanking</i> , 2017, 15, 182-190.	0.5	15
34	Vitamin A Oral Supplementation Induces Oxidative Stress and Suppresses IL-10 and HSP70 in Skeletal Muscle of Trained Rats. <i>Nutrients</i> , 2017, 9, 353.	1.7	29
35	Targeted inhibition of RAGE in substantia nigra of rats blocks 6-OHDA-induced dopaminergic denervation. <i>Scientific Reports</i> , 2017, 7, 8795.	1.6	40
36	N-acetyl-cysteine inhibits liver oxidative stress markers in BALB/c mice infected with <i>Leishmania amazonensis</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2017, 112, 146-154.	0.8	9

#	ARTICLE	IF	CITATIONS
37	Curcumin Supplementation Decreases Intestinal Adiposity Accumulation, Serum Cholesterol Alterations, and Oxidative Stress in Ovariectomized Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-12.	1.9	12
38	Oral administration of curcumin relieves behavioral alterations and oxidative stress in the frontal cortex, hippocampus, and striatum of ovariectomized Wistar rats. <i>Journal of Nutritional Biochemistry</i> , 2016, 32, 181-188.	1.9	29
39	Shikimic acid inhibits LPS-induced cellular pro-inflammatory cytokines and attenuates mechanical hyperalgesia in mice. <i>International Immunopharmacology</i> , 2016, 39, 97-105.	1.7	36
40	NRF2 Mediates Neuroblastoma Proliferation and Resistance to Retinoic Acid Cytotoxicity in a Model of In Vitro Neuronal Differentiation. <i>Molecular Neurobiology</i> , 2016, 53, 6124-6135.	1.9	21
41	Choline and Cystine Deficient Diets in Animal Models with Hepatocellular Injury: Evaluation of Oxidative Stress and Expression of RAGE, TNF- α , and IL-1 β . <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-11.	1.9	21
42	In Vitro Neuroprotective Effect of Shikimic Acid Against Hydrogen Peroxide-Induced Oxidative Stress. <i>Journal of Molecular Neuroscience</i> , 2015, 56, 956-965.	1.1	31
43	Supplementation with vitamin A enhances oxidative stress in the lungs of rats submitted to aerobic exercise. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 1253-1261.	0.9	13
44	Increased tau phosphorylation and receptor for advanced glycation endproducts (RAGE) in the brain of mice infected with <i>Leishmania amazonensis</i> . <i>Brain, Behavior, and Immunity</i> , 2015, 43, 37-45.	2.0	14
45	Effects of different products of peach (<i>Prunus persica</i> L. Batsch) from a variety developed in southern Brazil on oxidative stress and inflammatory parameters in vitro and ex vivo. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2014, 55, 110-119.	0.6	14
46	Preventive supplementation with fresh and preserved peach attenuates CCl ₄ -induced oxidative stress, inflammation and tissue damage. <i>Journal of Nutritional Biochemistry</i> , 2014, 25, 1282-1295.	1.9	17
47	Sulfite disrupts brain mitochondrial energy homeostasis and induces mitochondrial permeability transition pore opening via thiol group modification. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 1413-1422.	1.8	31
48	The oxidation of HSP70 is associated with functional impairment and lack of stimulatory capacity. <i>Cell Stress and Chaperones</i> , 2014, 19, 913-925.	1.2	26
49	Mitochondrial bioenergetics deregulation caused by long-chain 3-hydroxy fatty acids accumulating in LCHAD and MTP deficiencies in rat brain: A possible role of mPTP opening as a pathomechanism in these disorders?. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 1658-1667.	1.8	22
50	Hecogenin Acetate Inhibits Reactive Oxygen Species Production and Induces Cell Cycle Arrest and Senescence in the A549 Human Lung Cancer Cell Line. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014, 14, 1128-1135.	0.9	14
51	<i>Passiflora manicata</i> (Juss.) aqueous leaf extract protects against reactive oxygen species and protein glycation in vitro and ex vivo models. <i>Food and Chemical Toxicology</i> , 2013, 60, 45-51.	1.8	43
52	Redox homeostasis is compromised in vivo by the metabolites accumulating in 3-hydroxy-3-methylglutaryl-CoA lyase deficiency in rat cerebral cortex and liver. <i>Free Radical Research</i> , 2013, 47, 1066-1075.	1.5	21
53	Coal and tire burning mixtures containing ultrafine and nanoparticulate materials induce oxidative stress and inflammatory activation in macrophages. <i>Science of the Total Environment</i> , 2013, 463-464, 743-753.	3.9	19
54	Vitamin A (retinol) downregulates the receptor for advanced glycation endproducts (RAGE) by oxidant-dependent activation of p38 MAPK and NF- κ B in human lung cancer A549 cells. <i>Cellular Signalling</i> , 2013, 25, 939-954.	1.7	46

#	ARTICLE	IF	CITATIONS
55	Schistosoma mansoni infection causes oxidative stress and alters receptor for advanced glycation endproduct (RAGE) and tau levels in multiple organs in mice. International Journal for Parasitology, 2013, 43, 371-379.	1.3	44
56	Effect of N-salicyloyltryptamine (STP), a novel tryptamine analogue, on parameters of cell viability, oxidative stress, and immunomodulation in RAW 264.7 macrophages. Cell Biology and Toxicology, 2013, 29, 175-187.	2.4	13
57	L-NAME treatment prevent oxidative damage in the lung of adult Wistar rats treated with vitamin A supplementation. Cell Biochemistry and Function, 2012, 30, 256-263.	1.4	9