Fang-Rong Chang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8401717/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Marine Natural Products: A Source of Novel Anticancer Drugs. Marine Drugs, 2019, 17, 491.	4.6	324
2	Gallic acid, a major component of Toona sinensis leaf extracts, contains a ROS-mediated anti-cancer activity in human prostate cancer cells. Cancer Letters, 2009, 286, 161-171.	7.2	251
3	Anti-AIDS Agents. 48.1Anti-HIV Activity of Moronic Acid Derivatives and the New Melliferone-Related Triterpenoid Isolated from Brazilian Propolis. Journal of Natural Products, 2001, 64, 1278-1281.	3.0	228
4	Marine algal natural products with anti-oxidative, anti-inflammatory, and anti-cancer properties. Cancer Cell International, 2013, 13, 55.	4.1	225
5	Antioxidant Activities of Extracts and Main Components of Pigeonpea [Cajanus cajan (L.) Millsp.] Leaves. Molecules, 2009, 14, 1032-1043.	3.8	187
6	Cheritamine, A New <i>N</i> â€Fatty Acyl Tryptamine and Other Constituents from the Stems of <i>Annona cherimola</i> . Journal of the Chinese Chemical Society, 1999, 46, 77-86.	1.4	174
7	Influenza A (H ₁ N ₁) Antiviral and Cytotoxic Agents from <i>Ferula assa-foetida</i> . Journal of Natural Products, 2009, 72, 1568-1572.	3.0	173
8	Recent research and development of Antrodia cinnamomea. , 2013, 139, 124-156.		147
9	The Constituents from the Stems of <i>Annona cherimola</i> . Journal of the Chinese Chemical Society, 1997, 44, 313-319.	1.4	132
10	Identification ofent-16β,17-Dihydroxykauran-19-oic Acid as an Anti-HIV Principle and Isolation of the New Diterpenoids Annosquamosins A and B fromAnnona squamosa. Journal of Natural Products, 1996, 59, 635-637.	3.0	131
11	Synthesis of chalcone derivatives as potential anti-diabetic agents. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 3912-3915.	2.2	118
12	Pristimerin induces caspase-dependent apoptosis in MDA-MB-231 cells via direct effects on mitochondria. Molecular Cancer Therapeutics, 2005, 4, 1277-1285.	4.1	116
13	Anti-AIDS Agents 69. Moronic Acid and Other Triterpene Derivatives as Novel Potent Anti-HIV Agents. Journal of Medicinal Chemistry, 2006, 49, 5462-5469.	6.4	113
14	Automatic Morphological Subtyping Reveals New Roles of Caspases in Mitochondrial Dynamics. PLoS Computational Biology, 2011, 7, e1002212.	3.2	110
15	Historic Perspectives on Annonaceous Acetogenins from the Chemical Bench to Preclinical Trials. Planta Medica, 2010, 76, 1390-1404.	1.3	109
16	Aristolactams and Dioxoaporphines fromFissistigmabalansaeandFissistigmaoldhamii. Journal of Natural Products, 2000, 63, 1160-1163.	3.0	106
17	An epigenetic modifier enhances the production of anti-diabetic and anti-inflammatory sesquiterpenoids from Aspergillus sydowii. Bioorganic and Medicinal Chemistry, 2013, 21, 3866-3872.	3.0	105
18	The Constituents of <i>Lindera Glauca</i> . Journal of the Chinese Chemical Society, 2000, 47, 373-380.	1.4	97

#	Article	IF	CITATIONS
19	Cytotoxic Constituents ofPolyalthialongifoliavar.pendula. Journal of Natural Products, 2000, 63, 1475-1478.	3.0	97
20	New Cytotoxic Monotetrahydrofuran Annonaceous Acetogenins fromAnnonamuricata. Journal of Natural Products, 2002, 65, 470-475.	3.0	96
21	Efficacy of Low-Molecular-Weight Fucoidan as a Supplemental Therapy in Metastatic Colorectal Cancer Patients: A Double-Blind Randomized Controlled Trial. Marine Drugs, 2017, 15, 122.	4.6	96
22	Golden Berry-Derived 4β-hydroxywithanolide E for Selectively Killing Oral Cancer Cells by Generating ROS, DNA Damage, and Apoptotic Pathways. PLoS ONE, 2013, 8, e64739.	2.5	94
23	6-Paradol and 6-Shogaol, the Pungent Compounds of Ginger, Promote Glucose Utilization in Adipocytes and Myotubes, and 6-Paradol Reduces Blood Glucose in High-Fat Diet-Fed Mice. International Journal of Molecular Sciences, 2017, 18, 168.	4.1	92
24	Anti-proliferative effect of methanolic extract of Gracilaria tenuistipitata on oral cancer cells involves apoptosis, DNA damage, and oxidative stress. BMC Complementary and Alternative Medicine, 2012, 12, 142.	3.7	91
25	Ensemble feature selection in medical datasets: Combining filter, wrapper, and embedded feature selection results. Expert Systems, 2020, 37, e12553.	4.5	91
26	Cajanuslactone, a new coumarin with anti-bacterial activity from pigeon pea [Cajanus cajan (L.) Millsp.] leaves. Food Chemistry, 2010, 121, 1150-1155.	8.2	90
27	Molluscicidal Saponins fromSapindus mukorossi, Inhibitory Agents of Golden Apple Snails,Pomacea canaliculata. Journal of Agricultural and Food Chemistry, 2003, 51, 4916-4919.	5.2	86
28	4β-Hydroxywithanolide E from Physalis peruviana (golden berry) inhibits growth of human lung cancer cells through DNA damage, apoptosis and G2/M arrest. BMC Cancer, 2010, 10, 46.	2.6	86
29	Antiproliferation and Induction of Apoptosis in Ca9-22 Oral Cancer Cells by Ethanolic Extract of Gracilaria tenuistipitata. Molecules, 2012, 17, 10916-10927.	3.8	86
30	Novel Cytotoxic Annonaceous Acetogenins fromAnnonamuricata. Journal of Natural Products, 2001, 64, 925-931.	3.0	84
31	Cytotoxic Constituents of the Fruits ofCanangaodorata. Journal of Natural Products, 2001, 64, 616-619.	3.0	84
32	New cytotoxic withanolides from Physalis peruviana. Food Chemistry, 2009, 116, 462-469.	8.2	82
33	Tenuipyrone, a Novel Skeletal Polyketide from the Entomopathogenic Fungus, <i>Isaria tenuipes</i> , Cultivated in the Presence of Epigenetic Modifiers. Organic Letters, 2012, 14, 513-515.	4.6	82
34	Antitumor Agents. 228. Five New Agarofurans, Reissantins Aâ^'E, and Cytotoxic Principles from Reissantia buchananii. Journal of Natural Products, 2003, 66, 1416-1420.	3.0	81
35	Anti-inflammatory and Cytotoxic Neoflavonoids and Benzofurans from <i>Pterocarpus santalinus</i> . Journal of Natural Products, 2011, 74, 989-996.	3.0	81
36	Annosqualine: a Novel Alkaloid from the Stems of Annona squamosa. Helvetica Chimica Acta, 2004, 87, 1392-1399.	1.6	76

#	Article	IF	CITATIONS
37	Anti-Inflammatory and Cytotoxic Diterpenes from FormosanPolyalthia longifoliavar.pendula. Planta Medica, 2006, 72, 1344-1347.	1.3	72
38	New ent-Kaurane Diterpenoids with Anti-Platelet Aggregation Activity from Annona squamosa. Journal of Natural Products, 2002, 65, 1462-1467.	3.0	71
39	Tubocapsenolide A, a Novel Withanolide, Inhibits Proliferation and Induces Apoptosis in MDA-MB-231 Cells by Thiol Oxidation of Heat Shock Proteins. Journal of Biological Chemistry, 2008, 283, 17184-17193.	3.4	71
40	Goniothalamin Inhibits Growth of Human Lung Cancer Cells through DNA Damage, Apoptosis, and Reduced Migration Ability. Journal of Agricultural and Food Chemistry, 2011, 59, 4288-4293.	5.2	70
41	Bioactive Kaurane Diterpenoids fromAnnona glabra. Journal of Natural Products, 1998, 61, 437-439.	3.0	69
42	Inhibitory Effects of 1,2,3,4,6-Penta- <i>O</i> -Galloyl-β- <scp>d</scp> -Glucopyranose on Biofilm Formation by <i>Staphylococcus aureus</i> . Antimicrobial Agents and Chemotherapy, 2011, 55, 1021-1027.	3.2	69
43	New Cytotoxic Flavonoids fromThelypteris torresiana. Planta Medica, 2005, 71, 867-870.	1.3	67
44	Anti-inflammatory Cerebrosides from Cultivated <i>Cordyceps militaris</i> . Journal of Agricultural and Food Chemistry, 2016, 64, 1540-1548.	5.2	66
45	Bullatacin, a potent antitumor annonaceous acetogenin, inhibits proliferation of human hepatocarcinoma cell line 2.2.15 by apoptosis induction. Life Sciences, 2001, 69, 1321-1331.	4.3	65
46	Cytotoxic Styrylpyrones fromGoniothalamusamuyon1. Journal of Natural Products, 2003, 66, 487-490.	3.0	65
47	Goniothalamin induces cell cycle-specific apoptosis by modulating the redox status in MDA-MB-231 cells. European Journal of Pharmacology, 2005, 522, 20-29.	3.5	64
48	Anti-Human Coronavirus (anti-HCoV) Triterpenoids from the Leaves of <i>Euphorbia Neriifolia</i> . Natural Product Communications, 2012, 7, 1934578X1200701.	0.5	64
49	Chemical Constituents from <i>Annona Glabra</i> III. Journal of the Chinese Chemical Society, 2000, 47, 913-920.	1.4	63
50	New Flavans, Spirostanol Sapogenins, and a Pregnane Genin fromTupistra chinensisand Their Cytotoxicity. Journal of Natural Products, 2003, 66, 161-168.	3.0	63
51	Euphol from Euphorbia tirucalli selectively inhibits human gastric cancer cell growth through the induction of ERK1/2-mediated apoptosis. Food and Chemical Toxicology, 2012, 50, 4333-4339.	3.6	63
52	New Adjacent Bis-Tetrahydrofuran Annonaceous Acetogenins fromAnnona muricata. Planta Medica, 2003, 69, 241-246.	1.3	62
53	Two New Protopines Argemexicaines A and B and the Anti-HIV Alkaloid 6-Acetonyldihydrochelerythrine from FormosanArgemone mexicana. Planta Medica, 2003, 69, 148-152.	1.3	62
54	Antiâ€hepatitis C virus activity of 3â€hydroxy caruilignan C from <i>Swietenia macrophylla</i> stems. Journal of Viral Hepatitis, 2012, 19, 364-370.	2.0	62

#	Article	IF	CITATIONS
55	Amides from stems of annona cherimola. Phytochemistry, 1998, 49, 1443-1447.	2.9	61
56	Cytotoxic Constituents of the Stem Bark of Neolitsea acuminatissima. Journal of Natural Products, 2002, 65, 255-258.	3.0	61
57	Luteolin attenuates neutrophilic oxidative stress and inflammatory arthritis by inhibiting Raf1 activity. Biochemical Pharmacology, 2018, 154, 384-396.	4.4	61
58	The Crystal Structure and Cytotoxicity of Goniodiol-7-monoacetate from Goniothalamus amuyon. Journal of Natural Products, 1991, 54, 1077-1081.	3.0	60
59	A New Anti-HIV Alkaloid, Drymaritin, and a New C-Glycoside Flavonoid, Diandraflavone, fromDrymariadiandra. Journal of Natural Products, 2004, 67, 1175-1177.	3.0	60
60	Cytotoxic Withanolides from Tubocapsicum anomalum. Journal of Natural Products, 2007, 70, 747-753.	3.0	60
61	Antiproliferative effects of goniothalamin on Ca9-22 oral cancer cells through apoptosis, DNA damage and ROS induction. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2012, 747, 253-258.	1.7	60
62	Antioxidant Activity, Cytotoxicity, and DNA Information ofGlossogyne tenuifolia. Journal of Agricultural and Food Chemistry, 2005, 53, 6117-6125.	5.2	59
63	Cytotoxic Principles from the Formosan Milkweed, Asclepias curassavica. Journal of Natural Products, 2005, 68, 1494-1499.	3.0	59
64	Iron-Catalyzed Oxidative Direct α-C–H Bond Functionalization of Cyclic Ethers: Selective C–O Bond Formation in the Presence of a Labile Aldehyde Group. Organic Letters, 2014, 16, 1912-1915.	4.6	59
65	Chemical Constituents from Cassytha filiformis II. Journal of Natural Products, 1998, 61, 863-866.	3.0	57
66	1,5-Diphenylpent-3-en-1-ynes and methyl naphthalene carboxylates from Lawsonia inermis and their anti-inflammatory activity. Phytochemistry, 2013, 88, 67-73.	2.9	57
67	Suberoylanilide Hydroxamic Acid, a Histone Deacetylase Inhibitor, Induces the Production of Anti-inflammatory Cyclodepsipeptides from <i>Beauveria felina</i> . Journal of Natural Products, 2013, 76, 1260-1266.	3.0	57
68	Isoquinoline Alkaloids and Lignans from Rollinia mucosa. Journal of Natural Products, 1996, 59, 904-906.	3.0	56
69	Lignans and Kauranes from the Stems of <i>Annona cherimola</i> . Journal of the Chinese Chemical Society, 1998, 45, 629-634.	1.4	56
70	Alkaloids from <i>Lindera Glauca</i> . Journal of the Chinese Chemical Society, 2001, 48, 811-815.	1.4	56
71	Identification of phenolic antioxidants from Sword Brake fern (Pteris ensiformis Burm.). Food Chemistry, 2007, 105, 48-56.	8.2	56
72	First Total Synthesis of Protoapigenone and Its Analogues as Potent Cytotoxic Agents. Journal of Medicinal Chemistry, 2007, 50, 3921-3927.	6.4	54

#	Article	IF	CITATIONS
73	The synthetic β-nitrostyrene derivative CYT-Rx20 induces breast cancer cell death and autophagy via ROS-mediated MEK/ERK pathway. Cancer Letters, 2016, 371, 251-261.	7.2	54
74	Chemical Constituents of <i>Neolitsea parvigemma</i> and <i>Neolitsea konishii</i> . Journal of the Chinese Chemical Society, 1998, 45, 103-110.	1.4	53
75	Bioactive Cembrane Diterpenoids of <i>Anisomeles indica</i> . Journal of Natural Products, 2008, 71, 1207-1212.	3.0	53
76	InÂvitro anti-diabetic effect and chemical component analysis of 29 essential oils products. Journal of Food and Drug Analysis, 2015, 23, 124-129.	1.9	53
77	Biopharmaceutical potentials of Prosopis spp. (Mimosaceae, Leguminosa). Journal of Food and Drug Analysis, 2017, 25, 187-196.	1.9	53
78	Antiplatelet Aggregation Constituents from Annona purpurea. Journal of Natural Products, 1998, 61, 1457-1461.	3.0	52
79	Acetogenins as Selective Inhibitors of the Human Ovarian 1A9 Tumor Cell Line. Journal of Medicinal Chemistry, 2003, 46, 3185-3188.	6.4	52
80	Cytotoxic Benzophenanthridine and Benzylisoquinoline Alkaloids from Argemone mexicana. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2003, 58, 521-526.	1.4	52
81	New Dammarane-Type Saponins from the Galls ofSapindus mukorossi. Journal of Agricultural and Food Chemistry, 2005, 53, 4722-4727.	5.2	52
82	Fern Plant–Derived Protoapigenone Leads to DNA Damage, Apoptosis, and G ₂ /M Arrest in Lung Cancer Cell Line H1299. DNA and Cell Biology, 2009, 28, 501-506.	1.9	51
83	Active extracts of wild fruiting bodies of Antrodia camphorata (EEAC) induce leukemia HL 60 cells apoptosis partially through histone hypoacetylation and synergistically promote anticancer effect of trichostatin A. Archives of Toxicology, 2009, 83, 121-129.	4.2	51
84	Cytotoxic Phenanthrenequinones and 9,10-Dihydrophenanthrenes from <i>Calanthe arisanensis</i> . Journal of Natural Products, 2009, 72, 210-213.	3.0	51
85	Antitumor agents. 271: Total synthesis and evaluation of brazilein and analogs as anti-inflammatory and cytotoxic agents. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 1037-1039.	2.2	51
86	Annonacin induces cell cycle-dependent growth arrest and apoptosis in estrogen receptor-α-related pathways in MCF-7 cells. Journal of Ethnopharmacology, 2011, 137, 1283-1290.	4.1	51
87	New Cytotoxic Cyclic Peptides and Dianthramide fromDianthus superbus. Journal of Natural Products, 2004, 67, 1522-1527.	3.0	50
88	Protoapigenone, a natural derivative of apigenin, induces mitogen-activated protein kinase-dependent apoptosis in human breast cancer cells associated with induction of oxidative stress and inhibition of glutathione S-transferase π. Investigational New Drugs, 2011, 29, 1347-1359.	2.6	50
89	Loganin possesses neuroprotective properties, restores SMN protein and activates protein synthesis positive regulator Akt/mTOR in experimental models of spinal muscular atrophy. Pharmacological Research, 2016, 111, 58-75.	7.1	50
90	New cembranolide analogues from the formosan soft coralSinularia flexibilisand their cytotoxicity. Natural Product Research, 2003, 17, 409-418.	1.8	49

#	Article	IF	CITATIONS
91	Mono-tetrahydrofuran Annonaceous Acetogenins from <i>Annona squamosa</i> as Cytotoxic Agents and Calcium Ion Chelators. Journal of Natural Products, 2008, 71, 764-771.	3.0	49
92	New Benzoyl Glucosides and Cytotoxic Pterosin Sesquiterpenes from Pteris ensiformis Burm Molecules, 2008, 13, 255-266.	3.8	49
93	Anti-HIV Agents 451and Antitumor Agents 205.2Two New Sesquiterpenes, Leitneridanins A and B, and the Cytotoxic and Anti-HIV Principles fromLeitneriafloridana. Journal of Natural Products, 2000, 63, 1712-1715.	3.0	48
94	2-Substituted benzoxazinone analogues as anti-human coronavirus (anti-HCoV) and ICAM-1 expression inhibition agents. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 4751-4754.	2.2	47
95	Anti-hepatitis C virus activity of Acacia confusa extract via suppressing cyclooxygenase-2. Antiviral Research, 2011, 89, 35-42.	4.1	47
96	Acetogenins from Annonaceae. Progress in the Chemistry of Organic Natural Products, 2016, 101, 113-230.	1.1	47
97	Studies on the Acetogenins of Formosan Annonaceous Plants, II. Cytotoxic Acetogenins from Annona reticulata. Journal of Natural Products, 1993, 56, 1688-1694.	3.0	46
98	Four alkaloids from Annona cherimola. Phytochemistry, 2001, 56, 753-757.	2.9	46
99	Chemical Constituents and Bioactivities of Clinacanthus nutans Aerial Parts. Molecules, 2014, 19, 20382-20390.	3.8	46
100	The evaluation of 2,8-disubstituted benzoxazinone derivatives as anti-inflammatory and anti-platelet aggregation agents. Bioorganic and Medicinal Chemistry Letters, 2005, 15, 2786-2789.	2.2	45
101	Copper-Catalyzed Oxidative Coupling of Formamides with Salicylaldehydes: Synthesis of Carbamates in the Presence of a Sensitive Aldehyde Group. Journal of Organic Chemistry, 2014, 79, 3206-3214.	3.2	45
102	An Anti-Inflammatoryent-Kaurane from the Stems ofAnnona squamosathat Inhibits Various Human Neutrophil Functions. Planta Medica, 2005, 71, 904-909.	1.3	44
103	Synthesis of Carbamates by Direct C–H Bond Activation of Formamides. European Journal of Organic Chemistry, 2012, 2012, 6760-6766.	2.4	44
104	Anti-human coronavirus (anti-HCoV) triterpenoids from the leaves of Euphorbia neriifolia. Natural Product Communications, 2012, 7, 1415-7.	0.5	44
105	Antiplatelet activity of N-methoxycarbonyl aporphines from Rollinia mucosa. Phytochemistry, 2001, 57, 421-425.	2.9	43
106	Digoniodiol, Deoxygoniopypyrone A, and Goniofupyrone A: Three New Styryllactones fromGoniothalamus amuyon. Planta Medica, 2005, 71, 153-159.	1.3	43
107	Cyclopeptides with Anti-inflammatory Activity from Seeds of Annona montana. Journal of Natural Products, 2008, 71, 1365-1370.	3.0	43
108	Aromatic polyketide glycosides from an entomopathogenic fungus, Cordyceps indigotica. Tetrahedron Letters, 2012, 53, 277-280.	1.4	43

#	Article	IF	CITATIONS
109	Acetogenins from seeds of Annona reticulata. Phytochemistry, 1998, 47, 1057-1061.	2.9	42
110	Norcantharidin induces apoptosis of breast cancer cells: Involvement of activities of mitogen activated protein kinases and signal transducers and activators of transcription. Toxicology in Vitro, 2011, 25, 699-707.	2.4	42
111	Withanolides-Induced Breast Cancer Cell Death Is Correlated with Their Ability to Inhibit Heat Protein 90. PLoS ONE, 2012, 7, e37764.	2.5	42
112	Two new 7-dehydroaporphine alkaloids and antiplatelet action aporphines from the leaves of Annona purpurea. Phytochemistry, 1998, 49, 2015-2018.	2.9	41
113	Inhibition of the Epstein–Barr virus lytic cycle by moronic acid. Antiviral Research, 2010, 85, 490-495.	4.1	41
114	Selective targeting of breast cancer cells through ROS-mediated mechanisms potentiates the lethality of paclitaxel by a novel diterpene, gelomulide K. Free Radical Biology and Medicine, 2011, 51, 641-657.	2.9	41
115	The Chinese herbal formula Liuwei dihuang protects dopaminergic neurons against Parkinson's toxin through enhancing antioxidative defense and preventing apoptotic death. Phytomedicine, 2014, 21, 724-733.	5.3	41
116	Wedelolactone inhibits breast cancer-induced osteoclastogenesis by decreasing Akt/mTOR signaling. International Journal of Oncology, 2015, 46, 555-562.	3.3	41
117	Aromin-A, an Annonaceous acetogenin from Annona cherimola. Phytochemistry, 1999, 51, 429-433.	2.9	40
118	Anti-diabetic properties of non-polar Toona sinensis Roem extract prepared by supercritical-CO2 fluid. Food and Chemical Toxicology, 2012, 50, 779-789.	3.6	40
119	The oestrogenic and anti-platelet activities of dihydrobenzofuroisocoumarins and homoisoflavonoids from Liriope platyphylla roots. Food Chemistry, 2013, 140, 305-314.	8.2	40
120	Limonoids from the Seeds of <i>Swietenia macrophylla</i> with Inhibitory Activity against Dengue Virus 2. Journal of Natural Products, 2014, 77, 2367-2374.	3.0	40
121	The Constituents of <i>Cananga odorata</i> . Journal of the Chinese Chemical Society, 1999, 46, 607-611.	1.4	39
122	A bioactive withanolide Tubocapsanolide A inhibits proliferation of human lung cancer cells via repressing Skp2 expression. Molecular Cancer Therapeutics, 2007, 6, 1572-1578.	4.1	39
123	Shedding the light on Iridaceae: Ethnobotany, phytochemistry and biological activity. Industrial Crops and Products, 2016, 92, 308-335.	5.2	39
124	Fissohamione, a novel furanone from Fissistigma oldhamii. Tetrahedron Letters, 1999, 40, 7513-7514.	1.4	38
125	Cytotoxic Triterpenoids from the Stems of <i>Microtropis japonica</i> . Journal of Natural Products, 2009, 72, 1231-1236.	3.0	38
126	Physalin B from Physalis angulata triggers the NOXA-related apoptosis pathway of human melanoma A375 cells. Food and Chemical Toxicology, 2012, 50, 619-624.	3.6	38

#	Article	IF	CITATIONS
127	Chemical profiling of the cytotoxic triterpenoid-concentrating fraction and characterization of ergostane stereo-isomer ingredients from Antrodia camphorata. Journal of Pharmaceutical and Biomedical Analysis, 2012, 58, 182-192.	2.8	38
128	Protoberberine alkaloids from Fissistigma balansae. Phytochemistry, 1998, 48, 367-369.	2.9	37
129	New Cyclic Peptides from the Seeds of Annona squamosa L. and Their Anti-inflammatory Activities. Journal of Agricultural and Food Chemistry, 2008, 56, 386-392.	5.2	37
130	Brazilein suppresses migration and invasion of MDA-MB-231 breast cancer cells. Chemico-Biological Interactions, 2013, 204, 105-115.	4.0	37
131	The Alkaloids ofArtabotrysuncinatus. Journal of Natural Products, 2001, 64, 1157-1161.	3.0	36
132	Immunostimulatory effect of Antrodia camphorata extract on functional maturation of dendritic cells. Food Chemistry, 2009, 113, 1049-1057.	8.2	36
133	Antileukemia component, dehydroeburicoic acid from Antrodia camphorata induces DNA damage and apoptosis in vitro and in vivo models. Phytomedicine, 2012, 19, 788-796.	5.3	36
134	New and efficient method for esterification of carboxylic acids with simple primary and secondary alcohols using cerium(IV) ammonium nitrate (CAN). Tetrahedron Letters, 2003, 44, 331-334.	1.4	35
135	A Novel Constituent fromRolliniamucosa, Rollicosin, and a New Approach to Develop Annonaceous Acetogenins as Potential Antitumor Agents. Journal of Natural Products, 2003, 66, 279-281.	3.0	35
136	3,4-Methylenedioxy-l²-nitrostyrene inhibits adhesion and migration of human triple-negative breast cancer cells by suppressing l²1 integrin function and surface protein disulfide isomerase. Biochimie, 2015, 110, 81-92.	2.6	35
137	Phenanthrenes from <i>Juncus inflexus</i> with Antimicrobial Activity against Methicillin-Resistant <i>Staphylococcus aureus</i> . Journal of Natural Products, 2016, 79, 2814-2823.	3.0	35
138	Probing the Antiallergic and Anti-inflammatory Activity of Biflavonoids and Dihydroflavonols from <i>Dietes bicolor</i> . Journal of Natural Products, 2018, 81, 243-253.	3.0	35
139	Antitumor agents. Part 218: Cappamensin A, a new In vitro anticancer principle, from Capparis sikkimensis. Bioorganic and Medicinal Chemistry Letters, 2003, 13, 2223-2225.	2.2	34
140	Optimization of microwave-assisted extraction of cajaninstilbene acid and pinostrobin from pigeonpea leaves followed by RP-HPLC-DAD determination. Journal of Food Composition and Analysis, 2010, 23, 382-388.	3.9	34
141	Inhibition of ATR-Dependent Signaling by Protoapigenone and Its Derivative Sensitizes Cancer Cells to Interstrand Cross-link–Generating Agents <i>In Vitro</i> and <i>In Vivo</i> . Molecular Cancer Therapeutics, 2012, 11, 1443-1453.	4.1	34
142	Aqueous Extract of Gracilaria tenuistipitata Suppresses LPS-Induced NF-κB and MAPK Activation in RAW 264.7 and Rat Peritoneal Macrophages and Exerts Hepatoprotective Effects on Carbon Tetrachloride-Treated Rat. PLoS ONE, 2014, 9, e86557.	2.5	34
143	On-line comprehensive two-dimensional normal-phase liquid chromatography×reversed-phase liquid chromatography for preparative isolation of toad venom. Journal of Chromatography A, 2016, 1456, 169-175.	3.7	34
144	New Alkaloids fromAnnona purpurea. Journal of Natural Products, 2000, 63, 746-748.	3.0	33

#	Article	IF	CITATIONS
145	CD36 is a novel and potential anti-fibrogenic target in albumin-induced renal proximal tubule fibrosis. Journal of Cellular Biochemistry, 2007, 101, 735-744.	2.6	33
146	A novel synthetic protoapigenone analogue, WYC02-9, induces DNA damage and apoptosis in DU145 prostate cancer cells through generation of reactive oxygen species. Free Radical Biology and Medicine, 2011, 50, 1151-1162.	2.9	33
147	Highly oxidized ergosterols and isariotin analogs from an entomopathogenic fungus, Gibellula formosana, cultivated in the presence of epigenetic modifying agents. Tetrahedron, 2012, 68, 5817-5823.	1.9	33
148	Bioactive 6 <i>S</i> -Styryllactone Constituents of <i>Polyalthia parviflora</i> . Journal of Natural Products, 2014, 77, 2626-2632.	3.0	33
149	Clinical Aspects of Aconitum Preparations. Planta Medica, 2015, 81, 1017-1028.	1.3	33
150	Anti-Allergic, Anti-Inflammatory, and Anti-Hyperglycemic Activity of Chasmanthe aethiopica Leaf Extract and Its Profiling Using LC/MS and GLC/MS. Plants, 2021, 10, 1118.	3.5	33
151	Bioactive acetogenins from the seeds of Annona atemoya. Phytochemistry, 1999, 51, 883-889.	2.9	32
152	Highly Selective Continuousâ€Flow Synthesis of Potentially Bioactive Deuterated Chalcone Derivatives. ChemPlusChem, 2015, 80, 859-864.	2.8	32
153	Cytotoxic Lanostanoids from <i>Poria cocos</i> . Journal of Natural Products, 2016, 79, 2805-2813.	3.0	32
154	Cytotoxic styrylpyrones of Goniothalamus amuyon. Phytochemistry, 1992, 31, 2851-2853.	2.9	31
155	Epomusenins A and B, two acetogenins from fruits of Rollinia mucosa. Phytochemistry, 1996, 42, 1081-1083.	2.9	31
156	Lupane-Type Triterpenoids from <i>Microtropis fokienensis</i> and <i>Perrottetia arisanensis</i> and the Apoptotic Effect of 28-Hydroxy-3-oxo-lup-20(29)-en-30-al. Journal of Natural Products, 2008, 71, 1352-1357.	3.0	31
157	Novel cytotoxic monotetrahydrofuranic Annonaceous acetogenins from Annona montana. Bioorganic and Medicinal Chemistry, 2005, 13, 4767-4776.	3.0	30
158	Camptothecinoids from the seeds of Taiwanese Nothapodytes foetida. Molecules, 2008, 13, 1361-1371.	3.8	30
159	The natural diterpenoid ovatodiolide induces cell cycle arrest and apoptosis in human oral squamous cell carcinoma Ca9-22 cells. Life Sciences, 2009, 85, 26-32.	4.3	30
160	16-Hydroxycleroda-3,13-dien-15,16-olide regulates the expression of histone-modifying enzymes PRC2 complex and induces apoptosis in CML K562 cells. Life Sciences, 2011, 89, 886-895.	4.3	30
161	Using the pER8:GUS Reporter System to Screen for Phytoestrogens fromCaesalpinia sappan. Journal of Natural Products, 2011, 74, 1698-1706.	3.0	30
162	Sanâ€Huangâ€Xieâ€Xinâ€Tang extract suppresses hepatitis C virus replication and virusâ€induced cyclooxygenaseâ€2 expression. Journal of Viral Hepatitis, 2011, 18, e315-24.	2.0	30

#	Article	IF	CITATIONS
163	Bioactive components from the heartwood of Pterocarpus santalinus. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 5630-5632.	2.2	30
164	A novel alkaloid, aristopyridinone A and anti-inflammatory phenanthrenes isolated from Aristolochia manshuriensis. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 1792-1794.	2.2	30
165	An Aluminum Microfluidic Chip Fabrication Using a Convenient Micromilling Process for Fluorescent Poly(DL-lactide-co-glycolide) Microparticle Generation. Sensors, 2012, 12, 1455-1467.	3.8	30
166	Aqueous Extract of the Edible Gracilaria tenuistipitata Inhibits Hepatitis C Viral Replication via Cyclooxygenase-2 Suppression and Reduces Virus-Induced Inflammation. PLoS ONE, 2013, 8, e57704.	2.5	30
167	Alkylamides of Acmella oleracea. Molecules, 2015, 20, 6970-6977.	3.8	30
168	Cytotoxic Triterpenoids from the Leaves ofMicrotropis fokienensis. Journal of Natural Products, 2006, 69, 1543-1546.	3.0	29
169	Two New Alkaloids fromArtabotrys uncinatus. Journal of Natural Products, 1999, 62, 1192-1193.	3.0	28
170	Longicalycinin A, a New Cytotoxic Cyclic Peptide from Dianthus superbus var. longicalycinus (MAXIM.) WILL Chemical and Pharmaceutical Bulletin, 2005, 53, 336-338.	1.3	28
171	Acasiane A and B and Farnesirane A and B, Diterpene Derivatives From the Roots of <i>Acacia farnesiana</i> . Planta Medica, 2009, 75, 256-261.	1.3	28
172	Flavonol Glycosides from Muehlenbeckia platyclada and Their Anti-inflammatory Activity. Chemical and Pharmaceutical Bulletin, 2009, 57, 280-282.	1.3	28
173	Targeting allosteric site of AKT by 5,7-dimethoxy-1,4-phenanthrenequinone suppresses neutrophilic inflammation. EBioMedicine, 2019, 40, 528-540.	6.1	28
174	Different effects of 4β-hydroxywithanolide E and withaferin A, two withanolides from Solanaceae plants, on the Akt signaling pathway in human breast cancer cells. Phytomedicine, 2019, 53, 213-222.	5.3	28
175	Hydrachine A, a Novel Alkaloid from the Roots ofHydrangeachinensis. Journal of Natural Products, 2001, 64, 948-949.	3.0	27
176	Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated fromFissistigma bracteolatum. Helvetica Chimica Acta, 2005, 88, 905-909.	1.6	27
177	New Constituents from Stems of Goniothalamus amuyon. Chemical and Pharmaceutical Bulletin, 2006, 54, 1040-1043.	1.3	27
178	Study of the anti-allergic and anti-inflammatory activity of Brachychiton rupestris and Brachychiton discolor leaves (Malvaceae) using in vitro models. BMC Complementary and Alternative Medicine, 2018, 18, 299.	3.7	27
179	The Antioxidant, Anti-Inflammatory, and Neuroprotective Properties of the Synthetic Chalcone Derivative AN07. Molecules, 2020, 25, 2907.	3.8	27
180	Brown Algae-Derived Fucoidan Exerts Oxidative Stress-Dependent Antiproliferation on Oral Cancer Cells. Antioxidants, 2022, 11, 841.	5.1	27

#	Article	IF	CITATIONS
181	Chemical constituents from theHydrangea chinensis. Archives of Pharmacal Research, 2003, 26, 15-20.	6.3	26
182	Squadinorlignoside: A Novel 7,9′-Dinorlignan from the Stems ofAnnona squamosa. Helvetica Chimica Acta, 2005, 88, 2731-2737.	1.6	26
183	Tryptamine-Derived Amides and Alkaloids from the Seeds of Annona atemoya. Journal of Natural Products, 2005, 68, 406-408.	3.0	26
184	Ixorapeptide I and ixorapeptide II, bioactive peptides isolated from Ixora coccinea. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 7354-7357.	2.2	26
185	Protoflavones: a class of unusual flavonoids as promising novel anticancer agents. Phytochemistry Reviews, 2014, 13, 69-77.	6.5	26
186	Antiallergic Phorbol Ester from the Seeds of Aquilaria malaccensis. International Journal of Molecular Sciences, 2016, 17, 398.	4.1	26
187	Research and development of Cordyceps in Taiwan. Food Science and Human Wellness, 2016, 5, 177-185.	4.9	26
188	6-Hydroxy-5,7-dimethoxy-flavone suppresses the neutrophil respiratory burst via selective PDE4 inhibition to ameliorate acute lung injury. Free Radical Biology and Medicine, 2017, 106, 379-392.	2.9	26
189	Anti-allergic Hydroxy Fatty Acids from Typhonium blumei Explored through ChemGPS-NP. Frontiers in Pharmacology, 2017, 8, 356.	3.5	26
190	Methanol Extract of Usnea barbata Induces Cell Killing, Apoptosis, and DNA Damage against Oral Cancer Cells through Oxidative Stress. Antioxidants, 2020, 9, 694.	5.1	26
191	ent-Kaurane Diterpenoids fromAnnona glabra. Journal of Natural Products, 2000, 63, 1000-1003.	3.0	25
192	Bioactive Coumarins from the Leaves of Murraya omphalocarpa. Planta Medica, 2003, 69, 654-657.	1.3	25
193	Anti-inflammatory Furanogermacrane sesquiterpenes from Neolitsea parvigemma. Natural Product Research, 2005, 19, 283-286.	1.8	25
194	Involvement of caspase and MAPK activities in norcantharidin-induced colorectal cancer cell apoptosis. Toxicology in Vitro, 2010, 24, 766-775.	2.4	25
195	First total synthesis of antrocamphin A and its analogs as anti-inflammatory and anti-platelet aggregation agents. Organic and Biomolecular Chemistry, 2011, 9, 70-73.	2.8	25
196	Annoreticuin and Isoannoreticuin: Two New Cytotoxic Acetogenins from Annona reticulata. Heterocycles, 1992, 34, 667.	0.7	25
197	Cytotoxic ent-abietane diterpenes from Gelonium aequoreum. Phytochemistry, 2008, 69, 276-287.	2.9	24
198	Inhibitory effects of 16-hydroxycleroda-3,13(14)E-dien-15-oic acid on superoxide anion and elastase release in human neutrophils through multiple mechanisms. European Journal of Pharmacology, 2008, 586, 332-339.	3.5	24

#	Article	IF	CITATIONS
199	ATR-Chk1 signaling inhibition as a therapeutic strategy to enhance cisplatin chemosensitivity in urothelial bladder cancer. Oncotarget, 2016, 7, 1947-1959.	1.8	24
200	Zoanthamine-Type Alkaloids from the Zoanthid <i>Zoanthus kuroshio</i> Collected in Taiwan and Their Effects on Inflammation. Journal of Natural Products, 2016, 79, 2674-2680.	3.0	24
201	3-Methyl-4,5-dihydro-oxepine, polyoxygenated seco-cyclohexenes and cyclohexenes from Uvaria flexuosa and their anti-inflammatory activity. Phytochemistry, 2016, 122, 184-192.	2.9	24
202	Tupichigenin A, a New Steroidal Sapogenin fromTupistra chinensis. Journal of Natural Products, 2000, 63, 861-863.	3.0	23
203	Nine New Cytotoxic Monotetrahydrofuranic Annonaceous Acetogenins fromAnnona montana. Planta Medica, 2004, 70, 948-959.	1.3	23
204	Montacin andcis-Montacin, Two New Cytotoxic Monotetrahydrofuran Annonaceous Acetogenins fromAnnonamontana. Journal of Natural Products, 2004, 67, 1804-1808.	3.0	23
205	Synthesis of Flavones and γâ€Benzopyranones Using Mild Sonogashira Coupling and 18â€Crownâ€6 Ether Mediated 6â€ <i>endo</i> Cyclization. European Journal of Organic Chemistry, 2012, 2012, 4533-4540.	2.4	23
206	Association of altered cardiac autonomic function with psychopathology and metabolic profiles in schizophrenia. Psychiatry Research, 2013, 210, 710-715.	3.3	23
207	Diepoxymontin, a Novel Acetogenin from Annona montana. Heterocycles, 1994, 38, 1475.	0.7	23
208	Spirostanol Sapogenins from the Underground Parts of Tupistra chinensis Chemical and Pharmaceutical Bulletin, 2000, 48, 1350-1353.	1.3	22
209	Effect of Isoquinoline Alkaloids of Different Structural Types on Antiplatelet Aggregationin Vitro. Planta Medica, 2006, 72, 1238-1241.	1.3	22
210	New Cytotoxic 6-Oxygenated 8,9-Dihydrofurocoumarins, Hedyotiscone A - C, fromHedyotis biflora. Planta Medica, 2006, 72, 75-78.	1.3	22
211	Cytotoxic calanquinone A from Calanthe arisanensis and its first total synthesis. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 4275-4277.	2.2	22
212	Three New Clerodane Diterpenes from Polyalthia longifolia var. pendula. Molecules, 2014, 19, 2049-2060.	3.8	22
213	Bioactive Constituents of <i>Cirsium japonicum</i> var. <i>australe</i> . Journal of Natural Products, 2014, 77, 1624-1631.	3.0	22
214	Continuous-Flow Synthesis of Deuterium-Labeled Antidiabetic Chalcones: Studies towards the Selective Deuteration of the Alkynone Core. Molecules, 2016, 21, 318.	3.8	22
215	Ecdysones from Zoanthus spp. with inhibitory activity against dengue virus 2. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 2344-2348.	2.2	22
216	New Bisbenzylisoquinolines, Fatty Acid Amidic Aporphines, and a Protoberberine from FormosanCocculus orbiculatus. Journal of Natural Products, 2005, 68, 1056-1060.	3.0	21

#	Article	IF	CITATIONS
217	New Constituents from Stems of Artabotrys uncinatus. Chemical and Pharmaceutical Bulletin, 2007, 55, 1597-1599.	1.3	21
218	(â~')-Xanthienopyran, a New Inhibitor of Superoxide Anion Generation by Activated Neutrophils, and Further Constituents of the Seeds of <i>Xanthium strumarium</i> . Planta Medica, 2008, 74, 1276-1279.	1.3	21
219	Direct Semi-Synthesis of the Anticancer Lead-Drug Protoapigenone from Apigenin, and Synthesis of Further New Cytotoxic Protoflavone Derivatives. PLoS ONE, 2011, 6, e23922.	2.5	21
220	Geranyl Flavonoid Derivatives from the Fresh Leaves of Artocarpus communis and Their Anti-inflammatory Activity. Planta Medica, 2012, 78, 995-1001.	1.3	21
221	Alkaloids from <i>Pandanus amaryllifolius</i> : Isolation and Their Plausible Biosynthetic Formation. Journal of Natural Products, 2015, 78, 2346-2354.	3.0	21
222	Inflammation Modulatory Phorbol Esters from the Seeds of <i>Aquilaria malaccensis</i> . Journal of Natural Products, 2017, 80, 1421-1427.	3.0	21
223	Cherimoline, a Novel Alkaloid from the Stems of Annona cherimola. Tetrahedron Letters, 1997, 38, 6247-6248.	1.4	20
224	Twop-Quinonoid Aporphine Alkaloids fromFissistigma balansae. Journal of Natural Products, 1998, 61, 1430-1432.	3.0	20
225	Alkaloids from the Leaves of <i>Fissistigma Glaucescens</i> . Journal of the Chinese Chemical Society, 2000, 47, 1251-1256.	1.4	20
226	Antitumor Agents. 233.1Lantalucratins Aâ^'F, New Cytotoxic Naphthoquinones fromLantanainvolucrata. Journal of Natural Products, 2004, 67, 990-993.	3.0	20
227	Identification of antioxidants from rhizome of Davallia solida. Food Chemistry, 2008, 107, 684-691.	8.2	20
228	Involvement of phorbol-12-myristate-13-acetate-induced protein 1 in goniothalamin-induced TP53-dependent and -independent apoptosis in hepatocellular carcinoma-derived cells. Toxicology and Applied Pharmacology, 2011, 256, 8-23.	2.8	20
229	Isodesacetyluvaricin, an Annonaceous Acetogenin, Specifically Inhibits Gene Expression of Cyclooxygenase-2. Journal of Natural Products, 2012, 75, 572-576.	3.0	20
230	Gynura divaricata attenuates tumor growth and tumor relapse after cisplatin therapy in HCC xenograft model through suppression of cancer stem cell growth and Wnt/β-catenin signalling. Journal of Ethnopharmacology, 2018, 213, 366-375.	4.1	20
231	Bioactive constituents of Lindernia crustacea and its anti-EBV effect via Rta expression inhibition in the viral lytic cycle. Journal of Ethnopharmacology, 2020, 250, 112493.	4.1	20
232	Physalis peruviana-Derived Physapruin A (PHA) Inhibits Breast Cancer Cell Proliferation and Induces Oxidative-Stress-Mediated Apoptosis and DNA Damage. Antioxidants, 2021, 10, 393.	5.1	20
233	Total synthesis of 3,4-dihydrobenzo[h]quinazolin-4-one and structure elucidation of perlolidine and samoquasine A. Tetrahedron Letters, 2003, 44, 319-322.	1.4	19
234	Microfluidicâ€assisted synthesis of hemispherical and discoidal chitosan microparticles at an oil/water interface. Electrophoresis, 2012, 33, 3173-3180.	2.4	19

#	Article	IF	CITATIONS
235	Potent inhibition of human neutrophil activations by bractelactone, a novel chalcone from Fissistigma bracteolatum. Toxicology and Applied Pharmacology, 2013, 266, 399-407.	2.8	19
236	Functional proteomics reveals the protective effects of saffron ethanolic extract on hepatic ischemiaâ€reperfusion injury. Proteomics, 2013, 13, 2297-2311.	2.2	19
237	Kuroshines A and B, new alkaloids from Zoanthus kuroshio. Tetrahedron Letters, 2014, 55, 5369-5372.	1.4	19
238	Copper-catalyzed selective C_O bond formation by oxidative α-C(sp3)_H/O_H coupling between ethers and salicylaldehydes. Tetrahedron, 2015, 71, 2290-2297.	1.9	19
239	Anti-Inflammatory and Antimicrobial Volatile Oils: Fennel and Cumin Inhibit Neutrophilic Inflammation via Regulating Calcium and MAPKs. Frontiers in Pharmacology, 2021, 12, 674095.	3.5	19
240	New Annonaceous Acetogenins fromRollinia mucosa. Journal of Natural Products, 1999, 62, 1613-1617.	3.0	18
241	Coumaronochromones and flavanones from Euchresta formosana roots. Phytochemistry, 2002, 60, 839-845.	2.9	18
242	Secoiridoid Glycoside and Alkaloid Constituents ofHydrangeachinensis. Journal of Natural Products, 2003, 66, 1245-1248.	3.0	18
243	Stimulatory Effects of Squamocin, an Annonaceous Acetogenin, on Ca2+-Activated K+ Current in Cultured Smooth Muscle Cells of Human Coronary Artery. Chemical Research in Toxicology, 2003, 16, 15-22.	3.3	18
244	Safflower extract: A novel renal fibrosis antagonist that functions by suppressing autocrine TGFâ€beta. Journal of Cellular Biochemistry, 2008, 104, 908-919.	2.6	18
245	Antioxidant and Tyrosinase Inhibitory Constituents from a Desugared Sugar Cane Extract, a Byproduct of Sugar Production. Journal of Agricultural and Food Chemistry, 2011, 59, 9219-9225.	5.2	18
246	Inhibition of the Epstein–Barr virus lytic cycle by protoapigenone. Journal of General Virology, 2011, 92, 1760-1768.	2.9	18
247	Synthesis and Biological Evaluation of Phenanthrenes as Cytotoxic Agents with Pharmacophore Modeling and ChemGPS-NP Prediction as Topo II Inhibitors. PLoS ONE, 2012, 7, e37897.	2.5	18
248	Euphol from Euphorbia tirucalli Negatively Modulates TGF-β Responsiveness via TGF-β Receptor Segregation inside Membrane Rafts. PLoS ONE, 2015, 10, e0140249.	2.5	18
249	Bioactive Phenolic Components from the Twigs of <i>Atalantia buxifolia</i> . Journal of Natural Products, 2018, 81, 1534-1539.	3.0	18
250	Protective effects of Liuwei dihuang water extracts on diabetic muscle atrophy. Phytomedicine, 2019, 53, 96-106.	5.3	18
251	Cherinonaine, a novel dimeric amide from the stems of Annona cherimola. Tetrahedron Letters, 1998, 39, 407-410.	1.4	17
252	Cytotoxic Coumaronochromones from the Roots of Euchresta formosana. Planta Medica, 2002, 68, 146-151.	1.3	17

#	Article	IF	CITATIONS
253	Antiplatelet Aggregation Coumarins from the Leaves of Murraya omphalocarpa. Molecules, 2008, 13, 122-128.	3.8	17
254	6-Hydroxycleroda-3,13-dien-15,16-olide Protects Neuronal Cells from Lipopolysaccharide-Induced Neurotoxicity through the Inhibition of Microglia-Mediated Inflammation. Planta Medica, 2010, 76, 120-127.	1.3	17
255	Indiosides G–K: Steroidal Glycosides with Cytotoxic and Anti-inflammatory Activities from <i>Solanum violaceum</i> . Journal of Natural Products, 2012, 75, 636-643.	3.0	17
256	Anti-Dengue Virus Constituents from Formosan Zoanthid Palythoa mutuki. Marine Drugs, 2016, 14, 151.	4.6	17
257	Use, history, and liquid chromatography/mass spectrometry chemical analysis of Aconitum. Journal of Food and Drug Analysis, 2016, 24, 29-45.	1.9	17
258	Two Novel Sesquiterpenes from Neolitsea parvigemma. Journal of Natural Products, 1996, 59, 704-706.	3.0	16
259	Antiplatelet activity of benzylisoquinoline derivatives oxidized by cerium(IV) ammonium nitrate. Bioorganic and Medicinal Chemistry Letters, 2003, 13, 2789-2793.	2.2	16
260	Antiplatelet activity of synthetic pyrrolo-benzylisoquinolines. Bioorganic and Medicinal Chemistry Letters, 2003, 13, 821-823.	2.2	16
261	Spirostanoids with 1,4-dien-3-one or 3β,7α-diol-5,6-ene moieties from Solanum violaceum. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 2738-2742.	2.2	16
262	Ursolic Acid Inhibits Superoxide Production in Activated Neutrophils and Attenuates Trauma-Hemorrhage Shock-Induced Organ Injury in Rats. PLoS ONE, 2014, 9, e111365.	2.5	16
263	New alkaloids from Formosan zoanthid Zoanthus kuroshio. Tetrahedron, 2015, 71, 8601-8606.	1.9	16
264	Antiplatelet and vasorelaxing actions of aporphinoids from Cassytha filiformis. , 1998, 12, S39-S41.		15
265	The Constituents of <i>Euchresta Formosana</i> . Journal of the Chinese Chemical Society, 2002, 49, 421-426.	1.4	15
266	Antiplatelet and Anti-HIV Constituents from Euchresta Formosana. Natural Product Research, 2003, 17, 91-97.	1.8	15
267	Sesquiterpene Coumarins from <i>Ferula Foetida</i> . Journal of the Chinese Chemical Society, 2007, 54, 235-238.	1.4	15
268	Novel Flavonoids of Thelypteris torresiana. Chemical and Pharmaceutical Bulletin, 2007, 55, 635-637.	1.3	15
269	2-Hydroxy-4'-Methoxychalcone Inhibits Proliferation and Inflammation of Human Aortic Smooth Muscle Cells by Increasing the Expression of Peroxisome Proliferator–Activated Receptor Gamma. Journal of Cardiovascular Pharmacology, 2012, 59, 339-351.	1.9	15
270	Discovery of the first non-planar flavonoid that can strongly inhibit xanthine oxidase: protoapigenone 1′-O-propargyl ether. Tetrahedron Letters, 2013, 54, 6529-6532.	1.4	15

#	Article	IF	CITATIONS
271	Phyto-SERM Constitutes from Flemingia macrophylla. International Journal of Molecular Sciences, 2013, 14, 15578-15594.	4.1	15
272	Direct synthesis of the arylboronic acid analogues of phenylglycine via microwave-assisted four-component Ugi reaction. Tetrahedron, 2014, 70, 1800-1804.	1.9	15
273	Centrifugal partition chromatography in the isolation of minor ecdysteroids from Cyanotis arachnoidea. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1054, 44-49.	2.3	15
274	Withanolide C Inhibits Proliferation of Breast Cancer Cells via Oxidative Stress-Mediated Apoptosis and DNA Damage. Antioxidants, 2020, 9, 873.	5.1	15
275	Cyclodepsipeptides: Isolation from Endophytic Fungi of Sarcophyton ehrenbergi and Verification of Their Larvicidal Activity via In-Vitro and In-Silico Studies. Marine Drugs, 2022, 20, 331.	4.6	15
276	Selective Inhibition of Collagen-Induced Platelet Aggregation by a Cyclic Peptide fromDrymaria diandra. Helvetica Chimica Acta, 2004, 87, 57-66.	1.6	14
277	The TransgenicArabidopsisPlant System,pER8-GFP, as a Powerful Tool in Searching for Natural Product Estrogen-Agonists/Antagonists. Journal of Natural Products, 2005, 68, 971-973.	3.0	14
278	Cytotoxic Sesquiterpene Lactones from <i>Pseudoelephantopus spicatus</i> . Journal of Natural Products, 2007, 70, 1761-1765.	3.0	14
279	Anti-Inflammatory Triterpenoids from the Stems of Microtropis Fokienensis. Molecules, 2014, 19, 4608-4623.	3.8	14
280	Phytochemicals and Estrogen-Receptor Agonists from the Aerial Parts of Liriope platyphylla. Molecules, 2015, 20, 6844-6855.	3.8	14
281	Indonesian herbal medicine prevents hypertension-induced left ventricular hypertrophy by diminishing NADPH oxidase-dependent oxidative stress. Oncotarget, 2017, 8, 86784-86798.	1.8	14
282	Bioactive Triterpenoids from the Leaves and Twigs of Lithocarpus litseifolius and L.Âcorneus. Planta Medica, 2018, 84, 49-58.	1.3	14
283	Investigation of natural phenanthrenes and the antiproliferative potential of juncusol in cervical cancer cell lines. Phytomedicine, 2019, 58, 152770.	5.3	14
284	Natural products development under epigenetic modulation in fungi. Phytochemistry Reviews, 2020, 19, 1323-1340.	6.5	14
285	Golden berry 4β-hydroxywithanolide E prevents tumor necrosis factor α-induced procoagulant activity with enhanced cytotoxicity against human lung cancer cells. Scientific Reports, 2021, 11, 4610.	3.3	14
286	Antiplatelet effects of KW-7, a new inhibitor of cyclic nucleotide phosphodiesterases. European Journal of Pharmacology, 2004, 483, 187-194.	3.5	13
287	Protoapigenone derivatives: Albumin binding properties and effects on HepG2 cells. Journal of Photochemistry and Photobiology B: Biology, 2013, 124, 20-26.	3.8	13
288	Rapid, laser-induced conversion of 20-hydroxyecdysone – A follow-up study on the products obtained. Steroids, 2014, 89, 56-62.	1.8	13

#	Article	IF	CITATIONS
289	Clerodane diterpenes from Polyalthia longifolia var. pendula protect SK-N-MC human neuroblastoma cells from β-amyloid insult. RSC Advances, 2014, 4, 23707-23712.	3.6	13
290	HPW-RX40 restores anoikis sensitivity of human breast cancer cells by inhibiting integrin/FAK signaling. Toxicology and Applied Pharmacology, 2015, 289, 330-340.	2.8	13
291	Polyphenols from Erythrina crista-galli: Structures, Molecular Docking and Phytoestrogenic Activity. Molecules, 2016, 21, 726.	3.8	13
292	Rapid HPLC Quantification Approach for Detection of Active Constituents in Modern Combinatorial Formula, San-Huang-Xie-Xin-Tang (SHXXT). Frontiers in Pharmacology, 2016, 7, 374.	3.5	13
293	Anti-Lymphangiogenic Alkaloids from the Zoanthid <i>Zoanthus vietnamensis</i> Collected in Taiwan. Journal of Natural Products, 2019, 82, 2790-2799.	3.0	13
294	2-Iodo-4′-Methoxychalcone Attenuates Methylglyoxal-Induced Neurotoxicity by Activation of GLP-1 Receptor and Enhancement of Neurotrophic Signal, Antioxidant Defense and Glyoxalase Pathway. Molecules, 2019, 24, 2249.	3.8	13
295	A new propentdyopent derivative, rollipyrrole, from Rollinia mucosa Baill Tetrahedron Letters, 2001, 42, 7907-7909.	1.4	12
296	New Sesquiterpene Lactones from the Aerial Parts of Pseudoelephantopus spicatus. Chemical and Pharmaceutical Bulletin, 2006, 54, 1599-1601.	1.3	12
297	New approach to the characterization and quantification of Antrodia cinnamomea benzenoid components utilizing HPLC-PDA, qNMR and HPLC-tandem MS: Comparing the wild fruiting bodies and its artificial cultivated commercial products. Food Research International, 2013, 51, 23-31.	6.2	12
298	Flavonoids from Cyclopia genistoides and Their Xanthine Oxidase Inhibitory Activity. Planta Medica, 2016, 82, 1274-1278.	1.3	12
299	Dietary flavonoid derivatives enhance chemotherapeutic effect by inhibiting the DNA damage response pathway. Toxicology and Applied Pharmacology, 2016, 311, 99-105.	2.8	12
300	Isolation and absolute configuration determination of alkaloids from Pandanus amaryllifolius. Tetrahedron, 2017, 73, 3423-3429.	1.9	12
301	Insights on the Isolation, Biological Activity and Synthetic Protocols of Enyne Derivatives. Current Topics in Medicinal Chemistry, 2014, 14, 1076-1093.	2.1	12
302	Inhibitory Effects ofent-Kauranes from the Stems ofAnnona squamosaon Superoxide Anion Generation by Human Neutrophils. Planta Medica, 2004, 70, 256-258.	1.3	11
303	Macrophage Mediated Anti-Proliferation Effects of <i>Anthodia camphorata</i> Non-Polysaccharide Based Extracts on Human Hepatoma Cells. Bioscience, Biotechnology and Biochemistry, 2011, 75, 624-632.	1.3	11
304	Synthesis and SAR Study of Anticancer Protoflavone Derivatives: Investigation of Cytotoxicity and Interaction with ABCB1 and ABCG2 Multidrug Efflux Transporters. ChemMedChem, 2017, 12, 850-859.	3.2	11
305	The water extract of Liuwei dihuang possesses multi-protective properties on neurons and muscle tissue against deficiency of survival motor neuron protein. Phytomedicine, 2017, 34, 97-105.	5.3	11
306	Secondary Metabolites and Bioactivities of <i>Aspergillus ochraceopetaliformis</i> Isolated from <i>Anthurium brownii</i> . ACS Omega, 2020, 5, 20991-20999.	3.5	11

#	Article	IF	CITATIONS
307	Uncovering Modern Clinical Applications of Fuzi and Fuzi-Based Formulas: A Nationwide Descriptive Study With Market Basket Analysis. Frontiers in Pharmacology, 2021, 12, 641530.	3.5	11
308	Burmannic Acid Inhibits Proliferation and Induces Oxidative Stress Response of Oral Cancer Cells. Antioxidants, 2021, 10, 1588.	5.1	11
309	Active Constituents fromLiriope platyphyllaRoot against Cancer GrowthIn Vitro. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-10.	1.2	10
310	(â^')-Liriopein B Suppresses Breast Cancer Progression via Inhibition of Multiple Kinases. Chemical Research in Toxicology, 2015, 28, 897-906.	3.3	10
311	Anti-allergic potential of Typhonium blumei: Inhibition of degranulation via suppression of PI3K/PLCγ2 phosphorylation and calcium influx. Phytomedicine, 2016, 23, 1706-1715.	5.3	10
312	2-Bromo-4′-methoxychalcone and 2-lodo-4′-methoxychalcone Prevent Progression of Hyperglycemia and Obesity via 5′-Adenosine-Monophosphate-Activated Protein Kinase in Diet-Induced Obese Mice. International Journal of Molecular Sciences, 2018, 19, 2763.	4.1	10
313	Anti-Lymphangiogenesis Components from Zoanthid Palythoa tuberculosa. Marine Drugs, 2018, 16, 47.	4.6	10
314	Chemical Constituents of the Leaves of <i>Desmos cochinchinensis</i> var. <i>fulvescens</i> <scp>Ban</scp> . Helvetica Chimica Acta, 2014, 97, 1714-1718.	1.6	9
315	Pandalisines A and B, novel indolizidine alkaloids from the leaves of Pandanus utilis. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 4333-4336.	2.2	9
316	Diterpenes from Grangea maderaspatana. Phytochemistry, 2016, 131, 124-129.	2.9	9
317	Bioactivity guided isolation of phytoestrogenic compounds from Cyclopia genistoides by the pER8:GUS reporter system. South African Journal of Botany, 2017, 110, 201-207.	2.5	9
318	Combined Treatment with Low Cytotoxic Ethyl Acetate Nepenthes Extract and Ultraviolet-C Improves Antiproliferation to Oral Cancer Cells via Oxidative Stress. Antioxidants, 2020, 9, 876.	5.1	9
319	Oxidative Stress-Dependent Synergistic Antiproliferation, Apoptosis, and DNA Damage of Ultraviolet-C and Coral-Derived Sinularin Combined Treatment for Oral Cancer Cells. Cancers, 2021, 13, 2450.	3.7	9
320	Bioactive polyketides from the pathogenic fungus of Epicoccum sorghinum. Planta, 2021, 253, 116.	3.2	9
321	Pharmacological Potential and Chemical Composition of Crocus sativus Leaf Extracts. Molecules, 2022, 27, 10.	3.8	9
322	Effect of active synthetic 2-substituted quinazolinones on anti-platelet aggregation and the inhibition of superoxide anion generation by neutrophils. Archives of Pharmacal Research, 2003, 26, 511-515.	6.3	8
323	A New Phenanthrene Alkaloid, Romucosine I, form Rollinia mucosa Baill. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2004, 59, 334-336.	0.7	8
324	New Cytotoxic Lupane Triterpenes fromPerrottetia arisanensis. Planta Medica, 2009, 75, 848-855.	1.3	8

#	Article	IF	CITATIONS
325	Synthesis of 1,5-diphenylpent-3-en-1-yne derivatives utilizing an aqueous B-alkyl Suzuki cross coupling reaction. Tetrahedron Letters, 2013, 54, 5162-5166.	1.4	8
326	Efficient Synthesis of Boron-Containing α-Acyloxyamide Analogs via Microwave Irradiation. Molecules, 2013, 18, 9488-9511.	3.8	8
327	Upregulation of cyclin-dependent kinase inhibitors CDKN1B and CDKN1C in hepatocellular carcinoma-derived cells via goniothalamin-mediated protein stabilization and epigenetic modifications. Toxicology Reports, 2015, 2, 322-332.	3.3	8
328	Inhibition of the interactions between metastatic human breast cancer cells and platelets by β-nitrostyrene derivatives. Life Sciences, 2015, 143, 147-155.	4.3	8
329	New on-line separation workflow of microbial metabolites via hyphenation of analytical and preparative comprehensive two-dimensional liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1033-1034, 1-8.	2.3	8
330	Screening of Luzula species native to the Carpathian Basin for anti-inflammatory activity and bioactivity-guided isolation of compounds from Luzula luzuloides (Lam.) Dandy & Wilmott. FìtoterapA¬Ã¢, 2017, 116, 131-138.	2.2	8
331	Rapid identification of herbal toxins using electrospray laser desorption ionization mass spectrometry for emergency care. Journal of Food and Drug Analysis, 2019, 27, 415-427.	1.9	8
332	Association rule mining for the ordered placement of traditional Chinese medicine containers. Medicine (United States), 2020, 99, e20090.	1.0	8
333	Oxidative Stress and AKT-Associated Angiogenesis in a Zebrafish Model and Its Potential Application for Withanolides. Cells, 2022, 11, 961.	4.1	8
334	Anemonin and two norsesquiterpenes from Drymaria diandra. Biochemical Systematics and Ecology, 2003, 31, 541-543.	1.3	7
335	Two Sesquiterpene-Coumarins from the Roots of Ferula marmarica. Heterocycles, 2004, 63, 2101.	0.7	7
336	Nitrophenol Derivatives Oxidized by Cerium(IV) Ammonium Nitrate (CAN) and Their Cytotoxicity. Journal of the Chinese Chemical Society, 2005, 52, 581-588.	1.4	7
337	Novel 11-norbetaenone isolated from an entomopathogenic fungus Lecanicillium antillanum. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1978-1982.	2.2	7
338	Components from the Leaves and Twigs of Mangrove Lumnitzera racemosa with Anti-Angiogenic and Anti-Inflammatory Effects. Marine Drugs, 2018, 16, 404.	4.6	7
339	Anti-inflammatory, Antiplatelet Aggregation, and Antiangiogenesis Polyketides from <i>Epicoccum sorghinum</i> : Toward an Understating of Its Biological Activities and Potential Applications. ACS Omega, 2020, 5, 11092-11099.	3.5	7
340	Nepenthes Ethyl Acetate Extract Provides Oxidative Stress-Dependent Anti-Leukemia Effects. Antioxidants, 2021, 10, 1410.	5.1	7
341	CLL2-1, a chemical derivative of orchid 1,4-phenanthrenequinones, inhibits human platelet aggregation through thiol modification of calcium-diacylglycerol guanine nucleotide exchange factor-l (CalDAG-GEFI). Free Radical Biology and Medicine, 2015, 78, 101-110.	2.9	6
342	Pteleifolols A–E, acetophenone di-C-glycosides and a benzopyran dimer from the leaves of Melicope pteleifolia. Journal of Natural Medicines, 2017, 71, 299-304.	2.3	6

#	Article	IF	CITATIONS
343	Epigenetic Manipulation Induces the Production of Coumarinâ€Type Secondary Metabolite from <i>Arthrobotrys foliicola</i> . Israel Journal of Chemistry, 2019, 59, 432-438.	2.3	6
344	Natural Products from <i>Diaporthe arecae</i> with Antiâ€Angiogenic Activity. Israel Journal of Chemistry, 2019, 59, 439-445.	2.3	6
345	A New Diterpene and Anti-inflammatory Sesquiterpene Lactones from Sigesbeckia orientalis. Planta Medica, 2020, 86, 1108-1117.	1.3	6
346	The effectiveness of Fuzi in combination with routine heart failure treatment on chronic heart failure patients. Journal of Ethnopharmacology, 2022, 289, 115040.	4.1	6
347	Ca2+ movement and apoptosis induced by deltamethrin in Madin–Darby canine kidney canine renal tubular cells. Kaohsiung Journal of Medical Sciences, 2015, 31, 1-8.	1.9	5
348	Bringing scientific methods to traditional medicine. Journal of the Formosan Medical Association, 2019, 118, 1574-1575.	1.7	5
349	Developing Lactic Acid Bacteria as an Oral Healthy Food. Life, 2021, 11, 268.	2.4	5
350	Decoding Multiple Biofunctions of Maca on Its Anti-allergic, Anti-inflammatory, Anti-thrombotic, and Pro-angiogenic Activities. Journal of Agricultural and Food Chemistry, 2021, 69, 11856-11866.	5.2	5
351	An Unprecedented Cembranoid with a Novel Tricyclo[9.3.0.02,12]tetradecane Skeleton and Related Diterpenes from the Soft Coral <i>Sarcophyton cinereum</i> . Bulletin of the Chemical Society of Japan, 2022, 95, 374-379.	3.2	5
352	The Chemically Highly Diversified Metabolites from the Red Sea Marine Sponge Spongia sp Marine Drugs, 2022, 20, 241.	4.6	5
353	Microwave Enhanced Acetylation of Alcohols. Journal of Chemical Research, 2002, 2002, 301-302.	1.3	4
354	Equisetumone, a novel 4-5-olide secocaryophyllane sesquiterpene from Equisetum palustre. RSC Advances, 2014, 4, 45749-45752.	3.6	4
355	Antioxidant Potential of Solvent Partitioned Extraction from Aqueous Extract of Gracilaria Tenuistipitata. Current Organic Chemistry, 2015, 19, 39-44.	1.6	4
356	Quantification and Simplified Detoxification Investigation on Fuzi, Root of <i>Aconitum carmichaelii</i> . Natural Product Communications, 2019, 14, 1934578X1988154.	0.5	4
357	Less Cytotoxic Protoflavones as Antiviral Agents: Protoapigenone 1′-O-isopropyl ether Shows Improved Selectivity Against the Epstein–Barr Virus Lytic Cycle. International Journal of Molecular Sciences, 2019, 20, 6269.	4.1	4
358	Aleuritin, a novel dinor-diterpenoid from the twigs of Aleurites moluccanus with an anti-lymphangiogenic effect. Organic and Biomolecular Chemistry, 2020, 18, 7892-7898.	2.8	4
359	Nepenthes Extract Induces Selective Killing, Necrosis, and Apoptosis in Oral Cancer Cells. Journal of Personalized Medicine, 2021, 11, 871.	2.5	4
360	Soft Coral-Derived Dihydrosinularin Exhibits Antiproliferative Effects Associated with Apoptosis and DNA Damage in Oral Cancer Cells. Pharmaceuticals, 2021, 14, 994.	3.8	4

#	Article	IF	CITATIONS
961	Lipid Metabolism and its Mechanism Triggered by Supercritical CO2 Extract of Adlay (Coix lacryma-jobi) Tj ETQq1	1 0.78431	4 rgBT /Ove
301	Pharmacology, 2021, 12, 785944.	ð.ð	4
362	Antiplatelet aggregation effects of phenanthrenes from Calanthe arisanensis. Natural Product Communications, 2014, 9, 83-4.	0.5	4
363	Cembranolides and Related Constituents from the Soft Coral Sarcophyton cinereum. Molecules, 2022, 27, 1760.	3.8	4
364	The protoplast two-way fusions and fusant characteristics of Antrodia cinnamomea and Cordyceps militaris. Food Science and Human Wellness, 2022, 11, 1240-1251.	4.9	4
365	Three New Agarofuran Sesquiterpenes Reissantins F - H fromReissantia buchananii. Planta Medica, 2006, 72, 92-96.	1.3	3
366	Synthesis and biological evaluation of peptidyl organotrifluoroborates and their corresponding boron analogs. Research on Chemical Intermediates, 2014, 40, 2187-2198.	2.7	3
367	Estrogenic and anti-neutrophilic inflammatory phenanthrenes from <i>Juncus effusus</i> L. Natural Product Research, 2022, 36, 3043-3053.	1.8	3
368	Arecae pericarpium extract induces porcine lower-esophageal-sphincter contraction via muscarinic receptors. BMC Complementary Medicine and Therapies, 2021, 21, 275.	2.7	3
369	Oxidation Products of Zeylanidine. Journal of Natural Products, 1999, 62, 622-625.	3.0	2
370	Chemical Constituents from <i>Farfugium Japonicum</i> Var. <i>formosanum</i> . Natural Product Communications, 2012, 7, 1934578X1200700.	0.5	2
371	Antiplatelet Aggregation Effects of Phenanthrenes from <i>Calanthe arisanensis</i> . Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	2
372	Constituents of the Leaves of <i>Pandanus Utilis</i> . Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	2
373	Butanol-Partitioned Extraction from Aqueous Extract of <i>Gracilaria tenuistipitata</i> Inhibits Cell Proliferation of Oral Cancer Cells Involving Apoptosis and Oxidative Stress. DNA and Cell Biology, 2016, 35, 210-216.	1.9	2
374	Association Between Digoxin Use and Cancer Incidence: A Propensity Score-Matched Cohort Study With Competing Risk Analysis. Frontiers in Pharmacology, 2021, 12, 564097.	3.5	2
375	The Impact of Urate‣owering Therapy in Postâ€Myocardial Infarction Patients: Insights From a Populationâ€Based, Propensity Scoreâ€Matched Analysis. Clinical Pharmacology and Therapeutics, 2022, 111, 655-663.	4.7	2
376	Characterization of a silent azaphilone biosynthesis gene cluster in Aspergillus terreus NIH 2624. Fungal Genetics and Biology, 2022, 160, 103694.	2.1	2
377	The Evaluation of 2,8-Disubstituted Benzoxazinone Derivatives as Antiinflammatory and Antiplatelet Aggregation Agents ChemInform, 2005, 36, no.	0.0	1
378	Fast Quantification of S-adenosyl-L-methionine in Dietary Health Products Utilizing Reversed-Phase High-performance Liquid Chromatography: Teaching an Old Method New Tricks. Planta Medica, 2014, 80, 243-248.	1.3	1

#	Article	IF	CITATIONS
379	A cross-kingdom assay model for evaluating estrogenic activity: application of transgenic Arabidopsis thaliana callus. Plant Cell, Tissue and Organ Culture, 2015, 123, 427-433.	2.3	1
380	Brefeldin A Inhibits Cancer Stem Cell Properties in Human Lung Cancer Cells. Current Signal Transduction Therapy, 2013, 8, 113-118.	0.5	1
381	New and Efficient Method for Esterification of Carboxylic Acids with Simple Primary and Secondary Alcohols Using Cerium(IV) Ammonium Nitrate (CAN) ChemInform, 2003, 34, no.	0.0	0
382	Antiplatelet Activity of Synthetic Pyrrolo-Benzylisoquinolines ChemInform, 2003, 34, no.	0.0	0
383	Potassium {4-[(3S,6S,9S)-3,6-dibenzyl-9-isopropyl-4,7,10-trioxo-11–oxa-2,5,8-triazadodecyl]phenyl}trifluoroborate. MolBank, 2014, 2014, M827.	0.5	0
384	Profiling mitochondrial complex I inhibitors by combining mitochondrial morphological features and maximum common chemical substructures. , 2014, , .		0
385	Chemical Constituents and LC-profile of Fresh Formosan <i>Lonicera Japonica</i> Flower Buds. Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	0
386	Estrogenic and Anti-estrogenic Constituents of Erythrina caffra. Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	0
387	Targeting Allosteric Site of AKT by 5,7-Dimethoxy-1,4-Phenanthrenequinone Suppresses Neutrophilic Inflammation. SSRN Electronic Journal, 0, , .	0.4	0
388	4βâ€hydroxywithanolide E inhibits tumor necrosis factor αâ€induced tissue factor expression and tumorâ€associated coagulation in nonâ€small cell lung cancers. FASEB Journal, 2018, 32, 656.19.	0.5	0
389	In Memory of Professor Kuo-Hsiung Lee (K. H. Lee). Journal of Traditional and Complementary Medicine, 2022, 12, 217-218.	2.7	0