

# Tsutomu Shimada

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8403183/tsutomu-shimada-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137  
papers

10,620  
citations

57  
h-index

101  
g-index

138  
ext. papers

11,117  
ext. citations

3.9  
avg, IF

6  
L-index

#	Paper	IF	Citations
137	Oxidation of 3Qmethoxyflavone, 4Qmethoxyflavone, and 3Q4Qdimethoxyflavone and their derivatives having 5,7-dihydroxyl moieties by human cytochromes P450 1B1 and 2A13.. <i>Xenobiotica</i> , <b>2022</b> , 1-12	2	
136	Liquid chromatography-tandem mass spectrometry analysis of oxidation of 2Q 3Q 4Qand 6-hydroxyflavanones by human cytochrome P450 enzymes. <i>Xenobiotica</i> , <b>2021</b> , 51, 139-154	2	3
135	Roles of cytochrome P450 2A6 in the oxidation of flavone, 4Qhydroxyflavone, and 4Q 3Q and 2Qmethoxyflavones by human liver microsomes. <i>Xenobiotica</i> , <b>2021</b> , 51, 995-1009	2	1
134	Preference for -demethylation reactions in the oxidation of 2Q 3Q and 4Qmethoxyflavones by human cytochrome P450 enzymes. <i>Xenobiotica</i> , <b>2020</b> , 50, 1158-1169	2	5
133	Oxidation of Flavone, 5-Hydroxyflavone, and 5,7-Dihydroxyflavone to Mono-, Di-, and Tri-Hydroxyflavones by Human Cytochrome P450 Enzymes. <i>Chemical Research in Toxicology</i> , <b>2019</b> , 32, 1268-1280	4	7
132	Site-specific oxidation of flavanone and flavone by cytochrome P450 2A6 in human liver microsomes. <i>Xenobiotica</i> , <b>2019</b> , 49, 791-802	2	9
131	Cytochrome P450 2A6 and other human P450 enzymes in the oxidation of flavone and flavanone. <i>Xenobiotica</i> , <b>2019</b> , 49, 131-142	2	12
130	Oxidation of 1-chloropyrene by human CYP1 family and CYP2A subfamily cytochrome P450 enzymes: catalytic roles of two CYP1B1 and five CYP2A13 allelic variants. <i>Xenobiotica</i> , <b>2018</b> , 48, 565-575 <sup>2</sup>		10
129	Inhibition of Carcinogen-Activating Cytochrome P450 Enzymes by Xenobiotic Chemicals in Relation to Antimutagenicity and Anticarcinogenicity. <i>Toxicological Research</i> , <b>2017</b> , 33, 79-96	3.7	32
128	Inhibition of Carcinogen-Activating Cytochrome P450 Enzymes by Xenobiotic Chemicals in Relation to Antimutagenicity and Anticarcinogenicity. <i>Toxicological Research</i> , <b>2017</b> , 33, 79-96	3.7	
127	Oxidation of pyrene, 1-hydroxypyrene, 1-nitropyrene and 1-acetylpyrene by human cytochrome P450 2A13. <i>Xenobiotica</i> , <b>2016</b> , 46, 211-24	2	15
126	Structure-Function Studies of Naphthalene, Phenanthrene, Biphenyl, and Their Derivatives in Interaction with and Oxidation by Cytochromes P450 2A13 and 2A6. <i>Chemical Research in Toxicology</i> , <b>2016</b> , 29, 1029-40	4	15
125	Roles of Human CYP2A6 and Monkey CYP2A24 and 2A26 Cytochrome P450 Enzymes in the Oxidation of 2,5,2Q5QTetrachlorobiphenyl. <i>Drug Metabolism and Disposition</i> , <b>2016</b> , 44, 1899-1909	4	16
124	Oxidation of Acenaphthene and Acenaphthylene by Human Cytochrome P450 Enzymes. <i>Chemical Research in Toxicology</i> , <b>2015</b> , 28, 268-78	4	14
123	Metabolic activation of polycyclic aromatic hydrocarbons and aryl and heterocyclic amines by human cytochromes P450 2A13 and 2A6. <i>Chemical Research in Toxicology</i> , <b>2013</b> , 26, 529-37	4	42
122	Binding of diverse environmental chemicals with human cytochromes P450 2A13, 2A6, and 1B1 and enzyme inhibition. <i>Chemical Research in Toxicology</i> , <b>2013</b> , 26, 517-28	4	29
121	CYP3A4 intron 6 C>T polymorphism (CYP3A4*22) is associated with reduced CYP3A4 protein level and function in human liver microsomes. <i>Journal of Toxicological Sciences</i> , <b>2013</b> , 38, 349-54	1.9	55

120	Spectral modification and catalytic inhibition of human cytochromes P450 1A1, 1A2, 1B1, 2A6, and 2A13 by four chemopreventive organoselenium compounds. <i>Chemical Research in Toxicology</i> , <b>2011</b> , 24, 1327-37	4	24
119	Structure-function relationships of inhibition of human cytochromes P450 1A1, 1A2, 1B1, 2C9, and 3A4 by 33 flavonoid derivatives. <i>Chemical Research in Toxicology</i> , <b>2010</b> , 23, 1921-35	4	99
118	Reverse type I binding spectra of human cytochrome P450 1B1 induced by flavonoid, stilbene, pyrene, naphthalene, phenanthrene, and biphenyl derivatives that inhibit catalytic activity: a structure-function relationship study. <i>Chemical Research in Toxicology</i> , <b>2009</b> , 22, 1325-33	4	35
117	Interaction of polycyclic aromatic hydrocarbons with human cytochrome P450 1B1 in inhibiting catalytic activity. <i>Chemical Research in Toxicology</i> , <b>2008</b> , 21, 2313-23	4	31
116	Different mechanisms for inhibition of human cytochromes P450 1A1, 1A2, and 1B1 by polycyclic aromatic inhibitors. <i>Chemical Research in Toxicology</i> , <b>2007</b> , 20, 489-96	4	52
115	Electron transport pathway for a Streptomyces cytochrome P450: cytochrome P450 105D5-catalyzed fatty acid hydroxylation in Streptomyces coelicolor A3(2). <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 17486-500	5.4	69
114	Activation of aminophenylnorharman, aminomethylphenylnorharman and aminophenylharman to genotoxic metabolites by human N-acetyltransferases and cytochrome P450 enzymes expressed in Salmonella typhimurium umu tester strains. <i>Mutagenesis</i> , <b>2006</b> , 21, 411-6	2.8	13
113	Xenobiotic-metabolizing enzymes involved in activation and detoxification of carcinogenic polycyclic aromatic hydrocarbons. <i>Drug Metabolism and Pharmacokinetics</i> , <b>2006</b> , 21, 257-76	2.2	421
112	Recombinant enzymes overexpressed in bacteria show broad catalytic specificity of human cytochrome P450 2W1 and limited activity of human cytochrome P450 2S1. <i>Molecular Pharmacology</i> , <b>2006</b> , 69, 2007-14	4.3	88
111	Inhibition of human cytochrome P450 1A1-, 1A2-, and 1B1-mediated activation of procarcinogens to genotoxic metabolites by polycyclic aromatic hydrocarbons. <i>Chemical Research in Toxicology</i> , <b>2006</b> , 19, 288-94	4	152
110	Understanding electron transport systems of Streptomyces cytochrome P450. <i>Biochemical Society Transactions</i> , <b>2006</b> , 34, 1183-5	5.1	22
109	Cytochrome P450 reconstitution systems. <i>Methods in Molecular Biology</i> , <b>2006</b> , 320, 61-71	1.4	9
108	Interactions of mammalian cytochrome P450, NADPH-cytochrome P450 reductase, and cytochrome b(5) enzymes. <i>Archives of Biochemistry and Biophysics</i> , <b>2005</b> , 435, 207-16	4.1	62
107	Binding of two flavin substrate molecules, oxidative coupling, and crystal structure of Streptomyces coelicolor A3(2) cytochrome P450 158A2. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 11599-607	5.4	126
106	Metabolic activation of polycyclic aromatic hydrocarbons to carcinogens by cytochromes P450 1A1 and 1B1. <i>Cancer Science</i> , <b>2004</b> , 95, 1-6	6.9	558
105	Decreased coumarin 7-hydroxylase activities and CYP2A6 expression levels in humans caused by genetic polymorphism in CYP2A6 promoter region (CYP2A6*9). <i>Pharmacogenetics and Genomics</i> , <b>2003</b> , 13, 689-95		62
104	Molecular modelling of human CYP1B1 substrate interactions and investigation of allelic variant effects on metabolism. <i>Chemico-Biological Interactions</i> , <b>2003</b> , 145, 281-95	5	33
103	Cytochrome P450 1B1: a target for inhibition in anticarcinogenesis strategies. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2003</b> , 523-524, 173-82	3.3	116

102	Tissue-specific induction of cytochromes P450 1A1 and 1B1 by polycyclic aromatic hydrocarbons and polychlorinated biphenyls in engineered C57BL/6J mice of arylhydrocarbon receptor gene. <i>Toxicology and Applied Pharmacology</i> , <b>2003</b> , 187, 1-10	4.6	105
101	High-performance liquid chromatographic method for the determination of (-)-verbenone 10-hydroxylation catalyzed by rat liver microsomes. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2003</b> , 793, 291-6	3.2	4
100	Roles of human CYP2A6 and 2B6 and rat CYP2C11 and 2B1 in the 10-hydroxylation of (-)-verbenone by liver microsomes. <i>Drug Metabolism and Disposition</i> , <b>2003</b> , 31, 1049-53	4	26
99	Use of heterologously-expressed cytochrome P450 and glutathione transferase enzymes in toxicity assays. <i>Toxicology</i> , <b>2002</b> , 181-182, 261-4	4.4	3
98	Arylhydrocarbon receptor-dependent induction of liver and lung cytochromes P450 1A1, 1A2, and 1B1 by polycyclic aromatic hydrocarbons and polychlorinated biphenyls in genetically engineered C57BL/6J mice. <i>Carcinogenesis</i> , <b>2002</b> , 23, 1199-207	4.6	174
97	Metabolism of (+)- and (-)-limonenes to respective carveols and perillyl alcohols by CYP2C9 and CYP2C19 in human liver microsomes. <i>Drug Metabolism and Disposition</i> , <b>2002</b> , 30, 602-7	4	74
96	Species differences in the metabolism of (+)- and (-)-limonenes and their metabolites, carveols and carveones, by cytochrome P450 enzymes in liver microsomes of mice, rats, guinea pigs, rabbits, dogs, monkeys, and humans. <i>Drug Metabolism and Pharmacokinetics</i> , <b>2002</b> , 17, 507-15	2.2	32
95	Twenty one novel single nucleotide polymorphisms (SNPs) of the CYP2A6 gene in Japanese and Caucasians. <i>Drug Metabolism and Pharmacokinetics</i> , <b>2002</b> , 17, 482-7	2.2	27
94	Sex differences in the metabolism of (+)- and (-)-limonene enantiomers to carveol and perillyl alcohol derivatives by cytochrome p450 enzymes in rat liver microsomes. <i>Chemical Research in Toxicology</i> , <b>2002</b> , 15, 15-20	4	40
93	Roles of NADPH-P450 reductase and apo- and holo-cytochrome b5 on xenobiotic oxidations catalyzed by 12 recombinant human cytochrome P450s expressed in membranes of Escherichia coli. <i>Protein Expression and Purification</i> , <b>2002</b> , 24, 329-37	2	201
92	Specificity of 17beta-oestradiol and benzo[a]pyrene oxidation by polymorphic human cytochrome P4501B1 variants substituted at residues 48, 119 and 432. <i>Xenobiotica</i> , <b>2001</b> , 31, 163-76	2	68
91	Stimulation of cytochrome P450 reactions by apo-cytochrome b5: evidence against transfer of heme from cytochrome P450 3A4 to apo-cytochrome b5 or heme oxygenase. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 30885-91	5.4	83
90	Metabolic activation of heterocyclic amines and other procarcinogens in Salmonella typhimurium umu tester strains expressing human cytochrome P4501A1, 1A2, 1B1, 2C9, 2D6, 2E1, and 3A4 and human NADPH-P450 reductase and bacterial O-acetyltransferase. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , <b>2001</b> , 492, 81-90	3	68
89	Characterization of (+/-)-bufuralol hydroxylation activities in liver microsomes of Japanese and Caucasian subjects genotyped for CYP2D6. <i>Pharmacogenetics and Genomics</i> , <b>2001</b> , 11, 143-56		50
88	Association of CYP1B1 genetic polymorphism with incidence to breast and lung cancer. <i>Pharmacogenetics and Genomics</i> , <b>2000</b> , 10, 25-33		158
87	Use of genetically engineered Salmonella typhimurium OY1002/1A2 strain coexpressing human cytochrome P450 1A2 and NADPH-cytochrome P450 reductase and bacterial O-acetyltransferase in SOS/umu assay. <i>Environmental and Molecular Mutagenesis</i> , <b>2000</b> , 36, 121-6	3.2	23
86	Characterization of liver microsomal 7-ethoxycoumarin O-deethylation and chlorzoxazone 6-hydroxylation activities in Japanese and Caucasian subjects genotyped for CYP2E1 gene. <i>Archives of Toxicology</i> , <b>2000</b> , 74, 372-8	5.8	16
85	CYP2A6 genetic polymorphisms and liver microsomal coumarin and nicotine oxidation activities in Japanese and Caucasians. <i>Archives of Toxicology</i> , <b>2000</b> , 73, 532-9	5.8	49

84	Roles of NADPH-P450 reductase in the O-deethylation of 7-ethoxycoumarin by recombinant human cytochrome P450 1B1 variants in Escherichia coli. <i>Protein Expression and Purification</i> , <b>2000</b> , 20, 73-80	2	15
83	Molecular cloning of a novel human collectin from liver (CL-L1). <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 13681-9	5.4	102
82	Highly sensitive high-performance liquid chromatographic assay for coumarin 7-hydroxylation and 7-ethoxycoumarin O-deethylation by human liver cytochrome P450 enzymes. <i>Biomedical Applications</i> , <b>1999</b> , 721, 13-9		41
81	Roles of CYP2A6 and CYP2B6 in nicotine C-oxidation by human liver microsomes. <i>Archives of Toxicology</i> , <b>1999</b> , 73, 65-70	5.8	188
80	Catalytic properties of polymorphic human cytochrome P450 1B1 variants. <i>Carcinogenesis</i> , <b>1999</b> , 20, 1607-13	4.3	209
79	Development of a new genotoxicity test system with Salmonella typhimurium OY1001/1A2 expressing human CYP1A2 and NADPH-P450 reductase. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , <b>1999</b> , 442, 113-20	3	33
78	Immunohistochemical study of cytochrome P450 2C and 3A in human non-neoplastic and neoplastic tissues. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>1999</b> , 434, 401-11	5.1	77
77	Metabolism of benzo[a]pyrene to trans-7,8-dihydroxy-7, 8-dihydrobenzo[a]pyrene by recombinant human cytochrome P450 1B1 and purified liver epoxide hydrolase. <i>Chemical Research in Toxicology</i> , <b>1999</b> , 12, 623-9	4	142
76	Phospholipase D activity of cytochrome P450 in human liver endoplasmic reticulum. <i>Archives of Biochemistry and Biophysics</i> , <b>1999</b> , 367, 81-8	4.1	25
75	Variations in contents of liver microsomal cytochrome P450 isofoms and activities of drug oxidations in humans. <i>Drug Metabolism and Pharmacokinetics</i> , <b>1999</b> , 14, 78-79		
74	Comparative studies on the catalytic roles of cytochrome P450 2C9 and its Cys- and Leu-variants in the oxidation of warfarin, flurbiprofen, and diclofenac by human liver microsomes. <i>Biochemical Pharmacology</i> , <b>1998</b> , 56, 243-51	6	139
73	Activation and detoxication of aflatoxin B1. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1998</b> , 402, 121-8	3.3	216
72	Activation of procarcinogens by human cytochrome P450 enzymes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1998</b> , 400, 201-13	3.3	192
71	Selectivity of polycyclic inhibitors for human cytochrome P450s 1A1, 1A2, and 1B1. <i>Chemical Research in Toxicology</i> , <b>1998</b> , 11, 1048-56	4	182
70	Recombinant human cytochrome P450 1B1 expression in Escherichia coli. <i>Archives of Biochemistry and Biophysics</i> , <b>1998</b> , 357, 111-20	4.1	87
69	Roles of cytochromes P450 1A2 and 3A4 in the oxidation of estradiol and estrone in human liver microsomes. <i>Chemical Research in Toxicology</i> , <b>1998</b> , 11, 659-65	4	158
68	Cytochrome P450 reconstitution systems. <i>Methods in Molecular Biology</i> , <b>1998</b> , 107, 85-93	1.4	9
67	Aflatoxin B1 oxidation by human cytochrome P450s. <i>Journal of Toxicological Sciences</i> , <b>1998</b> , 23 Suppl 2, 132-5	1.9	2

66	Relationship between CYP2C9 and 2C19 genotypes and tolbutamide methyl hydroxylation and S-mephenytoin 4-hydroxylation activities in livers of Japanese and Caucasian populations. <i>Pharmacogenetics and Genomics</i> , <b>1997</b> , 7, 103-13		116
65	Aflatoxin B1 8,9-epoxide hydrolysis in the presence of rat and human epoxide hydrolase. <i>Chemical Research in Toxicology</i> , <b>1997</b> , 10, 672-6	4	52
64	Human liver cytochrome P450 enzymes involved in the 7-hydroxylation of R- and S-warfarin enantiomers. <i>Biochemical Pharmacology</i> , <b>1997</b> , 54, 1195-203	6	119
63	Reconstitution of recombinant cytochrome P450 2C10(2C9) and comparison with cytochrome P450 3A4 and other forms: effects of cytochrome P450-P450 and cytochrome P450-b5 interactions. <i>Archives of Biochemistry and Biophysics</i> , <b>1997</b> , 342, 329-37	4.1	120
62	Expression of cytochrome P450 3A7 in Escherichia coli: effects of 5Q modification and catalytic characterization of recombinant enzyme expressed in bicistronic format with NADPH-cytochrome P450 reductase. <i>Archives of Biochemistry and Biophysics</i> , <b>1997</b> , 346, 81-90	4.1	49
61	Progesterone and testosterone hydroxylation by cytochromes P450 2C19, 2C9, and 3A4 in human liver microsomes. <i>Archives of Biochemistry and Biophysics</i> , <b>1997</b> , 346, 161-9	4.1	249
60	O I.4 Roles of human cytochrome P450s 1A1, 1A2, 1B1, 2E1, and 3A4/5/7 in the activation of environmental procarcinogens and promutagens. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1997</b> , 379, S6	3.3	2
59	Cytochrome P450-dependent drug oxidation activities in liver microsomes of various animal species including rats, guinea pigs, dogs, monkeys, and humans. <i>Archives of Toxicology</i> , <b>1997</b> , 71, 401-8	5.8	146
58	OMEPRAZOLE HYDROXYLATION BY CYP2C19 AND CYP3A4: PREDICTION TOWARDS HUMAN LIVER ACTIVITIES USING THE DATA OF RECOMBINANT P450 ENZYMES. <i>Drug Metabolism and Pharmacokinetics</i> , <b>1997</b> , 12, 120-121		
57	New applications of bacterial systems to problems in toxicology. <i>Critical Reviews in Toxicology</i> , <b>1996</b> , 26, 551-83	5.7	86
56	Ethnic-related differences in coumarin 7-hydroxylation activities catalyzed by cytochrome P450 2A6 in liver microsomes of Japanese and Caucasian populations. <i>Xenobiotica</i> , <b>1996</b> , 26, 395-403	2	107
55	Involvement of Cytochrome P450, Glutathione S-Transferase, and Epoxide Hydrolase in the Metabolism of Aflatoxin B 1 and Relevance to Risk of Human Liver Cancer. <i>Environmental Health Perspectives</i> , <b>1996</b> , 104, 557	8.4	56
54	Activation and inactivation of carcinogenic dihaloalkanes and other compounds by glutathione S-transferase 5-5 in Salmonella typhimurium tester strain NM5004. <i>Chemical Research in Toxicology</i> , <b>1996</b> , 9, 333-40	4	31
53	7-Ethoxycoumarin O-deethylation catalyzed by cytochromes P450 1A2 and 2E1 in human liver microsomes. <i>Biochemical Pharmacology</i> , <b>1996</b> , 51, 313-9	6	85
52	Requirements for cytochrome b5 in the oxidation of 7-ethoxycoumarin, chlorzoxazone, aniline, and N-nitrosodimethylamine by recombinant cytochrome P450 2E1 and by human liver microsomes. <i>Biochemical Pharmacology</i> , <b>1996</b> , 52, 301-9	6	66
51	Roles of cytochrome b5 in the oxidation of testosterone and nifedipine by recombinant cytochrome P450 3A4 and by human liver microsomes. <i>Archives of Biochemistry and Biophysics</i> , <b>1996</b> , 325, 174-82	4.1	125
50	Construction of a human cytochrome P450 1A1: rat NADPH-cytochrome P450 reductase fusion protein cDNA and expression in Escherichia coli, purification, and catalytic properties of the enzyme in bacterial cells and after purification. <i>Archives of Biochemistry and Biophysics</i> , <b>1996</b> , 330, 48-58	4.1	53
49	Effects of erythromycin and roxithromycin on oxidation of testosterone and nifedipine catalyzed by CYP3A4 in human liver microsomes. <i>Journal of Toxicological Sciences</i> , <b>1996</b> , 21, 215-26	1.9	14



48	Lack of electron transfer from cytochrome b5 in stimulation of catalytic activities of cytochrome P450 3A4. Characterization of a reconstituted cytochrome P450 3A4/NADPH-cytochrome P450 reductase system and studies with apo-cytochrome b5. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 27438-44	5.4	136
47	A new Salmonella typhimurium NM5004 strain expressing rat glutathione S-transferase 5-5: use in detection of genotoxicity of dihaloalkanes using an SOS/umu test system. <i>Carcinogenesis</i> , <b>1996</b> , 17, 297-302	4.6	33
46	Activation of toxic chemicals by cytochrome P450 enzymes: regio- and stereoselective oxidation of aflatoxin B1. <i>Advances in Experimental Medicine and Biology</i> , <b>1996</b> , 387, 7-15	3.6	9
45	Development of high sensitive umu test system: rapid detection of genotoxicity of promutagenic aromatic amines by Salmonella typhimurium strain NM2009 possessing high O-acetyltransferase activity. <i>Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology</i> , <b>1995</b> , 334, 145-56		65
44	Procarcinogen activation by cytochrome P450 3A4 and 3A5 expressed in Escherichia coli and by human liver microsomes. <i>Carcinogenesis</i> , <b>1995</b> , 16, 2167-70	4.6	48
43	Roles of divalent metal ions in oxidations catalyzed by recombinant cytochrome P450 3A4 and replacement of NADPH--cytochrome P450 reductase with other flavoproteins, ferredoxin, and oxygen surrogates. <i>Biochemistry</i> , <b>1995</b> , 34, 8380-9	3.2	129
42	Oxidation of aflatoxin B1 by bacterial recombinant human cytochrome P450 enzymes. <i>Chemical Research in Toxicology</i> , <b>1995</b> , 8, 218-25	4	193
41	Activation of trans-1,2-dihydro-1,2-dihydroxy-6-aminochrysene to genotoxic metabolites by rat and human cytochromes P450. <i>Carcinogenesis</i> , <b>1994</b> , 15, 465-70	4.6	12
40	Activation of procarcinogens by human cytochrome P450 enzymes expressed in Escherichia coli. Simplified bacterial systems for genotoxicity assays. <i>Carcinogenesis</i> , <b>1994</b> , 15, 2523-9	4.6	65
39	Fluorescence in situ hybridization analysis of chromosomal localization of three human cytochrome P450 2C genes (CYP2C8, 2C9, and 2C10) at 10q24.1. <i>Japanese Journal of Human Genetics</i> , <b>1994</b> , 39, 337-43		16
38	Possible occurrence of P450 related to P450 HFLb in extrahepatic tissues of human fetuses and its contribution to metabolic activation of promutagens. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1994</b> , 310, 73-7	3.3	7
37	Differential roles of cytochromes P450 2D1, 2C11, and 1A1/2 in the hydroxylation of bufuralol by rat liver microsomes. <i>Biochemical Pharmacology</i> , <b>1994</b> , 47, 1957-63	6	21
36	Metabolism of FK506, a potent immunosuppressive agent, by cytochrome P450 3A enzymes in rat, dog and human liver microsomes. <i>Biochemical Pharmacology</i> , <b>1994</b> , 47, 727-35	6	96
35	Catalytic roles of rat and human cytochrome P450 2A enzymes in testosterone 7 alpha- and coumarin 7-hydroxylations. <i>Biochemical Pharmacology</i> , <b>1994</b> , 48, 1524-7	6	41
34	Roles of different forms of cytochrome P450 in the activation of the promutagen 6-aminochrysene to genotoxic metabolites in human liver microsomes. <i>Carcinogenesis</i> , <b>1993</b> , 14, 1271-8	4.6	33
33	Highly sensitive umu test system for the detection of mutagenic nitroarenes in Salmonella typhimurium NM3009 having high O-acetyltransferase and nitroreductase activities. <i>Environmental and Molecular Mutagenesis</i> , <b>1993</b> , 21, 357-64	3.2	53
32	Contributions of human liver cytochrome P450 enzymes to the N-oxidation of 4,4'-methylene-bis(2-chloroaniline). <i>Carcinogenesis</i> , <b>1992</b> , 13, 217-22	4.6	31
31	Participation of rat liver cytochrome P450 2E1 in the activation of N-nitrosodimethylamine and N-nitrosodiethylamine to products genotoxic in an acetyltransferase-overexpressing Salmonella typhimurium strain (NM2009). <i>Carcinogenesis</i> , <b>1992</b> , 13, 979-85	4.6	84

30	Cytochrome P450 2E1 and 2A6 enzymes as major catalysts for metabolic activation of N-nitrosodialkylamines and tobacco-related nitrosamines in human liver microsomes. <i>Carcinogenesis</i> , <b>1992</b> , 13, 1789-94	4.6	335
29	Human cytochrome P-450 enzymes. <i>Life Sciences</i> , <b>1992</b> , 50, 1471-8	6.8	101
28	Oxidation of aflatoxins and sterigmatocystin by human liver microsomes: significance of aflatoxin Q1 as a detoxication product of aflatoxin B1. <i>Chemical Research in Toxicology</i> , <b>1992</b> , 5, 202-10	4	106
27	Role of phospholipids in reconstituted cytochrome P450 3A form and mechanism of their activation of catalytic activity. <i>Biochemistry</i> , <b>1992</b> , 31, 6063-9	3.2	117
26	Elucidation of catalytic specificities of human cytochrome P450 and glutathione S-transferase enzymes and relevance to molecular epidemiology. <i>Environmental Health Perspectives</i> , <b>1992</b> , 98, 75-80	8.4	39
25	Rat pulmonary microsomal cytochrome P-450 enzymes involved in the activation of procarcinogens. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1992</b> , 284, 233-41	3.3	13
24	Mutagenic activation of aflatoxin B1 by pulmonary, renal, and hepatic cytochrome P450s from rats. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1992</b> , 269, 231-6	3.3	16
23	A sensitive umu test system for the detection of mutagenic nitroarenes in Salmonella typhimurium NM1011 having a high nitroreductase activity. <i>Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology</i> , <b>1992</b> , 272, 91-9		25
22	Use of a newly developed tester strain Salmonella typhimurium NM2009 for the study of metabolic activation of carcinogenic aromatic amines by rat liver microsomal cytochrome P-450 enzymes. <i>Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology</i> , <b>1992</b> , 272, 183-92		18
21	Assignment of the human cytochrome P-450 nifedipine oxidase gene (CYP3A4) to chromosome 7 at band q22.1 by fluorescence in situ hybridization. <i>Japanese Journal of Human Genetics</i> , <b>1992</b> , 37, 133-8		47
20	Roles of different cytochrome P450 enzymes in bioactivation of the potent hepatocarcinogen 3-methoxy-4-aminoazobenzene by rat and human liver microsomes. <i>Carcinogenesis</i> , <b>1991</b> , 12, 133-9	4.6	19
19	Oxidation of toxic and carcinogenic chemicals by human cytochrome P-450 enzymes. <i>Chemical Research in Toxicology</i> , <b>1991</b> , 4, 391-407	4	918
18	Cytochrome P-450 oxidations and the generation of biologically reactive intermediates. <i>Advances in Experimental Medicine and Biology</i> , <b>1991</b> , 283, 1-11	3.6	8
17	Metabolic deactivation of furylfuramide by cytochrome P450 in human and rat liver microsomes. <i>Carcinogenesis</i> , <b>1990</b> , 11, 103-10	4.6	10
16	Catalytic activities of human liver cytochrome P-450 IIIA4 expressed in <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , <b>1990</b> , 29, 11280-92	3.2	207
15	Comparison of the DNA-alkylating properties and mutagenic responses of a series of S-(2-haloethyl)-substituted cysteine and glutathione derivatives. <i>Biochemistry</i> , <b>1990</b> , 29, 10342-50	3.2	66
14	Activation of carcinogens by human liver cytochromes P-450. <i>Basic Life Sciences</i> , <b>1990</b> , 53, 381-96		14
13	Comparison of rates of enzymatic oxidation of aflatoxin B1, aflatoxin G1, and sterigmatocystin and activities of the epoxides in forming guanyl-N7 adducts and inducing different genetic responses. <i>Chemical Research in Toxicology</i> , <b>1989</b> , 2, 114-2	4	59



12	Evidence for cytochrome P-450NF, the nifedipine oxidase, being the principal enzyme involved in the bioactivation of aflatoxins in human liver. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1989</b> , 86, 462-5	11.5	256
11	Metabolic activation of environmental carcinogens and mutagens by human liver microsomes. Role of cytochrome P-450 homologous to a 3-methylcholanthrene-inducible isozyme in rat liver. <i>Biochemical Pharmacology</i> , <b>1988</b> , 37, 459-65	6	56
10	Lack of correlation between formation of reactive metabolites and thymic atrophy caused by 3, 4, 3Q4Q-tetrachlorobiphenyl in C57BL/6N mice. <i>Archives of Toxicology</i> , <b>1987</b> , 59, 301-6	5.8	8
9	SOS-inducing activity of chemical carcinogens and mutagens in Salmonella typhimurium TA1535/pSK1002: examination with 151 chemicals. <i>Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>1987</b> , 192, 239-46		167
8	Human-liver cytochromes P-450 involved in polymorphisms of drug oxidation. <i>Xenobiotica</i> , <b>1986</b> , 16, 367-78	2	73
7	Interaction of 3,4,3Q4Q-tetrachlorobiphenyl metabolites formed by cytochrome P-450 in vitro with rat erythrocytes. <i>Archives of Toxicology</i> , <b>1985</b> , 58, 20-6	5.8	6
6	A convenient assay for mephenytoin 4-hydroxylase activity of human liver microsomal cytochrome P-450. <i>Analytical Biochemistry</i> , <b>1985</b> , 147, 174-9	3.1	10
5	Comparative studies on distribution and covalent tissue binding of 2,4,2Q4Q and 3,4,3Q4Q-tetrachlorobiphenyl isomers in the rat. <i>Archives of Toxicology</i> , <b>1984</b> , 55, 182-5	5.8	22
4	Nicotinamide N-oxide formation by rat liver microsomes. <i>Biochemical Pharmacology</i> , <b>1983</b> , 32, 934-6	6	4
3	Activation of 3,4,3Q4Q-tetrachlorobiphenyl to protein-bound metabolites by rat liver microsomal cytochrome P-448-containing monooxygenase system. <i>Toxicology and Applied Pharmacology</i> , <b>1983</b> , 70, 486-93	4.6	51
2	Inhibition of mono-oxygenase activities by 1,1,1-trichloropropene 2,3-oxide, an inhibitor of epoxide hydrase, in rat liver microsomes. <i>Biochemical Pharmacology</i> , <b>1979</b> , 28, 1777-81	6	16
1	Metabolic activation of [14C] polychlorinated biphenyl mixtures by rate liver microsomes. <i>Bulletin of Environmental Contamination and Toxicology</i> , <b>1976</b> , 16, 26-32	2.7	29