## Qun Wu

## List of Publications by Citations

Source: https://exaly.com/author-pdf/840332/qun-wu-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47 papers 1,207 22 34 g-index

48 1,752 5.6 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
47	Filamentous fungal diversity and community structure associated with the solid state fermentation of Chinese Maotai-flavor liquor. <i>International Journal of Food Microbiology</i> , <b>2014</b> , 179, 80-4	5.8	96
46	Yeast community associated with the solid state fermentation of traditional Chinese Maotai-flavor liquor. <i>International Journal of Food Microbiology</i> , <b>2013</b> , 166, 323-30	5.8	92
45	Bacillus licheniformis affects the microbial community and metabolic profile in the spontaneous fermentation of Daqu starter for Chinese liquor making. <i>International Journal of Food Microbiology</i> , <b>2017</b> , 250, 59-67	5.8	82
44	Systematically engineering the biosynthesis of a green biosurfactant surfactin by Bacillus subtilis 168. <i>Metabolic Engineering</i> , <b>2019</b> , 52, 87-97	9.7	61
43	In situ analysis of metabolic characteristics reveals the key yeast in the spontaneous and solid-state fermentation process of Chinese light-style liquor. <i>Applied and Environmental Microbiology</i> , <b>2014</b> , 80, 3667-76	4.8	58
42	Production of surfactin from waste distillersTgrains by co-culture fermentation of two Bacillus amyloliquefaciens strains. <i>Bioresource Technology</i> , <b>2017</b> , 235, 96-103	11	54
41	Improving flavor metabolism of Saccharomyces cerevisiae by mixed culture with Bacillus licheniformis for Chinese Maotai-flavor liquor making. <i>Journal of Industrial Microbiology and Biotechnology</i> , <b>2015</b> , 42, 1601-8	4.2	54
40	Construction of Synthetic Microbiota for Reproducible Flavor Compound Metabolism in Chinese Light-Aroma-Type Liquor Produced by Solid-State Fermentation. <i>Applied and Environmental Microbiology</i> , <b>2019</b> , 85,	4.8	52
39	Genome and transcriptome analysis of surfactin biosynthesis in Bacillus amyloliquefaciens MT45. <i>Scientific Reports</i> , <b>2017</b> , 7, 40976	4.9	51
38	Starter culture selection for making Chinese sesame-flavored liquor based on microbial metabolic activity in mixed-culture fermentation. <i>Applied and Environmental Microbiology</i> , <b>2014</b> , 80, 4450-9	4.8	43
37	Synergistic Effect in Core Microbiota Associated with Sulfur Metabolism in Spontaneous Chinese Liquor Fermentation. <i>Applied and Environmental Microbiology</i> , <b>2017</b> , 83,	4.8	36
36	Effect of yeast species on the terpenoids profile of Chinese light-style liquor. <i>Food Chemistry</i> , <b>2015</b> , 168, 390-5	8.5	36
35	Can we control microbiota in spontaneous food fermentation? IChinese liquor as a case example. <i>Trends in Food Science and Technology</i> , <b>2021</b> , 110, 321-331	15.3	34
34	Biocontrol of geosmin-producing Streptomyces spp. by two Bacillus strains from Chinese liquor. <i>International Journal of Food Microbiology</i> , <b>2016</b> , 231, 1-9	5.8	33
33	Flavor Profile of Chinese Liquor Is Altered by Interactions of Intrinsic and Extrinsic Microbes. <i>Applied and Environmental Microbiology</i> , <b>2016</b> , 82, 422-30	4.8	32
32	Is a Potential Producer of Various Flavor Compounds in Chinese -Flavor Liquor Fermentation. <i>Frontiers in Microbiology</i> , <b>2017</b> , 8, 2609	5.7	28
31	Modeling and Regulation of Higher Alcohol Production through the Combined Effects of the C/N Ratio and Microbial Interaction. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 10694-10701	5.7	26

## (2020-2015)

30	Regulating yeast flavor metabolism by controlling saccharification reaction rate in simultaneous saccharification and fermentation of Chinese Maotai-flavor liquor. <i>International Journal of Food Microbiology</i> , <b>2015</b> , 200, 39-46	5.8	26	
29	Transcriptome profiling of heat-resistant strain Bacillus licheniformis CGMCC3962 producing Maotai flavor. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 2033-8	5.7	25	
28	Development, validation and application of specific primers for analyzing the clostridial diversity in dark fermentation pit mud by PCR-DGGE. <i>Bioresource Technology</i> , <b>2014</b> , 163, 40-7	11	24	
27	Raw Material Regulates Flavor Formation via Driving Microbiota in Chinese Liquor Fermentation. <i>Frontiers in Microbiology</i> , <b>2019</b> , 10, 1520	5.7	23	
26	Synergistic Effect of Multiple Saccharifying Enzymes on Alcoholic Fermentation for Chinese Baijiu Production. <i>Applied and Environmental Microbiology</i> , <b>2020</b> , 86,	4.8	22	
25	Biodegradation of Ethyl Carbamate and Urea with Lysinibacillus sphaericus MT33 in Chinese Liquor Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2018</b> , 66, 1583-1590	5.7	18	
24	Chinese Liquor Fermentation: Identification of Key Flavor-Producing spp. by Quantitative Profiling with Indigenous Internal Standards. <i>Applied and Environmental Microbiology</i> , <b>2020</b> , 86,	4.8	16	
23	Zygosaccharomyces pseudobailii, another yeast interspecies hybrid that regained fertility by damaging one of its MAT loci. <i>FEMS Yeast Research</i> , <b>2018</b> , 18,	3.1	16	
22	Immobilized Rhodotorula mucilaginosa: a novel urethanase-producing strain for degrading ethyl carbamate. <i>Applied Biochemistry and Biotechnology</i> , <b>2013</b> , 171, 2220-32	3.2	16	
21	Isolation and identification of a black Aspergillus strain and the effect of its novel protease on the aroma of Moutai-flavoured liquor. <i>Journal of the Institute of Brewing</i> , <b>2014</b> , 120, 268-276	2	16	
20	Temperature-Induced Annual Variation in Microbial Community Changes and Resulting Metabolome Shifts in a Controlled Fermentation System. <i>MSystems</i> , <b>2020</b> , 5,	7.6	16	
19	Specific Volumetric Weight-Driven Shift in Microbiota Compositions With Saccharifying Activity Change in Starter for Chinese Baijiu Fermentation. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 2349	5.7	15	
18	Effects of glutinous and nonglutinous sorghums on Saccharomyces cerevisiae fermentation for Chinese liquor making. <i>International Journal of Food Science and Technology</i> , <b>2017</b> , 52, 1348-1357	3.8	14	
17	Genomic and transcriptomic analyses of the Chinese Maotai-flavored liquor yeast MT1 revealed its unique multi-carbon co-utilization. <i>BMC Genomics</i> , <b>2015</b> , 16, 1064	4.5	14	
16	On-site calibration method for outdoor binocular stereo vision sensors. <i>Optics and Lasers in Engineering</i> , <b>2016</b> , 86, 75-82	4.6	11	
15	Transcriptional characteristics associated with lichenysin biosynthesis in Bacillus licheniformis from Chinese Maotai-flavor liquor making. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 888-93	5.7	10	
14	Fe Nanoparticles Enhanced Surfactin Production in. ACS Omega, 2020, 5, 6321-6329	3.9	8	
13	Increasing 2-furfurylthiol content in Chinese sesame-flavored Baijiu via inoculating the producer of precursor l-cysteine in Baijiu fermentation. <i>Food Research International</i> , <b>2020</b> , 138, 109757	7	7	

12	Genome Sequence of Bacillus licheniformis CGMCC3963, a Stress-Resistant Strain Isolated in a Chinese Traditional Solid-State Liquor-Making Process. <i>Genome Announcements</i> , <b>2013</b> , 1,		6
11	Identification and quantification of surfactin, a nonvolatile lipopeptide in Moutai liquor. <i>International Journal of Food Properties</i> , <b>2020</b> , 23, 189-198	3	6
10	Construction of a synthetic microbial community for the biosynthesis of volatile sulfur compound by multi-module division of labor. <i>Food Chemistry</i> , <b>2021</b> , 347, 129036	8.5	6
9	Effect of Microbial Interaction on Urea Metabolism in Chinese Liquor Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 11133-11139	5.7	5
8	Biodegradation of cyanide with Saccharomyces cerevisiae in Baijiu fermentation. <i>Food Control</i> , <b>2021</b> , 127, 108107	6.2	5
7	Urea production by yeasts other than Saccharomyces in food fermentation. <i>FEMS Yeast Research</i> , <b>2017</b> , 17,	3.1	4
6	Gradient Internal Standard Method for Absolute Quantification of Microbial Amplicon Sequencing Data. <i>MSystems</i> , <b>2021</b> , 6,	7.6	4
5	Modelling and predicting population of core fungi through processing parameters in spontaneous starter (Daqu) fermentation <i>International Journal of Food Microbiology</i> , <b>2021</b> , 363, 109493	5.8	2
4	Sugar profile regulates the microbial metabolic diversity in Chinese Baijiu fermentation. <i>International Journal of Food Microbiology</i> , <b>2021</b> , 359, 109426	5.8	2
3	Regional aroma characteristics of sorghum for Chinese liquor production. <i>Journal of the Institute of Brewing</i> , <b>2020</b> , 126, 306-315	2	1
2	Initial fungal diversity impacts flavor compounds formation in the spontaneous fermentation of Chinese liquor <i>Food Research International</i> , <b>2022</b> , 155, 110995	7	1
1	Fast and Effective Dynamic Optimization for Chemical Processes with Catalyst Deactivation Based on Incremental Encoding and Random Search. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2021</b> , 60, 2983-2993	3.9	Ο