

Yunqiao Pu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8404001/publications.pdf>

Version: 2024-02-01

173
papers

12,260
citations

18482

62
h-index

29157

104
g-index

175
all docs

175
docs citations

175
times ranked

9979
citing authors

#	ARTICLE	IF	CITATIONS
1	From lignin to valuable products—strategies, challenges, and prospects. <i>Bioresource Technology</i> , 2019, 271, 449-461.	9.6	565
2	Ionic Liquid as a Green Solvent for Lignin. <i>Journal of Wood Chemistry and Technology</i> , 2007, 27, 23-33.	1.7	484
3	Assessing the molecular structure basis for biomass recalcitrance during dilute acid and hydrothermal pretreatments. <i>Biotechnology for Biofuels</i> , 2013, 6, 15.	6.2	468
4	Application of quantitative ³¹ P NMR in biomass lignin and biofuel precursors characterization. <i>Energy and Environmental Science</i> , 2011, 4, 3154.	30.8	447
5	The critical role of lignin in lignocellulosic biomass conversion and recent pretreatment strategies: A comprehensive review. <i>Bioresource Technology</i> , 2020, 301, 122784.	9.6	396
6	Current Understanding of the Correlation of Lignin Structure with Biomass Recalcitrance. <i>Frontiers in Chemistry</i> , 2016, 4, 45.	3.6	279
7	Determination of hydroxyl groups in biorefinery resources via quantitative ³¹ P NMR spectroscopy. <i>Nature Protocols</i> , 2019, 14, 2627-2647.	12.0	272
8	Observation of Potential Contaminants in Processed Biomass Using Fourier Transform Infrared Spectroscopy. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 4345.	2.5	249
9	Ionic liquids: Promising green solvents for lignocellulosic biomass utilization. <i>Current Opinion in Green and Sustainable Chemistry</i> , 2017, 5, 5-11.	5.9	238
10	Structural Characterization and Comparison of Switchgrass Ball-milled Lignin Before and After Dilute Acid Pretreatment. <i>Applied Biochemistry and Biotechnology</i> , 2010, 162, 62-74.	2.9	227
11	The new forestry biofuels sector. <i>Biofuels, Bioproducts and Biorefining</i> , 2008, 2, 58-73.	3.7	219
12	Investigation of lignin deposition on cellulose during hydrothermal pretreatment, its effect on cellulose hydrolysis, and underlying mechanisms. <i>Biotechnology and Bioengineering</i> , 2014, 111, 485-492.	3.3	214
13	Facile synthesis of spherical cellulose nanoparticles. <i>Carbohydrate Polymers</i> , 2007, 69, 607-611.	10.2	208
14	A critical review on the analysis of lignin carbohydrate bonds. <i>Green Chemistry</i> , 2019, 21, 1573-1595.	9.0	204
15	High Shear Homogenization of Lignin to Nanolignin and Thermal Stability of Nanolignin—Polyvinyl Alcohol Blends. <i>ChemSusChem</i> , 2014, 7, 3513-3520.	6.8	199
16	Synergistic enzymatic and microbial lignin conversion. <i>Green Chemistry</i> , 2016, 18, 1306-1312.	9.0	172
17	Cellulase kinetics as a function of cellulose pretreatment. <i>Metabolic Engineering</i> , 2008, 10, 370-381.	7.0	157
18	Effects of organosolv and ammonia pretreatments on lignin properties and its inhibition for enzymatic hydrolysis. <i>Green Chemistry</i> , 2017, 19, 2006-2016.	9.0	145

#	ARTICLE	IF	CITATIONS
19	Chemical transformations of <i>Populus trichocarpa</i> during dilute acid pretreatment. <i>RSC Advances</i> , 2012, 2, 10925.	3.6	138
20	Sugar release and growth of biofuel crops are improved by downregulation of pectin biosynthesis. <i>Nature Biotechnology</i> , 2018, 36, 249-257.	17.5	136
21	Cellulosic biorefineries—unleashing lignin opportunities. <i>Current Opinion in Environmental Sustainability</i> , 2010, 2, 383-393.	6.3	134
22	Structural Characterization of Switchgrass Lignin after Ethanol Organosolv Pretreatment. <i>Energy & Fuels</i> , 2012, 26, 740-745.	5.1	127
23	Inhibitory effects of lignin on enzymatic hydrolysis: The role of lignin chemistry and molecular weight. <i>Renewable Energy</i> , 2018, 123, 664-674.	8.9	121
24	Systems biology-guided biodesign of consolidated lignin conversion. <i>Green Chemistry</i> , 2016, 18, 5536-5547.	9.0	119
25	Enhanced characteristics of genetically modified switchgrass (<i>Panicum virgatum</i> L.) for high biofuel production. <i>Biotechnology for Biofuels</i> , 2013, 6, 71.	6.2	118
26	Chemical Transformations of <i>Buddleja davidii</i> Lignin during Ethanol Organosolv Pretreatment. <i>Energy & Fuels</i> , 2010, 24, 2723-2732.	5.1	116
27	Synergistic maximization of the carbohydrate output and lignin processability by combinatorial pretreatment. <i>Green Chemistry</i> , 2017, 19, 4939-4955.	9.0	116
28	Effect of torrefaction on biomass structure and hydrocarbon production from fast pyrolysis. <i>Green Chemistry</i> , 2015, 17, 2406-2417.	9.0	112
29	A Genomics Approach to Deciphering Lignin Biosynthesis in Switchgrass. <i>Plant Cell</i> , 2013, 25, 4342-4361.	6.6	109
30	Structural characterization of alkaline hydrogen peroxide pretreated grasses exhibiting diverse lignin phenotypes. <i>Biotechnology for Biofuels</i> , 2012, 5, 38.	6.2	106
31	An In-Depth Understanding of Biomass Recalcitrance Using Natural Poplar Variants as the Feedstock. <i>ChemSusChem</i> , 2017, 10, 139-150.	6.8	106
32	Effects of the advanced organosolv pretreatment strategies on structural properties of woody biomass. <i>Industrial Crops and Products</i> , 2020, 146, 112144.	5.2	103
33	Increase in 4-Coumaryl Alcohol Units during Lignification in Alfalfa (<i>Medicago sativa</i>) Alters the Extractability and Molecular Weight of Lignin. <i>Journal of Biological Chemistry</i> , 2010, 285, 38961-38968.	3.4	102
34	Significance of Lignin S/G Ratio in Biomass Recalcitrance of <i>Populus trichocarpa</i> Variants for Bioethanol Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 2162-2168.	6.7	100
35	Critical review of FDM 3D printing of PLA biocomposites filled with biomass resources, characterization, biodegradability, upcycling and opportunities for biorefineries. <i>Applied Materials Today</i> , 2021, 24, 101078.	4.3	100
36	Chemical Transformations of Poplar Lignin during Cosolvent Enhanced Lignocellulosic Fractionation Process. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 8711-8718.	6.7	99

#	ARTICLE	IF	CITATIONS
37	Biomass Characterization of <i>Buddleja davidii</i> : A Potential Feedstock for Biofuel Production. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1275-1281.	5.2	97
38	Defining lignin nanoparticle properties through tailored lignin reactivity by sequential organosolv fragmentation approach (SOFA). <i>Green Chemistry</i> , 2019, 21, 245-260.	9.0	97
39	Down-regulation of the caffeic acid O-methyltransferase gene in switchgrass reveals a novel monolignol analog. <i>Biotechnology for Biofuels</i> , 2012, 5, 71.	6.2	96
40	CP/MAS 13C NMR analysis of cellulase treated bleached softwood kraft pulp. <i>Carbohydrate Research</i> , 2006, 341, 591-597.	2.3	94
41	Synthesis, Characterization, and Utilization of a Lignin-Based Adsorbent for Effective Removal of Azo Dye from Aqueous Solution. <i>ACS Omega</i> , 2020, 5, 2865-2877.	3.5	91
42	Effect of Ethanol Organosolv Pretreatment on Enzymatic Hydrolysis of <i>Buddleja davidii</i> Stem Biomass. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 1467-1472.	3.7	90
43	Effects of Lignin Structure on Hydrodeoxygenation Reactivity of Pine Wood Lignin to Valuable Chemicals. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 1824-1830.	6.7	90
44	The effect of liquid hot water pretreatment on the chemical structural alteration and the reduced recalcitrance in poplar. <i>Biotechnology for Biofuels</i> , 2017, 10, 237.	6.2	88
45	A study of poplar organosolv lignin after melt rheology treatment as carbon fiber precursors. <i>Green Chemistry</i> , 2016, 18, 5015-5024.	9.0	85
46	Investigation of a Lignin-Based Deep Eutectic Solvent Using <i>p</i> -Hydroxybenzoic Acid for Efficient Woody Biomass Conversion. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 12542-12553.	6.7	83
47	NMR Characterization of C3H and HCT Down-Regulated Alfalfa Lignin. <i>Bioenergy Research</i> , 2009, 2, 198-208.	3.9	82
48	Insights of biomass recalcitrance in natural <i>Populus trichocarpa</i> variants for biomass conversion. <i>Green Chemistry</i> , 2017, 19, 5467-5478.	9.0	82
49	Defined tetra-allelic gene disruption of the 4-coumarate:coenzyme A ligase 1 (Pv4CL1) gene by CRISPR/Cas9 in switchgrass results in lignin reduction and improved sugar release. <i>Biotechnology for Biofuels</i> , 2017, 10, 284.	6.2	80
50	Characterization of fractional cuts of co-solvent enhanced lignocellulosic fractionation lignin isolated by sequential precipitation. <i>Bioresource Technology</i> , 2019, 272, 202-208.	9.6	80
51	The occurrence of triclin and its derivatives in plants. <i>Green Chemistry</i> , 2016, 18, 1439-1454.	9.0	77
52	A biomass pretreatment using cellulose-derived solvent Cyrene. <i>Green Chemistry</i> , 2020, 22, 2862-2872.	9.0	77
53	Advanced Chemical Design for Efficient Lignin Bioconversion. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 2215-2223.	6.7	75
54	Investigation into nanocellulosics versus acacia reinforced acrylic films. <i>Composites Part B: Engineering</i> , 2007, 38, 360-366.	12.0	73

#	ARTICLE	IF	CITATIONS
55	Physicochemical Structural Changes of Poplar and Switchgrass during Biomass Pretreatment and Enzymatic Hydrolysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 4563-4572.	6.7	73
56	A Multifunctional Cosolvent Pair Reveals Molecular Principles of Biomass Deconstruction. <i>Journal of the American Chemical Society</i> , 2019, 141, 12545-12557.	13.7	73
57	Lignin-derived electrochemical energy materials and systems. <i>Biofuels, Bioproducts and Biorefining</i> , 2020, 14, 650-672.	3.7	73
58	Investigation of the fate of poplar lignin during autohydrolysis pretreatment to understand the biomass recalcitrance. <i>RSC Advances</i> , 2013, 3, 5305.	3.6	72
59	Characterization of products from hydrothermal carbonization of pine. <i>Bioresource Technology</i> , 2017, 244, 78-83.	9.6	72
60	Comparative study of lignin characteristics from wheat straw obtained by soda-AQ and kraft pretreatment and effect on the following enzymatic hydrolysis process. <i>Bioresource Technology</i> , 2016, 207, 361-369.	9.6	71
61	Lignin Structural Alterations in Thermochemical Pretreatments with Limited Delignification. <i>Bioenergy Research</i> , 2015, 8, 992-1003.	3.9	69
62	Solid-state NMR characterization of switchgrass cellulose after dilute acid pretreatment. <i>Biofuels</i> , 2010, 1, 85-90.	2.4	65
63	Recent Advances in the Application of Functionalized Lignin in Value-Added Polymeric Materials. <i>Polymers</i> , 2020, 12, 2277.	4.5	65
64	Chemical compositions of four switchgrass populations. <i>Biomass and Bioenergy</i> , 2010, 34, 48-53.	5.7	63
65	Fractionation and characterization of lignin streams from unique high-lignin content endocarp feedstocks. <i>Biotechnology for Biofuels</i> , 2018, 11, 304.	6.2	63
66	Assessing the Facile Pretreatments of Bagasse for Efficient Enzymatic Conversion and Their Impacts on Structural and Chemical Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 1095-1104.	6.7	63
67	Characterization and Catalytic Transfer Hydrogenolysis of Deep Eutectic Solvent Extracted Sorghum Lignin to Phenolic Compounds. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10408-10420.	6.7	62
68	Structural changes of lignins in natural Populus variants during different pretreatments. <i>Bioresource Technology</i> , 2020, 295, 122240.	9.6	61
69	Perdeuterated pyridinium molten salt (ionic liquid) for direct dissolution and NMR analysis of plant cell walls. <i>Green Chemistry</i> , 2009, 11, 1762.	9.0	60
70	Elucidating Structural Characteristics of Biomass using Solution-State 2D NMR with a Mixture of Deuterated Dimethylsulfoxide and Hexamethylphosphoramide. <i>ChemSusChem</i> , 2016, 9, 1090-1095.	6.8	59
71	Natural deep eutectic solvent mediated extrusion for continuous high-solid pretreatment of lignocellulosic biomass. <i>Green Chemistry</i> , 2020, 22, 6372-6383.	9.0	58
72	Effect of torrefaction temperature on lignin macromolecule and product distribution from HZSM-5 catalytic pyrolysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 122, 95-105.	5.5	57

#	ARTICLE	IF	CITATIONS
73	Understanding Lignin Fractionation and Characterization from Engineered Switchgrass Treated by an Aqueous Ionic Liquid. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 6612-6623.	6.7	56
74	Comparison of microwaves to fluidized sand baths for heating tubular reactors for hydrothermal and dilute acid batch pretreatment of corn stover. <i>Bioresource Technology</i> , 2011, 102, 5952-5961.	9.6	54
75	Preparation of aligned porous chitin nanowhisiker foams by directional freeze-casting technique. <i>Carbohydrate Polymers</i> , 2014, 112, 277-283.	10.2	53
76	Challenges of the utilization of wood polymers: how can they be overcome?. <i>Applied Microbiology and Biotechnology</i> , 2011, 91, 1525-1536.	3.6	52
77	Poplar as Biofiber Reinforcement in Composites for Large-Scale 3D Printing. <i>ACS Applied Bio Materials</i> , 2019, 2, 4557-4570.	4.6	52
78	Mechanism-Guided Design of Highly Efficient Protein Secretion and Lipid Conversion for Biomanufacturing and Biorefining. <i>Advanced Science</i> , 2019, 6, 1801980.	11.2	51
79	Insights of Ethanol Organosolv Pretreatment on Lignin Properties of <i>Broussonetia papyrifera</i> . <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 14767-14773.	6.7	49
80	The effect of lignin degradation products on the generation of pseudo-lignin during dilute acid pretreatment. <i>Industrial Crops and Products</i> , 2020, 146, 112205.	5.2	49
81	Comparison of changes in cellulose ultrastructure during different pretreatments of poplar. <i>Cellulose</i> , 2014, 21, 2419-2431.	4.9	47
82	Transgenic Poplar Designed for Biofuels. <i>Trends in Plant Science</i> , 2020, 25, 881-896.	8.8	45
83	Adding tetrahydrofuran to dilute acid pretreatment provides new insights into substrate changes that greatly enhance biomass deconstruction by <i>Clostridium thermocellum</i> and fungal enzymes. <i>Biotechnology for Biofuels</i> , 2017, 10, 252.	6.2	43
84	Tensile properties of 3D-printed wood-filled PLA materials using poplar trees. <i>Applied Materials Today</i> , 2020, 21, 100832.	4.3	43
85	Dynamic changes in transcriptome and cell wall composition underlying brassinosteroid-mediated lignification of switchgrass suspension cells. <i>Biotechnology for Biofuels</i> , 2017, 10, 266.	6.2	42
86	Linking lignin source with structural and electrochemical properties of lignin-derived carbon materials. <i>RSC Advances</i> , 2018, 8, 38721-38732.	3.6	42
87	Structural characterization of sugarcane lignins extracted from different protic ionic liquid pretreatments. <i>Renewable Energy</i> , 2020, 161, 579-592.	8.9	42
88	Structural analysis of acetylated hardwood lignins and their photoyellowing properties. <i>Canadian Journal of Chemistry</i> , 2005, 83, 2132-2139.	1.1	39
89	Revealing the Molecular Structural Transformation of Hardwood and Softwood in Dilute Acid Flowthrough Pretreatment. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 6618-6628.	6.7	38
90	Characteristics of Lignin Fractions from Dilute Acid Pretreated Switchgrass and Their Effect on Cellobiohydrolase from <i>Trichoderma longibrachiatum</i> . <i>Frontiers in Energy Research</i> , 2018, 6, .	2.3	36

#	ARTICLE	IF	CITATIONS
91	Structural Transformation of Isolated Poplar and Switchgrass Lignins during Dilute Acid Treatment. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 2203-2210.	6.7	35
92	Downregulation of pectin biosynthesis gene GAUT4 leads to reduced ferulate and lignin-carbohydrate cross-linking in switchgrass. <i>Communications Biology</i> , 2019, 2, 22.	4.4	35
93	Functional Analysis of Cellulose Synthase Cesa4 and Cesa6 Genes in Switchgrass (<i>Panicum virgatum</i>) by Overexpression and RNAi-Mediated Gene Silencing. <i>Frontiers in Plant Science</i> , 2018, 9, 1114.	3.6	34
94	Cellulolytic enzyme-aided extraction of hemicellulose from switchgrass and its characteristics. <i>Green Chemistry</i> , 2019, 21, 3902-3910.	9.0	34
95	Enhancing the multi-functional properties of renewable lignin carbon fibers <i>via</i> defining the structure–property relationship using different biomass feedstocks. <i>Green Chemistry</i> , 2021, 23, 3725-3739.	9.0	33
96	Compositional Characterization and Pyrolysis of Loblolly Pine and Douglas-fir Bark. <i>Bioenergy Research</i> , 2013, 6, 24-34.	3.9	32
97	³¹ P NMR Chemical Shifts of Solvents and Products Impurities in Biomass Pretreatments. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 1265-1270.	6.7	32
98	Pinorensinol reductase 1 impacts lignin distribution during secondary cell wall biosynthesis in <i>Arabidopsis</i> . <i>Phytochemistry</i> , 2015, 112, 170-178.	2.9	31
99	Study of traits and recalcitrance reduction of field-grown COMT down-regulated switchgrass. <i>Biotechnology for Biofuels</i> , 2017, 10, 12.	6.2	30
100	A structured understanding of cellobiohydrolase I binding to poplar lignin fractions after dilute acid pretreatment. <i>Biotechnology for Biofuels</i> , 2018, 11, 96.	6.2	29
101	Deconstruction of biomass enabled by local demixing of cosolvents at cellulose and lignin surfaces. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 16776-16781.	7.1	29
102	PdWND3A, a wood-associated NAC domain-containing protein, affects lignin biosynthesis and composition in <i>Populus</i> . <i>BMC Plant Biology</i> , 2019, 19, 486.	3.6	28
103	Emerging Strategies for Modifying Lignin Chemistry to Enhance Biological Lignin Valorization. <i>ChemSusChem</i> , 2020, 13, 5423-5432.	6.8	28
104	Study on the modification of bleached eucalyptus kraft pulp using birch xylan. <i>Carbohydrate Polymers</i> , 2012, 88, 719-725.	10.2	27
105	Porous artificial bone scaffold synthesized from a facile in situ hydroxyapatite coating and crosslinking reaction of crystalline nanocellulose. <i>Materialia</i> , 2018, 4, 237-246.	2.7	27
106	Overexpression of a serine hydroxymethyltransferase increases biomass production and reduces recalcitrance in the bioenergy crop <i>Populus</i> . <i>Sustainable Energy and Fuels</i> , 2019, 3, 195-207.	4.9	27
107	Production of xylo-oligosaccharides from poplar by acetic acid pretreatment and its impact on inhibitory effect of poplar lignin. <i>Bioresource Technology</i> , 2021, 323, 124593.	9.6	27
108	Rapid Determination of Lignin Content via Direct Dissolution and ¹ H NMR Analysis of Plant Cell Walls. <i>ChemSusChem</i> , 2010, 3, 1285-1289.	6.8	26

#	ARTICLE	IF	CITATIONS
109	Freeze-casting of cellulose nanowhisker foams prepared from a water-dimethylsulfoxide (DMSO) binary mixture at low DMSO concentrations. <i>RSC Advances</i> , 2013, 3, 19272.	3.6	26
110	Cross-Polarization/Magic Angle Spinning (CP/MAS) ¹³ C Nuclear Magnetic Resonance (NMR) Analysis of Chars from Alkaline-Treated Pyrolyzed Softwood. <i>Energy & Fuels</i> , 2009, 23, 498-501.	5.1	25
111	Biodiesel from grease interceptor to gas tank. <i>Energy Science and Engineering</i> , 2013, 1, 42-52.	4.0	25
112	Physiochemical Characterization of Lignocellulosic Biomass Dissolution by Flowthrough Pretreatment. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 219-227.	6.7	25
113	Adsorption of cellobiohydrolases I onto lignin fractions from dilute acid pretreated <i>Broussonetia papyrifera</i> . <i>Bioresource Technology</i> , 2017, 244, 957-962.	9.6	25
114	The effect of switchgrass plant cell wall properties on its deconstruction by thermochemical pretreatments coupled with fungal enzymatic hydrolysis or <i>Clostridium thermocellum</i> consolidated bioprocessing. <i>Green Chemistry</i> , 2020, 22, 7924-7945.	9.0	25
115	¹⁹ F NMR spectroscopy for the quantitative analysis of carbonyl groups in bio-oils. <i>RSC Advances</i> , 2014, 4, 17743.	3.6	24
116	The Nature of Hologlignin. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 957-964.	6.7	23
117	A Novel Oxidative Pretreatment of Loblolly Pine, Sweetgum, and Miscanthus by Ozone. <i>Journal of Wood Chemistry and Technology</i> , 2012, 32, 361-375.	1.7	22
118	Structural Characterization of Lignin in Wild-Type versus COMT Down-Regulated Switchgrass. <i>Frontiers in Energy Research</i> , 2014, 1, .	2.3	22
119	Overexpression of a Domain of Unknown Function 266-containing protein results in high cellulose content, reduced recalcitrance, and enhanced plant growth in the bioenergy crop <i>Populus</i> . <i>Biotechnology for Biofuels</i> , 2017, 10, 74.	6.2	22
120	Mechanistic Insight into Lignin Slow Pyrolysis by Linking Pyrolysis Chemistry and Carbon Material Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 15843-15854.	6.7	22
121	Hemicellulose-Cellulose Composites Reveal Differences in Cellulose Organization after Dilute Acid Pretreatment. <i>Biomacromolecules</i> , 2019, 20, 893-903.	5.4	21
122	THF co-solvent pretreatment prevents lignin redeposition from interfering with enzymes yielding prolonged cellulase activity. <i>Biotechnology for Biofuels</i> , 2021, 14, 63.	6.2	21
123	Understanding the influences of different pretreatments on recalcitrance of <i>Populus</i> natural variants. <i>Bioresource Technology</i> , 2018, 265, 75-81.	9.6	20
124	Hemicellulose characterization of deuterated switchgrass. <i>Bioresource Technology</i> , 2018, 269, 567-570.	9.6	20
125	Non-Solvent Fractionation of Lignin Enhances Carbon Fiber Performance. <i>ChemSusChem</i> , 2019, 12, 3249-3256.	6.8	20
126	Elucidating the mechanisms of enhanced lignin bioconversion by an alkali sterilization strategy. <i>Green Chemistry</i> , 2021, 23, 4697-4709.	9.0	20

#	ARTICLE	IF	CITATIONS
127	Comparative evaluation of <i>Populus</i> variants total sugar release and structural features following pretreatment and digestion by two distinct biological systems. <i>Biotechnology for Biofuels</i> , 2017, 10, 292.	6.2	19
128	Combining loss of function of FOLYLPOLYGLUTAMATE SYNTHETASE1 and CAFFEYOYL-COA 3-O-METHYLTRANSFERASE1 for lignin reduction and improved saccharification efficiency in <i>Arabidopsis thaliana</i> . <i>Biotechnology for Biofuels</i> , 2019, 12, 108.	6.2	18
129	Synthesis and Characterization of Lignin-grafted-poly(μ -caprolactone) from Different Biomass Sources. <i>New Biotechnology</i> , 2021, 60, 189-199.	4.4	18
130	Double bonus: surfactant-assisted biomass pelleting benefits both the pelleting process and subsequent enzymatic saccharification of the pretreated pellets. <i>Green Chemistry</i> , 2021, 23, 1050-1061.	9.0	18
131	Investigation of the photo-oxidative chemistry of acetylated softwood lignin. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 163, 215-221.	3.9	17
132	A Novel Method for Enhanced Recovery of Lignin from Aqueous Process Streams. <i>Journal of Wood Chemistry and Technology</i> , 2007, 27, 219-224.	1.7	17
133	Vibrational spectral signatures of crystalline cellulose using high resolution broadband sum frequency generation vibrational spectroscopy (HR-BB-SFG-VS). <i>Cellulose</i> , 2015, 22, 1469-1484.	4.9	17
134	Overexpression of a <i>Prefoldin β</i> subunit gene reduces biomass recalcitrance in the bioenergy crop <i>Populus</i> . <i>Plant Biotechnology Journal</i> , 2020, 18, 859-871.	8.3	17
135	<i>Arabidopsis</i> C-terminal binding protein ANGUSTIFOLIA modulates transcriptional co-regulation of <i>MYB46</i> and <i>WRKY33</i> . <i>New Phytologist</i> , 2020, 228, 1627-1639.	7.3	17
136	Targeting hydroxycinnamoyl CoA: shikimate hydroxycinnamoyl transferase for lignin modification in <i>Brachypodium distachyon</i> . <i>Biotechnology for Biofuels</i> , 2021, 14, 50.	6.2	17
137	Near-Infrared Spectroscopy and Chemometric Analysis for Determining Oxygen Delignification Yield. <i>Journal of Wood Chemistry and Technology</i> , 2008, 28, 122-136.	1.7	16
138	Effects of CELF Pretreatment Severity on Lignin Structure and the Lignin-Based Polyurethane Properties. <i>Frontiers in Energy Research</i> , 2020, 8, .	2.3	16
139	Elucidating carboxylic acid profiles for extended oxygen delignification of high-kappa softwood kraft pulps. <i>Holzforschung</i> , 2006, 60, 123-129.	1.9	15
140	Lignocellulosic fiber charge enhancement by catalytic oxidation during oxygen delignification. <i>Journal of Colloid and Interface Science</i> , 2007, 306, 248-254.	9.4	15
141	Effects of different pelleting technologies and parameters on pretreatment and enzymatic saccharification of lignocellulosic biomass. <i>Renewable Energy</i> , 2021, 179, 2147-2157.	8.9	15
142	Preparation and characterization of aminated co-solvent enhanced lignocellulosic fractionation lignin as a renewable building block for the synthesis of non-isocyanate polyurethanes. <i>Industrial Crops and Products</i> , 2022, 178, 114579.	5.2	15
143	Preparation and characteristics of cellulose nanowhisker reinforced acrylic foams synthesized by freeze-casting. <i>RSC Advances</i> , 2014, 4, 12148.	3.6	14
144	Physical and chemical differences between one-stage and two-stage hydrothermal pretreated hardwood substrates for use in cellulosic ethanol production. <i>Biotechnology for Biofuels</i> , 2016, 9, 30.	6.2	14

#	ARTICLE	IF	CITATIONS
145	³¹ P NMR Characterization of Tricin and Its Structurally Similar Flavonoids. <i>ChemistrySelect</i> , 2017, 2, 3557-3561.	1.5	14
146	Characterization of Whole Biomasses in Pyridine Based Ionic Liquid at Low Temperature by ³¹ P NMR: An Approach to Quantitatively Measure Hydroxyl Groups in Biomass As Their Original Structures. <i>Frontiers in Energy Research</i> , 2018, 6, .	2.3	14
147	Recycled Cardboard Containers as a Low Energy Source for Cellulose Nanofibrils and Their Use in Poly(lactide) Nanocomposites. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 13460-13470.	6.7	14
148	Opportunities and challenges for flow-through hydrothermal pretreatment in advanced biorefineries. <i>Bioresource Technology</i> , 2022, 343, 126061.	9.6	14
149	Cosolvent enhanced lignocellulosic fractionation tailoring lignin chemistry and enhancing lignin bioconversion. <i>Bioresource Technology</i> , 2022, 347, 126367.	9.6	14
150	Hydrodeoxygenation by deuterium gas – a powerful way to provide insight into the reaction mechanisms. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 19138.	2.8	13
151	Enhancing Enzyme-Mediated Hydrolysis of Mechanical Pulps by Deacetylation and Delignification. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 5847-5855.	6.7	13
152	Effect of in Vivo Deuteration on Structure of Switchgrass Lignin. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 8004-8010.	6.7	11
153	Cellulose hydrolysis by <i>Clostridium thermocellum</i> is agnostic to substrate structural properties in contrast to fungal cellulases. <i>Green Chemistry</i> , 2019, 21, 2810-2822.	9.0	10
154	Chemical and Morphological Structure of Transgenic Switchgrass Organosolv Lignin Extracted by Ethanol, Tetrahydrofuran, and ¹³ C-Valerolactone Pretreatments. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 9041-9052.	6.7	10
155	Engineered Sorghum Bagasse Enables a Sustainable Biorefinery with p-Hydroxybenzoic Acid-Based Deep Eutectic Solvent. <i>ChemSusChem</i> , 2021, 14, 5235-5244.	6.8	9
156	Changes in Cell Wall Properties Coincide with Overexpression of Extensin Fusion Proteins in Suspension Cultured Tobacco Cells. <i>PLoS ONE</i> , 2014, 9, e115906.	2.5	9
157	Bioenergy Underground: Challenges and opportunities for phenotyping roots and the microbiome for sustainable bioenergy crop production. <i>The Plant Phenome Journal</i> , 2022, 5, .	2.0	9
158	The use of combination of zeolites to pursue integrated refined pyrolysis oil from kraft lignin. <i>Sustainable Chemical Processes</i> , 2014, 2, .	2.3	8
159	The physiochemical alteration of flax fibers structuring components after different scouring and bleaching treatments. <i>Industrial Crops and Products</i> , 2021, 160, 113112.	5.2	8
160	Degradation of aromatic compounds and lignin by marine protist <i>Thraustochytrium striatum</i> . <i>Process Biochemistry</i> , 2021, 107, 13-17.	3.7	8
161	Strikingly high amount of triclin-lignin observed from vanilla (<i>Vanilla planifolia</i>) aerial roots. <i>Green Chemistry</i> , 2022, 24, 259-270.	9.0	8
162	Influence of chain length in protic ionic liquids on physicochemical and structural features of lignins from sugarcane bagasse. <i>Industrial Crops and Products</i> , 2021, 159, 113080.	5.2	7

#	ARTICLE	IF	CITATIONS
163	Effect of Protic Ionic Liquids in Sugar Cane Bagasse Pretreatment for Lignin Valorization and Ethanol Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 16965-16976.	6.7	7
164	Molecular Engineering of Biorefining Lignin Waste for Solid-State Electrolyte. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 8704-8714.	6.7	7
165	Simultaneous depolymerization and fermentation of lignin into value-added products by the marine protist, <i>Thraustochytrium striatum</i> . <i>Algal Research</i> , 2020, 46, 101773.	4.6	6
166	Black Liquor Valorization by Using Marine Protist <i>Thraustochytrium striatum</i> and the Preliminary Metabolic Mechanism Study. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 1786-1796.	6.7	5
167	Enhancing Lignin Dispersion and Bioconversion by Eliminating Thermal Sterilization. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 3245-3254.	6.7	4
168	Hydrogen bond-induced aqueous-phase surface modification of nanocellulose and its mechanically strong composites. <i>Journal of Materials Science</i> , 2022, 57, 8127-8138.	3.7	4
169	Lignin Exhibits Recalcitrance-Associated Features Following the Consolidated Bioprocessing of <i>Populus trichocarpa</i> Natural Variants. <i>ChemistrySelect</i> , 2017, 2, 10642-10647.	1.5	3
170	Measurement of Physicochemical Properties of Lignin. <i>ACS Symposium Series</i> , 2019, , 33-47.	0.5	3
171	Effect of photolysis on 17th/18th century paper. <i>Holzforschung</i> , 2007, 61, 131-137.	1.9	2
172	Fine grinding of thermoplastics by high speed friction grinding assisted by guar gum. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50797.	2.6	2
173	2D HSQC Chemical Shifts of Impurities from Biomass Pretreatment. <i>ChemistrySelect</i> , 2020, 5, 3359-3364.	1.5	1