

Yunqiao Pu

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/8404001/publications.pdf](https://exaly.com/author-pdf/8404001/publications.pdf)

Version: 2024-02-01

178
papers

12,837
citations

17319

63
h-index

28046

106
g-index

180
all docs

180
docs citations

180
times ranked

12343
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization and molecular simulation of lignin in Cyrene pretreatment of switchgrass. <i>Green Chemistry</i> , 2024, 26, 3170-3182.	9.4	1
2	An integrated biorefinery approach to obtain xylo-oligosaccharides from corncob using lactic acid-rich fermentation broth. <i>Journal of Cleaner Production</i> , 2023, 397, 136513.	9.5	10
3	Valorization of homogeneous linear catechyl lignin: opportunities and challenges. <i>RSC Advances</i> , 2023, 13, 12750-12759.	3.7	12
4	Systematic approaches to C-lignin engineering in <i>Medicago truncatula</i> . <i>Biotechnology for Biofuels and Bioproducts</i> , 2023, 16, .	2.9	6
5	Variable lignin structure revealed in <i>Populus</i> leaves. <i>RSC Advances</i> , 2023, 13, 20187-20197.	3.7	1
6	Investigation of the effects of ternary deep eutectic solvent composition on pretreatment of sorghum stover. <i>AIChE Journal</i> , 2023, 69, .	3.6	2
7	Opportunities and challenges for flow-through hydrothermal pretreatment in advanced biorefineries. <i>Bioresource Technology</i> , 2022, 343, 126061.	9.7	15
8	Cosolvent enhanced lignocellulosic fractionation tailoring lignin chemistry and enhancing lignin bioconversion. <i>Bioresource Technology</i> , 2022, 347, 126367.	9.7	17
9	Strikingly high amount of tricin-lignin observed from vanilla (<i>Vanilla planifolia</i>) aerial roots. <i>Green Chemistry</i> , 2022, 24, 259-270.	9.4	9
10	Preparation and characterization of aminated co-solvent enhanced lignocellulosic fractionation lignin as a renewable building block for the synthesis of non-isocyanate polyurethanes. <i>Industrial Crops and Products</i> , 2022, 178, 114579.	5.4	19
11	Bioenergy Underground: Challenges and opportunities for phenotyping roots and the microbiome for sustainable bioenergy crop production. <i>The Plant Phenome Journal</i> , 2022, 5, .	2.2	15
12	Enhancing Lignin Dispersion and Bioconversion by Eliminating Thermal Sterilization. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 3245-3254.	6.9	4
13	Hydrogen bond-induced aqueous-phase surface modification of nanocellulose and its mechanically strong composites. <i>Journal of Materials Science</i> , 2022, 57, 8127-8138.	3.7	6
14	Molecular Engineering of Biorefining Lignin Waste for Solid-State Electrolyte. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 8704-8714.	6.9	10
15	Chemical and Morphological Structure of Transgenic Switchgrass Organosolv Lignin Extracted by Ethanol, Tetrahydrofuran, and γ -Valerolactone Pretreatments. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 9041-9052.	6.9	15
16	Influence of chain length in protic ionic liquids on physicochemical and structural features of lignins from sugarcane bagasse. <i>Industrial Crops and Products</i> , 2021, 159, 113080.	5.4	7
17	The physicochemical alteration of flax fibers structuring components after different scouring and bleaching treatments. <i>Industrial Crops and Products</i> , 2021, 160, 113112.	5.4	8
18	Synthesis and Characterization of Lignin-grafted-poly(μ -caprolactone) from Different Biomass Sources. <i>New Biotechnology</i> , 2021, 60, 189-199.	4.6	20

#	ARTICLE	IF	CITATIONS
19	Double bonus: surfactant-assisted biomass pelleting benefits both the pelleting process and subsequent enzymatic saccharification of the pretreated pellets. <i>Green Chemistry</i> , 2021, 23, 1050-1061.	9.4	22
20	Enhancing the multi-functional properties of renewable lignin carbon fibers <i>via</i> defining the structure–property relationship using different biomass feedstocks. <i>Green Chemistry</i> , 2021, 23, 3725-3739.	9.4	39
21	Elucidating the mechanisms of enhanced lignin bioconversion by an alkali sterilization strategy. <i>Green Chemistry</i> , 2021, 23, 4697-4709.	9.4	21
22	Targeting hydroxycinnamoyl CoA: shikimate hydroxycinnamoyl transferase for lignin modification in <i>Brachypodium distachyon</i> . <i>Biotechnology for Biofuels</i> , 2021, 14, 50.	6.3	19
23	THF co-solvent pretreatment prevents lignin redeposition from interfering with enzymes yielding prolonged cellulase activity. <i>Biotechnology for Biofuels</i> , 2021, 14, 63.	6.3	23
24	Production of xylo-oligosaccharides from poplar by acetic acid pretreatment and its impact on inhibitory effect of poplar lignin. <i>Bioresource Technology</i> , 2021, 323, 124593.	9.7	30
25	Fine grinding of thermoplastics by high speed friction grinding assisted by guar gum. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50797.	2.7	3
26	Degradation of aromatic compounds and lignin by marine protist <i>Thraustochytrium striatum</i> . <i>Process Biochemistry</i> , 2021, 107, 13-17.	3.8	8
27	Engineered Sorghum Bagasse Enables a Sustainable Biorefinery with <i>p</i> -Hydroxybenzoic Acid-Based Deep Eutectic Solvent. <i>ChemSusChem</i> , 2021, 14, 5235-5244.	7.5	11
28	Critical review of FDM 3D printing of PLA biocomposites filled with biomass resources, characterization, biodegradability, upcycling and opportunities for biorefineries. <i>Applied Materials Today</i> , 2021, 24, 101078.	4.5	130
29	Recycled Cardboard Containers as a Low Energy Source for Cellulose Nanofibrils and Their Use in Poly(lactide) Nanocomposites. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 13460-13470.	6.9	18
30	Effects of different pelleting technologies and parameters on pretreatment and enzymatic saccharification of lignocellulosic biomass. <i>Renewable Energy</i> , 2021, 179, 2147-2157.	9.0	18
31	Effect of Protic Ionic Liquids in Sugar Cane Bagasse Pretreatment for Lignin Valorization and Ethanol Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 16965-16976.	6.9	8
32	Structural changes of lignins in natural <i>Populus</i> variants during different pretreatments. <i>Bioresource Technology</i> , 2020, 295, 122240.	9.7	61
33	Overexpression of a <i>Prefoldin 1²</i> subunit gene reduces biomass recalcitrance in the bioenergy crop <i>Populus</i> . <i>Plant Biotechnology Journal</i> , 2020, 18, 859-871.	8.5	17
34	The critical role of lignin in lignocellulosic biomass conversion and recent pretreatment strategies: A comprehensive review. <i>Bioresource Technology</i> , 2020, 301, 122784.	9.7	446
35	Simultaneous depolymerization and fermentation of lignin into value-added products by the marine protist, <i>Thraustochytrium striatum</i> . <i>Algal Research</i> , 2020, 46, 101773.	4.7	7
36	Recent Advances in the Application of Functionalized Lignin in Value-Added Polymeric Materials. <i>Polymers</i> , 2020, 12, 2277.	4.6	73

#	ARTICLE	IF	CITATIONS
37	Tensile properties of 3D-printed wood-filled PLA materials using poplar trees. <i>Applied Materials Today</i> , 2020, 21, 100832.	4.5	52
38	Effects of CELF Pretreatment Severity on Lignin Structure and the Lignin-Based Polyurethane Properties. <i>Frontiers in Energy Research</i> , 2020, 8, .	2.3	16
39	Deconstruction of biomass enabled by local demixing of cosolvents at cellulose and lignin surfaces. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 16776-16781.	7.6	32
40	Emerging Strategies for Modifying Lignin Chemistry to Enhance Biological Lignin Valorization. <i>ChemSusChem</i> , 2020, 13, 5423-5432.	7.5	31
41	Investigation of a Lignin-Based Deep Eutectic Solvent Using <i>p</i> -Hydroxybenzoic Acid for Efficient Woody Biomass Conversion. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 12542-12553.	6.9	92
42	Arabidopsis C-terminal binding protein ANGUSTIFOLIA modulates transcriptional co-regulation of MYB46 and WRKY33. <i>New Phytologist</i> , 2020, 228, 1627-1639.	7.8	19
43	Structural characterization of sugarcane lignins extracted from different protic ionic liquid pretreatments. <i>Renewable Energy</i> , 2020, 161, 579-592.	9.0	44
44	The effect of switchgrass plant cell wall properties on its deconstruction by thermochemical pretreatments coupled with fungal enzymatic hydrolysis or <i>Clostridium thermocellum</i> consolidated bioprocessing. <i>Green Chemistry</i> , 2020, 22, 7924-7945.	9.4	26
45	Transgenic Poplar Designed for Biofuels. <i>Trends in Plant Science</i> , 2020, 25, 881-896.	9.1	50
46	2D HSQC Chemical Shifts of Impurities from Biomass Pretreatment. <i>ChemistrySelect</i> , 2020, 5, 3359-3364.	1.6	3
47	Enhancing Enzyme-Mediated Hydrolysis of Mechanical Pulps by Deacetylation and Delignification. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 5847-5855.	6.9	15
48	A biomass pretreatment using cellulose-derived solvent Cyrene. <i>Green Chemistry</i> , 2020, 22, 2862-2872.	9.4	82
49	Natural deep eutectic solvent mediated extrusion for continuous high-solid pretreatment of lignocellulosic biomass. <i>Green Chemistry</i> , 2020, 22, 6372-6383.	9.4	63
50	Observation of Potential Contaminants in Processed Biomass Using Fourier Transform Infrared Spectroscopy. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 4345.	2.6	276
51	Synthesis, Characterization, and Utilization of a Lignin-Based Adsorbent for Effective Removal of Azo Dye from Aqueous Solution. <i>ACS Omega</i> , 2020, 5, 2865-2877.	3.6	98
52	The effect of lignin degradation products on the generation of pseudo-lignin during dilute acid pretreatment. <i>Industrial Crops and Products</i> , 2020, 146, 112205.	5.4	60
53	Lignin-derived electrochemical energy materials and systems. <i>Biofuels, Bioproducts and Biorefining</i> , 2020, 14, 650-672.	3.7	77
54	Effects of the advanced organosolv pretreatment strategies on structural properties of woody biomass. <i>Industrial Crops and Products</i> , 2020, 146, 112144.	5.4	112

#	ARTICLE	IF	CITATIONS
55	Black Liquor Valorization by Using Marine Protist <i>Thraustochytrium striatum</i> and the Preliminary Metabolic Mechanism Study. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 1786-1796.	6.9	6
56	Mechanistic Insight into Lignin Slow Pyrolysis by Linking Pyrolysis Chemistry and Carbon Material Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 15843-15854.	6.9	27
57	A Multifunctional Cosolvent Pair Reveals Molecular Principles of Biomass Deconstruction. <i>Journal of the American Chemical Society</i> , 2019, 141, 12545-12557.	14.6	76
58	Poplar as Biofiber Reinforcement in Composites for Large-Scale 3D Printing. <i>ACS Applied Bio Materials</i> , 2019, 2, 4557-4570.	4.8	58
59	Measurement of Physicochemical Properties of Lignin. <i>ACS Symposium Series</i> , 2019, , 33-47.	0.0	3
60	Overexpression of a serine hydroxymethyltransferase increases biomass production and reduces recalcitrance in the bioenergy crop <i>Populus</i> . <i>Sustainable Energy and Fuels</i> , 2019, 3, 195-207.	4.8	30
61	Downregulation of pectin biosynthesis gene GAUT4 leads to reduced ferulate and lignin-carbohydrate cross-linking in switchgrass. <i>Communications Biology</i> , 2019, 2, 22.	4.5	35
62	Defining lignin nanoparticle properties through tailored lignin reactivity by sequential organosolv fragmentation approach (SOFA). <i>Green Chemistry</i> , 2019, 21, 245-260.	9.4	104
63	Mechanism-Guided Design of Highly Efficient Protein Secretion and Lipid Conversion for Biomanufacturing and Biorefining. <i>Advanced Science</i> , 2019, 6, 1801980.	12.4	55
64	Cellulolytic enzyme-aided extraction of hemicellulose from switchgrass and its characteristics. <i>Green Chemistry</i> , 2019, 21, 3902-3910.	9.4	38
65	Non-Solvent Fractionation of Lignin Enhances Carbon Fiber Performance. <i>ChemSusChem</i> , 2019, 12, 3249-3256.	7.5	22
66	Combining loss of function of FOLYLPOLYGLUTAMATE SYNTHETASE1 and CAFFEOYL-COA 3-O-METHYLTRANSFERASE1 for lignin reduction and improved saccharification efficiency in <i>Arabidopsis thaliana</i> . <i>Biotechnology for Biofuels</i> , 2019, 12, 108.	6.3	18
67	Cellulose hydrolysis by <i>Clostridium thermocellum</i> is agnostic to substrate structural properties in contrast to fungal cellulases. <i>Green Chemistry</i> , 2019, 21, 2810-2822.	9.4	11
68	A critical review on the analysis of lignin carbohydrate bonds. <i>Green Chemistry</i> , 2019, 21, 1573-1595.	9.4	222
69	PdWND3A, a wood-associated NAC domain-containing protein, affects lignin biosynthesis and composition in <i>Populus</i> . <i>BMC Plant Biology</i> , 2019, 19, 486.	3.7	32
70	From lignin to valuable products—strategies, challenges, and prospects. <i>Bioresource Technology</i> , 2019, 271, 449-461.	9.7	620
71	Hemicellulose—Cellulose Composites Reveal Differences in Cellulose Organization after Dilute Acid Pretreatment. <i>Biomacromolecules</i> , 2019, 20, 893-903.	5.6	23
72	Assessing the Facile Pretreatments of Bagasse for Efficient Enzymatic Conversion and Their Impacts on Structural and Chemical Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 1095-1104.	6.9	67

#	ARTICLE	IF	CITATIONS
73	Characterization of fractional cuts of co-solvent enhanced lignocellulosic fractionation lignin isolated by sequential precipitation. <i>Bioresource Technology</i> , 2019, 272, 202-208.	9.7	82
74	Inhibitory effects of lignin on enzymatic hydrolysis: The role of lignin chemistry and molecular weight. <i>Renewable Energy</i> , 2018, 123, 664-674.	9.0	127
75	Sugar release and growth of biofuel crops are improved by downregulation of pectin biosynthesis. <i>Nature Biotechnology</i> , 2018, 36, 249-257.	20.8	141
76	Understanding Lignin Fractionation and Characterization from Engineered Switchgrass Treated by an Aqueous Ionic Liquid. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 6612-6623.	6.9	57
77	Significance of Lignin S/G Ratio in Biomass Recalcitrance of <i>Populus trichocarpa</i> Variants for Bioethanol Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 2162-2168.	6.9	110
78	The Nature of Hololignin. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 957-964.	6.9	23
79	Linking lignin source with structural and electrochemical properties of lignin-derived carbon materials. <i>RSC Advances</i> , 2018, 8, 38721-38732.	3.7	50
80	Fractionation and characterization of lignin streams from unique high-lignin content endocarp feedstocks. <i>Biotechnology for Biofuels</i> , 2018, 11, 304.	6.3	67
81	Porous artificial bone scaffold synthesized from a facile in situ hydroxyapatite coating and crosslinking reaction of crystalline nanocellulose. <i>Materialia</i> , 2018, 4, 237-246.	2.8	28
82	Insights of Ethanol Organosolv Pretreatment on Lignin Properties of <i>Broussonetia papyrifera</i> . <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 14767-14773.	6.9	52
83	Understanding the influences of different pretreatments on recalcitrance of <i>Populus</i> natural variants. <i>Bioresource Technology</i> , 2018, 265, 75-81.	9.7	20
84	Chemical Transformations of Poplar Lignin during Cosolvent Enhanced Lignocellulosic Fractionation Process. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 8711-8718.	6.9	101
85	Functional Analysis of Cellulose Synthase Cesa4 and Cesa6 Genes in Switchgrass (<i>Panicum virgatum</i>) by Overexpression and RNAi-Mediated Gene Silencing. <i>Frontiers in Plant Science</i> , 2018, 9, 1114.	3.8	37
86	Characteristics of Lignin Fractions from Dilute Acid Pretreated Switchgrass and Their Effect on Cellobiohydrolase from <i>Trichoderma longibrachiatum</i> . <i>Frontiers in Energy Research</i> , 2018, 6, .	2.3	38
87	Characterization of Whole Biomasses in Pyridine Based Ionic Liquid at Low Temperature by 31P NMR: An Approach to Quantitatively Measure Hydroxyl Groups in Biomass As Their Original Structures. <i>Frontiers in Energy Research</i> , 2018, 6, .	2.3	14
88	A structured understanding of cellobiohydrolase I binding to poplar lignin fractions after dilute acid pretreatment. <i>Biotechnology for Biofuels</i> , 2018, 11, 96.	6.3	35
89	Hemicellulose characterization of deuterated switchgrass. <i>Bioresource Technology</i> , 2018, 269, 567-570.	9.7	24
90	Characterization and Catalytic Transfer Hydrogenolysis of Deep Eutectic Solvent Extracted Sorghum Lignin to Phenolic Compounds. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10408-10420.	6.9	68

#	ARTICLE	IF	CITATIONS
91	³¹ P NMR Chemical Shifts of Solvents and Products Impurities in Biomass Pretreatments. ACS Sustainable Chemistry and Engineering, 2018, 6, 1265-1270.	6.9	34
92	Overexpression of a Domain of Unknown Function 266-containing protein results in high cellulose content, reduced recalcitrance, and enhanced plant growth in the bioenergy crop Populus. Biotechnology for Biofuels, 2017, 10, 74.	6.3	22
93	³¹ P NMR Characterization of Tricin and Its Structurally Similar Flavonoids. ChemistrySelect, 2017, 2, 3557-3561.	1.6	14
94	Effects of organosolv and ammonia pretreatments on lignin properties and its inhibition for enzymatic hydrolysis. Green Chemistry, 2017, 19, 2006-2016.	9.4	148
95	Ionic liquids: Promising green solvents for lignocellulosic biomass utilization. Current Opinion in Green and Sustainable Chemistry, 2017, 5, 5-11.	6.3	258
96	Effects of Lignin Structure on Hydrodeoxygenation Reactivity of Pine Wood Lignin to Valuable Chemicals. ACS Sustainable Chemistry and Engineering, 2017, 5, 1824-1830.	6.9	91
97	Insights of biomass recalcitrance in natural <i>Populus trichocarpa</i> variants for biomass conversion. Green Chemistry, 2017, 19, 5467-5478.	9.4	89
98	Synergistic maximization of the carbohydrate output and lignin processability by combinatorial pretreatment. Green Chemistry, 2017, 19, 4939-4955.	9.4	123
99	Characterization of products from hydrothermal carbonization of pine. Bioresource Technology, 2017, 244, 78-83.	9.7	74
100	Effect of in Vivo Deuteration on Structure of Switchgrass Lignin. ACS Sustainable Chemistry and Engineering, 2017, 5, 8004-8010.	6.9	11
101	Adsorption of cellobiohydrolases I onto lignin fractions from dilute acid pretreated <i>Broussonetia papyrifera</i> . Bioresource Technology, 2017, 244, 957-962.	9.7	26
102	Lignin Exhibits Recalcitrance-Associated Features Following the Consolidated Bioprocessing of <i>Populus trichocarpa</i> Natural Variants. ChemistrySelect, 2017, 2, 10642-10647.	1.6	3
103	Study of traits and recalcitrance reduction of field-grown COMT down-regulated switchgrass. Biotechnology for Biofuels, 2017, 10, 12.	6.3	32
104	An In-Depth Understanding of Biomass Recalcitrance Using Natural Poplar Variants as the Feedstock. ChemSusChem, 2017, 10, 139-150.	7.5	116
105	Comparative evaluation of <i>Populus</i> variants total sugar release and structural features following pretreatment and digestion by two distinct biological systems. Biotechnology for Biofuels, 2017, 10, 292.	6.3	20
106	The effect of liquid hot water pretreatment on the chemical structural alteration and the reduced recalcitrance in poplar. Biotechnology for Biofuels, 2017, 10, 237.	6.3	93
107	Adding tetrahydrofuran to dilute acid pretreatment provides new insights into substrate changes that greatly enhance biomass deconstruction by <i>Clostridium thermocellum</i> and fungal enzymes. Biotechnology for Biofuels, 2017, 10, 252.	6.3	46
108	Dynamic changes in transcriptome and cell wall composition underlying brassinosteroid-mediated lignification of switchgrass suspension cells. Biotechnology for Biofuels, 2017, 10, 266.	6.3	44

#	ARTICLE	IF	CITATIONS
109	Defined tetra-allelic gene disruption of the 4-coumarate:coenzyme A ligase 1 (Pv4CL1) gene by CRISPR/Cas9 in switchgrass results in lignin reduction and improved sugar release. <i>Biotechnology for Biofuels</i> , 2017, 10, 284.	6.3	83
110	Current Understanding of the Correlation of Lignin Structure with Biomass Recalcitrance. <i>Frontiers in Chemistry</i> , 2016, 4, 45.	3.7	300
111	Systems biology-guided biodesign of consolidated lignin conversion. <i>Green Chemistry</i> , 2016, 18, 5536-5547.	9.4	127
112	Revealing the Molecular Structural Transformation of Hardwood and Softwood in Dilute Acid Flowthrough Pretreatment. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 6618-6628.	6.9	40
113	Physicochemical Structural Changes of Poplar and Switchgrass during Biomass Pretreatment and Enzymatic Hydrolysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 4563-4572.	6.9	75
114	Effect of torrefaction temperature on lignin macromolecule and product distribution from HZSM-5 catalytic pyrolysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 122, 95-105.	5.6	61
115	Elucidating Structural Characteristics of Biomass using Solution-state ² H NMR with a Mixture of Deuterated Dimethylsulfoxide and Hexamethylphosphoramide. <i>ChemSusChem</i> , 2016, 9, 1090-1095.	7.5	60
116	Physical and chemical differences between one-stage and two-stage hydrothermal pretreated hardwood substrates for use in cellulosic ethanol production. <i>Biotechnology for Biofuels</i> , 2016, 9, 30.	6.3	15
117	A study of poplar organosolv lignin after melt rheology treatment as carbon fiber precursors. <i>Green Chemistry</i> , 2016, 18, 5015-5024.	9.4	87
118	Comparative study of lignin characteristics from wheat straw obtained by soda-AQ and kraft pretreatment and effect on the following enzymatic hydrolysis process. <i>Bioresource Technology</i> , 2016, 207, 361-369.	9.7	75
119	The occurrence of triclin and its derivatives in plants. <i>Green Chemistry</i> , 2016, 18, 1439-1454.	9.4	81
120	Physicochemical Characterization of Lignocellulosic Biomass Dissolution by Flowthrough Pretreatment. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 219-227.	6.9	27
121	Synergistic enzymatic and microbial lignin conversion. <i>Green Chemistry</i> , 2016, 18, 1306-1312.	9.4	177
122	Structural Transformation of Isolated Poplar and Switchgrass Lignins during Dilute Acid Treatment. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 2203-2210.	6.9	37
123	Lignin Structural Alterations in Thermochemical Pretreatments with Limited Delignification. <i>Bioenergy Research</i> , 2015, 8, 992-1003.	3.8	77
124	Vibrational spectral signatures of crystalline cellulose using high resolution broadband sum frequency generation vibrational spectroscopy (HR-BB-SFG-VS). <i>Cellulose</i> , 2015, 22, 1469-1484.	5.1	17
125	Pinoresinol reductase 1 impacts lignin distribution during secondary cell wall biosynthesis in <i>Arabidopsis</i> . <i>Phytochemistry</i> , 2015, 112, 170-178.	3.0	31
126	Structural Characterization of Lignin in Wild-Type versus COMT Down-Regulated Switchgrass. <i>Frontiers in Energy Research</i> , 2014, 1, .	2.3	23

#	ARTICLE	IF	CITATIONS
127	The use of combination of zeolites to pursue integrated refined pyrolysis oil from kraft lignin. Sustainable Chemical Processes, 2014, 2, .	2.6	8
128	Investigation of lignin deposition on cellulose during hydrothermal pretreatment, its effect on cellulose hydrolysis, and underlying mechanisms. Biotechnology and Bioengineering, 2014, 111, 485-492.	3.5	224
129	High Shear Homogenization of Lignin to Nanolignin and Thermal Stability of Nanoligninâ€Polyvinyl Alcohol Blends. ChemSusChem, 2014, 7, 3513-3520.	7.5	212
130	¹⁹ F NMR spectroscopy for the quantitative analysis of carbonyl groups in bio-oils. RSC Advances, 2014, 4, 17743.	3.7	24
131	Preparation and characteristics of cellulose nanowhisker reinforced acrylic foams synthesized by freeze-casting. RSC Advances, 2014, 4, 12148.	3.7	14
132	Comparison of changes in cellulose ultrastructure during different pretreatments of poplar. Cellulose, 2014, 21, 2419-2431.	5.1	50
133	Preparation of aligned porous chitin nanowhisker foams by directional freezeâ€casting technique. Carbohydrate Polymers, 2014, 112, 277-283.	10.5	57
134	Changes in Cell Wall Properties Coincide with Overexpression of Extensin Fusion Proteins in Suspension Cultured Tobacco Cells. PLoS ONE, 2014, 9, e115906.	2.5	9
135	Enhanced characteristics of genetically modified switchgrass (<i>Panicum virgatum</i> L.) for high biofuel production. Biotechnology for Biofuels, 2013, 6, 71.	6.3	122
136	Assessing the molecular structure basis for biomass recalcitrance during dilute acid and hydrothermal pretreatments. Biotechnology for Biofuels, 2013, 6, 15.	6.3	486
137	Compositional Characterization and Pyrolysis of Loblolly Pine and Douglas-fir Bark. Bioenergy Research, 2013, 6, 24-34.	3.8	35
138	Freeze-casting of cellulose nanowhisker foams prepared from a water-dimethylsulfoxide (DMSO) binary mixture at low DMSO concentrations. RSC Advances, 2013, 3, 19272.	3.7	27
139	Hydrodeoxygenation by deuterium gas â€ a powerful way to provide insight into the reaction mechanisms. Physical Chemistry Chemical Physics, 2013, 15, 19138.	2.9	14
140	Biodiesel from grease interceptor to gas tank. Energy Science and Engineering, 2013, 1, 42-52.	3.9	26
141	Plant Biomass Characterization: Application of Solutionâ€and Solidâ€State NMR Spectroscopy. , 2013, , 369-390.		25
142	Investigation of the fate of poplar lignin during autohydrolysis pretreatment to understand the biomass recalcitrance. RSC Advances, 2013, 3, 5305.	3.7	72
143	A Genomics Approach to Deciphering Lignin Biosynthesis in Switchgrass. Plant Cell, 2013, 25, 4342-4361.	6.7	111
144	Chemical transformations of <i>Populus trichocarpa</i> during dilute acid pretreatment. RSC Advances, 2012, 2, 10925.	3.7	141

#	ARTICLE	IF	CITATIONS
145	Structural characterization of alkaline hydrogen peroxide pretreated grasses exhibiting diverse lignin phenotypes. <i>Biotechnology for Biofuels</i> , 2012, 5, 38.	6.3	106
146	Down-regulation of the caffeic acid O-methyltransferase gene in switchgrass reveals a novel monolignol analog. <i>Biotechnology for Biofuels</i> , 2012, 5, 71.	6.3	98
147	A Novel Oxidative Pretreatment of Loblolly Pine, Sweetgum, and Miscanthus by Ozone. <i>Journal of Wood Chemistry and Technology</i> , 2012, 32, 361-375.	1.8	22
148	Structural Characterization of Switchgrass Lignin after Ethanol Organosolv Pretreatment. <i>Energy & Fuels</i> , 2012, 26, 740-745.	5.2	130
149	Study on the modification of bleached eucalyptus kraft pulp using birch xylan. <i>Carbohydrate Polymers</i> , 2012, 88, 719-725.	10.5	27
150	Application of quantitative ³¹ P NMR in biomass lignin and biofuel precursors characterization. <i>Energy and Environmental Science</i> , 2011, 4, 3154.	32.2	459
151	Challenges of the utilization of wood polymers: how can they be overcome?. <i>Applied Microbiology and Biotechnology</i> , 2011, 91, 1525-1536.	3.7	53
152	Comparison of microwaves to fluidized sand baths for heating tubular reactors for hydrothermal and dilute acid batch pretreatment of corn stover. <i>Bioresource Technology</i> , 2011, 102, 5952-5961.	9.7	56
153	Structural Characterization and Comparison of Switchgrass Ball-milled Lignin Before and After Dilute Acid Pretreatment. <i>Applied Biochemistry and Biotechnology</i> , 2010, 162, 62-74.	3.0	231
154	Rapid Determination of Lignin Content via Direct Dissolution and ¹³ C NMR Analysis of Plant Cell Walls. <i>ChemSusChem</i> , 2010, 3, 1285-1289.	7.5	27
155	Chemical compositions of four switchgrass populations. <i>Biomass and Bioenergy</i> , 2010, 34, 48-53.	5.9	64
156	Cellulosic biorefineries—unleashing lignin opportunities. <i>Current Opinion in Environmental Sustainability</i> , 2010, 2, 383-393.	6.6	138
157	Increase in 4-Coumaryl Alcohol Units during Lignification in Alfalfa (<i>Medicago sativa</i>) Alters the Extractability and Molecular Weight of Lignin. <i>Journal of Biological Chemistry</i> , 2010, 285, 38961-38968.	3.5	106
158	Effect of Ethanol Organosolv Pretreatment on Enzymatic Hydrolysis of <i>Buddleja davidii</i> Stem Biomass. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 1467-1472.	3.8	93
159	Solid-state NMR characterization of switchgrass cellulose after dilute acid pretreatment. <i>Biofuels</i> , 2010, 1, 85-90.	2.5	65
160	Chemical Transformations of <i>Buddleja davidii</i> Lignin during Ethanol Organosolv Pretreatment. <i>Energy & Fuels</i> , 2010, 24, 2723-2732.	5.2	118
161	NMR Characterization of C3H and HCT Down-Regulated Alfalfa Lignin. <i>Bioenergy Research</i> , 2009, 2, 198-208.	3.8	82
162	Cross-Polarization/Magic Angle Spinning (CP/MAS) ¹³ C Nuclear Magnetic Resonance (NMR) Analysis of Chars from Alkaline-Treated Pyrolyzed Softwood. <i>Energy & Fuels</i> , 2009, 23, 498-501.	5.2	26

#	ARTICLE	IF	CITATIONS
163	Perdeuterated pyridinium molten salt (ionic liquid) for direct dissolution and NMR analysis of plant cell walls. <i>Green Chemistry</i> , 2009, 11, 1762.	9.4	61
164	Biomass Characterization of <i>Buddleja davidii</i> : A Potential Feedstock for Biofuel Production. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1275-1281.	5.3	99
165	The new forestry biofuels sector. <i>Biofuels, Bioproducts and Biorefining</i> , 2008, 2, 58-73.	3.7	224
166	Cellulase kinetics as a function of cellulose pretreatment. <i>Metabolic Engineering</i> , 2008, 10, 370-381.	7.1	163
167	Near-Infrared Spectroscopy and Chemometric Analysis for Determining Oxygen Delignification Yield. <i>Journal of Wood Chemistry and Technology</i> , 2008, 28, 122-136.	1.8	17
168	A Novel Method for Enhanced Recovery of Lignin from Aqueous Process Streams. <i>Journal of Wood Chemistry and Technology</i> , 2007, 27, 219-224.	1.8	17
169	Effect of photolysis on 17th/18th century paper. <i>Holzforschung</i> , 2007, 61, 131-137.	2.0	2
170	Ionic Liquid as a Green Solvent for Lignin. <i>Journal of Wood Chemistry and Technology</i> , 2007, 27, 23-33.	1.8	491
171	Investigation into nanocellulosics versus acacia reinforced acrylic films. <i>Composites Part B: Engineering</i> , 2007, 38, 360-366.	12.1	74
172	Facile synthesis of spherical cellulose nanoparticles. <i>Carbohydrate Polymers</i> , 2007, 69, 607-611.	10.5	211
173	Lignocellulosic fiber charge enhancement by catalytic oxidation during oxygen delignification. <i>Journal of Colloid and Interface Science</i> , 2007, 306, 248-254.	9.6	15
174	CP/MAS ¹³ C NMR analysis of cellulase treated bleached softwood kraft pulp. <i>Carbohydrate Research</i> , 2006, 341, 591-597.	2.4	95
175	Elucidating carboxylic acid profiles for extended oxygen delignification of high-kappa softwood kraft pulps. <i>Holzforschung</i> , 2006, 60, 123-129.	2.0	15
176	Structural analysis of acetylated hardwood lignins and their photoyellowing properties. <i>Canadian Journal of Chemistry</i> , 2005, 83, 2132-2139.	1.1	39
177	Investigation of the photo-oxidative chemistry of acetylated softwood lignin. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 163, 215-221.	4.0	17
178	Lignin-based vitrimers: valorization and utilization of lignin in high-value applications. <i>Materials Advances</i> , 0, , .	5.2	0