

M Carmen Horrillo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8404083/publications.pdf>

Version: 2024-02-01

90
papers

3,363
citations

101384

36
h-index

168136

53
g-index

90
all docs

90
docs citations

90
times ranked

3040
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrogen sensors based on carbon nanotubes thin films. <i>Synthetic Metals</i> , 2005, 148, 15-19.	2.1	183
2	Electronic nose for wine discrimination. <i>Sensors and Actuators B: Chemical</i> , 2006, 113, 911-916.	4.0	143
3	Carbon nanotube networks as gas sensors for NO ₂ detection. <i>Talanta</i> , 2008, 77, 758-764.	2.9	117
4	Advances in artificial olfaction: Sensors and applications. <i>Talanta</i> , 2014, 124, 95-105.	2.9	106
5	Novel selective sensors based on carbon nanotube films for hydrogen detection. <i>Sensors and Actuators B: Chemical</i> , 2007, 122, 75-80.	4.0	99
6	Portable e-nose to classify different kinds of wine. <i>Sensors and Actuators B: Chemical</i> , 2008, 131, 71-76.	4.0	99
7	Electronic nose for wine ageing detection. <i>Sensors and Actuators B: Chemical</i> , 2008, 133, 180-186.	4.0	81
8	Pulsed laser deposition of nanostructured tin oxide films for gas sensing applications. <i>Sensors and Actuators B: Chemical</i> , 2001, 77, 383-388.	4.0	79
9	Chemical warfare agents simulants detection with an optimized SAW sensor array. <i>Sensors and Actuators B: Chemical</i> , 2011, 154, 199-205.	4.0	78
10	Chemical composition and crystalline structure of SnO ₂ thin films used as gas sensors. <i>Thin Solid Films</i> , 1997, 304, 113-122.	0.8	77
11	Classification of white wine aromas with an electronic nose. <i>Talanta</i> , 2005, 67, 610-616.	2.9	77
12	Identification of typical wine aromas by means of an electronic nose. <i>IEEE Sensors Journal</i> , 2006, 6, 173-178.	2.4	68
13	The effect of additives in tin oxide on the sensitivity and selectivity to NO _x and CO. <i>Sensors and Actuators B: Chemical</i> , 1995, 26, 19-23.	4.0	67
14	A micromachined solid state integrated gas sensor for the detection of aromatic hydrocarbons. <i>Sensors and Actuators B: Chemical</i> , 1997, 44, 483-487.	4.0	61
15	New sensitive layers for surface acoustic wave gas sensors based on polymer and carbon nanotube composites. <i>Sensors and Actuators B: Chemical</i> , 2012, 175, 67-72.	4.0	61
16	Ultrafine grain-size tin-oxide films for carbon monoxide monitoring in urban environments. <i>Sensors and Actuators B: Chemical</i> , 1995, 25, 559-563.	4.0	58
17	Correlating e-nose responses to wine sensorial descriptors and gas chromatography-mass spectrometry profiles using partial least squares regression analysis. <i>Sensors and Actuators B: Chemical</i> , 2007, 127, 267-276.	4.0	55
18	A comparative study of sensor array and GC-MS: application to Madrid wines characterization. <i>Sensors and Actuators B: Chemical</i> , 2004, 102, 299-307.	4.0	54

#	ARTICLE	IF	CITATIONS
19	Analysis of VOCs with a tin oxide sensor array. <i>Sensors and Actuators B: Chemical</i> , 1997, 43, 200-205.	4.0	53
20	Detection of volatile organic compounds using surface acoustic wave sensors with different polymer coatings. <i>Thin Solid Films</i> , 2004, 467, 234-238.	0.8	51
21	Detection of low NO ₂ concentrations with low power micromachined tin oxide gas sensors. <i>Sensors and Actuators B: Chemical</i> , 1999, 58, 325-329.	4.0	50
22	Influence of tin oxide microstructure on the sensitivity to reductor gases. <i>Sensors and Actuators B: Chemical</i> , 1999, 58, 474-477.	4.0	50
23	Love-wave sensor array to detect, discriminate and classify chemical warfare agent simulants. <i>Sensors and Actuators B: Chemical</i> , 2012, 175, 173-178.	4.0	49
24	Threshold detection of aromatic compounds in wine with an electronic nose and a human sensory panel. <i>Talanta</i> , 2010, 80, 1899-1906.	2.9	47
25	Analysis of neural networks and analysis of feature selection with genetic algorithm to discriminate among pollutant gas. <i>Sensors and Actuators B: Chemical</i> , 2004, 103, 122-128.	4.0	46
26	Microstructural characterization of nanograin tin oxide gas sensors. <i>Scripta Materialia</i> , 1997, 9, 43-52.	0.5	45
27	SAW sensor array for wine discrimination. <i>Sensors and Actuators B: Chemical</i> , 2005, 107, 291-295.	4.0	44
28	Wine classification with a zinc oxide SAW sensor array. <i>Sensors and Actuators B: Chemical</i> , 2006, 120, 166-171.	4.0	44
29	Discrimination of volatile compounds through an electronic nose based on ZnO SAW sensors. <i>Sensors and Actuators B: Chemical</i> , 2007, 127, 277-283.	4.0	43
30	The effect of the oxygen concentration and the rf power on the zinc oxide films properties deposited by magnetron sputtering. <i>Applied Surface Science</i> , 2005, 245, 273-280.	3.1	42
31	Evaluation of Wine Aromatic Compounds by a Sensory Human Panel and an Electronic Nose. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 11543-11549.	2.4	42
32	Detection of gases with arrays of micromachined tin oxide gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2000, 65, 244-246.	4.0	40
33	Surface acoustic wave gas sensors based on polyisobutylene and carbon nanotube composites. <i>Sensors and Actuators B: Chemical</i> , 2011, 156, 1-5.	4.0	40
34	Influence of the deposition conditions of SnO ₂ thin films by reactive sputtering on the sensitivity to urban pollutants. <i>Sensors and Actuators B: Chemical</i> , 1997, 45, 193-198.	4.0	39
35	Differentiation of red wines using an electronic nose based on surface acoustic wave devices. <i>Talanta</i> , 2006, 68, 1162-1165.	2.9	39
36	Comparative study of sampling systems combined with gas sensors for wine discrimination. <i>Sensors and Actuators B: Chemical</i> , 2007, 126, 616-623.	4.0	39

#	ARTICLE	IF	CITATIONS
37	Enrichment sampling methods for wine discrimination with gas sensors. <i>Journal of Food Composition and Analysis</i> , 2008, 21, 716-723.	1.9	37
38	Optimization of SAW sensors with a structure ZnO/SiO ₂ /Si to detect volatile organic compounds. <i>Sensors and Actuators B: Chemical</i> , 2006, 118, 356-361.	4.0	35
39	Structural and dimensional control in micromachined integrated solid state gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2000, 69, 314-319.	4.0	34
40	A Wireless and Portable Electronic Nose to Differentiate Musts of Different Ripeness Degree and Grape Varieties. <i>Sensors</i> , 2015, 15, 8429-8443.	2.1	33
41	Electronic nose for the identification of pig feeding and ripening time in Iberian hams. <i>Meat Science</i> , 2004, 66, 727-732.	2.7	31
42	Results on the reliability of silicon micromachined structures for semiconductor gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2001, 77, 409-415.	4.0	29
43	Detection of bacteriophages in dynamic mode using a Love-wave immunosensor with microfluidics technology. <i>Sensors and Actuators B: Chemical</i> , 2013, 185, 218-224.	4.0	28
44	Edible and non-edible olive oils discrimination by the application of a sensory olfactory system based on tin dioxide sensors. <i>Food Chemistry</i> , 2013, 136, 1154-1159.	4.2	28
45	Measurements of VOCs with a Semiconductor Electronic Nose. <i>Journal of the Electrochemical Society</i> , 1998, 145, 2486-2489.	1.3	27
46	Single-walled carbon nanotube microsensors for nerve agent simulant detection. <i>Sensors and Actuators B: Chemical</i> , 2011, 157, 253-259.	4.0	27
47	Electronic nose for ham discrimination. <i>Sensors and Actuators B: Chemical</i> , 2006, 114, 418-422.	4.0	26
48	The influence of the tin-oxide deposition technique on the sensitivity to CO. <i>Sensors and Actuators B: Chemical</i> , 1995, 25, 507-511.	4.0	25
49	Discrimination of different aromatic compounds in water, ethanol and wine with a thin film sensor array. <i>Sensors and Actuators B: Chemical</i> , 2004, 103, 98-103.	4.0	25
50	Love-Wave Sensors Combined with Microfluidics for Fast Detection of Biological Warfare Agents. <i>Sensors</i> , 2014, 14, 12658-12669.	2.1	25
51	Array of Love-wave sensors based on quartz/Novolac to detect CWA simulants. <i>Talanta</i> , 2011, 85, 1442-1447.	2.9	24
52	The interaction of different oxidizing agents on doped tin oxide. <i>Sensors and Actuators B: Chemical</i> , 1995, 25, 512-515.	4.0	23
53	Detection of toxic gases by a tin oxide multisensor. <i>IEEE Sensors Journal</i> , 2002, 2, 387-393.	2.4	23
54	Nanocrystalline Tin Oxide Nanofibers Deposited by a Novel Focused Electrospinning Method. Application to the Detection of TATP Precursors. <i>Sensors</i> , 2014, 14, 24231-24243.	2.1	23

#	ARTICLE	IF	CITATIONS
55	Long-term reliability of sensors for detection of nitrogen oxides. <i>Sensors and Actuators B: Chemical</i> , 1995, 26, 56-58.	4.0	22
56	Measurements of VOCs in soils through a tin oxide multisensor system. <i>Sensors and Actuators B: Chemical</i> , 1997, 43, 193-199.	4.0	22
57	Characterization of an array of Love-wave gas sensors developed using electrospinning technique to deposit nanofibers as sensitive layers. <i>Talanta</i> , 2014, 120, 408-412.	2.9	22
58	Structural studies of zinc oxide films grown by RF magnetron sputtering. <i>Synthetic Metals</i> , 2005, 148, 37-41.	2.1	21
59	A potentially selective methane sensor based on the differential conductivity responses of Pd- and Pt-doped tin oxide thick layers. <i>Sensors and Actuators B: Chemical</i> , 1993, 16, 384-389.	4.0	20
60	Environmental applications of gas sensor arrays: combustion atmospheres and contaminated soils. <i>Sensors and Actuators B: Chemical</i> , 1999, 59, 249-254.	4.0	20
61	NOx tin dioxide sensors activities, as a function of doped materials and temperature. <i>Sensors and Actuators B: Chemical</i> , 1993, 16, 354-356.	4.0	19
62	Integrated sensor array for gas analysis in combustion atmospheres. <i>Sensors and Actuators B: Chemical</i> , 1996, 33, 128-133.	4.0	19
63	Gas sensors based on elasticity changes of nanoparticle layers. <i>Sensors and Actuators B: Chemical</i> , 2018, 268, 93-99.	4.0	19
64	Hall coefficient measurements for SnO ₂ doped sensors, as a function of temperature and atmosphere. <i>Sensors and Actuators B: Chemical</i> , 1993, 15, 98-104.	4.0	18
65	Discrimination of grape juice and fermented wine using a tin oxide multisensor. <i>Sensors and Actuators B: Chemical</i> , 1999, 57, 249-254.	4.0	18
66	Application of pulsed digital oscillators to volatile organic compounds sensing. <i>Sensors and Actuators B: Chemical</i> , 2008, 134, 773-779.	4.0	18
67	Comparison of two types of acoustic biosensors to detect immunoreactions: Love-wave sensor working in dynamic mode and QCM working in static mode. <i>Sensors and Actuators B: Chemical</i> , 2013, 189, 123-129.	4.0	18
68	Automatic Sensor System for the Continuous Analysis of the Evolution of Wine. <i>American Journal of Enology and Viticulture</i> , 2015, 66, 148-155.	0.9	18
69	Quantification of Wine Mixtures with an Electronic Nose and a Human Panel. <i>Frontiers in Bioengineering and Biotechnology</i> , 2018, 6, 14.	2.0	18
70	Hall effect measurements to calculate the conduction control in semiconductor films of SnO ₂ . <i>Sensors and Actuators A: Physical</i> , 1994, 42, 619-621.	2.0	17
71	Crystallite size distributions and lattice defects in r.f. sputtered nanograin TiO ₂ and SnO ₂ films. <i>Scripta Materialia</i> , 1998, 10, 357-363.	0.5	17
72	Properties of polycrystalline gas sensors based on d.c. and a.c. electrical measurements. <i>Sensors and Actuators B: Chemical</i> , 1992, 8, 231-235.	4.0	16

#	ARTICLE	IF	CITATIONS
73	Artificial olfactory system for the classification of Iberian hams. Sensors and Actuators B: Chemical, 2003, 96, 621-629.	4.0	16
74	Transmission electron microscopy investigation of the effect of deposition conditions and a platinum layer in gas-sensitive r.f.-sputtered SnO ₂ films. Thin Solid Films, 2003, 445, 38-47.	0.8	15
75	Fine-tuning of the resonant frequency using a hybrid coupler and fixed components in SAW oscillators for gas detection. Sensors and Actuators B: Chemical, 2004, 103, 139-144.	4.0	15
76	Detection of Iberian ham aroma by a semiconductor multisensorial system. Meat Science, 2003, 65, 1175-1185.	2.7	14
77	Eco-Friendly Disposable WS ₂ Paper Sensor for Sub-ppm NO ₂ Detection at Room Temperature. Nanomaterials, 2022, 12, 1213.	1.9	13
78	Transmission electron microscopy investigation of SnO ₂ thin films for sensor devices. Scripta Materialia, 1999, 11, 813-819.	0.5	12
79	Propagation of acoustic waves in metal oxide nanoparticle layers with catalytic metals for selective gas detection. Sensors and Actuators B: Chemical, 2015, 217, 65-71.	4.0	12
80	Wine Applications With Electronic Noses. , 2016, , 137-148.		12
81	Electrical characterization of a thin film tin oxide sensor array for VOCs detection. Thin Solid Films, 1998, 317, 429-431.	0.8	9
82	Carbon SH-SAW-Based Electronic Nose to Discriminate and Classify Sub-ppm NO ₂ . Sensors, 2022, 22, 1261.	2.1	8
83	Novel SH-SAW Biosensors for Ultra-Fast Recognition of Growth Factors. Biosensors, 2022, 12, 17.	2.3	6
84	Optimized design of a SAW sensor array for chemical warfare agents simulants detection. Procedia Chemistry, 2009, 1, 232-235.	0.7	5
85	Detection of Acetic Acid in wine by means of an electronic nose. , 2011, , .		5
86	Design of polycrystalline gas sensors based on admittance spectrum measurements. Sensors and Actuators B: Chemical, 1992, 7, 609-613.	4.0	4
87	New sensitive layers for surface acoustic wave gas sensors based on polymer and carbon nanotube composites. Procedia Engineering, 2011, 25, 256-259.	1.2	3
88	Discrimination and classification of chemical warfare agent simulants using a Love-wave sensor array. Procedia Engineering, 2011, 25, 23-26.	1.2	2
89	Love Wave Gas Sensor based on Surface-functionalized Nanoparticles. Procedia Engineering, 2015, 120, 606-609.	1.2	1
90	Cascade of Artificial Neural Network committees for the calibration of small gas commercial sensors for NO ₂ , NH ₃ and CO. , 2014, , .		0