

Timothy Card

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8404495/timothy-card-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120 papers	7,140 citations	46 h-index	83 g-index
131 ext. papers	8,419 ext. citations	6.5 avg, IF	6.12 L-index

#	Paper	IF	Citations
120	Pulse oximeters measurements vary across ethnic groups: An observational study in patients with Covid-19 infection.. <i>European Respiratory Journal</i> , 2022 ,	13.6	3
119	Ethnicity and suicide risk: A population-based study from England. <i>Journal of Affective Disorders</i> , 2022 , 298, 555-557	6.6	
118	Risk of mortality from suicide in patients with Huntington's disease is increased compared to the general population in England.. <i>Journal of Neurology</i> , 2022 , 1	5.5	0
117	Silent hypoxia is not an identifiable characteristic in patients with COVID-19 infection.. <i>Respiratory Medicine</i> , 2022 , 197, 106858	4.6	
116	Disease Activity in Inflammatory Bowel Disease Is Associated With Arterial Vascular Disease. <i>Inflammatory Bowel Diseases</i> , 2021 , 27, 629-638	4.5	2
115	The impact of reader fatigue on the accuracy of capsule endoscopy interpretation. <i>Digestive and Liver Disease</i> , 2021 , 53, 1028-1033	3.3	9
114	Incidence comparison of adverse events in patients with inflammatory bowel disease receiving different biologic agents: retrospective long-term evaluation. <i>Intestinal Research</i> , 2021 ,	4.1	1
113	Chest Radiograph Scoring Alone or Combined with Other Risk Scores for Predicting Outcomes in COVID-19. <i>Radiology</i> , 2021 , 210986	20.5	4
112	Use of rapid reading software to reduce capsule endoscopy reading times while maintaining accuracy. <i>Gastrointestinal Endoscopy</i> , 2020 , 91, 1322-1327	5.2	7
111	Acceptability of chronic liver disease screening in a UK primary care setting: a qualitative evaluation. <i>BMJ Open</i> , 2020 , 10, e041574	3	1
110	Diagnosis of Barrett's esophagus and esophageal varices using a magnetically assisted capsule endoscopy system. <i>Gastrointestinal Endoscopy</i> , 2020 , 91, 773-781.e1	5.2	21
109	Diagnosing dysplasia in Barrett's oesophagus still requires Seattle protocol biopsy in the era of modern video endoscopy: results from a tertiary centre Barrett's dysplasia database. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 9-13	2.4	7
108	Vedolizumab use is not associated with increased malignancy incidence: GEMINI LTS study results and post-marketing data. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 51, 149-157	6.1	11
107	Incidence, prevalence and mortality of autoimmune hepatitis in England 1997-2015. A population-based cohort study. <i>Liver International</i> , 2020 , 40, 1634-1644	7.9	15
106	Letter: different risks of venous thromboembolism in subsets of patients with inflammatory bowel diseases - authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 346	6.1	
105	Mortality in people with coeliac disease: Long-term follow-up from a Scottish cohort. <i>United European Gastroenterology Journal</i> , 2019 , 7, 377-387	5.3	12
104	Obesity Is the Most Common Risk Factor for Chronic Liver Disease: Results From a Risk Stratification Pathway Using Transient Elastography. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1744-1752	0.7	19

103	Reply to: "Hip fracture risk in patients with alcoholic cirrhosis: Do comorbidities and complications matter?". <i>Journal of Hepatology</i> , 2019 , 70, 213-214	13.4	1
102	What Is the Risk of Progressive Multifocal Leukoencephalopathy in Patients With Ulcerative Colitis or Crohn's Disease Treated With Vedolizumab?. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 953-959	4.5	18
101	Hip fracture risk in patients with alcoholic cirrhosis: A population-based study using English and Danish data. <i>Journal of Hepatology</i> , 2018 , 69, 697-704	13.4	22
100	MDM2 expression in the progression of Barrett's oesophagus. <i>Histopathology</i> , 2018 , 72, 1230-1233	7.3	
99	All-cause and cause-specific mortality rates of patients treated for alcohol use disorders: A meta-analysis. <i>Substance Abuse</i> , 2018 , 39, 509-517	3.8	9
98	Post-infectious IBS: Defining its clinical features and prognosis using an internet-based survey. <i>United European Gastroenterology Journal</i> , 2018 , 6, 1245-1253	5.3	21
97	The risk of venous thromboembolism during and after hospitalisation in patients with inflammatory bowel disease activity. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 48, 1099-1108	6.1	22
96	The XL probe: A luxury or a necessity? Risk stratification in an obese community cohort using transient elastography. <i>United European Gastroenterology Journal</i> , 2018 , 6, 1372-1379	5.3	3
95	Adrenergic blockers and the risk for common solid cancers: a case-control study. <i>European Journal of Cancer Prevention</i> , 2017 , 26, 86-93	2	7
94	Risk of hepatocellular carcinoma among individuals with different aetiologies of cirrhosis: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 983-990	6.1	35
93	Prevalence of clinically significant liver disease within the general population, as defined by non-invasive markers of liver fibrosis: a systematic review. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 288-297	18.8	80
92	The Pattern of Underlying Cause of Death in Patients with Inflammatory Bowel Disease in England: A Record Linkage Study. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 578-585	1.5	6
91	The risk of infection in patients with pernicious anaemia: a retrospective cohort study using primary care database. <i>United European Gastroenterology Journal</i> , 2017 , 5, 959-966	5.3	5
90	Economic evaluation of a community-based diagnostic pathway to stratify adults for non-alcoholic fatty liver disease: a Markov model informed by a feasibility study. <i>BMJ Open</i> , 2017 , 7, e015659	3	33
89	Community acquired pneumonia incidence before and after proton pump inhibitor prescription: population based study. <i>BMJ, The</i> , 2016 , 355, i5813	5.9	42
88	Adverse Pregnancy Outcomes Among Women with Inflammatory Bowel Disease: A Population-Based Study from England. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1621-30	4.5	23
87	Extra-Gastrointestinal Manifestations of Inflammatory Bowel Disease May Be Less Common Than Previously Reported. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 2619-26	4	22
86	Calculating Total Health Service Utilisation and Costs from Routinely Collected Electronic Health Records Using the Example of Patients with Irritable Bowel Syndrome Before and After Their First Gastroenterology Appointment. <i>Pharmacoeconomics</i> , 2016 , 34, 181-94	4.4	24

85	The Use of a Bayesian Hierarchy to Develop and Validate a Co-Morbidity Score to Predict Mortality for Linked Primary and Secondary Care Data from the NHS in England. <i>PLoS ONE</i> , 2016 , 11, e0165507	3.7	5
84	Proton pump inhibitor prescribing patterns in the UK: a primary care database study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1079-87	2.6	60
83	When are breast cancer patients at highest risk of venous thromboembolism? A cohort study using English health care data. <i>Blood</i> , 2016 , 127, 849-57; quiz 953	2.2	66
82	Causes of death in people with coeliac disease in England compared with the general population: a competing risk analysis. <i>Gut</i> , 2015 , 64, 1220-6	19.2	39
81	Support for patients with celiac disease: A literature review. <i>United European Gastroenterology Journal</i> , 2015 , 3, 146-59	5.3	23
80	Psychological morbidity of celiac disease: A review of the literature. <i>United European Gastroenterology Journal</i> , 2015 , 3, 136-45	5.3	94
79	Socioeconomic variation in the incidence of childhood coeliac disease in the UK. <i>Archives of Disease in Childhood</i> , 2015 , 100, 466-73	2.2	30
78	Direct targeting of risk factors significantly increases the detection of liver cirrhosis in primary care: a cross-sectional diagnostic study utilising transient elastography. <i>BMJ Open</i> , 2015 , 5, e007516	3	66
77	A comparison of the recording of comorbidity in primary and secondary care by using the Charlson Index to predict short-term and long-term survival in a routine linked data cohort. <i>BMJ Open</i> , 2015 , 5, e007974	3	53
76	Decreased fertility rates in 9639 women diagnosed with inflammatory bowel disease: a United Kingdom population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 42, 855-66	6.1	50
75	Screening for celiac disease in the general population and in high-risk groups. <i>United European Gastroenterology Journal</i> , 2015 , 3, 106-20	5.3	75
74	Change in Quality of Life for Patients with Irritable Bowel Syndrome following Referral to a Gastroenterologist: A Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0139389	3.7	20
73	Variation in the risk of venous thromboembolism in people with colorectal cancer: a population-based cohort study from England. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 641-9	15.4	23
72	Incidence and prevalence of celiac disease and dermatitis herpetiformis in the UK over two decades: population-based study. <i>American Journal of Gastroenterology</i> , 2014 , 109, 757-68	0.7	178
71	Venous thromboembolism in children with cancer - a population-based cohort study. <i>Thrombosis Research</i> , 2014 , 133, 340-4	8.2	23
70	Limited risks of major congenital anomalies in children of mothers with IBD and effects of medications. <i>Gastroenterology</i> , 2014 , 146, 76-84	13.3	60
69	The incidence of other gastroenterological disease following diagnosis of irritable bowel syndrome in the UK: a cohort study. <i>PLoS ONE</i> , 2014 , 9, e106478	3.7	27
68	How to Decide if any of this Matters 2014 , 58-64		

67 How to read a case-control study **2014**, 30-38

66	Response to van Zanten. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1953	0.7	
65	Diagnosis and management of adult coeliac disease: guidelines from the British Society of Gastroenterology. <i>Gut</i> , 2014 , 63, 1210-28	19.2	660
64	The association of exposure to hepatitis B and C viruses with lung function and respiratory disease: a population based study from the NHANES III database. <i>Respiratory Medicine</i> , 2014 , 108, 1733-40	4.6	7
63	Review article: the economic impact of the irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 1023-34	6.1	231
62	The epidemiology of irritable bowel syndrome. <i>Clinical Epidemiology</i> , 2014 , 6, 71-80	5.9	440
61	Are IBD patients more likely to have a prior diagnosis of irritable bowel syndrome? Report of a case-control study in the General Practice Research Database. <i>United European Gastroenterology Journal</i> , 2014 , 2, 505-12	5.3	31
60	Antibiotic exposure and the development of coeliac disease: a nationwide case-control study. <i>BMC Gastroenterology</i> , 2013 , 13, 109	3	109
59	The communication of a secondary care diagnosis of autoimmune hepatitis to primary care practitioners: a population-based study. <i>BMC Health Services Research</i> , 2013 , 13, 161	2.9	6
58	Reply: To PMID 23470619. <i>Gastroenterology</i> , 2013 , 145, 1496	13.3	
57	Primary biliary cirrhosis does not increase the risk of UTIs following diagnosis compared to other chronic liver diseases?. <i>Liver International</i> , 2013 , 33, 384-8	7.9	5
56	An excess of prior irritable bowel syndrome diagnoses or treatments in Celiac disease: evidence of diagnostic delay. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 801-7	2.4	19
55	How to critically read the GI epidemiology literature. <i>Gastroenterology</i> , 2013 , 145, 496-9	13.3	2
54	Cause-specific mortality of people with Barrett's esophagus compared with the general population: a population-based cohort study. <i>Gastroenterology</i> , 2013 , 144, 1375-83, 1383.e1	13.3	45
53	Incidence of venous thromboembolism in patients with cancer - a cohort study using linked United Kingdom databases. <i>European Journal of Cancer</i> , 2013 , 49, 1404-13	7.5	267
52	Comorbidities affect risk of nonvariceal upper gastrointestinal bleeding. <i>Gastroenterology</i> , 2013 , 144, 1384-93, 1393.e1-2; quiz e18-9	13.3	68
51	Excess long-term mortality following non-variceal upper gastrointestinal bleeding: a population-based cohort study. <i>PLoS Medicine</i> , 2013 , 10, e1001437	11.6	22
50	Letter: the burden of co-morbidity in the population contributes more to upper gastrointestinal bleeding than aspirin. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 37, 1115	6.1	1

49	Commentary: comparisons of upper gastrointestinal bleeding mortality by admission time. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 681-2	6.1	
48	Risk of stroke in 28,000 patients with celiac disease: a nationwide cohort study in Sweden. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012 , 21, 860-7	2.8	30
47	Survival of glioma and colorectal cancer patients using tricyclic antidepressants post-diagnosis. <i>Cancer Causes and Control</i> , 2012 , 23, 1959-64	2.8	19
46	Defining upper gastrointestinal bleeding from linked primary and secondary care data and the effect on occurrence and 28 day mortality. <i>BMC Health Services Research</i> , 2012 , 12, 392	2.9	22
45	Commentary: is CRP ready for use to indicate response or remission with infliximab in Crohn's? <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 960-1; discussion 961-2	6.1	3
44	Neutral risk of lung cancer in adults with celiac disease--nationwide cohort study. <i>Lung Cancer</i> , 2012 , 78, 179-84	5.9	8
43	All-cause mortality in people with cirrhosis compared with the general population: a population-based cohort study. <i>Liver International</i> , 2012 , 32, 79-84	7.9	89
42	The long-term risk of malignancy following a diagnosis of coeliac disease or dermatitis herpetiformis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 730-9	6.1	52
41	Upper gastrointestinal haemorrhage and deprivation: a nationwide cohort study of health inequality in hospital admissions. <i>Gut</i> , 2012 , 61, 514-20	19.2	34
40	Aspirin and other non-steroidal anti-inflammatory drug use and colorectal cancer survival: a cohort study. <i>British Journal of Cancer</i> , 2012 , 107, 1602-7	8.7	45
39	Incidence, mortality, and disease associations of pyoderma gangrenosum in the United Kingdom: a retrospective cohort study. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2166-70	4.3	134
38	Reductions in 28-day mortality following hospital admission for upper gastrointestinal hemorrhage. <i>Gastroenterology</i> , 2011 , 141, 62-70	13.3	71
37	Tricyclic antidepressants and the incidence of certain cancers: a study using the GPRD. <i>British Journal of Cancer</i> , 2011 , 104, 193-7	8.7	78
36	Angiotensin converting enzyme inhibitors and hepatocellular carcinoma incidence in the General Practice Research Database. <i>Cancer Causes and Control</i> , 2011 , 22, 1743-7	2.8	4
35	An increased risk of urinary tract infection precedes development of primary biliary cirrhosis. <i>BMC Gastroenterology</i> , 2011 , 11, 95	3	35
34	Causes of death in people with celiac disease spanning the pre- and post-serology era: a population-based cohort study from Derby, UK. <i>American Journal of Gastroenterology</i> , 2011 , 106, 933-9	0.7	48
33	Outcomes following early red blood cell transfusion in acute upper gastrointestinal bleeding. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 215-24	6.1	66
32	The rate of decompensation and clinical progression of disease in people with cirrhosis: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 1343-50	6.1	75

31	Risk of cancer in inflammatory bowel disease treated with azathioprine: a UK population-based case-control study. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1604-9	0.7	115
30	Reduced mortality rates following elective percutaneous liver biopsies. <i>Gastroenterology</i> , 2010 , 139, 1230-7	13.3	129
29	Venous thromboembolism during active disease and remission in inflammatory bowel disease: a cohort study. <i>Lancet, The</i> , 2010 , 375, 657-63	4.0	455
28	Disease activity and venous thromboembolism in inflammatory bowel disease [Authors'Reply. <i>Lancet, The</i> , 2010 , 375, 1690-1691	4.0	1
27	The antecedents of biliary cancer: a primary care case-control study in the United Kingdom. <i>British Journal of Cancer</i> , 2009 , 100, 178-80	8.7	60
26	The epidemiology of haemochromatosis: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 183-92	6.1	23
25	Incidence and mortality of primary sclerosing cholangitis in the UK: a population-based cohort study. <i>Journal of Hepatology</i> , 2008 , 48, 939-44	13.4	99
24	Incidence and prevalence of cirrhosis in the United Kingdom, 1992-2001: a general population-based study. <i>Journal of Hepatology</i> , 2008 , 49, 732-8	13.4	128
23	Risk of cardiovascular and cerebrovascular events in primary biliary cirrhosis: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2784-8	0.7	44
22	Influence of ursodeoxycholic acid on the mortality and malignancy associated with primary biliary cirrhosis: a population-based cohort study. <i>Hepatology</i> , 2007 , 46, 1131-7	11.2	63
21	Is an internal comparison better than using national data when estimating mortality in longitudinal studies?. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 819-21	5.1	33
20	Fracture risk in people with primary biliary cirrhosis: a population-based cohort study. <i>Gastroenterology</i> , 2006 , 131, 1752-7	13.3	71
19	Risk of schizophrenia in people with coeliac disease, ulcerative colitis and Crohn's disease: a general population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 71-4	6.1	38
18	General population based study of the impact of tricyclic and selective serotonin reuptake inhibitor antidepressants on the risk of acute myocardial infarction. <i>Heart</i> , 2005 , 91, 465-71	5.1	109
17	Fertility and pregnancy-related events in women with celiac disease: a population-based cohort study. <i>Gastroenterology</i> , 2005 , 128, 849-55	13.3	100
16	Does concurrent prescription of selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs substantially increase the risk of upper gastrointestinal bleeding?. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 22, 175-81	6.1	67
15	5-Aminosalicylate use and colorectal cancer risk in inflammatory bowel disease: a large epidemiological study. <i>Gut</i> , 2005 , 54, 1573-8	19.2	208
14	Mortality associated with Barrett's esophagus and gastroesophageal reflux disease diagnoses-a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2616-21	0.7	58

13	Antibiotic use and the development of Crohn's disease. <i>Gut</i> , 2004 , 53, 246-50	19.2	107
12	Malignancy and mortality in people with coeliac disease: population based cohort study. <i>BMJ</i> , 2004 , 329, 716-9	5.9	236
11	Risk of oesophageal cancer in Barrett's oesophagus and gastro-oesophageal reflux. <i>Gut</i> , 2004 , 53, 1070-4	19.2	208
10	Hip fractures in patients with inflammatory bowel disease and their relationship to corticosteroid use: a population based cohort study. <i>Gut</i> , 2004 , 53, 251-5	19.2	112
9	Risk of vascular disease in adults with diagnosed coeliac disease: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 73-9	6.1	93
8	Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 769-75	6.1	80
7	Monitoring methotrexate-induced hepatic fibrosis in patients with psoriasis: are serial liver biopsies justified?. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 19, 391-9	6.1	79
6	Risk of extra-oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastro-oesophageal reflux. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 680-5	2.4	24
5	Fracture risk in people with celiac disease: a population-based cohort study. <i>Gastroenterology</i> , 2003 , 125, 429-36	13.3	146
4	Mortality in inflammatory bowel disease: a population-based cohort study. <i>Gastroenterology</i> , 2003 , 125, 1583-90	13.3	128
3	No seasonality in month of birth of inflammatory bowel disease cases: a prospective population based study of British under 20 year olds. <i>Gut</i> , 2002 , 51, 814-5	19.2	16
2	How to Find and Apply Large Databases for Epidemiologic Research	83-97	
1	Epidemiology of Upper Gastrointestinal Bleeding	172-184	6