

Maria Cbv Fragoso

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8405430/maria-cbv-fragoso-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

2,210
citations

24
h-index

45
g-index

74
ext. papers

2,643
ext. citations

4.3
avg, IF

4.14
L-index

#	Paper	IF	Citations
70	Comprehensive Pan-Genomic Characterization of Adrenocortical Carcinoma. <i>Cancer Cell</i> , 2016 , 29, 723-736	16.3	324
69	An inherited mutation outside the highly conserved DNA-binding domain of the p53 tumor suppressor protein in children and adults with sporadic adrenocortical tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 4970-3	5.6	151
68	Cushing's syndrome secondary to adrenocorticotropin-independent macronodular adrenocortical hyperplasia due to activating mutations of GNAS1 gene. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 2147-51	5.6	144
67	Progression to adrenocortical tumorigenesis in mice and humans through insulin-like growth factor 2 and Eatenin. <i>American Journal of Pathology</i> , 2012 , 181, 1017-33	5.8	124
66	Expression of insulin-like growth factor-II and its receptor in pediatric and adult adrenocortical tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3524-31	5.6	123
65	The desmopressin stimulation test in the differential diagnosis of Cushing's syndrome. <i>Clinical Endocrinology</i> , 1993 , 38, 463-72	3.4	116
64	ARMC5 mutations are a frequent cause of primary macronodular adrenal Hyperplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E1501-9	5.6	87
63	Activating Mutation of the Stimulatory G Protein (gsp) as a Putative Cause of Ovarian and Testicular Human Stromal Leydig Cell Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 2074-2078	5.6	82
62	Combined expression of BUB1B, DLGAP5, and PINK1 as predictors of poor outcome in adrenocortical tumors: validation in a Brazilian cohort of adult and pediatric patients. <i>European Journal of Endocrinology</i> , 2012 , 166, 61-7	6.5	62
61	Steroidogenic factor 1 overexpression and gene amplification are more frequent in adrenocortical tumors from children than from adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1458-62	5.6	50
60	Primary bilateral macronodular adrenal hyperplasia. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2014 , 21, 177-84	4	43
59	High penetrance of pheochromocytoma associated with the novel C634Y/Y791F double germline mutation in the RET protooncogene. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1318-27	5.6	40
58	Treatment of gonadotropin dependent precocious puberty due to hypothalamic hamartoma with gonadotropin releasing hormone agonist depot. <i>Archives of Disease in Childhood</i> , 1999 , 80, 231-4	2.2	38
57	ARMC5 mutations in a large French-Canadian family with cortisol-secreting Adrenergic/vasopressin responsive bilateral macronodular adrenal hyperplasia. <i>European Journal of Endocrinology</i> , 2016 , 174, 85-96	6.5	34
56	MANAGEMENT OF ENDOCRINE DISEASE: Management of pregnant patients with Cushing's syndrome. <i>European Journal of Endocrinology</i> , 2015 , 173, R85-91	6.5	32
55	The role of desmopressin in bilateral and simultaneous inferior petrosal sinus sampling for differential diagnosis of ACTH-dependent Cushing's syndrome. <i>Clinical Endocrinology</i> , 2007 , 66, 136-42	3.4	31
54	Genetics of primary macronodular adrenal hyperplasia. <i>Journal of Endocrinology</i> , 2015 , 224, R31-43	4.7	30

53	No evidence of somatic activating mutations on gonadotropin receptor genes in sex cord stromal tumors. <i>Fertility and Sterility</i> , 2000 , 74, 992-5	4.8	28
52	Metabolic reprogramming: a new relevant pathway in adult adrenocortical tumors. <i>Oncotarget</i> , 2015 , 6, 44403-21	3.3	28
51	Isolated familial somatotropinoma: 11q13-loh and gene/protein expression analysis suggests a possible involvement of aip also in non-pituitary tumorigenesis. <i>Clinics</i> , 2010 , 65, 407-15	2.3	27
50	Deletion mapping of chromosome 17 in benign and malignant adrenocortical tumors associated with the Arg337His mutation of the p53 tumor suppressor protein. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2976-81	5.6	27
49	Cortisol and adrenocorticotropin response to desmopressin in women with Cushing's disease compared with depressive illness. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 2233-2237	5.6	27
48	Association between the p27 rs2066827 variant and tumor multiplicity in patients harboring MEN1 germline mutations. <i>European Journal of Endocrinology</i> , 2014 , 171, 335-42	6.5	24
47	The Use of Three-dimensional Printers for Partial Adrenalectomy: Estimating the Resection Limits. <i>Urology</i> , 2016 , 90, 217-20	1.6	23
46	Complete resolution of hypercortisolism with sorafenib in a patient with advanced medullary thyroid carcinoma and ectopic ACTH (adrenocorticotrophic hormone) syndrome. <i>Thyroid</i> , 2014 , 24, 1062-6	6.2	23
45	(18)F-FDG-PET/CT imaging of ACTH-independent macronodular adrenocortical hyperplasia (AIMAH) demonstrating increased (18)F-FDG uptake. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3300-1	5.6	23
44	POD-1 binding to the E-box sequence inhibits SF-1 and StAR expression in human adrenocortical tumor cells. <i>Molecular and Cellular Endocrinology</i> , 2013 , 371, 140-7	4.4	21
43	Expression of LIN28 and its regulatory microRNAs in adult adrenocortical cancer. <i>Clinical Endocrinology</i> , 2015 , 82, 481-8	3.4	20
42	Radiographic Characteristics of Adrenal Masses Preceding the Diagnosis of Adrenocortical Cancer. <i>Hormones and Cancer</i> , 2015 , 6, 176-81	5	19
41	Sonic hedgehog signaling is active in human adrenal cortex development and deregulated in adrenocortical tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E1209-16	5.6	19
40	Cushing's disease due to somatic USP8 mutations: a systematic review and meta-analysis. <i>Pituitary</i> , 2019 , 22, 435-442	4.3	18
39	p27 variant and corticotropinoma susceptibility: a genetic and in vitro study. <i>Endocrine-Related Cancer</i> , 2014 , 21, 395-404	5.7	18
38	Transcriptome Analysis Showed a Differential Signature between Invasive and Non-invasive Corticotrophinomas. <i>Frontiers in Endocrinology</i> , 2017 , 8, 55	5.7	17
37	Differential Expression of Stem Cell Markers in Human Adamantinomatous Craniopharyngioma and Pituitary Adenoma. <i>Neuroendocrinology</i> , 2017 , 104, 183-193	5.6	16
36	The role of fibroblast growth factor receptor 4 overexpression and gene amplification as prognostic markers in pediatric and adult adrenocortical tumors. <i>Endocrine-Related Cancer</i> , 2012 , 19, L11-3	5.7	16

35	Low DICER1 expression is associated with poor clinical outcome in adrenocortical carcinoma. <i>Oncotarget</i> , 2015 , 6, 22724-33	3.3	15
34	Mutation analysis of the follicle-stimulating hormone receptor gene in girls with gonadotropin-independent precocious puberty resulting from autonomous cystic ovaries. <i>Fertility and Sterility</i> , 2000 , 73, 280-3	4.8	15
33	Possible role of a radiation-induced p53 mutation in a Nelson's syndrome patient with a fatal outcome. <i>Pituitary</i> , 2011 , 14, 400-4	4.3	14
32	Guidelines for the management of neuroendocrine tumours by the Brazilian gastrointestinal tumour group. <i>Ecancermedicalscience</i> , 2017 , 11, 716	2.7	12
31	Influence of the fibroblast growth factor receptor 4 expression and the G388R functional polymorphism on Cushing's disease outcome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, E271-9	5.6	12
30	Pregnancy in Women Previously Treated for an Adrenocortical Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 4604-11	5.6	11
29	Choroidal and Retinal Abnormalities by Optical Coherence Tomography in Endogenous Cushing's Syndrome. <i>Frontiers in Endocrinology</i> , 2016 , 7, 154	5.7	11
28	POD-1/TCF21 Reduces SHP Expression, Affecting LRH-1 Regulation and Cell Cycle Balance in Adrenocortical and Hepatocarcinoma Tumor Cells. <i>BioMed Research International</i> , 2015 , 2015, 841784	3	9
27	An inhibin B and estrogen-secreting adrenocortical carcinoma leading to selective FSH suppression. <i>Hormone Research in Paediatrics</i> , 2007 , 67, 7-11	3.3	9
26	Recommendations of the Neuroendocrinology Department of the Brazilian Society of Endocrinology and Metabolism for the diagnosis of Cushing's disease in Brazil. <i>Archives of Endocrinology and Metabolism</i> , 2016 , 60, 267-86	2.2	9
25	Negative correlation between tumour size and cortisol/ACTH ratios in patients with Cushing's disease harbouring microadenomas or macroadenomas. <i>Journal of Endocrinological Investigation</i> , 2016 , 39, 1401-1409	5.2	9
24	DAX1 Overexpression in Pediatric Adrenocortical Tumors: A Synergic Role with SF1 in Tumorigenesis. <i>Hormone and Metabolic Research</i> , 2015 , 47, 656-61	3.1	8
23	Genetics of primary macronodular adrenal hyperplasia. <i>Presse Medicale</i> , 2018 , 47, e139-e149	2.2	8
22	Altered expression of noncanonical Wnt pathway genes in paediatric and adult adrenocortical tumours. <i>Clinical Endocrinology</i> , 2014 , 81, 503-10	3.4	8
21	PROP1 overexpression in corticotrophinomas: evidence for the role of PROP1 in the maintenance of cells committed to corticotrophic differentiation. <i>Clinics</i> , 2013 , 68, 887-91	2.3	8
20	Presentation and surgery outcomes in elderly with pheocromocytoma: a comparative analysis with Young patients. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016 , 42, 671-7	2	8
19	Amplification of the insulin-like growth factor 1 receptor gene is a rare event in adrenocortical adenocarcinomas: searching for potential mechanisms of overexpression. <i>BioMed Research International</i> , 2014 , 2014, 936031	3	7
18	High 18F-FDG uptake in PMAH correlated with normal expression of Glut1, HK1, HK2, and HK3. <i>Acta Radiologica</i> , 2016 , 57, 370-7	2	6

17	TCF21/POD-1, a Transcriptional Regulator of SF-1/NR5A1, as a Potential Prognosis Marker in Adult and Pediatric Adrenocortical Tumors. <i>Frontiers in Endocrinology</i> , 2018 , 9, 38	5-7	6
16	GLUT1 expression in pediatric adrenocortical tumors: a promising candidate to predict clinical behavior. <i>Oncotarget</i> , 2017 , 8, 63835-63845	3-3	6
15	The Role of gsp Mutations on the Development of Adrenocortical Tumors and Adrenal Hyperplasia. <i>Frontiers in Endocrinology</i> , 2016 , 7, 104	5-7	6
14	Low Protein Expression of both and as Novel Negative Prognostic Markers of Adult Adrenocortical Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6-3	6
13	A missense TCF1 mutation in a patient with mody-3 and liver adenomatosis. <i>Clinics</i> , 2010 , 65, 1059-60	2-3	5
12	Stathmin 1 is highly expressed and associated with survival outcome in malignant adrenocortical tumours. <i>Investigational New Drugs</i> , 2020 , 38, 899-908	4-3	5
11	Long-term Results after CT-Guided Percutaneous Ethanol Ablation for the Treatment of Hyperfunctioning Adrenal Disorders. <i>Clinics</i> , 2016 , 71, 600-605	2-3	4
10	Expression profiles of the glucose-dependent insulinotropic peptide receptor and LHCGR in sporadic adrenocortical tumors. <i>Journal of Endocrinology</i> , 2009 , 200, 167-75	4-7	3
9	A New Insight into the Surgical Treatment of Primary Macronodular Adrenal Hyperplasia. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa083	0-4	3
8	Allelic Variants of in Patients With Adrenal Incidentalomas and in Patients With Cushing's Syndrome Associated With Bilateral Adrenal Nodules. <i>Frontiers in Endocrinology</i> , 2020 , 11, 36	5-7	2
7	Assessing the emerging oncogene protein kinase C epsilon as a candidate gene in families with Carney complex-2. <i>Clinical Endocrinology</i> , 2012 , 76, 147-8	3-4	2
6	Analysis of glucose-dependent insulinotropic peptide receptor (GIPR) and luteinizing hormone receptor (LHCGR) expression in human adrenocortical hyperplasia. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2009 , 53, 326-31		2
5	Genotype analysis of the human endostatin variant p.D104N in benign and malignant adrenocortical tumors. <i>Clinics</i> , 2012 , 67, 95-8	2-3	2
4	An Overview of the Heterogeneous Causes of Cushing Syndrome Resulting From Primary Macronodular Adrenal Hyperplasia (PMAH).. <i>Journal of the Endocrine Society</i> , 2022 , 6, bvac041	0-4	0
3	Molecular and cellular regulation of primary macronodular adrenal hyperplasia. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2019 , 8, 112-121	1-7	
2	Adrenocortical Tumors and gsp Mutations 2019 , 266-270		
1	ACTH-Independent Cushing's Syndrome: Adrenocortical Tumors 2010 , 189-208		