

Martin J Lechowicz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8408071/martin-j-lechowicz-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141 papers	8,039 citations	43 h-index	86 g-index
143 ext. papers	8,930 ext. citations	3.6 avg, IF	6.18 L-index

#	Paper	IF	Citations
141	Harsh environmental regimes increase the functional significance of intraspecific variation in plant communities. <i>Functional Ecology</i> , 2020 , 34, 1666-1677	5.6	10
140	Functional ecology of congeneric variation in the leaf economics spectrum. <i>New Phytologist</i> , 2020 , 225, 196-208	9.8	8
139	The MontPélie Connection: Understanding How Ecosystems Can Provide Resilience to the Risk of Ecosystem Service Change 2019 , 291-300		
138	Complementary crops and landscape features sustain wild bee communities 2018 , 28, 1093-1105		23
137	Recognizing the 'sparsely settled forest'—Multi-decade socioecological change dynamics and community exemplars. <i>Landscape and Urban Planning</i> , 2018 , 170, 177-186	7.7	5
136	Moving forward in implementing green infrastructures: Stakeholder perceptions of opportunities and obstacles in a major North American metropolitan area. <i>Cities</i> , 2018 , 81, 61-70	5.6	30
135	Leaf Photosynthesis Integrated over Time. <i>Advances in Photosynthesis and Respiration</i> , 2018 , 473-492	1.7	2
134	Similarities and differences in intrapopulation trait correlations of co-occurring tree species: consistent water-use relationships amid widely different correlation patterns. <i>American Journal of Botany</i> , 2018 , 105, 1477-1490	2.7	15
133	Interspecific integration of trait dimensions at local scales: the plant phenotype as an integrated network. <i>Journal of Ecology</i> , 2017 , 105, 1775-1790	6	73
132	Patterns of pollinator turnover and increasing diversity associated with urban habitats. <i>Urban Ecosystems</i> , 2017 , 20, 1359-1371	2.8	43
131	Non-native fruit trees facilitate colonization of native forest on abandoned farmland. <i>Restoration Ecology</i> , 2017 , 25, 211-219	3.1	18
130	Trait variation and integration across scales: is the leaf economic spectrum present at local scales?. <i>Ecography</i> , 2017 , 40, 685-697	6.5	110
129	Grazing increases functional richness but not functional divergence in Tibetan alpine meadow plant communities. <i>Biodiversity and Conservation</i> , 2016 , 25, 2441-2452	3.4	33
128	Foliar phosphorus content predicts species relative abundance in P-limited Tibetan alpine meadows. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016 , 22, 47-54	3	10
127	The underlying basis for the trade-off between leaf size and leafing intensity. <i>Functional Ecology</i> , 2016 , 30, 199-205	5.6	13
126	Influence of dust deposition and climate on the radial growth of <i>Tsuga canadensis</i> near its northern range limit. <i>European Journal of Forest Research</i> , 2016 , 135, 69-76	2.7	4
125	Evaluating general allometric models: interspecific and intraspecific data tell different stories due to interspecific variation in stem tissue density and leaf size. <i>Oecologia</i> , 2016 , 180, 671-84	2.9	4

124	Axiomatic Plant Ecology: Reflections Toward a Unified Theory for Plant Productivity. <i>Advances in Photosynthesis and Respiration</i> , 2016 , 399-423	1.7	2
123	Grazing-induced shifts in community functional composition and soil nutrient availability in Tibetan alpine meadows. <i>Journal of Applied Ecology</i> , 2016 , 53, 1554-1564	5.8	36
122	Tradeoffs between forage quality and soil fertility: Lessons from Himalayan rangelands. <i>Agriculture, Ecosystems and Environment</i> , 2016 , 234, 31-39	5.7	21
121	Ecological and Evolutionary Diversification Within the Genus <i>Carex</i> (Cyperaceae): Consequences for Community Assembly in Subarctic Fens. <i>Systematic Botany</i> , 2016 , 41, 558-579	0.7	9
120	Historical anthropogenic disturbances influence patterns of non-native earthworm and plant invasions in a temperate primary forest. <i>Biological Invasions</i> , 2015 , 17, 1267-1281	2.7	19
119	Pollination services are mediated by bee functional diversity and landscape context. <i>Agriculture, Ecosystems and Environment</i> , 2015 , 200, 12-20	5.7	132
118	The effects of grazing on foliar trait diversity and niche differentiation in Tibetan alpine meadows. <i>Ecosphere</i> , 2015 , 6, art150	3.1	32
117	The Montañi Connection: linking landscapes, biodiversity, and ecosystem services to improve decision making. <i>Ecology and Society</i> , 2015 , 20,	4.1	27
116	Communities in the middle—Interactions between drivers of change and place-based characteristics in rural forest-based communities. <i>Journal of Rural Studies</i> , 2015 , 42, 79-90	4.2	16
115	Functional ecology of growth in seedlings versus root sprouts of <i>Fagus grandifolia</i> Ehrh.. <i>Trees - Structure and Function</i> , 2013 , 27, 337-340	2.6	6
114	Niche breadth and range area in North American trees. <i>Ecography</i> , 2013 , 36, 300-312	6.5	38
113	Leaf longevity as a normalization constant in allometric predictions of plant production. <i>PLoS ONE</i> , 2013 , 8, e81873	3.7	7
112	Post-fire succession of collembolan communities in a northern hardwood forest. <i>European Journal of Soil Biology</i> , 2012 , 48, 59-65	2.9	34
111	Detecting changes in forest floor habitat after canopy disturbance. <i>Ecological Research</i> , 2012 , 27, 397-406	6.9	3
110	Experimental test for adaptive differentiation of ginseng populations reveals complex response to temperature. <i>Annals of Botany</i> , 2012 , 110, 829-37	4.1	17
109	Norway maple displays greater seasonal growth and phenotypic plasticity to light than native sugar maple. <i>Tree Physiology</i> , 2012 , 32, 1339-47	4.2	34
108	Contributions of leaf photosynthetic capacity, leaf angle and self-shading to the maximization of net photosynthesis in <i>Acer saccharum</i> : a modelling assessment. <i>Annals of Botany</i> , 2012 , 110, 731-41	4.1	19
107	Leaves: Evolution, Ontogeny, and Death. <i>Structure and Function of Mountain Ecosystems in Japan</i> , 2011 , 7-21	0.1	1

106	Theories of Leaf Longevity. <i>Structure and Function of Mountain Ecosystems in Japan</i> , 2011 , 41-56	0.1	1
105	Biogeography of Leaf Longevity and Foliar Habit. <i>Structure and Function of Mountain Ecosystems in Japan</i> , 2011 , 99-108	0.1	1
104	Quantifying Leaf Longevity. <i>Structure and Function of Mountain Ecosystems in Japan</i> , 2011 , 23-39	0.1	
103	Key Elements of Foliar Function. <i>Structure and Function of Mountain Ecosystems in Japan</i> , 2011 , 67-76	0.1	
102	Endogenous Influences on Leaf Longevity. <i>Structure and Function of Mountain Ecosystems in Japan</i> , 2011 , 77-86	0.1	
101	Ecology of Leaf Longevity. <i>Structure and Function of Mountain Ecosystems in Japan</i> , 2011 ,	0.1	86
100	Geographical and ecological patterns of range size in North American trees. <i>Ecography</i> , 2011 , 34, 738-750.	0.5	23
99	Human-disturbance and caterpillars in managed forest fragments. <i>Biodiversity and Conservation</i> , 2011 , 20, 1745-1762	3.4	8
98	Comment on Present-day expansion of American beech in northeastern hardwood forests: Does soil base status matter? Appears in Can. J. For. Res. 39: 2273-2282 (2009).. <i>Canadian Journal of Forest Research</i> , 2011 , 41, 649-653	1.9	5
97	The role of dispersal in shaping plant community composition of wetlands within an old-growth forest. <i>Journal of Ecology</i> , 2010 , 98, 1292-1299	6	36
96	How do traits vary across ecological scales? A case for trait-based ecology. <i>Ecology Letters</i> , 2010 , 13, 838-48	10	482
95	Sugar maple and yellow birch regeneration in response to canopy opening, liming and vegetation control in a temperate deciduous forest of Quebec. <i>Forest Ecology and Management</i> , 2010 , 259, 2006-2014	3.9	33
94	Codominance of <i>Acer saccharum</i> and <i>Fagus grandifolia</i> : the role of <i>Fagus</i> root sprouts along a slope gradient in an old-growth forest. <i>Journal of Plant Research</i> , 2010 , 123, 665-74	2.6	16
93	Disjunct performance and distribution in the sedge <i>Carex prasina</i> . <i>Oecologia</i> , 2010 , 163, 119-26	2.9	3
92	Optimal photosynthetic use of light by tropical tree crowns achieved by adjustment of individual leaf angles and nitrogen content. <i>Annals of Botany</i> , 2009 , 103, 795-805	4.1	82
91	Canopy ergodicity: can a single leaf represent an entire plant canopy?. <i>Plant Ecology</i> , 2009 , 202, 309-323	1.7	16
90	Leaf phenology in 22 North American tree species during the 21st century. <i>Global Change Biology</i> , 2009 , 15, 961-975	11.4	235
89	Contemporary perspectives on the niche that can improve models of species range shifts under climate change. <i>Biology Letters</i> , 2008 , 4, 573-6	3.6	106

88	Plant species diversity and composition of wetlands within an upland forest. <i>American Journal of Botany</i> , 2008 , 95, 1216-24	2.7	38
87	Do interspecific differences in sapling growth traits contribute to the co-dominance of <i>Acer saccharum</i> and <i>Fagus grandifolia</i> ?. <i>Annals of Botany</i> , 2008 , 101, 103-9	4.1	18
86	Are correlations among foliar traits in ferns consistent with those in the seed plants?. <i>New Phytologist</i> , 2007 , 173, 306-12	9.8	48
85	The ecological and functional correlates of nocturnal transpiration. <i>Tree Physiology</i> , 2007 , 27, 577-84	4.2	87
84	Quantitative and qualitative effects of a severe ice storm on an old-growth beech-maple forest. <i>Canadian Journal of Forest Research</i> , 2007 , 37, 598-606	1.9	19
83	Changes in understory light regime in a beech-maple forest after a severe ice storm. <i>Canadian Journal of Forest Research</i> , 2007 , 37, 1770-1776	1.9	13
82	A holistic tree seedling model for the investigation of functional trait diversity. <i>Ecological Modelling</i> , 2006 , 193, 141-181	3	23
81	Toward synthesis of relationships among leaf longevity, instantaneous photosynthetic rate, lifetime leaf carbon gain, and the gross primary production of forests. <i>American Naturalist</i> , 2006 , 168, 373-83	3.7	59
80	The comparative evidence relating to functional and neutral interpretations of biological communities. <i>Ecology</i> , 2006 , 87, 1378-86	4.6	43
79	Alternative designs and the evolution of functional diversity. <i>American Naturalist</i> , 2006 , 167, 55-66	3.7	155
78	Fundamental trade-offs generating the worldwide leaf economics spectrum. <i>Ecology</i> , 2006 , 87, 535-41	4.6	340
77	Climatic limits for the present distribution of beech (<i>Fagus</i> L.) species in the world. <i>Journal of Biogeography</i> , 2006 , 33, 1804-1819	4.1	189
76	FERN COMMUNITY ASSEMBLY: THE ROLES OF CHANCE AND THE ENVIRONMENT AT LOCAL AND INTERMEDIATE SCALES. <i>Ecology</i> , 2005 , 86, 2473-2486	4.6	123
75	Environmental correlates of canopy composition at Mont St. Hilaire, Quebec, Canada ¹ . <i>Journal of the Torrey Botanical Society</i> , 2005 , 132, 90-102	0.5	18
74	INVASIBILITY AND ABIOTIC GRADIENTS: THE POSITIVE CORRELATION BETWEEN NATIVE AND EXOTIC PLANT DIVERSITY. <i>Ecology</i> , 2005 , 86, 1848-1855	4.6	132
73	Neutrality, niches, and dispersal in a temperate forest understory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7651-6	11.5	364
72	Comparative seedling ecology of eight North American spruce (<i>Picea</i>) species in relation to their geographic ranges. <i>Annals of Botany</i> , 2004 , 94, 635-44	4.1	13
71	Physiological, morphological and allocational plasticity in understory deciduous trees: importance of plant size and light availability. <i>Tree Physiology</i> , 2004 , 24, 775-84	4.2	130

70	The influence of overstory trees and abiotic factors on the sapling community in an old-growth Fagus-Acer forest. <i>Ecoscience</i> , 2002 , 9, 386-396	1.1	34
69	Ice storm damage and early recovery in an old-growth forest. <i>Environmental Monitoring and Assessment</i> , 2001 , 67, 97-108	3.1	38
68	Application of the Functional-Structural Tree Model LIGNUM to Sugar Maple Saplings (Acer saccharum Marsh) Growing in Forest Gaps. <i>Annals of Botany</i> , 2001 , 88, 471-481	4.1	33
67	Adaptation of the LIGNUM model for simulations of growth and light response in Jack pine. <i>Forest Ecology and Management</i> , 2001 , 150, 279-291	3.9	17
66	Impact of a major ice storm on an old-growth hardwood forest. <i>Canadian Journal of Botany</i> , 2001 , 79, 70-75		18
65	Phenology, Growth, and Allocation in Global Terrestrial Productivity 2001 , 61-82		18
64	Impact of a major ice storm on an old-growth hardwood forest. <i>Canadian Journal of Botany</i> , 2001 , 79, 70-75		68
63	The functional co-ordination of leaf morphology, nitrogen concentration, and gas exchange in 40 wetland species. <i>Ecoscience</i> , 2000 , 7, 183-194	1.1	46
62	Environmental heterogeneity and species diversity of forest sedges. <i>Journal of Ecology</i> , 2000 , 88, 67-87	6	57
61	Environmental distribution of four Carex species (Cyperaceae) in an old-growth forest. <i>American Journal of Botany</i> , 2000 , 87, 1507-1516	2.7	20
60	Germination and establishment of forest sedges (Carex, Cyperaceae): tests for home-site advantage and effects of leaf litter. <i>American Journal of Botany</i> , 2000 , 87, 1517-1525	2.7	28
59	The Evolution of Plant Ecophysiological Traits: Recent Advances and Future Directions. <i>BioScience</i> , 2000 , 50, 979	5.7	315
58	Leaf- and plant-level carbon gain in yellow birch, sugar maple, and beech seedlings from contrasting forest light environments. <i>Canadian Journal of Forest Research</i> , 2000 , 30, 390-404	1.9	39
57	The seed bank in an old-growth, temperate deciduous forest. <i>Canadian Journal of Botany</i> , 2000 , 78, 181-192		24
56	The seed bank in an old-growth, temperate deciduous forest. <i>Canadian Journal of Botany</i> , 2000 , 78, 181-192		72
55	Functional ecology of advance regeneration in relation to light in boreal forests. <i>Canadian Journal of Forest Research</i> , 1999 , 29, 812-823	1.9	257
54	FOLIAGE SUITABILITY OF SAPLINGS GROWN UNDER CONTRASTING WATER REGIMES TO THE GYPSY MOTH, LYMANTRIA DISPAR. <i>Canadian Entomologist</i> , 1998 , 130, 853-857	0.7	
53	Effect of sowing date on the germination and establishment of black spruce and jack pine under simulated field conditions. <i>Ecoscience</i> , 1998 , 5, 95-99	1.1	3

52	The photosynthetic response of eight species of <i>Acer</i> to simulated light regimes from the centre and edges of gaps. <i>Functional Ecology</i> , 1997 , 11, 16-23	5.6	29
51	Effects of CO ₂ enrichment, elevated temperature, and nitrogen availability on the growth and gas exchange of different families of jack pine seedlings. <i>Canadian Journal of Forest Research</i> , 1997 , 27, 510-520	1.8	9
50	Responses to CO ₂ Enrichment by Two Genotypes of <i>Arabidopsis thaliana</i> Differing in their Sensitivity to Nutrient Availability. <i>Annals of Botany</i> , 1995 , 75, 491-499	4.1	24
49	Seasonality of flowering and fruiting in temperate forest trees. <i>Canadian Journal of Botany</i> , 1995 , 73, 175-182		58
48	Phenology and seasonality of woody plants: An unappreciated element in global change research?. <i>Canadian Journal of Botany</i> , 1995 , 73, 147-148		31
47	Correlation between time of flowering and phenotypic plasticity in <i>Arabidopsis thaliana</i> (Brassicaceae). <i>American Journal of Botany</i> , 1994 , 81, 1336-1342	2.7	30
46	The ecology and genetics of fitness in forest plants. IV. Quantitative genetics of fitness components in <i>Impatiens pallida</i> (Balsaminaceae). <i>American Journal of Botany</i> , 1994 , 81, 232-239	2.7	7
45	Early Selection of Black Spruce Seedlings and Global Change: Which Genotypes Should We Favor? 1994 , 4, 604-616		17
44	Correlation between time of flowering and phenotypic plasticity in <i>Arabidopsis thaliana</i> (Brassicaceae) 1994 , 81, 1336		35
43	The ecology and genetics of fitness in forest plants. IV. Quantitative genetics of fitness components in <i>Impatiens pallida</i> (Balsaminaceae) 1994 , 81, 232		16
42	Spatial Heterogeneity at Small Scales and How Plants Respond to It 1994 , 391-414		34
41	The spatial structure of the physical environment. <i>Oecologia</i> , 1993 , 96, 114-121	2.9	134
40	Predicting the Timing of Budburst in Temperate Trees. <i>Journal of Applied Ecology</i> , 1992 , 29, 597	5.8	217
39	Foliage quality changes during canopy development of some northern hardwood trees. <i>Oecologia</i> , 1992 , 89, 316-323	2.9	122
38	The Ecology and Genetics of Fitness in Forest Plants. I. Environmental Heterogeneity Measured by Explant Trials. <i>Journal of Ecology</i> , 1991 , 79, 663	6	49
37	The Ecology and Genetics of Fitness in Forest Plants. III. Environmental Variance in Natural Populations of <i>Impatiens Pallida</i> . <i>Journal of Ecology</i> , 1991 , 79, 697	6	36
36	Host effects on the development and fecundity of gypsy moth, <i>Lymantria dispar</i> L., reared under field conditions. <i>Canadian Journal of Zoology</i> , 1991 , 69, 2217-2224	1.5	14
35	The Ecology and Genetics of Fitness in Forest Plants. II. Microspatial Heterogeneity of the Edaphic Environment. <i>Journal of Ecology</i> , 1991 , 79, 687	6	184

34	Shade adaptation and shade tolerance in saplings of three Acer species from eastern North America. <i>Oecologia</i> , 1990 , 84, 224-228	2.9	88
33	Functional Interactions among Traits that Determine Reproductive Success in a Native Annual Plant. <i>Ecology</i> , 1990 , 71, 548-557	4.6	78
32	The Statistical Analysis of Ecophysiological Response Curves Obtained from Experiments Involving Repeated Measures. <i>Ecology</i> , 1990 , 71, 1389-1400	4.6	429
31	VARIATION AMONG POPULATIONS OF XANTHIUM STRUMARIUM (COMPOSITAE) FROM NATURAL AND RUDERAL HABITATS. <i>American Journal of Botany</i> , 1989 , 76, 901-908	2.7	6
30	Effects of Leaf Removal on Reproductions vs. Belowground Storage in Trillium Grandiflorum. <i>Ecology</i> , 1989 , 70, 85-96	4.6	83
29	VARIATION AMONG POPULATIONS OF XANTHIUM STRUMARIUM (COMPOSITAE) FROM NATURAL AND RUDERAL HABITATS 1989 , 76, 901		22
28	Assessing the contributions of multiple interacting traits to plant reproductive success: environmental dependence. <i>Journal of Evolutionary Biology</i> , 1988 , 1, 255-273	2.3	73
27	Environmental Correlates of Habitat Distribution and Fitness Components in Impatiens Capensis and Impatiens Pallida. <i>Journal of Ecology</i> , 1988 , 76, 1043	6	7
26	Losses of Polyol through Leaching in Subarctic Lichens. <i>Plant Physiology</i> , 1987 , 83, 813-5	6.6	58
25	Differences in the damage caused by glaze ice on codominant Acer saccharum and Fagus grandifolia. <i>Canadian Journal of Botany</i> , 1987 , 65, 1157-1159		41
24	SPATIAL AND TEMPORAL VARIATION IN CHASMOGAMY AND CLEISTOGAMY IN OXALIS MONTANA (OXALIDACEAE). <i>American Journal of Botany</i> , 1987 , 74, 1672-1680	2.7	8
23	Resistance of the caribou lichen Cladina stellaris (Opiz.) brodo to growth reduction by simulated acidic rain. <i>Water, Air, and Soil Pollution</i> , 1987 , 34, 71	2.6	7
22	Resource allocation by plants under air pollution stress: Implications for plant-pest-pathogen interactions. <i>Botanical Review, The</i> , 1987 , 53, 281-300	3.8	35
21	SPATIAL AND TEMPORAL VARIATION IN CHASMOGAMY AND CLEISTOGAMY IN OXALIS MONTANA (OXALIDACEAE) 1987 , 74, 1672		12
20	Partitioning the transplant site effect in reciprocal transplant experiments with Impatiens capensis and Impatiens pallida. <i>Oecologia</i> , 1986 , 70, 149-154	2.9	37
19	Hostplant, larval age, and feeding behavior influence midgut pH in the gypsy moth (Lymantria dispar). <i>Oecologia</i> , 1986 , 71, 133-137	2.9	91
18	DIFFERENCES IN THE UTILIZATION OF TREE SPECIES AS LARVAL HOSTS AND PUPATION SITES BY THE GYPSY MOTH, LYMANTRIA DISPAR (LEPIDOPTERA: LYMANTRIIDAE). <i>Canadian Entomologist</i> , 1984 , 116, 685-690	0.7	13
17	THE EFFECTS OF INDIVIDUAL VARIATION IN PHYSIOLOGICAL AND MORPHOLOGICAL TRAITS ON THE REPRODUCTIVE CAPACITY OF THE COMMON COCKLEBUR, XANTHIUM STRUMARIUM L. <i>Evolution; International Journal of Organic Evolution</i> , 1984 , 38, 833-844	3.8	16

16	Why Do Temperate Deciduous Trees Leaf Out at Different Times? Adaptation and Ecology of Forest Communities. <i>American Naturalist</i> , 1984 , 124, 821-842	3.7	293
15	THE BIOLOGY OF CANADIAN WEEDS.: 56. Xanthium strumarium L.. <i>Canadian Journal of Plant Science</i> , 1983 , 63, 211-225	1	56
14	Age Dependence of Photosynthesis in the Caribou Lichen <i>Cladina stellaris</i> . <i>Plant Physiology</i> , 1983 , 71, 893-5	6.6	22
13	Host preferences of the gypsy moth, <i>Lymantria dispar</i> (L.), in southern Quebec. <i>Canadian Journal of Forest Research</i> , 1983 , 13, 53-60	1.9	26
12	Estimating the susceptibility of tree species to attack by the gypsy moth, <i>Lymantria dispar</i> . <i>Ecological Entomology</i> , 1983 , 8, 171-183	2.1	12
11	The effects of simulated acid precipitation on photosynthesis in the caribou lichen <i>Cladina stellaris</i> (Opiz) Brodo. <i>Water, Air, and Soil Pollution</i> , 1982 , 18, 421-430	2.6	36
10	Responses to moisture stress in male and female plants of <i>Rumex acetosella</i> L. (Polygonaceae). <i>Oecologia</i> , 1982 , 53, 305-309	2.9	50
9	Ecological trends in lichen photosynthesis. <i>Oecologia</i> , 1982 , 53, 330-336	2.9	22
8	The sampling characteristics of electivity indices. <i>Oecologia</i> , 1982 , 52, 22-30	2.9	352
7	The Effects of Simulated Acid Precipitation on Photosynthesis in the Caribou Lichen 1982 , 421-430		
6	The effects of climatic pattern on lichen productivity: <i>Cetraria cucullata</i> (Bell.) Ach. in the arctic tundra of northern Alaska. <i>Oecologia</i> , 1981 , 50, 210-216	2.9	31
5	Carbon dioxide exchange in <i>Cladina</i> lichens from subarctic and temperate habitats. <i>Oecologia</i> , 1978 , 32, 225-237	2.9	22
4	Ecology of <i>Cladonia</i> lichens. I. Preliminary assessment of the ecology of terricolous lichen communities in Ontario and Wisconsin. <i>Canadian Journal of Botany</i> , 1974 , 52, 55-64		20
3	Ecology of <i>Cladonia</i> lichens. II. Comparative physiological ecology of <i>C. mitis</i> , <i>C. rangiferina</i> , and <i>C. uncialis</i> . <i>Canadian Journal of Botany</i> , 1974 , 52, 411-422		35
2	Ecology of <i>Cladonia</i> lichens. III. Comparison of <i>C. caroliniana</i> , endemic to southeastern North America, with three northern <i>Cladonia</i> species. <i>Canadian Journal of Botany</i> , 1974 , 52, 565-573		14
1	Net Photosynthesis of <i>Cladonia Mitis</i> (Sand.) From Sun and Shade Sites on the Wisconsin Pine Barrens. <i>Ecology</i> , 1973 , 54, 413-419	4.6	12