

Syuji Fujii

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8408189/publications.pdf>

Version: 2024-02-01

282
papers

7,974
citations

41258

49
h-index

71532

76
g-index

287
all docs

287
docs citations

287
times ranked

5524
citing authors

#	ARTICLE	IF	CITATIONS
1	Stimulus-Responsive Emulsifiers Based on Nanocomposite Microgel Particles. <i>Advanced Materials</i> , 2005, 17, 1014-1018.	11.1	302
2	Syntheses of Shell Cross-Linked Micelles Using Acidic ABC Triblock Copolymers and Their Application as pH-Responsive Particulate Emulsifiers. <i>Journal of the American Chemical Society</i> , 2005, 127, 7304-7305.	6.6	218
3	Stimulus-Responsive Liquid Marbles. <i>Journal of the American Chemical Society</i> , 2009, 131, 5386-5387.	6.6	199
4	Temperature-Induced Inversion of Nanoparticle-Stabilized Emulsions. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 4795-4798.	7.2	192
5	Efficient Synthesis of Sterically Stabilized pH-Responsive Microgels of Controllable Particle Diameter by Emulsion Polymerization. <i>Langmuir</i> , 2006, 22, 3381-3387.	1.6	175
6	Light-Driven Delivery and Release of Materials Using Liquid Marbles. <i>Advanced Functional Materials</i> , 2016, 26, 3199-3206.	7.8	168
7	Effects of pH and Salt Concentration on Oil-in-Water Emulsions Stabilized Solely by Nanocomposite Microgel Particles. <i>Langmuir</i> , 2006, 22, 2050-2057.	1.6	150
8	Stimuli-Responsive Liquid Marbles: Controlling Structure, Shape, Stability, and Motion. <i>Advanced Functional Materials</i> , 2016, 26, 7206-7223.	7.8	140
9	pH-responsive liquid marbles stabilized with poly(2-vinylpyridine) particles. <i>Soft Matter</i> , 2010, 6, 635-640.	1.2	136
10	Stimulus-Responsive Particulate Emulsifiers Based on Lightly Cross-Linked Poly(4-vinylpyridine)-Silica Nanocomposite Microgels. <i>Langmuir</i> , 2006, 22, 6818-6825.	1.6	132
11	Aqueous Particulate Foams Stabilized Solely with Polymer Latex Particles. <i>Langmuir</i> , 2006, 22, 7512-7520.	1.6	130
12	Synthesis and Characterization of Polypyrrole-Palladium Nanocomposite-Coated Latex Particles and Their Use as a Catalyst for Suzuki Coupling Reaction in Aqueous Media. <i>Langmuir</i> , 2010, 26, 6230-6239.	1.6	124
13	Polystyrene-Silica Nanocomposite Particles via Alcoholic Dispersion Polymerization Using a Cationic Azo Initiator. <i>Langmuir</i> , 2006, 22, 4923-4927.	1.6	123
14	Hydroxyapatite nanoparticles as stimulus-responsive particulate emulsifiers and building block for porous materials. <i>Journal of Colloid and Interface Science</i> , 2007, 315, 287-296.	5.0	117
15	Effect of Varying the Oil Phase on the Behavior of pH-Responsive Latex-Based Emulsifiers: Demulsification versus Transitional Phase Inversion. <i>Langmuir</i> , 2004, 20, 7422-7429.	1.6	112
16	Polystyrene-Silica Colloidal Nanocomposite Particles Prepared by Alcoholic Dispersion Polymerization. <i>Chemistry of Materials</i> , 2007, 19, 2435-2445.	3.2	112
17	Long-Range Structural Order, Moiré Patterns, and Iridescence in Latex-Stabilized Foams. <i>Journal of the American Chemical Society</i> , 2006, 128, 7882-7886.	6.6	111
18	pH-Responsive Aqueous Foams Stabilized by Ionizable Latex Particles. <i>Langmuir</i> , 2007, 23, 8691-8694.	1.6	111

#	ARTICLE	IF	CITATIONS
19	Liquid Marbles Prepared from pH-Responsive Sterically Stabilized Latex Particles. <i>Langmuir</i> , 2011, 27, 8067-8074.	1.6	107
20	Hydroxyapatite Nanoparticles as Particulate Emulsifier: Fabrication of Hydroxyapatite-Coated Biodegradable Microspheres. <i>Langmuir</i> , 2009, 25, 9759-9766.	1.6	99
21	One-step synthesis of polypyrrole-coated silver nanocomposite particles and their application as a coloured particulate emulsifier. <i>Journal of Materials Chemistry</i> , 2007, 17, 3777.	6.7	92
22	Pressure-sensitive adhesive powder. <i>Materials Horizons</i> , 2016, 3, 47-52.	6.4	83
23	Polypyrrole- μ Palladium Nanocomposite Coating of Micrometer-Sized Polymer Particles Toward a Recyclable Catalyst. <i>Langmuir</i> , 2012, 28, 2436-2447.	1.6	74
24	The effect of tackifier on phase structure and peel adhesion of a triblock copolymer pressure-sensitive adhesive. <i>International Journal of Adhesion and Adhesives</i> , 2008, 28, 372-381.	1.4	72
25	Synthesis of Polystyrene/Poly[2-(Dimethylamino)ethyl Methacrylate-stat-Ethylene Glycol Dimethacrylate] Core-Shell Latex Particles by Seeded Emulsion Polymerization and Their Application as Stimulus-Responsive Particulate Emulsifiers for Oil-in-Water Emulsions. <i>Langmuir</i> , 2004, 20, 11329-11335.	1.6	69
26	Is Latex Surface Charge an Important Parameter for Foam Stabilization?. <i>Langmuir</i> , 2007, 23, 11381-11386.	1.6	69
27	Transfer of Materials from Water to Solid Surfaces Using Liquid Marbles. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 33351-33359.	4.0	69
28	Liquid marbles as a micro-reactor for efficient radical alternating copolymerization of diene monomer and oxygen. <i>Chemical Communications</i> , 2015, 51, 17241-17244.	2.2	67
29	Synthesis of poly(2-hydroxypropyl methacrylate) latex particles via aqueous dispersion polymerization. <i>Soft Matter</i> , 2007, 3, 1003.	1.2	66
30	Polyhedral Liquid Marbles. <i>Advanced Functional Materials</i> , 2019, 29, 1808826.	7.8	64
31	Ultraviolet-light-responsive Liquid Marbles. <i>Chemistry Letters</i> , 2013, 42, 586-588.	0.7	62
32	Production of electrically conductive, core/shell polystyrene/polyaniline composite particles by chemical oxidative seeded dispersion polymerization. <i>Colloid and Polymer Science</i> , 2001, 279, 139-145.	1.0	61
33	Synthesis of pH-Responsive Nanocomposite Microgels with Size-Controlled Gold Nanoparticles from Ion-Doped, Lightly Cross-Linked Poly(vinylpyridine). <i>Langmuir</i> , 2010, 26, 1254-1259.	1.6	60
34	Responsive Core-Shell Latex Particles as Colloidosome Microcapsule Membranes. <i>Langmuir</i> , 2010, 26, 18408-18414.	1.6	60
35	pH-Responsive Hairy Particles Synthesized by Dispersion Polymerization with a Macroinitiator as an Instab and Their Use as a Gas-Sensitive Liquid Marble Stabilizer. <i>Macromolecules</i> , 2012, 45, 2863-2873.	2.2	60
36	Formation of Pickering Emulsions Stabilized via Interaction between Nanoparticles Dispersed in Aqueous Phase and Polymer End Groups Dissolved in Oil Phase. <i>Langmuir</i> , 2012, 28, 9405-9412.	1.6	59

#	ARTICLE	IF	CITATIONS
37	Thermo-responsive liquid marbles. <i>Polymer Journal</i> , 2014, 46, 145-148.	1.3	58
38	Synthesis and Characterization of Polypyrrole-Coated Sulfur-Rich Latex Particles: A New Synthetic Mimics for Sulfur-Based Micrometeorites. <i>Chemistry of Materials</i> , 2006, 18, 2758-2765.	3.2	56
39	Pickering-Type Water-in-Oil-in-Water Multiple Emulsions toward Multihollow Nanocomposite Microspheres. <i>Langmuir</i> , 2010, 26, 13727-13731.	1.6	55
40	Ferritin as a bionano-particulate emulsifier. <i>Journal of Colloid and Interface Science</i> , 2009, 338, 222-228.	5.0	54
41	Biomimetic synthesis of raspberry-like hybrid polymer-silica core-shell nanoparticles by templating colloidal particles with hairy polyamine shell. <i>Colloids and Surfaces B: Biointerfaces</i> , 2010, 78, 193-199.	2.5	54
42	pH-Responsive Aqueous Foams Stabilized by Hairy Latex Particles. <i>Langmuir</i> , 2011, 27, 12902-12909.	1.6	54
43	Smart Particles as Foam and Liquid Marble Stabilizers. <i>KONA Powder and Particle Journal</i> , 2008, 26, 153-166.	0.9	53
44	Micrometer-Sized Gold-Silica Janus Particles as Particulate Emulsifiers. <i>Langmuir</i> , 2013, 29, 5457-5465.	1.6	53
45	Microcapsules Fabricated from Liquid Marbles Stabilized with Latex Particles. <i>Langmuir</i> , 2014, 30, 3051-3059.	1.6	53
46	Stimuli-Responsive Bubbles and Foams Stabilized with Solid Particles. <i>Langmuir</i> , 2017, 33, 7365-7379.	1.6	53
47	Hydrophobic polypyrroles synthesized by aqueous chemical oxidative polymerization and their use as light-responsive liquid marble stabilizers. <i>Polymer Chemistry</i> , 2017, 8, 2609-2618.	1.9	52
48	Mechanical properties of silane-treated, silica-particle-filled polyisoprene rubber composites: Effects of the loading amount and alkoxy group numbers of a silane coupling agent containing mercapto groups. <i>Journal of Applied Polymer Science</i> , 2009, 113, 1507-1514.	1.3	51
49	On the mechanisms of colloidal self-assembly during spin-coating. <i>Soft Matter</i> , 2014, 10, 8804-8812.	1.2	51
50	Soft Janus Colloidal Crystal Film. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 9809-9813.	7.2	50
51	Production of submicron-sized poly(methyl methacrylate) particles by dispersion polymerization with a poly(dimethylsiloxane)-based azoinitiator in supercritical carbon dioxide. <i>Colloid and Polymer Science</i> , 2002, 280, 183-187.	1.0	49
52	Direct Imaging and Spectroscopic Characterization of Stimulus-Responsive Microgels. <i>Journal of the American Chemical Society</i> , 2005, 127, 16808-16809.	6.6	48
53	Hydroxyapatite/biodegradable poly(l-lactide-co- ϵ -caprolactone) composite microparticles as injectable scaffolds by a Pickering emulsion route. <i>Acta Biomaterialia</i> , 2011, 7, 821-828.	4.1	48
54	Polydopamine Particle as a Particulate Emulsifier. <i>Polymers</i> , 2016, 8, 62.	2.0	48

#	ARTICLE	IF	CITATIONS
55	Ultrahigh-Pressure Sensitive Compression Stress Sensor Using Integrated Stimuli-Responsive Materials. <i>Advanced Materials</i> , 2021, 33, e2008755.	11.1	47
56	Synthesis of Micrometer-Sized Silica-Stabilized Polystyrene Latex Particles. <i>Langmuir</i> , 2005, 21, 8103-8105.	1.6	46
57	Stimuli-responsive liquid foams: From design to applications. <i>Current Opinion in Colloid and Interface Science</i> , 2020, 50, 101380.	3.4	46
58	pH-responsive disruption of "liquid marbles"™ prepared from water and poly(6-(acrylamido) hexanoic) Tj ETQq 0 0 0 rgBT /Overlock 1	1.3	45
59	Near-infrared-responsive Liquid Marbles Stabilized with Carbon Nanotubes. <i>Chemistry Letters</i> , 2013, 42, 719-721.	0.7	45
60	pH- and temperature-responsive aqueous foams stabilized by hairy latex particles. <i>Soft Matter</i> , 2015, 11, 572-579.	1.2	45
61	Effect of Stabilizing Particle Size on the Structure and Properties of Liquid Marbles. <i>Langmuir</i> , 2020, 36, 13274-13284.	1.6	43
62	Dispersion atom transfer radical polymerization of methyl methacrylate with bromo-terminated poly(dimethylsiloxane) in supercritical carbon dioxide. <i>Designed Monomers and Polymers</i> , 2004, 7, 553-562.	0.7	41
63	Effects of the compatibility of a polyacrylic block copolymer/tackifier blend on the phase structure and tack of a pressure-sensitive adhesive. <i>Journal of Applied Polymer Science</i> , 2012, 123, 2883-2893.	1.3	41
64	Tripodal polyhedral oligomeric silsesquioxanes as a novel class of three-dimensional emulsifiers. <i>Polymer Journal</i> , 2015, 47, 609-615.	1.3	40
65	Mass spectrometry of hyper-velocity impacts of organic micrograins. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 3895-3906.	0.7	39
66	Tack and viscoelastic properties of an acrylic block copolymer/tackifier system. <i>International Journal of Adhesion and Adhesives</i> , 2009, 29, 806-811.	1.4	38
67	Synthesis of stimuli-responsive macroazoinitiators and their use as an inistab toward hairy polymer latex particles. <i>Journal of Polymer Science Part A</i> , 2009, 47, 3431-3443.	2.5	37
68	First Direct Imaging of Electrolyte-Induced Deswelling Behavior of pH-Responsive Microgels in Aqueous Media Using Scanning Transmission X-ray Microscopy. <i>Langmuir</i> , 2009, 25, 2588-2592.	1.6	37
69	Surface Grafting Polyphosphoesters on Cellulose Nanocrystals To Improve the Emulsification Efficacy. <i>Langmuir</i> , 2019, 35, 11443-11451.	1.6	37
70	Effects of Compatibility of Acrylic Block Copolymer and Tackifier on Phase Structure and Peel Adhesion of Their Blend. <i>Journal of Adhesion Science and Technology</i> , 2008, 22, 1313-1331.	1.4	36
71	Influence of crosslinking and peeling rate on tack properties of polyacrylic pressure-sensitive adhesives. <i>Journal of Adhesion Science and Technology</i> , 2013, 27, 1951-1965.	1.4	36
72	Driving Droplets on Liquid Repellent Surfaces via Light-Driven Marangoni Propulsion. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	35

#	ARTICLE	IF	CITATIONS
73	Hydroxyapatite-armed poly(μ -caprolactone) microspheres and hydroxyapatite microcapsules fabricated via a Pickering emulsion route. <i>Journal of Colloid and Interface Science</i> , 2012, 374, 1-8.	5.0	33
74	Gas Bubbles Stabilized by Janus Particles with Varying Hydrophilic/Hydrophobic Surface Characteristics. <i>Langmuir</i> , 2018, 34, 933-942.	1.6	33
75	Effects of compatibility between tackifier and polymer on adhesion property and phase structure: Tackifier-added polystyrene-based triblock/diblock copolymer blend system. <i>Journal of Applied Polymer Science</i> , 2011, 120, 2251-2260.	1.3	32
76	Controlling the Structure of Supraballs by pH-Responsive Particle Assembly. <i>Langmuir</i> , 2017, 33, 1995-2002.	1.6	32
77	Particle Monolayer-Stabilized Light-Sensitive Liquid Marbles from Polypyrrole-Coated Microparticles. <i>Langmuir</i> , 2020, 36, 2695-2706.	1.6	32
78	Synthesis of silsesquioxane-based element-block amphiphiles and their self-assembly in water. <i>RSC Advances</i> , 2016, 6, 73006-73012.	1.7	31
79	Electrostatic formation of liquid marbles - Influence of drop and particle size. <i>Powder Technology</i> , 2016, 303, 55-58.	2.1	30
80	Quantitative detection of near-infrared (NIR) light using organic layered composites. <i>Journal of Materials Chemistry C</i> , 2019, 7, 4089-4095.	2.7	30
81	Ellipsoidal Artificial Melanin Particles as Building Blocks for Biomimetic Structural Coloration. <i>Langmuir</i> , 2019, 35, 5574-5580.	1.6	30
82	Effect of particle morphology on mechanical properties of liquid marbles. <i>Advanced Powder Technology</i> , 2019, 30, 330-335.	2.0	30
83	Manufacture and properties of composite liquid marbles. <i>Journal of Colloid and Interface Science</i> , 2020, 575, 35-41.	5.0	30
84	Surface Analysis of Silane Nanolayer on Silica Particles Using 1H Pulse NMR. <i>Journal of Adhesion Science and Technology</i> , 2011, 25, 2703-2716.	1.4	29
85	Foams stabilized with solid particles carrying stimuli-responsive polymer hairs. <i>Soft Matter</i> , 2016, 12, 4794-4804.	1.2	29
86	Facile one-step route to polyaniline/silver nanocomposite particles and their application as a colored particulate emulsifier. <i>Synthetic Metals</i> , 2010, 160, 1433-1437.	2.1	28
87	Contact Time and Temperature Dependencies of Tack in Polyacrylic Block Copolymer Pressure-Sensitive Adhesives Measured by the Probe Tack Test. <i>Journal of Adhesion Science and Technology</i> , 2012, 26, 231-249.	1.4	28
88	An Electrostatic Method for Manufacturing Liquid Marbles and Particle-Stabilized Aggregates. <i>Frontiers in Chemistry</i> , 2018, 6, 280.	1.8	28
89	Production of polyacrylonitrile particles by precipitation polymerization in supercritical carbon dioxide. <i>Colloid and Polymer Science</i> , 2003, 281, 964-972.	1.0	27
90	Polypyrrole/Palladium Nanocomposite-Coated Latex Particles as a Heterogeneous Catalyst in Water. <i>Catalysis Letters</i> , 2011, 141, 1097-1103.	1.4	27

#	ARTICLE	IF	CITATIONS
91	Mechanical properties of silica particle-filled styrene-butadiene rubber composites containing polysulfide-type silane coupling agents: Influence of loading method of silane. Journal of Applied Polymer Science, 2013, 130, 322-329.	1.3	27
92	Liquid Marbles in Nature: Craft of Aphids for Survival. Langmuir, 2019, 35, 6169-6178.	1.6	27
93	Influence of diblock addition on tack in a polyacrylic triblock copolymer/tackifier system measured using a probe tack test. Journal of Applied Polymer Science, 2013, 129, 1008-1018.	1.3	26
94	Quantitative measurement of physisorbed silane on a silica particle surface treated with silane coupling agents by thermogravimetric analysis. Journal of Applied Polymer Science, 2016, 133, .	1.3	26
95	Electroless nickel plating on polymer particles. Journal of Colloid and Interface Science, 2014, 430, 47-55.	5.0	25
96	Soft polymer-silica nanocomposite particles as filler for pressure-sensitive adhesives. Polymer, 2015, 70, 77-87.	1.8	25
97	Shape-Designable Liquid Marbles Stabilized by Gel Layer. Langmuir, 2019, 35, 8950-8960.	1.6	25
98	Liquid marble containing degradable polyperoxides for adhesion force-changeable pressure-sensitive adhesives. RSC Advances, 2016, 6, 56475-56481.	1.7	24
99	Synthesis of hydrophobic polyanilines as a light-responsive liquid marble stabilizer. Polymer, 2018, 148, 217-227.	1.8	24
100	Characterisation of the dispersion stability of a stimulus responsive core-shell colloidal latex. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2010, 353, 210-215.	2.3	23
101	Liquid marble and water droplet interactions and stability. Soft Matter, 2015, 11, 7728-7738.	1.2	23
102	pH-Sensitive Adsorption Behavior of Polymer Particles at the Air-Water Interface. Langmuir, 2017, 33, 1451-1459.	1.6	23
103	Polyion Complex Vesicles with Solvated Phosphobetaine Shells Formed from Oppositely Charged Diblock Copolymers. Polymers, 2017, 9, 49.	2.0	23
104	Electrostatic formation of polymer particle stabilised liquid marbles and metastable droplets - Effect of latex shell conductivity. Journal of Colloid and Interface Science, 2018, 529, 486-495.	5.0	23
105	Poly(3-hexylthiophene) Grains Synthesized by Solvent-Free Oxidative Coupling Polymerization and Their Use as Light-Responsive Liquid Marble Stabilizer. Macromolecules, 2019, 52, 708-717.	2.2	23
106	Mechanical properties of silane-treated silica particle-filled polyisoprene composites: Influence of the alkoxy group mixing ratio in silane coupling agent containing mercapto group. Journal of Applied Polymer Science, 2013, 128, 2548-2555.	1.3	22
107	One-step synthesis of magnetic iron-conducting polymer-palladium ternary nanocomposite microspheres with applications as a recyclable catalyst. Journal of Materials Chemistry A, 2013, 1, 4427.	5.2	22
108	Surface characterization of nanoparticles carrying pH-responsive polymer hair. Polymer, 2010, 51, 6240-6247.	1.8	21

#	ARTICLE	IF	CITATIONS
109	Effect of interfacial serum proteins on melanoma cell adhesion to biodegradable poly(l-lactic acid) microspheres coated with hydroxyapatite. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 108, 8-15.	2.5	21
110	Shape-Designable Polyhedral Liquid Marbles/Plasticines Stabilized with Polymer Plates. <i>Advanced Materials Interfaces</i> , 2020, 7, 2001573.	1.9	21
111	Particle-stabilized oil-in-water emulsions as a platform for topical lipophilic drug delivery. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 197, 111423.	2.5	21
112	Fabrication of highly ordered, macroporous Na ₂ W ₄ O ₁₃ arrays by spray pyrolysis using polystyrene colloidal crystals as templates. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 3628.	1.3	20
113	One-pot synthesis of conducting polymer-coated latex particles: ammonium persulfate as free radical initiator and chemical oxidant. <i>Chemical Communications</i> , 2010, 46, 7217.	2.2	20
114	Adhesion properties of polyurethane pressure-sensitive adhesive. <i>Journal of Adhesion Science and Technology</i> , 2013, 27, 263-277.	1.4	20
115	Thermoresponsive Liquid Marbles Prepared with Low Melting Point Powder. <i>Chemistry Letters</i> , 2015, 44, 1077-1079.	0.7	20
116	Aqueous foams stabilized by temperature-sensitive hairy polymer particles. <i>Soft Matter</i> , 2015, 11, 9099-9106.	1.2	20
117	Dodecyl sulfate-doped polypyrrole derivative grains as a light-responsive liquid marble stabilizer. <i>Polymer Journal</i> , 2020, 52, 589-599.	1.3	20
118	Rheological studies on the phase separation of hydroxypropylcellulose solution systems. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001, 39, 1976-1986.	2.4	19
119	Stardust Interstellar Preliminary Examination <sc>IX</sc>: High-speed interstellar dust analog capture in Stardust flight spare aerogel. <i>Meteoritics and Planetary Science</i> , 2014, 49, 1666-1679.	0.7	19
120	Sterically stabilized polypyrrole-palladium nanocomposite particles synthesized by aqueous chemical oxidative dispersion polymerization. <i>Colloid and Polymer Science</i> , 2013, 291, 223-230.	1.0	18
121	pH-responsive Liquid Marbles Prepared Using Fluorinated Fatty Acid. <i>Chemistry Letters</i> , 2016, 45, 547-549.	0.7	18
122	Drying dissipative structures of lightly cross-linked poly(2-vinyl pyridine) cationic gel spheres stabilized with poly(ethylene glycol) in the deionized aqueous suspension. <i>Colloid and Polymer Science</i> , 2013, 291, 1019-1030.	1.0	17
123	Tensile properties of styrene-butadiene rubber/silica composites with mercapto functional silane coupling agents: influences of loading method and alkoxy group number. <i>Composite Interfaces</i> , 2013, 20, 635-646.	1.3	17
124	Stimulus-responsive soft dispersed systems developed based on functional polymer particles: bubbles and liquid marbles. <i>Polymer Journal</i> , 2019, 51, 1081-1101.	1.3	17
125	How Liquid Marbles Break Down: Direct Evidence for Two Breakage Scenarios. <i>Small</i> , 2021, 17, e2102438.	5.2	17
126	pH-Responsive Catalytic Janus Motors with Autonomous Navigation and Cargo-Release Functions. <i>Advanced Functional Materials</i> , 2020, 30, 2000324.	7.8	16

#	ARTICLE	IF	CITATIONS
127	Production of poly(methyl methacrylate) particles by dispersion polymerization with mercaptopropyl terminated poly(dimethylsiloxane) stabilizer in supercritical carbon dioxide. <i>Colloid and Polymer Science</i> , 2004, 282, 569-574.	1.0	15
128	Contact time dependence of tack for crosslinked polyacrylic pressure-sensitive adhesives with two different molecular structures. <i>International Journal of Adhesion and Adhesives</i> , 2015, 60, 75-82.	1.4	15
129	pH-Responsive Aqueous Bubbles Stabilized With Polymer Particles Carrying Poly(4-vinylpyridine) Colloidal Stabilizer. <i>Frontiers in Chemistry</i> , 2018, 6, 269.	1.8	15
130	Glass Transition Behaviour of PMMA/PVA Incompatible Blend. <i>Polymers and Polymer Composites</i> , 2013, 21, 367-376.	1.0	14
131	Structure of silane layer formed on silica particle surfaces by treatment with silane coupling agents having various functional groups. <i>Journal of Adhesion Science and Technology</i> , 2014, 28, 1895-1906.	1.4	14
132	Pickering emulsion engineering: fabrication of materials with multiple cavities. <i>RSC Advances</i> , 2014, 4, 32534-32537.	1.7	14
133	Self-setting particle-stabilized emulsion for hard-tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 126, 394-400.	2.5	14
134	Droplet size and morphology analyses of dry liquid. <i>Advanced Powder Technology</i> , 2017, 28, 1977-1981.	2.0	14
135	Effects of pH on the structure and mechanical properties of dried pH-responsive latex particles. <i>Soft Matter</i> , 2017, 13, 7562-7570.	1.2	14
136	Influence of particle size on extraction from a charged bed toward liquid marble formation. <i>Soft Matter</i> , 2019, 15, 7547-7556.	1.2	14
137	Hydrophobic poly(3,4-ethylenedioxythiophene) particles synthesized by aqueous oxidative coupling polymerization and their use as near-infrared-responsive liquid marble stabilizer. <i>Polymer Journal</i> , 2019, 51, 761-770.	1.3	14
138	Adhesion properties of polyacrylic block copolymer pressure-sensitive adhesives and analysis by pulse NMR and AFM force curve. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47791.	1.3	14
139	Effects of silane coupling agent hydrophobicity and loading method on water absorption and mechanical strength of silica particle-filled epoxy resin. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48615.	1.3	14
140	CO ₂ -Gas-Responsive Liquid Marble. <i>Langmuir</i> , 2020, 36, 6971-6976.	1.6	14
141	Production of core/shell polystyrene/poly(3,5-xylidine) composite particles by chemical oxidative seeded dispersion polymerization. <i>Colloid and Polymer Science</i> , 1999, 277, 895-899.	1.0	13
142	Solvent-free formation of hydroxyapatite coated biodegradable particles via nanoparticle-stabilized emulsion route. <i>Applied Surface Science</i> , 2012, 262, 39-44.	3.1	13
143	Drying dissipative structures of cationic gel spheres of lightly cross-linked poly(2-vinyl pyridine) (170±14 nm in diameter) in the deionized aqueous suspension. <i>Colloid and Polymer Science</i> , 2013, 291, 2805-2813.		13
144	Nanomorphology characterization of sterically stabilized polypyrrole-palladium nanocomposite particles. <i>Polymer Journal</i> , 2014, 46, 704-709.	1.3	13

#	ARTICLE	IF	CITATIONS
145	Formation of Liquid Marbles Using pH-Responsive Particles: Rolling vs Electrostatic Methods. <i>Langmuir</i> , 2018, 34, 4970-4979.	1.6	13
146	Effects of the degree of crosslinking and test rate on the tensile properties of a crosslinked polyacrylic pressure-sensitive adhesive and vulcanized rubber. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47272.	1.3	13
147	Composite Liquid Marbles as a Macroscopic Model System Representing Shedding of Enveloped Viruses. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 4279-4285.	2.1	13
148	Monodispersed Nitrogen-Containing Carbon Capsules Fabricated from Conjugated Polymer-Coated Particles via Light Irradiation. <i>Langmuir</i> , 2021, 37, 4599-4610.	1.6	13
149	Production of polydivinylbiphenyl particles by precipitation polymerization in supercritical carbon dioxide. <i>Colloid and Polymer Science</i> , 2002, 280, 1084-1090.	1.0	12
150	Effects of Polystyrene Block Content on Morphology and Adhesion Property of Polystyrene Block Copolymer. <i>Journal of Adhesion Science and Technology</i> , 2011, 25, 869-881.	1.4	12
151	Light-driven locomotion of a centimeter-sized object at the air-water interface: effect of fluid resistance. <i>RSC Advances</i> , 2019, 9, 8333-8339.	1.7	12
152	Morphological and chemical stabilities of polypyrrole in aqueous media for 1 year. <i>Polymer Journal</i> , 2022, 54, 169-178.	1.3	12
153	Temperature dependence of tack and pulse NMR analysis of polystyrene block copolymer/tackifier system. <i>Journal of Adhesion Science and Technology</i> , 2013, 27, 2727-2740.	1.4	11
154	Cationic gel crystals of lightly cross-linked poly(2-vinylpyridine) spheres (170 ± 180 Ånm in diameter) in the deionized aqueous suspension. <i>Colloid and Polymer Science</i> , 2013, 291, 2569-2577.	1.0	11
155	Aqueous Foams Stabilized with Several Tens of Micrometer-sized Polymer Particles: Effects of Surface Hydrophilic-Hydrophobic Balance on Foamability and Foam Stability. <i>Chemistry Letters</i> , 2016, 45, 667-669.	0.7	11
156	Effect of adhesive thickness on the wettability and deformability of polyacrylic pressure-sensitive adhesives during probe tack test. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	11
157	Light-Driven Locomotion of Bubbles. <i>Langmuir</i> , 2020, 36, 7021-7031.	1.6	11
158	Exploring the Impact of Particle Material Properties on Electrostatic Liquid Marble Formation. <i>Journal of Physical Chemistry C</i> , 2020, 124, 26258-26267.	1.5	11
159	Formation of liquid marbles & aggregates: rolling and electrostatic formation using conductive hexagonal plates. <i>Materials Advances</i> , 2020, 1, 3302-3313.	2.6	11
160	Locomotion of a Nonaqueous Liquid Marble Induced by Near-Infrared-Light Irradiation. <i>Langmuir</i> , 2021, 37, 4172-4182.	1.6	11
161	Colloidal crystallization of cationic gel spheres of lightly cross-linked poly(2-vinylpyridine) in the deionized aqueous suspension. <i>Colloid and Polymer Science</i> , 2013, 291, 1201-1210.	1.0	10
162	Halide-Enhanced Catalytic Activity of Palladium Nanoparticles Comes at the Expense of Catalyst Recovery. <i>Catalysts</i> , 2017, 7, 280.	1.6	10

#	ARTICLE	IF	CITATIONS
163	pH-Responsive Particle-Liquid Aggregates' Electrostatic Formation Kinetics. <i>Frontiers in Chemistry</i> , 2018, 6, 215.	1.8	10
164	Preparation of poly(methyl methacrylate) particles by dispersion polymerization with organic peroxide in the presence of trimethylsiloxy terminated poly(dimethylsiloxane) in supercritical carbon dioxide. <i>Colloid and Polymer Science</i> , 2005, 284, 327-333.	1.0	9
165	AFM Observation of a Mica Surface Treated with Silane Coupling Agent Having a Mercapto Group. <i>Composite Interfaces</i> , 2010, 17, 395-404.	1.3	9
166	Mass spectrometry of impact fragmented polymers: The role of target properties. <i>International Journal of Impact Engineering</i> , 2011, 38, 486-494.	2.4	9
167	Hydroxyapatite-coated poly(μ -caprolactone) microspheres fabricated via a Pickering emulsion route: effect of fabrication parameters on diameter and chemical composition. <i>Composite Interfaces</i> , 2013, 20, 45-56.	1.3	9
168	Hollow Microspheres Fabricated from Aqueous Bubbles Stabilized with Latex Particles. <i>Chemistry Letters</i> , 2015, 44, 773-775.	0.7	9
169	Effect of adhesive thickness on the stringiness of crosslinked polyacrylic pressure-sensitive adhesives. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	9
170	Synthesis of Millimeter-sized Polymer Particles by Seeded Polymerization and Their Use as Shape-designable Liquid Marble Stabilizer. <i>Chemistry Letters</i> , 2020, 49, 1282-1285.	0.7	9
171	Synthesis of poly(alkylaniline)s by aqueous chemical oxidative polymerization and their use as stimuli-responsive liquid marble stabilizer. <i>Polymer</i> , 2021, 212, 123295.	1.8	9
172	Synthesis of dioctyl sulfosuccinate-doped polypyrrole grains by aqueous chemical oxidative polymerization and their use as light-responsive liquid marble stabilizer. <i>Journal of Applied Polymer Science</i> , 2021, 138, 51009.	1.3	9
173	Synthesis of Polypyrrole and Its Derivatives as a Liquid Marble Stabilizer via a Solvent-Free Chemical Oxidative Polymerization Protocol. <i>ACS Omega</i> , 2022, 7, 13010-13021.	1.6	9
174	pH-responsive flocculation and dispersion behavior of Janus particles in water. <i>Polymer Journal</i> , 2012, 44, 181-188.	1.3	8
175	Influences of the alkoxy group number and treatment condition on the structure of glycidoxy functional silane-treated layer on silica particles analyzed by ^1H pulse NMR. <i>Journal of Adhesion Science and Technology</i> , 2013, 27, 1641-1651.	1.4	8
176	Influence of the degree of crosslinking on the stringiness of crosslinked polyacrylic pressure-sensitive adhesives. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	8
177	Synthesis and characterization of polypyrrole-platinum nanocomposite-coated latex particles. <i>Colloid and Polymer Science</i> , 2015, 293, 1483-1493.	1.0	8
178	Electrostatic Formation of Liquid Marbles Using Thermo-responsive Polymer-coated Particles. <i>Chemistry Letters</i> , 2019, 48, 578-581.	0.7	8
179	Adhesion property and morphology of styrene triblock/diblock copolymer blends. <i>Journal of Applied Polymer Science</i> , 2010, 118, 1766-1773.	1.3	7
180	Influence of the interfacial adhesion on the stringiness of crosslinked polyacrylic pressure-sensitive adhesives. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	7

#	ARTICLE	IF	CITATIONS
181	Cationic gel crystals and amorphous solids of lightly cross-linked poly(2-vinylpyridine) spheres in the deionized aqueous suspension. <i>Colloid and Polymer Science</i> , 2014, 292, 1627-1637.	1.0	7
182	The forces and physical properties of polymer particulate monolayers at air/aqueous interfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 470, 322-332.	2.3	7
183	High-performance, air-stable, n-type thermoelectric films from a water-dispersed nickel-ethenetetrathiolate complex and ethylene glycol. <i>Journal of Materials Chemistry A</i> , 2020, 8, 12319-12322.	5.2	7
184	Drying dissipative structures of cationic gel spheres of lightly cross-linked poly(2-vinylpyridine) in deionized aqueous suspension. <i>Colloid and Polymer Science</i> , 2014, 292, 2621-2631.	1.0	6
185	Electrostatic formation of Liquid Marbles – Statistical model. <i>Journal of Physics: Conference Series</i> , 2019, 1322, 012006.	0.3	6
186	pH-Dependent Foam Formation Using Amphoteric Colloidal Polymer Particles. <i>Polymers</i> , 2020, 12, 511.	2.0	6
187	Electroless nickel plating on a biomineral-based sponge structure. <i>Materials Advances</i> , 2022, 3, 931-936.	2.6	6
188	Production of micron-sized, monodispersed, multihollow polystyrene/poly(3,5-xylylidine) composite particles by chemical oxidative seeded polymerization. <i>Colloid and Polymer Science</i> , 2000, 278, 275-279.	1.0	5
189	Morphology and Viscoelastic Properties of Poly(Vinyl Chloride)/ Poly(Vinyl Alcohol) Incompatible Blends. <i>Polymers and Polymer Composites</i> , 2007, 15, 371-377.	1.0	5
190	DEVELOPMENT OF MICROSPHERES COVERED WITH HYDROXYAPATITE NANOCRYSTALS AS CELL SCAFFOLD FOR ANGIOGENESIS. <i>Functional Materials Letters</i> , 2012, 05, 1260010.	0.7	5
191	Synthesis of Poly(3,4-ethylenedioxythiophene) – Palladium Nanocomposite-coated Polymer Particles by Chemical Oxidative Seeded Dispersion Polymerization. <i>Chemistry Letters</i> , 2012, 41, 1658-1659.	0.7	5
192	Liquid Marbles: Light-Driven Delivery and Release of Materials Using Liquid Marbles (<i>Adv. Funct. Mater.</i>) Tj ETQq0 0.0,rgBT /Overlock 10	7.8	5
193	Periodic Motions of Solid Particles with Various Morphology under a DC Electrostatic Field. <i>Chemistry Letters</i> , 2017, 46, 1470-1472.	0.7	5
194	Preparation of polyhedral oligomeric silsesquioxane – containing block copolymer with well – controlled stereoregularity. <i>Journal of Polymer Science Part A</i> , 2019, 57, 2181-2189.	2.5	5
195	Poly(3,4-ethylenedioxythiophene) Grains Synthesized by Solvent-free Chemical Oxidative Polymerization. <i>Chemistry Letters</i> , 2019, 48, 968-970.	0.7	5
196	Chiral Silica with Preferred-Handed Helical Structure via Chiral Transfer. <i>Jacs Au</i> , 2021, 1, 375-379.	3.6	5
197	Increasing chemisorbed silane coupling agents in surface – treated layer of silica particles. <i>Journal of Applied Polymer Science</i> , 2021, 138, 51297.	1.3	5
198	Multimotion of Marangoni Propulsion Ships Controlled by Two-Wavelength Near-Infrared Light. <i>Langmuir</i> , 2021, 37, 14597-14604.	1.6	5

#	ARTICLE	IF	CITATIONS
199	Conducting Polymer-Metal Nanocomposite Coating on Fibers. , 0, , .		4
200	¹ H pulse NMR analysis of silane-treated layers on glass fiber surfaces. Composite Interfaces, 2012, 19, 353-364.	1.3	4
201	InÂvitro degradation of hydroxyapatite nanoparticle-coated biodegradable microspheres. Polymer Degradation and Stability, 2013, 98, 377-386.	2.7	4
202	Temperature Dependence of Tack for Polyacrylic Block Copolymer/Tackifier Blend. Polymers and Polymer Composites, 2015, 23, 121-128.	1.0	4
203	Physical properties of mixed Langmuir monolayers of polystyrene particles with poly(N,N-dimethylaminoethylmethacrylate) hairs and a poly(2-hydroxyethyl methacrylate) polymer at an air/water interface. Soft Matter, 2017, 13, 1583-1593.	1.2	4
204	Surface treatment of CaCO ₃ with a mixture of amino- and mercapto-functional silane coupling agents and tensile properties of the rubber composites. Composite Interfaces, 2018, 25, 743-760.	1.3	4
205	Oxidation-responsive Liquid Marbles. Chemistry Letters, 2019, 48, 644-646.	0.7	4
206	Preparation of polymethyl methacrylate with wellâ€controlled stereoregularity by anionic polymerization in an ionic liquid solvent. Journal of Polymer Science, 2020, 58, 1960-1964.	2.0	4
207	Polyaniline-coated bubbles as light-responsive carrier of gas. European Polymer Journal, 2020, 132, 109723.	2.6	4
208	Tack properties and adhesion mechanism of two different crosslinked polyacrylic pressureâ€sensitive adhesives. Journal of Applied Polymer Science, 2021, 138, 50767.	1.3	4
209	Box fabricated from plate-stabilized liquid marble. Materials Advances, 2021, 2, 4604-4609.	2.6	4
210	Synthesis of Polypyrrole-gold Nanocomposite-coated Polystyrene Latex Particles by Simultaneous Organic-inorganic Deposition Method. Journal of the Adhesion Society of Japan, 2008, 44, 12-18.	0.0	4
211	â¼ç²'âššâ©%â©šâCE-ã•ã,CEãŸæ³¡. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2008, 59, 33-38.		3
212	One-step Synthesis of Conducting Polymerâ€Palladium Nanocomposite Fibers by Aqueous Chemical Oxidative Polymerization. Chemistry Letters, 2012, 41, 982-983.	0.7	3
213	Thiol-terminated hydroxy-functional polymer as a transtab toward polymer latex particles. Colloid and Polymer Science, 2013, 291, 1171-1180.	1.0	3
214	Colloidal crystallization of poly(n-butyl acrylate) spheres in deionized aqueous suspension and the melting during dryness. Colloid and Polymer Science, 2014, 292, 2303-2310.	1.0	3
215	Arrangement and Periodic Motion of Microparticles in an Oil Phase under a DC Electric Field. Journal of the Society of Powder Technology, Japan, 2014, 51, 823-827.	0.0	3
216	Sawtooth-shaped stringiness with front frame formation for polyacrylic pressure-sensitive adhesives with two different molecular structures. Journal of Adhesion Science and Technology, 2015, 29, 609-624.	1.4	3

#	ARTICLE	IF	CITATIONS
217	Colloidal Stabilizer-Assisted Polymerization-Induced Precipitation Method for Colloidally Stable Polyacid Particles. <i>Langmuir</i> , 2019, 35, 6993-7002.	1.6	3
218	Hairy Particles Synthesized by Living Anionic Polymerization-induced Self-assembly and Evaluation of Their Nanostructure. <i>Chemistry Letters</i> , 2021, 50, 920-923.	0.7	3
219	Controllable Positive/Negative Phototaxis of Millimeter-Sized Objects with Sensing Function. <i>Langmuir</i> , 2021, 37, 11093-11101.	1.6	3
220	Effect of the Addition of a Cross-Linker and the Water pH on the Physical Properties of Films of pH-Responsive Polymer Particles at Air/Water Interfaces. <i>ACS Omega</i> , 2017, 2, 7837-7848.	1.6	3
221	Interparticle Repulsion of Microparticles Delivered to a Pendent Drop by an Electric Field. <i>Langmuir</i> , 2022, 38, 670-679.	1.6	3
222	Acquisition and refinement of scheduling rules for job shop problems. , 0, , .		2
223	Toughening of Polymer Composites by Incorporation and Surface Treatment of Filler. <i>Journal of the Adhesion Society of Japan</i> , 2011, 47, 354-360.	0.0	2
224	Dispersion polymerization using hydroxy- α -functional macroazoinitiators as an inistab. <i>Journal of Polymer Science Part A</i> , 2011, 49, 1633-1643.	2.5	2
225	Rising of tack with cintact time for crosslinked polyacrylic pressure-sennsitive adhesives with two different molecular structures. <i>Journal of the Adhesion Society of Japan</i> , 2014, 50, 252-259.	0.0	2
226	The Adhesive Thickness Dependence of Adhesion Strengthfor Pressure-Sensitive Adhesive:Interpretation from Stringiness Behavior. <i>Journal of the Adhesion Society of Japan</i> , 2015, 51, 184-191.	0.0	2
227	Influences of debonding rate and temperature on tack properties and peel behavior of polyacrylic block copolymer/tackifier system. <i>Journal of Adhesion Science and Technology</i> , 2015, 29, 821-838.	1.4	2
228	Anionic Polymerization of Methacrylate-functionalized Ionic Monomers in Ionic Liquid. <i>Chemistry Letters</i> , 2020, 49, 1459-1461.	0.7	2
229	Lanoconazole-loaded emulsion stabilized with cellulose nanocrystals decorated with polyphosphoesters reduced inflammatory edema in a mouse model. <i>Polymer Journal</i> , 2021, 53, 1493-1498.	1.3	2
230	Polypyrrole-coated Pickering-type droplet as light-responsive carrier of oily material. <i>Colloid and Polymer Science</i> , 2022, 300, 255-265.	1.0	2
231	Aspects of Interfacial Structure of Silane Coupling Agents in Particulate-Filled Polymer Composites and the Reinforcement Effect: A Critical Review. <i>Reviews of Adhesion and Adhesives</i> , 2015, 3, 188-215.	3.3	2
232	<sc>Preferred</sc> helical conformation in organic-inorganic hybrid block copolymers with <sc>well</sc> controlled<sc> stereoregularity. <i>Journal of Polymer Science</i> , 2022, 60, 766-773.	2.0	2
233	Alcohol as Hydrophobizer for Polypyrrole. <i>Chemistry Letters</i> , 2022, 51, 598-600.	0.7	2
234	A basic study on autonomous characterization of square array machining cells for agile manufacturing. , 0, , .		1

#	ARTICLE	IF	CITATIONS
235	Retardation of Peeling by Cavitation in Pressure Sensitive Adhesive Layer. Journal of the Adhesion Society of Japan, 2014, 50, 420-427.	0.0	1
236	Drying structures of micrometer-sized cationic gel spheres of lightly cross-linked poly(2-vinyl Tj ETQq0 0 0 rgBT /Overlock 10,Tf 50 702	1.0	1
237	Polystyrene- ϵ -Polyhedral Oligomeric Silsesquioxane Core- ϵ -Shell Element-block Polymer Particles Fabricated via Heterocoagulation Method. Chemistry Letters, 2016, 45, 1168-1170.	0.7	1
238	Liquid Marbles: Stimuli-Responsive Liquid Marbles: Controlling Structure, Shape, Stability, and Motion (Adv. Funct. Mater. 40/2016). Advanced Functional Materials, 2016, 26, 7198-7198.	7.8	1
239	Pressure-sensitive Adhesive Liquid Marble: Fabrication and Characterization of Structure and Adhesive Property. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2017, 64, 121-125.	0.1	1
240	Stimulus-Responsive Soft Surface/Interface Toward Applications in Adhesion, Sensor and Biomaterial. Biologically-inspired Systems, 2018, , 287-397.	0.4	1
241	Disruption of Liquid Marbles Induced by Host-Guest Interaction. Chemistry Letters, 2019, 48, 840-843.	0.7	1
242	Preparation of pH-responsive Clear Liquid Marble. Chemistry Letters, 2021, 50, 1274-1277.	0.7	1
243	Facile preparation of water-soluble multiwalled carbon nanotubes bearing phosphorylcholine groups for heat generation under near-infrared irradiation. Polymer Journal, 2021, 53, 1001-1009.	1.3	1
244	Phase structure and adhesion properties of acrylic block copolymer/tackifier blends as nanocomposite-like pressure-sensitive adhesives. Journal of Applied Polymer Science, 2021, 138, 51384.	1.3	1
245	Smart particles as a foam stabilizer. KONA Powder and Particle Journal, 2008, 26, 2-2.	0.9	1
246	Stimulus-Sensitive Liquid Marble. Journal of the Japan Society of Colour Material, 2016, 89, 75-80.	0.0	1
247	ϵ -Foam Marble- ϵ -Stabilized with One Type of Polymer Particle. Langmuir, 2022, 38, 7603-7610.	1.6	1
248	Distributed simulation model for computer integrated manufacturing. , 0, , .		0
249	A study on partnering algorithm based on N-person cooperative game in virtual enterprise. , 0, , .		0
250	Report of the 43rd Meeting of the German Colloid Society. Journal of the Society of Powder Technology, Japan, 2008, 45, 337-338.	0.0	0
251	Polymer Particle Adsorbed at Air-water Interface towards Material Chemistry. Journal of the Adhesion Society of Japan, 2011, 47, 67-76.	0.0	0
252	Influence of Loading Method of Silane Coupling Agent on The Mechanical Properties of Silica Particle-Filled Styrene-Butadiene Rubber and Analysis of Interfacial Layer Using Pulse NMR: Comparison of Pre-Treatment and Integral Blend Methods. Journal of the Adhesion Society of Japan, 2013, 49, 112-119.	0.0	0

#	ARTICLE	IF	CITATIONS
253	Measurement of Physically Adsorbed Percent in Silane Coupling Agent-Treated Layer by Thermogravimetric Analysis. Journal of the Adhesion Society of Japan, 2015, 51, 42-48.	0.0	0
254	Structural Analysis of Pressure-Sensitive Adhesive using Pulse NMR. Journal of the Adhesion Society of Japan, 2016, 52, 236-243.	0.0	0
255	Influence of Molecular Structure on The Wetting Behavior during Probe Tack Test for Crosslinked Polyacrylic Pressure-Sensitive Adhesives. Journal of the Adhesion Society of Japan, 2016, 52, 59-69.	0.0	0
256	Effect of the degree of crosslinking on the interfacial layer structure of poly(vinyl chloride) dispersed with crosslinked poly(n-butyl methacrylate) particles. Composite Interfaces, 2017, 24, 761-778.	1.3	0
257	Fabrication of Powdered Pressure-Sensitive Adhesives Based on the Habits of Aphids. Hyomen Cijutsu/Journal of the Surface Finishing Society of Japan, 2017, 68, 121-126.	0.1	0
258	Effect of Peel Angle on The Stringiness of Crosslinked Polyacrylic Pressure-Sensitive Adhesives. Journal of the Adhesion Society of Japan, 2017, 53, 11-18.	0.0	0
259	Polyacrylic Pressure-Sensitive Adhesive. Journal of the Adhesion Society of Japan, 2017, 53, 268-275.	0.0	0
260	Analysis of Thickness of Interfacial Layer Using Pulse NMR for The Model System of Incompatible Polymer Blend. Journal of the Adhesion Society of Japan, 2017, 53, 202-209.	0.0	0
261	Synthesis of Near-monodisperse Polyacid Particles Containing Phosphate Groups by Free Radical Dispersion Polymerization. Chemistry Letters, 2019, 48, 730-733.	0.7	0
262	The Principle and Physical Chemistry of Soft Interface. , 2019, , 3-25.		0
263	Editorial: Particles at Fluid Interfaces. Frontiers in Chemistry, 2019, 7, 52.	1.8	0
264	Cover Image, Volume 138, Issue 37. Journal of Applied Polymer Science, 2021, 138, 51311.	1.3	0
265	Synthesis of porous carbon materials utilizing polymer particles. Hosokawa Powder Technology Foundation ANNUAL REPORT, 2009, 17, 97-102.	0.0	0
266	Influence of Phase Structure on Tack Properties of Polyacrylic Block Copolymer/Tackifier System. Journal of the Adhesion Society of Japan, 2011, 47, 344-353.	0.0	0
267	Morphology and Surface Analysis Using ¹ H Pulse NMR of Glass Fiber Treated with Mercapto Group Containing Silane Coupling Agents. Journal of the Adhesion Society of Japan, 2012, 48, 4-9.	0.0	0
268	Hydroxyapatite-Biodegradable Polymer Nanocomposite Microspheres toward Injectable Cell Scaffold. , 0, , 221-241.		0
269	Coagulating Strength of Some Alkoxy Silanes for Conservation of Stone Cultural Assets. Journal of the Adhesion Society of Japan, 2018, 54, 90-95.	0.0	0
270	Powdered Pressure-sensitive Adhesives Developed Based on Biomimetics. Journal of the Adhesion Society of Japan, 2018, 54, 103-109.	0.0	0

#	ARTICLE	IF	CITATIONS
271	J. Dow-type Rolling Ball Tack Test for Crosslinked Polyacrylic Pressure-Sensitive Adhesive. Journal of the Adhesion Society of Japan, 2018, 54, 287-293.	0.0	0
272	Structure of Surface-Treated Layer with Glycidoxy-Functional Silane Coupling Agent on Silica Particles. Journal of the Adhesion Society of Japan, 2018, 54, 324-330.	0.0	0
273	Analysis of Crosslinking Structure of Vulcanized Rubber and Pressure-Sensitive Adhesive using Equilibrium Swelling Method, Mechanical Properties and Pulse NMR. Nippon Gomu Kyokaishi, 2019, 92, 174-181.	0.0	0
274	Cleaning Method of Stainless Steel Standard Adherend for Peel Test of Pressure-Sensitive Adhesives. Journal of the Adhesion Society of Japan, 2019, 55, 88-96.	0.0	0
275	Interface and Adhesion of Composite. Nippon Gomu Kyokaishi, 2020, 93, 17-20.	0.0	0
276	Debonding Mechanism of Probe Tack Test for Crosslinked Polyacrylic Pressure-Sensitive Adhesive. Journal of the Adhesion Society of Japan, 2020, 56, 12-19.	0.0	0
277	Interface and Adhesion of Composite. Nippon Gomu Kyokaishi, 2020, 93, 91-94.	0.0	0
278	Interface and Adhesion of Composite. Nippon Gomu Kyokaishi, 2020, 93, 166-169.	0.0	0
279	Interface and Adhesion of Composite. Nippon Gomu Kyokaishi, 2020, 93, 243-247.	0.0	0
280	Delivery and Release of Materials Based on Particle-“Stabilized Dispersed Systems. Membrane, 2020, 45, 108-114.	0.0	0
281	Interface and Adhesion of Composite. Nippon Gomu Kyokaishi, 2020, 93, 300-304.	0.0	0
282	The Behavior of BZ Reaction in Small Space with Liquid Marble. Journal of the Society of Powder Technology, Japan, 2020, 57, 74-79.	0.0	0