

Miquel Quer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8408544/publications.pdf>

Version: 2024-02-01

194
papers

5,706
citations

87843

38
h-index

106281

65
g-index

217
all docs

217
docs citations

217
times ranked

6064
citing authors

#	ARTICLE	IF	CITATIONS
1	HPV Involvement in Head and Neck Cancers: Comprehensive Assessment of Biomarkers in 3680 Patients. Journal of the National Cancer Institute, 2016, 108, djv403.	3.0	580
2	Second neoplasm in patients with head and neck cancer. , 1999, 21, 204-210.		290
3	Proposal for revision of the European Laryngological Society classification of endoscopic cordectomies. European Archives of Oto-Rhino-Laryngology, 2007, 264, 499-504.	0.8	255
4	The role of type of tobacco and type of alcoholic beverage in oral carcinogenesis. International Journal of Cancer, 2004, 108, 741-749.	2.3	219
5	Distant metastases in head and neck cancer patients who achieved loco-regional control. Head and Neck, 2000, 22, 680-686.	0.9	214
6	An anatomical study of anastomoses between the laryngeal nerves. Laryngoscope, 1999, 109, 983-987.	1.1	153
7	Classification of parotidectomies: a proposal of the European Salivary Gland Society. European Archives of Oto-Rhino-Laryngology, 2016, 273, 3307-3312.	0.8	111
8	Endoscopic supraglottic laryngectomy: a proposal for a classification by the working committee on nomenclature, European Laryngological Society. European Archives of Oto-Rhino-Laryngology, 2009, 266, 993-998.	0.8	105
9	Carotid blowout syndrome: modern trends in management. Cancer Management and Research, 2018, Volume 10, 5617-5628.	0.9	93
10	Inclusion of Extracapsular Spread in the pTNM Classification System. JAMA Otolaryngology - Head and Neck Surgery, 2013, 139, 483.	1.2	87
11	Is the External Laryngeal Nerve an Exclusively Motor Nerve? The Cricothyroid Connection Branch. Laryngoscope, 2003, 113, 525-529.	1.1	77
12	Influence of the persistence of tobacco and alcohol use in the appearance of second neoplasm in patients with a head and neck cancer. A caseâ€“control study. Cancer Causes and Control, 2009, 20, 645-652.	0.8	76
13	Pretreatment count of peripheral neutrophils, monocytes, and lymphocytes as independent prognostic factor in patients with head and neck cancer. Head and Neck, 2017, 39, 219-226.	0.9	71
14	Variability in Nerve Patterns of the Adductor Muscle Group Supplied by the Recurrent Laryngeal Nerve. Laryngoscope, 2005, 115, 358-362.	1.1	64
15	Surgical options in benign parotid tumors: a proposal for classification. European Archives of Oto-Rhino-Laryngology, 2017, 274, 3825-3836.	0.8	62
16	Enhanced cell migration and apoptosis resistance may underlie the association between high SERPINE1 expression and poor outcome in head and neck carcinoma patients. Oncotarget, 2015, 6, 29016-29033.	0.8	62
17	Contemporary management of primary parapharyngeal space tumors. Head and Neck, 2019, 41, 522-535.	0.9	61
18	European Laryngological Society: ELS recommendations for the follow-up of patients treated for laryngeal cancer. European Archives of Oto-Rhino-Laryngology, 2014, 271, 2469-2479.	0.8	60

#	ARTICLE	IF	CITATIONS
19	Salvage surgery after locoregional failure in head and neck carcinoma patients treated with chemoradiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 295-301.	0.8	59
20	Human papillomavirus as prognostic marker with rising prevalence in neck squamous cell carcinoma of unknown primary: A retrospective multicentre study. <i>European Journal of Cancer</i> , 2017, 74, 73-81.	1.3	59
21	Double positivity for HPV-DNA/p16ink4a is the biomarker with strongest diagnostic accuracy and prognostic value for human papillomavirus related oropharyngeal cancer patients. <i>Oral Oncology</i> , 2018, 78, 137-144.	0.8	58
22	Management of the facial nerve in parotid cancer: preservation or resection and reconstruction. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 2615-2626.	0.8	57
23	Prognostic and predictive factors in recurrent and/or metastatic head and neck squamous cell carcinoma: A review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 137, 84-91.	2.0	55
24	Endoscopic laser surgery in the treatment of radiation failure of early laryngeal carcinoma. <i>Head and Neck</i> , 2000, 22, 520-523.	0.9	54
25	Expression of IL-1 β correlates with distant metastasis in patients with head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 37398-37409.	0.8	54
26	Incidence and Significance of Clinically Unsuspected Thyroid Tissue in Lymph Nodes Found During Neck Dissection in Head and Neck Carcinoma Patients. <i>Laryngoscope</i> , 2005, 115, 470-474.	1.1	52
27	Head and Neck Cancer: A Review of the Impact of Treatment Delay on Outcome. <i>Advances in Therapy</i> , 2018, 35, 153-160.	1.3	52
28	Results of salvage surgery for local or regional recurrence after larynx preservation with induction chemotherapy and radiotherapy. <i>Head and Neck</i> , 2001, 23, 733-738.	0.9	50
29	Analysis of the Clinical Relevance of Histological Classification of Benign Epithelial Salivary Gland Tumours. <i>Advances in Therapy</i> , 2019, 36, 1950-1974.	1.3	50
30	Hypothyroidism in patients treated with total laryngectomy. A multivariate study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2002, 259, 193-196.	0.8	49
31	Prognostic capacity of Systemic Inflammation Response Index (SIRI) in patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2020, 42, 336-343.	0.9	48
32	The risk of second primary tumors in head and neck cancer: A systematic review. <i>Head and Neck</i> , 2020, 42, 456-466.	0.9	47
33	Prevention of stomal recurrence. , 1996, 18, 54-59.		46
34	Variability of the Nerve Supply Patterns of the Human Posterior Cricoarytenoid Muscle. <i>Laryngoscope</i> , 2003, 113, 602-606.	1.1	45
35	Selective neck dissection in surgically treated head and neck squamous cell carcinoma patients with a clinically positive neck: Systematic review. <i>European Journal of Surgical Oncology</i> , 2018, 44, 395-403.	0.5	45
36	Selective dissection of levels II-III with intraoperative control of the upper and middle jugular nodes: A therapeutic option for the no neck. <i>Head and Neck</i> , 2001, 23, 441-446.	0.9	43

#	ARTICLE	IF	CITATIONS
37	Prostaglandin E ₂ pathway in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2008, 30, 1175-1181.	0.9	42
38	Interaction between head and neck squamous cell carcinoma cells and fibroblasts in the biosynthesis of PGE ₂ . <i>Journal of Lipid Research</i> , 2012, 53, 630-642.	2.0	42
39	Polymorphous adenocarcinoma of the salivary glands: reappraisal and update. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 1681-1695.	0.8	42
40	Pretreatment peripheral blood leukocytes are independent predictors of survival in oral cavity cancer. <i>Cancer</i> , 2020, 126, 994-1003.	2.0	42
41	Montgomery® Salivary Bypass Tube in the Reconstruction of the Hypopharynx Cost-Benefit Study. <i>Annals of Otology, Rhinology and Laryngology</i> , 1999, 108, 864-868.	0.6	40
42	Initial treatment of the early stages (I, II) of supraglottic squamous cell carcinoma: partial laryngectomy versus radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000, 257, 512-516.	0.8	39
43	The effect of waiting time on local control and survival in head and neck carcinoma patients treated with radiotherapy. <i>Radiotherapy and Oncology</i> , 2003, 66, 277-281.	0.3	39
44	The role of HPV on the risk of second primary neoplasia in patients with oropharyngeal carcinoma. <i>Oral Oncology</i> , 2017, 64, 37-43.	0.8	39
45	Ki-70 predicts response and primary tumor recurrence after therapy in locally advanced head and neck cancer. <i>International Journal of Cancer</i> , 2008, 123, 1068-1079.	2.3	38
46	Management of recurrent head and neck cancer: variables related to salvage surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 4417-4424.	0.8	37
47	Laryngeal carcinoma in patients without a history of tobacco and alcohol use. <i>European Archives of Oto-Rhino-Laryngology</i> , 1997, 19, 200-204.		36
48	Metachronous second primary tumours in the aerodigestive tract in patients with early stage head and neck squamous cell carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2005, 262, 905-909.	0.8	36
49	Oropharyngeal and laryngeal sensory innervation in the pathophysiology of swallowing disorders and sensory stimulation treatments. <i>Annals of the New York Academy of Sciences</i> , 2016, 1380, 104-120.	1.8	33
50	Total or subtotal glossectomy with microsurgical reconstruction: Functional and oncological results. <i>Microsurgery</i> , 2011, 31, 517-523.	0.6	32
51	Supracricoid laryngectomy as salvage surgery after failure of radiation therapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007, 264, 809-814.	0.8	31
52	Potential Structures That Could Be Confused With a Nonrecurrent Inferior Laryngeal Nerve: An Anatomic Study. <i>Laryngoscope</i> , 2008, 118, 56-60.	1.1	31
53	Lymphadenopathy Caused by <i>Mycobacterium colombiense</i> . <i>Journal of Clinical Microbiology</i> , 2008, 46, 1885-1887.	1.8	31
54	Gene expression signatures and molecular markers associated with clinical outcome in locally advanced head and neck carcinoma. <i>Carcinogenesis</i> , 2012, 33, 1707-1716.	1.3	31

#	ARTICLE	IF	CITATIONS
55	Validation of the pathological classification of lymph node metastasis for head and neck tumors according to the 8th edition of the TNM Classification of Malignant Tumors. <i>Oral Oncology</i> , 2017, 70, 29-33.	0.8	31
56	Deep lobe parotidectomy—why, when, and how?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 4073-4078.	0.8	31
57	Prognostic role of intraparotid lymph node metastasis in primary parotid cancer: Systematic review. <i>Head and Neck</i> , 2021, 43, 997-1008.	0.9	31
58	Primary Tracheoesophageal Puncture vs Esophageal Speech. <i>JAMA Otolaryngology</i> , 1992, 118, 188-190.	1.5	28
59	Effect of serpinE1 overexpression on the primary tumor and lymph node, and lung metastases in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2019, 41, 429-439.	0.9	28
60	A Novel Role For Nanog As An Early Cancer Risk Marker In Patients With Laryngeal Precancerous Lesions. <i>Scientific Reports</i> , 2017, 7, 11110.	1.6	27
61	Function preservation in stage III squamous laryngeal carcinoma: Results with an induction chemotherapy protocol. <i>Laryngoscope</i> , 1995, 105, 822-826.	1.1	26
62	Second, third, and fourth head and neck tumors. A progressive decrease in survival. <i>Head and Neck</i> , 2012, 34, 1716-1719.	0.9	25
63	CXCR4-targeted nanotoxins induce GSDME-dependent pyroptosis in head and neck squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 49.	3.5	24
64	Can cure be achieved in patients with head and neck carcinomas? The problem of second neoplasm. <i>Expert Review of Anticancer Therapy</i> , 2001, 1, 125-133.	1.1	23
65	Prognostic role of MMP-9 expression in head and neck carcinoma patients treated with radiotherapy or chemoradiotherapy. <i>Oral Oncology</i> , 2013, 49, 322-325.	0.8	23
66	Surgical management of intrathoracic goitres. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 305-314.	0.8	23
67	Pharyngocutaneous fistula after total laryngectomy: multivariate analysis of risk factors and a severity-based classification proposal. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 143-151.	0.8	22
68	Management of the Neck in Well-Differentiated Thyroid Cancer. <i>Current Oncology Reports</i> , 2021, 23, 1.	1.8	22
69	Foramen Thyroideum: A Comparative Study in Embryos, Fetuses, and Adults. <i>Laryngoscope</i> , 1997, 107, 1146-1150.	1.1	21
70	Influence of Age on Laryngeal Carcinoma. <i>Annals of Otology, Rhinology and Laryngology</i> , 1998, 107, 164-169.	0.6	21
71	How much does it cost to preserve a larynx?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000, 257, 72-76.	0.8	21
72	Results of an organ preservation protocol with induction chemotherapy and radiotherapy in patients with locally advanced pyriform sinus carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2002, 259, 32-36.	0.8	21

#	ARTICLE	IF	CITATIONS
73	How phenotype guides management of non-conventional squamous cell carcinomas of the larynx?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 2709-2726.	0.8	20
74	Postoperative staging of the neck dissection using extracapsular spread and lymph node ratio as prognostic factors in HPV-negative head and neck squamous cell carcinoma patients. <i>Oral Oncology</i> , 2018, 77, 37-42.	0.8	20
75	Identification of Somatic VHL Gene Mutations in Sporadic Head and Neck Paragangliomas in Association With Activation of the HIF-1 α /miR-210 Signaling Pathway. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1661-E1666.	1.8	18
76	Results of an organ preservation protocol with induction chemotherapy and radiotherapy in patients with locally advanced laryngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2005, 262, 93-98.	0.8	17
77	Salvage surgery after local recurrence in patients with head and neck carcinoma treated with chemoradiotherapy or bioradiotherapy. <i>Auris Nasus Larynx</i> , 2015, 42, 145-149.	0.5	17
78	Detection of Distant Metastases in Head and Neck Cancer: Changing Landscape. <i>Advances in Therapy</i> , 2018, 35, 161-172.	1.3	17
79	Características epidemiológicas de los pacientes con carcinomas escamosos de cabeza y cuello. Resultados de un registro hospitalario. <i>Acta Otorrinolaringológica Española</i> , 2019, 70, 272-278.	0.2	17
80	Current Trends and Controversies in the Management of Warthin Tumor of the Parotid Gland. <i>Diagnostics</i> , 2021, 11, 1467.	1.3	17
81	Expression of the CXCL12/CXCR4 chemokine axis predicts regional control in head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 4525-4533.	0.8	16
82	CKMT1 and NCOA1 expression as a predictor of clinical outcome in patients with advanced-stage head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, E1392-403.	0.9	16
83	Prognostic value of CD45 transcriptional expression in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 225-232.	0.8	16
84	Riesgo de aparición de segundas neoplasias y neoplasias sucesivas en pacientes con un tumor índice de cabeza y cuello. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 9-15.	0.2	16
85	External validation of a risk group defined by recursive partitioning analysis in patients with head and neck carcinoma treated with surgery and postoperative radiotherapy. <i>Head and Neck</i> , 2007, 29, 815-821.	0.9	15
86	Impacto de la laringectomía total en la situación laboral. <i>Acta Otorrinolaringológica Española</i> , 2018, 69, 74-79.	0.2	15
87	Significado pronóstico de la extensión extranodal en pacientes con carcinomas escamosos de cabeza y cuello cN0 con metástasis ganglionares ocultas. <i>Acta Otorrinolaringológica Española</i> , 2018, 69, 156-164.	0.2	15
88	European Laryngological Society position paper on laryngeal dysplasia Part II: diagnosis, treatment, and follow-up. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 1723-1732.	0.8	15
89	Self-assembling protein nanocarrier for selective delivery of cytotoxic polypeptides to CXCR4+ head and neck squamous cell carcinoma tumors. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 2578-2591.	5.7	15
90	Delayed carotid blow-out syndrome: a new complication of chemoradiotherapy treatment in pharyngolaryngeal carcinoma. <i>Journal of Laryngology and Otology</i> , 2012, 126, 1189-1191.	0.4	14

#	ARTICLE	IF	CITATIONS
91	Development and (pre-) clinical assessment of a novel surgical tool for primary and secondary tracheoesophageal puncture with immediate voice prosthesis insertion, the Provox Vega Puncture Set. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 255-262.	0.8	14
92	The prognostic value of pretreatment platelet count in patients with head and neck squamous cell carcinoma. <i>Auris Nasus Larynx</i> , 2017, 44, 313-318.	0.5	14
93	Immunohistochemical Expression of Cortactin and Focal Adhesion Kinase Predicts Recurrence Risk and Laryngeal Cancer Risk Beyond Histologic Grading. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 805-813.	1.1	14
94	Mutation Analysis of the SDHD Gene in Four Kindreds with Familial Paraganglioma. <i>Diagnostic Molecular Pathology</i> , 2005, 14, 109-114.	2.1	13
95	Risk of third and fourth tumors in patients with head and neck cancer. <i>Head and Neck</i> , 2010, 32, 1467-1472.	0.9	13
96	High RAB 25 expression is associated with good clinical outcome in patients with locally advanced head and neck squamous cell carcinoma. <i>Cancer Medicine</i> , 2013, 2, 950-963.	1.3	13
97	Stomal recurrence in head and neck cancer patients with temporary tracheostomy. <i>Auris Nasus Larynx</i> , 2014, 41, 467-470.	0.5	12
98	Prostacyclin synthase expression in head and neck carcinoma patients and its prognostic value in the response to radiotherapy. <i>Journal of Pathology</i> , 2015, 235, 125-135.	2.1	12
99	Parotid Incidentaloma Identified by Positron Emission/Computed Tomography: When to Consider Diagnoses Other than Warthin Tumor. <i>International Archives of Otorhinolaryngology</i> , 2015, 19, 112-115.	0.3	12
100	Impact of Total Laryngectomy on Return to Work. <i>Acta Otorrinolaringologica (English Edition)</i> , 2018, 69, 74-79.	0.1	11
101	Competing mortality in oropharyngeal carcinoma according to human papillomavirus status. <i>Head and Neck</i> , 2019, 41, 1328-1334.	0.9	11
102	European Laryngological Society position paper on laryngeal dysplasia Part I: aetiology and pathological classification. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 1717-1722.	0.8	11
103	Histologically negative specimens after induction therapy: Frequency and impact on survival. <i>Head and Neck</i> , 2000, 22, 808-813.	0.9	10
104	Treatment of neck nodes after induction chemotherapy in patients with primary advanced tumours. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000, 257, 521-525.	0.8	10
105	Reconstrucci3n de defectos de cavidad oral con colgajos tipo FAMM (colgajo m3sculo-mucoso de) Tj ETQq1 1 0.784314 rgBT /Over	0.2	10
106	Modalidades de preservaci3n de 3rgano en carcinomas de laringe e hipofaringe. <i>Acta Otorrinolaringol3gica Espa±ola</i> , 2007, 58, 476-482.	0.2	9
107	Ceratocricoid muscle: An embryological and anatomical study. <i>Clinical Anatomy</i> , 2009, 22, 463-470.	1.5	9
108	Parotidectom3as en tumores benignos: clasificaci3n 3 «Sant Pau» de la extensi3n de la resecci3n. <i>Acta Otorrinolaringol3gica Espa±ola</i> , 2010, 61, 1-5.	0.2	9

#	ARTICLE	IF	CITATIONS
109	Prognostic significance of extracapsular spread in isolated neck recurrences in head and neck squamous cell carcinoma patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 527-533.	0.8	9
110	Long-Term Hearing Outcomes following Stapedotomy in Patients with Otosclerosis and Preoperative Small Air-Bone Gap. <i>Audiology and Neuro-Otology</i> , 2017, 22, 350-355.	0.6	9
111	The combined use of EFS, GPX2, and SPRR1A expression could distinguish favorable from poor clinical outcome among epithelial-like head and neck carcinoma subtypes. <i>Head and Neck</i> , 2019, 41, 1830-1845.	0.9	9
112	Trends in disease-specific survival of head and neck squamous cell carcinoma patients treated in a single institution over a 30-year period. <i>Oral Oncology</i> , 2021, 115, 105184.	0.8	9
113	Relationship between response to induction chemotherapy and disease control in patients with advanced laryngeal carcinoma included in an organ preservation protocol. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 2581-2587.	0.8	9
114	Blood transfusions in laryngeal cancer: Effect on prognosis. , 1996, 18, 218-224.		8
115	Is dissection of level V necessary in patients with T2-T4N0 supraglottic cancer?. <i>Journal of Laryngology and Otology</i> , 2004, 118, 175-178.	0.4	8
116	Comparison of the Radiation Therapy Oncology Group recursive partitioning classification and Union Internationale Contre le Cancer TNM classification for patients with head and neck carcinoma. <i>Head and Neck</i> , 2005, 27, 248-257.	0.9	8
117	Overexpression of the nuclear factor- κ B (p65) in association with local failure in patients with head and neck carcinoma undergoing radiotherapy or chemoradiotherapy. <i>Head and Neck</i> , 2013, 35, 370-375.	0.9	8
118	Elective treatment of the neck for second primary tumors of the head and neck. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1187-1190.	0.8	8
119	External validation of sTWEAK as a prognostic noninvasive biomarker for head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, E1358-63.	0.9	8
120	Recurrent laryngeal squamous cell carcinoma: rTNM versus composite laryngeal recurrence staging system. Proposal for a modification of the CLRSS to improve patient classification. <i>Head and Neck</i> , 2008, 30, 939-945.	0.9	7
121	Elective neck dissection during salvage surgery after radiotherapy in patients with head and neck squamous cell carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , 2018, 38, 86-93.	0.7	7
122	Repair of post-laryngectomy pharyngocutaneous fistulas using a pectoralis major flap. <i>Brazilian Journal of Otorhinolaryngology</i> , 2019, 85, 351-356.	0.4	7
123	Does age influence disease-specific survival in patients with squamous cell carcinomas of the head and neck?. <i>Journal of Surgical Oncology</i> , 2020, 121, 1058-1066.	0.8	7
124	Weighted lymph node ratio: New tool in the assessment of postoperative staging of the neck dissection in HPV -negative head and neck squamous cell carcinoma patients. <i>Head and Neck</i> , 2020, 42, 2912-2919.	0.9	7
125	Salvage carbon dioxide transoral laser microsurgery for laryngeal cancer after (chemo)radiotherapy: a European Laryngological Society consensus statement. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4373-4381.	0.8	7
126	Resultados oncológicos de la laringectomía de rescate en pacientes con carcinomas escamosos de laringe. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 70-77.	0.2	7

#	ARTICLE	IF	CITATIONS
127	Parotidectomies in benign parotid tumours: "Sant Pau" surgical extension classification. <i>Acta Otorrinolaringologica (English Edition)</i> , 2010, 61, 1-5.	0.1	6
128	Comparison of Chi-Squared Automatic Interaction Detection Classification Trees vs TNM Classification for Patients With Head and Neck Squamous Cell Carcinoma. <i>JAMA Otolaryngology</i> , 2012, 138, 272.	1.5	6
129	Risk of Onset of Second Neoplasms and Successive Neoplasms in Patients With a Head and Neck Index Tumour. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 9-15.	0.1	6
130	Salvage surgery in head and neck cancer: External validation of predictors of disease-specific survival. <i>Oral Oncology</i> , 2020, 109, 104876.	0.8	6
131	The aspartate aminotransaminase/alanine aminotransaminase (De Ritis) ratio predicts sensitivity to radiotherapy in head and neck carcinoma patients. <i>Head and Neck</i> , 2021, 43, 2091-2100.	0.9	6
132	The Selective Role of Open and Endoscopic Approaches for Sinonasal Malignant Tumours. <i>Advances in Therapy</i> , 2022, 39, 2379-2397.	1.3	6
133	How Phenotype Guides Management of the Most Common Malignant Salivary Neoplasms of the Larynx?. <i>Advances in Therapy</i> , 2017, 34, 813-825.	1.3	5
134	Predictive value of transcriptional expression of KrÄppel-like factor-6 (KLF6) in head and neck carcinoma patients treated with radiotherapy. <i>Clinical and Translational Oncology</i> , 2021, 23, 2507-2512.	1.2	5
135	Causes of long-term mortality in patients with head and neck squamous cell carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 3657-3664.	0.8	5
136	Voice Outcome After Carbon Dioxide Transoral Laser Microsurgery for Glottic Cancer According to the European Laryngological Society Classification of Cordectomy Types " A Systematic Review. <i>Journal of Voice</i> , 2022, , .	0.6	5
137	A Novel CXCR4-Targeted Diphtheria Toxin Nanoparticle Inhibits Invasion and Metastatic Dissemination in a Head and Neck Squamous Cell Carcinoma Mouse Model. <i>Pharmaceutics</i> , 2022, 14, 887.	2.0	5
138	Prognostic Significance of Extranodal Extension in Head and Neck Squamous Cell Carcinoma cN0 Patients With Occult Metastatic Neck Nodes. <i>Acta Otorrinolaringologica (English Edition)</i> , 2018, 69, 156-164.	0.1	4
139	Pacientes con carcinoma localmente avanzado de hipofaringe. Resultados a lo largo de un periodo de 30 a±os. <i>Acta OtorrinolaringolÃ³gica EspaÃ±ola</i> , 2019, 70, 315-326.	0.2	4
140	Is There A Role for Limited Parotid Resections for Primary Malignant Parotid Tumors?. <i>Surgeries</i> , 2020, 1, 2-9.	0.3	4
141	Oral cavity colon adenocarcinoma metastases: case report with surgical approach and review of more than 30 years literature. <i>Oral and Maxillofacial Surgery</i> , 2021, 25, 99-101.	0.6	4
142	Significado pronÃ³stico de los niveles de albÃºmina previos al tratamiento en los pacientes con carcinoma escamoso de cabeza y cuello. <i>Acta OtorrinolaringolÃ³gica EspaÃ±ola</i> , 2020, 71, 204-211.	0.2	4
143	Results of an organ conservation protocol in patients with locally advanced laryngeal tumours. <i>Acta Otorrinolaringologica (English Edition)</i> , 2009, 60, 176-185.	0.1	3
144	Indications and results of extended total laryngectomy with en-bloc resection of overlying cervical skin. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 3179-3184.	0.8	3

#	ARTICLE	IF	CITATIONS
145	Low skeletal muscle mass assessed directly from the 3rd cervical vertebra can predict pharyngocutaneous fistula risk after total laryngectomy in the male population. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 853-863.	0.8	3
146	Aetiology and Treatment of Vocal Fold Paralysis: Retrospective Study of 108 Patients. <i>Acta Otorrinolaringologica (English Edition)</i> , 2014, 65, 225-230.	0.1	2
147	Absence of disruptive TP53 mutations in high-risk human papillomavirus-driven neck squamous cell carcinoma of unknown primary. <i>Head and Neck</i> , 2019, 41, 3833-3841.	0.9	2
148	Patients With Locally Advanced Hypopharyngeal Carcinoma. Results Over a 30-year Period. <i>Acta Otorrinolaringologica (English Edition)</i> , 2019, 70, 315-326.	0.1	2
149	Prognostic Significance of Albumin Levels Prior to Treatment in Patients With Head and Neck Squamous Cell Carcinoma. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 204-211.	0.1	2
150	Monitorización intraoperatoria del nervio facial durante la cirugía de la glándula parótida en servicios de otorrinolaringología - cirugía de cabeza y cuello. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 158-163.	0.2	2
151	Prognostic capacity of the weighted lymph node ratio in head and neck squamous cell carcinoma patients treated with salvage neck dissection. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4005-4010.	0.8	2
152	Resultados oncológicos del tratamiento de rescate en pacientes con carcinomas de hipofaringe. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 85-91.	0.2	2
153	Prognostic value of the nodal yield in elective neck dissections in patients with head and neck carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, , 1.	0.8	2
154	Prevention of stomal recurrence. <i>Head and Neck</i> , 1996, 18, 54-59.	0.9	2
155	Risk of distant metastases in head and neck carcinoma patients and myeloperoxidase (MPO) expression. <i>Journal of Clinical Oncology</i> , 2016, 34, 6067-6067.	0.8	2
156	Capacidad predictiva de la expresión de IL-8 en pacientes con carcinomas escamosos de cabeza y cuello tratados con radioterapia o quimio-radioterapia. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 337-343.	0.2	2
157	Organ Preservation in Laryngeal and Hypopharyngeal Cancer. <i>Acta Otorrinolaringologica (English)</i> Tj ETQq1 1 0.784314 rgBT ₁ /Overlo 0,1	0.1	1
158	Trasplante de la laringe: ¿una opción terapéutica para el siglo XXI? Revisión de la literatura. <i>Acta Otorrinolaringológica Española</i> , 2008, 59, 127-138.	0.2	1
159	Reply to the letter to the editor concerning: "Classification of parotidectomies: a proposal of the European Salivary Gland Society". <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3453-3453.	0.8	1
160	Prognostic role of extracapsular spread in planned neck dissection after chemoradiotherapy. <i>Head and Neck</i> , 2018, 40, 2514-2520.	0.9	1
161	Epidemiologic Characteristics of Squamous Head and Neck Carcinoma Patients. Results of a Hospital Register. <i>Acta Otorrinolaringologica (English Edition)</i> , 2019, 70, 272-278.	0.1	1
162	Oncological Results of Salvage Laryngectomy in Patients With Laryngeal Carcinoma. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 70-77.	0.1	1

#	ARTICLE	IF	CITATIONS
163	Oncological Results of Salvage Treatment in Patients With Hypopharyngeal Carcinoma. <i>Acta Otorrinolaringologica (English Edition)</i> , 2021, 72, 85-91.	0.1	1
164	Pacientes fumadores de cigarros con carcinomas escamosos de cabeza y cuello. Características epidemiológicas y pronósticas diferenciales. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 222-229.	0.2	1
165	Predictive capacity of IL-8 expression in head and neck squamous carcinoma patients treated with radiotherapy or chemoradiotherapy. <i>Acta Otorrinolaringologica (English Edition)</i> , 2021, 72, 337-343.	0.1	1
166	Pharyngocutaneous fistula in irradiated patients: systematic review and our experience. <i>Journal of Laryngology and Otology</i> , 2022, 136, 1027-1033.	0.4	1
167	Relationship between the transcriptional expression of PIM1 and local control in patients with head and neck squamous cell carcinomas treated with radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, , 1.	0.8	1
168	Reply to the letter "A proposal for a level for parapharyngeal extension of parotid gland". <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3457-3457.	0.8	0
169	Prognostic Value of Nodal Involvement in Patients With Oropharyngeal Carcinoma According to the HPV Status. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 212-218.	0.1	0
170	Prognostic Capacity of the Lymph Node Ratio in Squamous Cell Carcinomas of the Head and Neck. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 265-274.	0.1	0
171	Analysis of Specific Survival and Local Control Through a Recursive Partitioning Analysis in Patients With Head and Neck Carcinoma. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 131-139.	0.1	0
172	Preservación de Órgano tras un tratamiento con quimioterapia de inducción en pacientes con carcinomas localmente avanzados (T3-T4) de cavidad oral y orofaringe. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 27-36.	0.2	0
173	Organ Preservation After Treatment With Induction Chemotherapy in Patients With Locally Advanced Carcinomas (T3-T4) of Oral Cavity and Oropharynx. <i>Acta Otorrinolaringologica (English Edition)</i> , 2021, 72, 27-36.	0.1	0
174	Características diferenciales de los pacientes con carcinomas escamosos de cabeza y cuello en función del género. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 359-369.	0.2	0
175	Preservación de Órgano en pacientes con tumores avanzados de laringe. Resultados de la quimioterapia de inducción versus quimio-radioterapia en la práctica clínica real. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 143-151.	0.2	0
176	Organ Preservation in Patients With Advanced Laryngeal Tumours. Results of Induction Chemotherapy Versus Chemoradiotherapy in Actual Clinical Practice. <i>Acta Otorrinolaringologica (English Edition)</i> , 2021, 72, 143-151.	0.1	0
177	Head and neck squamous cell carcinoma in cigar smokers. Distinctive epidemiological and prognostic characteristics. <i>Acta Otorrinolaringologica (English Edition)</i> , 2021, 72, 222-229.	0.1	0
178	Distant metastases in squamous-cell head and neck carcinoma (SHNC) patients who achieved loco-regional control (LRC). <i>Journal of Clinical Oncology</i> , 2004, 22, 5519-5519.	0.8	0
179	Smoke and alcohol consumption as a risk factors in the development of second primary neoplasms (SPN) in head & neck cancer (HNC) patients. A case-control study. <i>Journal of Clinical Oncology</i> , 2004, 22, 5582-5582.	0.8	0
180	A proposal of pathological classification (pTNM) of patients with head and neck cancer according to capsular rupture (pN- RC). <i>Journal of Clinical Oncology</i> , 2007, 25, 16525-16525.	0.8	0

#	ARTICLE	IF	CITATIONS
181	Total Laryngectomy. , 2009, , 229-243.		0
182	Progressive increasing in the risk of second and subsequent malignant tumors in patients with a head and neck cancer: A validation study with SEER data.. Journal of Clinical Oncology, 2012, 30, 5595-5595.	0.8	0
183	Gene expression as a predictor of radiotherapy or chemoradiotherapy response in head and neck squamous cell carcinoma patients: A molecular approach.. Journal of Clinical Oncology, 2012, 30, 5590-5590.	0.8	0
184	Expression of interleukin-1 β (IL1- β) and risk of distant metastases (DM) in head and neck squamous cell carcinoma (HNSCC).. Journal of Clinical Oncology, 2014, 32, 6078-6078.	0.8	0
185	Expression of the CXCL12/CXCR4 chemokine axis as predictor of regional control in head and neck squamous cell carcinoma (HNSCC).. Journal of Clinical Oncology, 2015, 33, e17093-e17093.	0.8	0
186	Validation of the pathological classification of lymph node metastasis for head and neck tumors (HNSCC) according to the 8th edition of the TNM Classification of Malignant Tumors (8th TNM).. Journal of Clinical Oncology, 2017, 35, 6014-6014.	0.8	0
187	Risk of second primary neoplasia in patients with oropharyngeal carcinoma: Role of HPV status in the outcome.. Journal of Clinical Oncology, 2019, 37, e17544-e17544.	0.8	0
188	Análisis de la supervivencia específica y el control local mediante un análisis de partición recursiva en pacientes con carcinomas de cabeza y cuello. Acta Otorrinolaringológica Española, 2020, 71, 131-139.	0.2	0
189	Valoración de la capacidad pronóstica de la afectación ganglionar de los pacientes con carcinoma de orofaringe en función del estatus HPV. Acta Otorrinolaringológica Española, 2020, 71, 212-218.	0.2	0
190	Capacidad pronóstica de la densidad ganglionar en los carcinomas escamosos de cabeza y cuello. Acta Otorrinolaringológica Española, 2020, 71, 265-274.	0.2	0
191	Differential Characteristics of Patients With Squamous Cell Carcinoma of the Head and Neck According to Gender. Acta Otorrinolaringologica (English Edition), 2021, 72, 359-369.	0.1	0
192	Distant metastases in squamous-cell head and neck carcinoma (SHNC) patients who achieved loco-regional control (LRC). Journal of Clinical Oncology, 2004, 22, 5519-5519.	0.8	0
193	Smoke and alcohol consumption as a risk factors in the development of second primary neoplasms (SPN) in head & neck cancer (HNC) patients. A case-control study. Journal of Clinical Oncology, 2004, 22, 5582-5582.	0.8	0
194	Prognostic value of transcriptional expression of fibronectin type III domain-containing 4 (FNDC4) in head and neck carcinoma patients treated with chemoradiotherapy. Clinical and Translational Oncology, 0, , .	1.2	0