

Jun Ishii

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8410885/jun-ishii-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

2,126
citations

25
h-index

41
g-index

122
ext. papers

2,486
ext. citations

5.2
avg, IF

4.83
L-index

#	Paper	IF	Citations
101	A review of enzymes and microbes for lignocellulosic biorefinery and the possibility of their application to consolidated bioprocessing technology. <i>Bioresource Technology</i> , 2013 , 135, 513-22	11	240
100	Metabolic pathway engineering based on metabolomics confers acetic and formic acid tolerance to a recombinant xylose-fermenting strain of <i>Saccharomyces cerevisiae</i> . <i>Microbial Cell Factories</i> , 2011 , 10, 2	6.4	186
99	Genetic engineering to enhance the Ehrlich pathway and alter carbon flux for increased isobutanol production from glucose by <i>Saccharomyces cerevisiae</i> . <i>Journal of Biotechnology</i> , 2012 , 159, 32-7	3.7	131
98	Increased isobutanol production in <i>Saccharomyces cerevisiae</i> by eliminating competing pathways and resolving cofactor imbalance. <i>Microbial Cell Factories</i> , 2013 , 12, 119	6.4	102
97	A simple and immediate method for simultaneously evaluating expression level and plasmid maintenance in yeast. <i>Journal of Biochemistry</i> , 2009 , 145, 701-8	3.1	81
96	Development of microbial cell factories for bio-refinery through synthetic bioengineering. <i>Journal of Biotechnology</i> , 2013 , 163, 204-16	3.7	46
95	Expression of varied GFPs in <i>Saccharomyces cerevisiae</i> : codon optimization yields stronger than expected expression and fluorescence intensity. <i>Scientific Reports</i> , 2016 , 6, 35932	4.9	42
94	Engineering strategy of yeast metabolism for higher alcohol production. <i>Microbial Cell Factories</i> , 2011 , 10, 70	6.4	38
93	Complete Genome Sequence of <i>Kluyveromyces marxianus</i> NBRC1777, a Nonconventional Thermotolerant Yeast. <i>Genome Announcements</i> , 2015 , 3,		36
92	Enhanced cell-surface display and secretory production of cellulolytic enzymes with <i>Saccharomyces cerevisiae</i> Sed1 signal peptide. <i>Biotechnology and Bioengineering</i> , 2016 , 113, 2358-66	4.9	36
91	Eliminating the isoleucine biosynthetic pathway to reduce competitive carbon outflow during isobutanol production by <i>Saccharomyces cerevisiae</i> . <i>Microbial Cell Factories</i> , 2015 , 14, 62	6.4	34
90	Construction of a xylose-metabolizing yeast by genome integration of xylose isomerase gene and investigation of the effect of xylitol on fermentation. <i>Applied Microbiology and Biotechnology</i> , 2010 , 88, 1215-21	5.7	34
89	Rational design and evolutionary fine tuning of <i>Saccharomyces cerevisiae</i> for biomass breakdown. <i>Current Opinion in Chemical Biology</i> , 2015 , 29, 1-9	9.7	32
88	A display of pH-sensitive fusogenic GALA peptide facilitates endosomal escape from a Bio-nanocapsule via an endocytic uptake pathway. <i>Journal of Nanobiotechnology</i> , 2014 , 12, 11	9.4	31
87	Construction of an artificial pathway for isobutanol biosynthesis in the cytosol of <i>Saccharomyces cerevisiae</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2012 , 76, 2139-41	2.1	30
86	Enhancement of astaxanthin production in <i>Xanthophyllomyces dendrorhous</i> by efficient method for the complete deletion of genes. <i>Microbial Cell Factories</i> , 2016 , 15, 155	6.4	29
85	Yeast-based fluorescence reporter assay of G protein-coupled receptor signalling for flow cytometric screening: FAR1-disruption recovers loss of episomal plasmid caused by signalling in yeast. <i>Journal of Biochemistry</i> , 2008 , 143, 667-74	3.1	29

84	Overexpressing enzymes of the Ehrlich pathway and deleting genes of the competing pathway in <i>Saccharomyces cerevisiae</i> for increasing 2-phenylethanol production from glucose. <i>Journal of Bioscience and Bioengineering</i> , 2016 , 122, 34-9	3.3	27
83	The N-terminal replacement of an olfactory receptor for the development of a yeast-based biomimetic odor sensor. <i>Biotechnology and Bioengineering</i> , 2012 , 109, 205-12	4.9	27
82	Reduction of furan derivatives by overexpressing NADH-dependent Adh1 improves ethanol fermentation using xylose as sole carbon source with <i>Saccharomyces cerevisiae</i> harboring XR-XDH pathway. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 2597-607	5.7	27
81	Efficient co-displaying and artificial ratio control of α -amylase and glucoamylase on the yeast cell surface by using combinations of different anchoring domains. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 1655-63	5.7	27
80	Transporter engineering in biomass utilization by yeast. <i>FEMS Yeast Research</i> , 2017 , 17,	3.1	26
79	Control of signalling properties of human somatostatin receptor subtype-5 by additional signal sequences on its amino-terminus in yeast. <i>Journal of Biochemistry</i> , 2010 , 147, 875-84	3.1	26
78	Construction of a novel synergistic system for production and recovery of secreted recombinant proteins by the cell surface engineering. <i>Applied Microbiology and Biotechnology</i> , 2007 , 75, 821-8	5.7	26
77	Three gene expression vector sets for concurrently expressing multiple genes in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2014 , 14, 399-411	3.1	25
76	Protein-protein interactions and selection: yeast-based approaches that exploit guanine nucleotide-binding protein signaling. <i>FEBS Journal</i> , 2010 , 277, 1982-95	5.7	25
75	Quantitative and dynamic analyses of G protein-coupled receptor signaling in yeast using Fus1, enhanced green fluorescence protein (EGFP), and His3 fusion protein. <i>Biotechnology Progress</i> , 2006 , 22, 954-60	2.8	25
74	Targeting cancer cell-specific RNA interference by siRNA delivery using a complex carrier of affibody-displaying bio-nanocapsules and liposomes. <i>Journal of Nanobiotechnology</i> , 2013 , 11, 19	9.4	24
73	Implementation of a transhydrogenase-like shunt to counter redox imbalance during xylose fermentation in <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 1669-78	5.7	23
72	High-efficiency recovery of target cells using improved yeast display system for detection of protein-protein interactions. <i>Applied Microbiology and Biotechnology</i> , 2007 , 76, 151-8	5.7	23
71	A Stable, Autonomously Replicating Plasmid Vector Containing <i>Pichia pastoris</i> Centromeric DNA. <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8	23
70	Identification of a novel hedycaryol synthase gene isolated from <i>Camellia brevistyla</i> flowers and floral scent of <i>Camellia</i> cultivars. <i>Planta</i> , 2016 , 243, 959-72	4.7	22
69	Importance of asparagine residues at positions 13 and 26 on the amino-terminal domain of human somatostatin receptor subtype-5 in signalling. <i>Journal of Biochemistry</i> , 2010 , 147, 867-73	3.1	22
68	From mannan to bioethanol: cell surface co-display of α -mannanase and α -mannosidase on yeast <i>Saccharomyces cerevisiae</i> . <i>Biotechnology for Biofuels</i> , 2016 , 9, 188	7.8	22
67	Improving the odorant sensitivity of olfactory receptor-expressing yeast with accessory proteins. <i>Analytical Biochemistry</i> , 2015 , 471, 1-8	3.1	21

66	Cell wall trapping of autocrine peptides for human G-protein-coupled receptors on the yeast cell surface. <i>PLoS ONE</i> , 2012 , 7, e37136	3.7	21
65	Amplification of agonist stimulation of human G-protein-coupled receptor signaling in yeast. <i>Analytical Biochemistry</i> , 2011 , 417, 182-7	3.1	21
64	Detoxification of furfural in <i>Corynebacterium glutamicum</i> under aerobic and anaerobic conditions. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 8675-83	5.7	20
63	Applications of yeast-based signaling sensor for characterization of antagonist and analysis of site-directed mutants of the human serotonin 1A receptor. <i>Biotechnology and Bioengineering</i> , 2015 , 112, 1906-15	4.9	20
62	Bright fluorescence monitoring system utilizing <i>Zoanthus</i> sp. green fluorescent protein (ZsGreen) for human G-protein-coupled receptor signaling in microbial yeast cells. <i>PLoS ONE</i> , 2013 , 8, e82237	3.7	19
61	Mechanism-based tuning of insect 3,4-dihydroxyphenylacetaldehyde synthase for synthetic bioproduction of benzylisoquinoline alkaloids. <i>Nature Communications</i> , 2019 , 10, 2015	17.4	17
60	Short Oligopeptides for Biocompatible and Biodegradable Supramolecular Hydrogels. <i>Langmuir</i> , 2018 , 34, 8065-8074	4	17
59	A pyruvate carbon flux tugging strategy for increasing 2,3-butanediol production and reducing ethanol subgeneration in the yeast. <i>Biotechnology for Biofuels</i> , 2018 , 11, 180	7.8	16
58	An improved bioluminescence-based signaling assay for odor sensing with a yeast expressing a chimeric olfactory receptor. <i>Biotechnology and Bioengineering</i> , 2012 , 109, 3143-51	4.9	15
57	Metabolic engineering of the 2-ketobutyrate biosynthetic pathway for 1-propanol production in <i>Saccharomyces cerevisiae</i> . <i>Microbial Cell Factories</i> , 2018 , 17, 38	6.4	14
56	FudC, a protein primarily responsible for furfural detoxification in <i>Corynebacterium glutamicum</i> . <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 2685-92	5.7	14
55	Microbial fluorescence sensing for human neurotensin receptor type 1 using G-engineered yeast cells. <i>Analytical Biochemistry</i> , 2014 , 446, 37-43	3.1	14
54	Genetic engineering of bio-nanoparticles for drug delivery: a review. <i>Journal of Biomedical Nanotechnology</i> , 2014 , 10, 2063-85	4	14
53	Development of a yeast protein fragment complementation assay (PCA) system using dihydrofolate reductase (DHFR) with specific additives. <i>Applied Microbiology and Biotechnology</i> , 2008 , 80, 735-43	5.7	14
52	Rapid, Facile Detection of Heterodimer Partners for Target Human G-Protein-Coupled Receptors Using a Modified Split-Ubiquitin Membrane Yeast Two-Hybrid System. <i>PLoS ONE</i> , 2013 , 8, e66793	3.7	13
51	Heterologous expression of bacterial phosphoenol pyruvate carboxylase and Entner-Doudoroff pathway in <i>Saccharomyces cerevisiae</i> for improvement of isobutanol production. <i>Journal of Bioscience and Bioengineering</i> , 2017 , 124, 263-270	3.3	12
50	Selection of yeast <i>Saccharomyces cerevisiae</i> promoters available for xylose cultivation and fermentation. <i>Journal of Bioscience and Bioengineering</i> , 2018 , 125, 76-86	3.3	12
49	Simultaneous method for analyzing dimerization and signaling of G-protein-coupled receptor in yeast by dual-color reporter system. <i>Biotechnology and Bioengineering</i> , 2014 , 111, 586-96	4.9	12

48	Improved identification of agonist-mediated G $\beta\gamma$ -specific human G-protein-coupled receptor signaling in yeast cells by flow cytometry. <i>Analytical Biochemistry</i> , 2012 , 426, 129-33	3.1	12
47	Construction of a novel detection system for protein-protein interactions using yeast G-protein signaling. <i>FEBS Journal</i> , 2009 , 276, 2636-44	5.7	12
46	Displaying non-natural, functional molecules on yeast surfaces via biotin-streptavidin interaction. <i>Journal of Biotechnology</i> , 2010 , 145, 79-83	3.7	12
45	Glutathione production from mannan-based bioresource by mannanase/mannosidase expressing <i>Saccharomyces cerevisiae</i> . <i>Bioresource Technology</i> , 2017 , 245, 1400-1406	11	11
44	Granting specificity for breast cancer cells using a hepatitis B core particle with a HER2-targeted affibody molecule. <i>Journal of Biochemistry</i> , 2013 , 153, 251-6	3.1	11
43	Construction of a yeast-based signaling biosensor for human angiotensin II type 1 receptor via functional coupling between Asn295-mutated receptor and Gpa1/Gi3 chimeric G $\beta\gamma$. <i>Biotechnology and Bioengineering</i> , 2014 , 111, 2220-8	4.9	10
42	The competitor-introduced G γ recruitment system, a new approach for screening affinity-enhanced proteins. <i>FEBS Journal</i> , 2010 , 277, 1704-12	5.7	10
41	Complex carriers of affibody-displaying bio-nanocapsules and composition-varied liposomes for HER2-expressing breast cancer cell-specific protein delivery. <i>Journal of Drug Targeting</i> , 2012 , 20, 897-905	5.4	10
40	Exchange of endogenous and heterogeneous yeast terminators in <i>Pichia pastoris</i> to tune mRNA stability and gene expression. <i>Nucleic Acids Research</i> , 2020 , 48, 13000-13012	20.1	10
39	Positive Feedback Genetic Circuit Incorporating a Constitutively Active Mutant Gal3 into Yeast GAL Induction System. <i>ACS Synthetic Biology</i> , 2017 , 6, 928-935	5.7	9
38	G $\beta\gamma$ recruitment system incorporating a novel signal amplification circuit to screen transient protein-protein interactions. <i>FEBS Journal</i> , 2011 , 278, 3086-94	5.7	9
37	Continuous crossbreeding of sake yeasts using growth selection systems for α -type and β -type cells. <i>AMB Express</i> , 2016 , 6, 45	4.1	9
36	The mapping of yeast's G-protein coupled receptor with an atomic force microscope. <i>Nanoscale</i> , 2015 , 7, 4956-63	7.7	8
35	Metabolic design for selective production of nicotinamide mononucleotide from glucose and nicotinamide. <i>Metabolic Engineering</i> , 2021 , 65, 167-177	9.7	8
34	Rapid and efficient selection of yeast displaying a target protein using thermo-responsive magnetic nanoparticles. <i>Biotechnology Progress</i> , 2008 , 24, 352-7	2.8	7
33	Modifying Expression Modes of Human Neurotensin Receptor Type 1 Alters Sensing Capabilities for Agonists in Yeast Signaling Biosensor. <i>Biotechnology Journal</i> , 2018 , 13, e1700522	5.6	7
32	Positive Detection of GPCR Antagonists Using a System for Inverted Expression of a Fluorescent Reporter Gene. <i>ACS Synthetic Biology</i> , 2017 , 6, 1554-1562	5.7	6
31	Biosynthesis of Novel Statins by Combining Heterologous Genes from <i>Xylaria</i> and <i>Aspergillus</i> . <i>ACS Synthetic Biology</i> , 2018 , 7, 2783-2789	5.7	6

30	Affibody-displaying bio-nanocapsules effective in EGFR, typical biomarker, expressed in various cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 336-341	2.9	5
29	An affinity chromatography method used to purify His-tag-displaying bio-nanocapsules. <i>Journal of Virological Methods</i> , 2013 , 189, 393-6	2.6	5
28	Transplantation of the GAL regulon into G-protein signaling circuitry in yeast. <i>Analytical Biochemistry</i> , 2012 , 424, 27-31	3.1	5
27	Heterologous production of free dihomog- γ -linolenic acid by <i>Aspergillus oryzae</i> and its extracellular release via surfactant supplementation. <i>Journal of Bioscience and Bioengineering</i> , 2019 , 127, 451-457	3.3	5
26	Deletion of DNA ligase IV homolog confers higher gene targeting efficiency on homologous recombination in <i>Komagataella phaffii</i> . <i>FEMS Yeast Research</i> , 2018 , 18,	3.1	4
25	Desired alteration of protein affinities: competitive selection of protein variants using yeast signal transduction machinery. <i>PLoS ONE</i> , 2014 , 9, e108229	3.7	4
24	An energy-saving glutathione production method from low-temperature cooked rice using amylase-expressing <i>Saccharomyces cerevisiae</i> . <i>Biotechnology Journal</i> , 2012 , 7, 686-9	5.6	4
23	Split luciferase complementation assay for the analysis of G protein-coupled receptor ligand response in <i>Saccharomyces cerevisiae</i> . <i>Biotechnology and Bioengineering</i> , 2017 , 114, 1354-1361	4.9	3
22	Mutation of arginine residues to avoid non-specific cellular uptakes for hepatitis B virus core particles. <i>Journal of Nanobiotechnology</i> , 2015 , 13, 15	9.4	3
21	Dual-color reporter switching system to discern dimer formations of G-protein-coupled receptors using Cre/loxP site-specific recombination in yeast. <i>Biotechnology and Bioengineering</i> , 2016 , 113, 2178-90	4.9	3
20	Repression of mitochondrial metabolism for cytosolic pyruvate-derived chemical production in <i>Saccharomyces cerevisiae</i> . <i>Microbial Cell Factories</i> , 2019 , 18, 177	6.4	3
19	Protein-encapsulated bio-nanocapsules production with ER membrane localization sequences. <i>Journal of Biotechnology</i> , 2012 , 157, 124-9	3.7	3
18	Robust and flexible platform for directed evolution of yeast genetic switches. <i>Nature Communications</i> , 2021 , 12, 1846	17.4	3
17	Synthetic production of prenylated naringenins in yeast using promiscuous microbial prenyltransferases. <i>Metabolic Engineering Communications</i> , 2021 , 12, e00169	6.5	3
16	Rational design of a degradable polyanion for layer-by-layer assembly for encapsulation and release of cationic functional biomolecules. <i>Chemical Communications</i> , 2015 , 51, 17447-50	5.8	2
15	Regulation of central carbon metabolism in <i>Saccharomyces cerevisiae</i> by metabolic inhibitors. <i>Journal of Bioscience and Bioengineering</i> , 2013 , 116, 59-64	3.3	2
14	G β recruitment systems specifically select PPI and affinity-enhanced candidate proteins that interact with membrane protein targets. <i>Scientific Reports</i> , 2015 , 5, 16723	4.9	2
13	Current Status and Future Perspectives of Bio-Refinery. <i>Kagaku To Seibutsu</i> , 2015 , 53, 689-695	0	2

12	Polyamino acid display on cell surfaces enhances salt and alcohol tolerance of Escherichia coli. <i>Biotechnology Letters</i> , 2015 , 37, 429-35	3	2
11	Current Techniques for Studying Oligomer Formations of G-Protein-Coupled Receptors Using Mammalian and Yeast Cells. <i>Current Medicinal Chemistry</i> , 2016 , 23, 1638-56	4.3	2
10	Constitutive cell surface expression of ZZ domain for the easy preparation of yeast-based immunosorbents. <i>Journal of General and Applied Microbiology</i> , 2021 ,	1.5	1
9	Biosensing Techniques in Yeast: G-Protein Signaling and Protein-Protein Interaction Assays for Monitoring Ligand Stimulation and Oligomer Formation of Heterologous GPCRs 2018 ,		1
8	Evaluation of the Z-BNC/LP Carrier Encapsulating an Anticancer Drug and a Radiosensitizer.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 7743-7751	4.1	0
7	Increased carvone production in Escherichia coli by balancing limonene conversion enzyme expression via targeted quantification concatamer proteome analysis. <i>Scientific Reports</i> , 2021 , 11, 22126 ^{4.9}		0
6	Machine learning discovery of missing links that mediate alternative branches to plant alkaloids.. <i>Nature Communications</i> , 2022 , 13, 1405	17.4	0
5	2P317 Peptide-based ligand screening system for G protein-coupled receptors (GPCRs) using water-in-oil microdroplets(28. Bioengineering,Poster,The 52nd Annual Meeting of the Biophysical Society of Japan(BSJ2014)). <i>Seibutsu Butsuri</i> , 2014 , 54, S247	0	
4	1P312 Yeast-based fluorescence assay system for detecting human G protein-coupled receptor activation in water-in-oil droplets(28. Bioengineering,Poster). <i>Seibutsu Butsuri</i> , 2013 , 53, S157	0	
3	3J1012 Development of effective on-chip cell sorting system for mammalian G-protein coupled receptor ligand screening(3J Bioengineering 1,The 49th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2011 , 51, S140	0	
2	1PT234 Yeast-based ligand assay system for detecting G protein-coupled receptor activation in water-in-oil droplets(The 50th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2012 , 52, S108	0	
1	Comparative analyses of site-directed mutagenesis of human melatonin MTNR1A and MTNR1B receptors using a yeast fluorescent biosensor. <i>Biotechnology and Bioengineering</i> , 2021 , 118, 863-876	4.9	