

Francoise Elbaz-Poulichet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8410997/francoise-elbaz-poulichet-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

4,957
citations

42
h-index

69
g-index

85
ext. papers

5,415
ext. citations

6.2
avg, IF

5.02
L-index

#	Paper	IF	Citations
82	A 10,000-year record of trace metal and metalloid (Cu, Hg, Sb, Pb) deposition in a western Alpine lake (Lake Robert, France): Deciphering local and regional mining contamination. <i>Quaternary Science Reviews</i> , 2020 , 228, 106076	3.9	13
81	The environmental legacy of historic Pb-Zn-Ag-Au mining in river basins of the southern edge of the Massif Central (France). <i>Environmental Science and Pollution Research</i> , 2017 , 24, 20725-20735	5.1	7
80	Quality of water resources in the Niger basin and in the region of Lagos (Nigeria). <i>Bulletin of Geography, Physical Geography Series</i> , 2017 , 13, 51-60	0.9	3
79	Deciphering As and Cu cycling in sediment pore waters in a large marina (Port Camargue, southern France) using a multi-tracer (Fe, Mn, U, Mo) approach. <i>Applied Geochemistry</i> , 2016 , 66, 242-249	3.5	4
78	Consequences of contaminant mixture on the dynamics and functional diversity of bacterioplankton in a southwestern Mediterranean coastal ecosystem. <i>Chemosphere</i> , 2016 , 144, 1060-73	8.4	23
77	Behaviour of butyltin compounds in the sediment pore waters of a contaminated marina (Port Camargue, South of France). <i>Chemosphere</i> , 2016 , 150, 123-129	8.4	16
76	Antimony isotopic composition in river waters affected by ancient mining activity. <i>Talanta</i> , 2015 , 144, 851-61	6.2	21
75	Variation of dissolved and particulate metal(loid) (As, Cd, Pb, Sb, Tl, Zn) concentrations under varying discharge during a Mediterranean flood in a former mining watershed, the Gardon River (France). <i>Journal of Geochemical Exploration</i> , 2015 , 158, 132-142	3.8	25
74	Contrasted responses of <i>Ruditapes decussatus</i> (filter and deposit feeding) and <i>Loripes lacteus</i> (symbiotic) exposed to polymetallic contamination (Port-Camargue, France). <i>Science of the Total Environment</i> , 2015 , 505, 526-34	10.2	16
73	Persisting impact of historical mining activity to metal (Pb, Zn, Cd, Tl, Hg) and metalloid (As, Sb) enrichment in sediments of the Gardon River, Southern France. <i>Science of the Total Environment</i> , 2014 , 481, 509-21	10.2	97
72	Diversity and spatiotemporal dynamics of bacterial communities: physicochemical and other drivers along an acid mine drainage. <i>FEMS Microbiology Ecology</i> , 2014 , 90, 247-63	4.3	51
71	Sedimentary record of V, U, Mo and Mn in the Pierre-Blanche lagoon (Southern France) [Evidence for a major anoxia event during the Roman period. <i>Holocene</i> , 2014 , 24, 1384-1392	2.6	6
70	A Michaelis-Menten type equation for describing methylmercury dependence on inorganic mercury in aquatic sediments. <i>Biogeochemistry</i> , 2014 , 119, 35-43	3.8	27
69	Trace elements in the sediments of a large Mediterranean marina (Port Camargue, France): levels and contamination history. <i>Marine Pollution Bulletin</i> , 2013 , 73, 78-85	6.7	41
68	Fate of Sb(V) and Sb(III) species along a gradient of pH and oxygen concentration in the Carnoulès mine waters (Southern France). <i>Environmental Sciences: Processes and Impacts</i> , 2013 , 15, 1536-44	4.3	14
67	Three-year survey of sulfate-reducing bacteria community structure in Carnoulès acid mine drainage (France), highly contaminated by arsenic. <i>FEMS Microbiology Ecology</i> , 2013 , 83, 724-37	4.3	37
66	Response to Comment on [Predominance of Aqueous Tl(I) Species in the River System Downstream from the Abandoned Carnoulès Mine (Southern France)] <i>Environmental Science & Technology</i> , 2012 , 46, 2475-2476	10.3	1

65	Archaeal diversity: temporal variation in the arsenic-rich creek sediments of Carnoulès Mine, France. <i>Extremophiles</i> , 2012 , 16, 645-57	3	36
64	Metabolic diversity among main microorganisms inside an arsenic-rich ecosystem revealed by meta- and proteo-genomics. <i>ISME Journal</i> , 2011 , 5, 1735-47	11.9	128
63	Marine ecosystems' responses to climatic and anthropogenic forcings in the Mediterranean. <i>Progress in Oceanography</i> , 2011 , 91, 97-166	3.8	277
62	Characterization of the active bacterial community involved in natural attenuation processes in arsenic-rich creek sediments. <i>Microbial Ecology</i> , 2011 , 61, 793-810	4.4	61
61	A 3500-year record of Hg and Pb contamination in a mediterranean sedimentary archive (the Pierre Blanche Lagoon, France). <i>Environmental Science & Technology</i> , 2011 , 45, 8642-7	10.3	72
60	Predominance of aqueous Tl(I) species in the river system downstream from the abandoned Carnoulès mine (Southern France). <i>Environmental Science & Technology</i> , 2011 , 45, 2056-64	10.3	73
59	An updated insight into the natural attenuation of As concentrations in Reigous Creek (southern France). <i>Applied Geochemistry</i> , 2010 , 25, 1949-1957	3.5	42
58	Inorganic arsenic speciation at river basin scales: the Tinto and Odiel rivers in the Iberian Pyrite Belt, SW Spain. <i>Environmental Pollution</i> , 2009 , 157, 1202-9	9.3	55
57	Kinetic control on the formation of tooeleite, schwertmannite and jarosite by Acidithiobacillus ferrooxidans strains in an As(III)-rich acid mine water. <i>Chemical Geology</i> , 2009 , 265, 432-441	4.2	83
56	Positive gadolinium anomalies in wastewater treatment plant effluents and aquatic environment in the Hérault watershed (South France). <i>Chemosphere</i> , 2009 , 75, 1057-64	8.4	101
55	Hydrological and geochemical control of metals and arsenic in a Mediterranean river contaminated by acid mine drainage (the Amous River, France); preliminary assessment of impacts on fish (<i>Leuciscus cephalus</i>). <i>Applied Geochemistry</i> , 2009 , 24, 787-799	3.5	79
54	<i>Thermodesulfovibrio hydrogeniphilus</i> sp. nov., a new thermophilic sulphate-reducing bacterium isolated from a Tunisian hot spring. <i>Systematic and Applied Microbiology</i> , 2008 , 31, 38-42	4.2	56
53	Iron isotopes in acid mine waters and iron-rich solids from the Tinto-Odiel Basin (Iberian Pyrite Belt, Southwest Spain). <i>Chemical Geology</i> , 2008 , 253, 162-171	4.2	26
52	Organotins in a medium-size Mediterranean basin (the Herault River). <i>Journal of Environmental Monitoring</i> , 2008 , 10, 638-47		10
51	<i>Desulfotomaculum hydrothermale</i> sp. nov., a thermophilic sulfate-reducing bacterium isolated from a terrestrial Tunisian hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008 , 58, 2529-35	2.2	41
50	Trace-Metal Biogeochemistry in the Mediterranean Thau Lagoon, a Shellfish Farming Area. <i>Journal of Coastal Research</i> , 2008 , 4, 194-202	0.6	9
49	Archaeal diversity in a Fe-As rich acid mine drainage at Carnoulès (France). <i>Extremophiles</i> , 2008 , 12, 563-71		40
48	Chemical speciation of dissolved Cu, Ni, and Co in a contaminated estuary in southwest Spain and its influence on plankton communities. <i>Environmental Science & Technology</i> , 2007 , 41, 4214-20	10.3	15

47	Influence of diagenetic processes in Thau lagoon on cadmium behavior and benthic fluxes. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 72, 497-510	2.9	18
46	Dissolved and bioavailable contaminants in the Seine river basin. <i>Science of the Total Environment</i> , 2007 , 375, 244-56	10.2	69
45	Antimony and arsenic mobility in a creek draining an antimony mine abandoned 85 years ago (upper Orb basin, France). <i>Applied Geochemistry</i> , 2007 , 22, 788-798	3.5	113
44	Short-term variability of dissolved trace element concentrations in the Marne and Seine rivers near Paris. <i>Science of the Total Environment</i> , 2006 , 367, 278-87	10.2	57
43	Diversity of microorganisms in Fe-As-rich acid mine drainage waters of Carnoulès, France. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 551-6	4.8	116
42	Consequences of treated water recycling as regards pharmaceuticals and drugs in surface and ground waters of a medium-sized Mediterranean catchment. <i>Environmental Science & Technology</i> , 2006 , 40, 5282-8	10.3	261
41	A new bacterial strain mediating As oxidation in the Fe-rich biofilm naturally growing in a groundwater Fe treatment pilot unit. <i>Chemosphere</i> , 2006 , 64, 492-6	8.4	18
40	Deciphering the presence of wastewater in a medium-sized Mediterranean catchment using a multitracer approach. <i>Applied Geochemistry</i> , 2005 , 20, 1587-1596	3.5	34
39	River Inputs of Metals and Arsenic. <i>Handbook of Environmental Chemistry</i> , 2005 , 211-235	0.8	6
38	Sedimentary record of redox-sensitive elements (U, Mn, Mo) in a transitory anoxic basin (the Thau lagoon, France). <i>Marine Chemistry</i> , 2005 , 95, 271-281	3.7	35
37	Sorption and redox processes controlling arsenic fate and transport in a stream impacted by acid mine drainage. <i>Science of the Total Environment</i> , 2005 , 347, 122-30	10.2	67
36	Assessment of copper bioavailability and toxicity in vineyard runoff waters by DPASV and algal bioassay. <i>Science of the Total Environment</i> , 2005 , 348, 82-92	10.2	19
35	Microbial Diversity in a Pyrite-Rich Tailings Impoundment (Carnoulès, France). <i>Geomicrobiology Journal</i> , 2005 , 22, 249-257	2.5	41
34	Arsenic oxidation and bioaccumulation by the acidophilic protozoan, <i>Euglena mutabilis</i> , in acid mine drainage (Carnoulès, France). <i>Science of the Total Environment</i> , 2004 , 320, 259-67	10.2	56
33	Biogeochemical cycle and speciation of As and Cr in an acid mine environment : The case of Carnoulès Creek, France. <i>European Physical Journal Special Topics</i> , 2003 , 107, 735-738		3
32	Geochemical Processes Controlling the Formation of As-Rich Waters Within a Tailings Impoundment (Carnoulès, France). <i>Aquatic Geochemistry</i> , 2003 , 9, 273-290	1.7	31
31	Reverse Oxidation Zoning in Mine Tailings Generating Arsenic-rich Acidic Waters (Carnoulès, France). <i>Mine Water and the Environment</i> , 2003 , 22, 7-14	2.4	7
30	Mediation of arsenic oxidation by <i>Thiomonas</i> sp. in acid-mine drainage (Carnoulès, France). <i>Journal of Applied Microbiology</i> , 2003 , 95, 492-9	4.7	84

29	Bacterial formation of tooeleite and mixed arsenic(III) or arsenic(V)-iron(III) gels in the Carnoulès acid mine drainage, France. A XANES, XRD, and SEM study. <i>Environmental Science & Technology</i> , 2003 , 37, 1705-12	10.3	170
28	Bacterial immobilization and oxidation of arsenic in acid mine drainage (Carnoulès creek, France). <i>Water Research</i> , 2003 , 37, 2929-36	12.5	148
27	Metal geochemistry in a mine-polluted estuarine system in Spain. <i>Applied Geochemistry</i> , 2003 , 18, 1757-1771	12.5	125
26	Immobilization of arsenite and ferric iron by <i>Acidithiobacillus ferrooxidans</i> and its relevance to acid mine drainage. <i>Applied and Environmental Microbiology</i> , 2003 , 69, 6165-73	4.8	93
25	Arsenic removal by oxidizing bacteria in a heavily arsenic-contaminated acid mine drainage system (Carnoulès, France). <i>Geological Society Special Publication</i> , 2002 , 198, 267-274	1.7	4
24	Occurrence of an anthropogenic gadolinium anomaly in river and coastal waters of southern France. <i>Water Research</i> , 2002 , 36, 1102-5	12.5	121
23	Major ion chemistry of groundwaters in the Continental Terminal water table of southwestern Niger (Africa). <i>Applied Geochemistry</i> , 2002 , 17, 1343-1349	3.5	21
22	Metal fluxes through the Strait of Gibraltar: the influence of the Tinto and Odiel rivers (SW Spain). <i>Marine Chemistry</i> , 2001 , 73, 193-213	3.7	67
21	Mercury in the Tinto-Odiel Estuarine System (Gulf of Cádiz, Spain): Sources and Dispersion. <i>Aquatic Geochemistry</i> , 2001 , 7, 1-12	1.7	24
20	A reassessment of trace metal budgets in the Western Mediterranean Sea. <i>Marine Pollution Bulletin</i> , 2001 , 42, 623-7	6.7	44
19	Metal biogeochemistry in the Tinto-Odiel rivers (Southern Spain) and in the Gulf of Cadiz: a synthesis of the results of TOROS project. <i>Continental Shelf Research</i> , 2001 , 21, 1961-1973	2.4	108
18	Influence of sorption processes by iron oxides and algae fixation on arsenic and phosphate cycle in an acidic estuary (Tinto river, Spain). <i>Water Research</i> , 2000 , 34, 3222-3230	12.5	60
17	4,500-YEAR-OLD MINING POLLUTION IN SOUTHWESTERN SPAIN: LONG-TERM IMPLICATIONS FOR MODERN MINING POLLUTION. <i>Economic Geology</i> , 2000 , 95, 655-662	4.3	169
16	Behaviour of rare earth elements at the freshwater-seawater interface of two acid mine rivers: the Tinto and Odiel (Andalucia, Spain). <i>Applied Geochemistry</i> , 1999 , 14, 1063-1072	3.5	74
15	Trace element geochemistry in the upper Amazon drainage basin (Bolivia). <i>Chemical Geology</i> , 1999 , 157, 319-334	4.2	45
14	Impact of Los Frailes mine spill on riverine, estuarine and coastal waters in southern Spain. <i>Water Research</i> , 1999 , 33, 3387-3394	12.5	51
13	Trace metal and nutrient distribution in an extremely low pH (2.5) river-estuarine system, the Ria of Huelva (South-West Spain). <i>Science of the Total Environment</i> , 1999 , 227, 73-83	10.2	94
12	The Distribution of Redox Sensitive Elements (U, As, Sb, V and Mo) along a River-Wetland-Lake System (Balaton Region, Hungary). <i>Aquatic Geochemistry</i> , 1997 , 3, 267-282	1.7	18

11	Biogeochemistry of trace metals (Mn, Sr, Rb, Ba, Cu, Zn, Pb and Cd) in a river-wetland-lake system (Balaton Region, Hungary). <i>Aquatic Geochemistry</i> , 1997 , 2, 379-402	1.7	3
10	Biogeochemical control on the temporal variability of trace element concentrations in the Oubangui river (Central African Republic). <i>Journal of Hydrology</i> , 1996 , 180, 319-332	6	20
9	The Conservative Behaviour of Trace Metals (Cd, Cu, Ni and Pb) and As in the Surface Plume of Stratified Estuaries: Example of the Rhône River (France). <i>Estuarine, Coastal and Shelf Science</i> , 1996 , 42, 289-310	2.9	83
8	C18 Sep-Pak extractable trace metals in waters from the Gulf of Lions. <i>Marine Chemistry</i> , 1994 , 46, 67-75	3.7	17
7	Preliminary assessment of the distributions of some trace elements (As, Cd, Cu, Fe, Ni, Pb and Zn) in a pristine aquatic environment: The Lena River estuary (Russia). <i>Marine Chemistry</i> , 1993 , 43, 185-199	3.7	141
6	Trace metal behaviour in a highly stratified Mediterranean estuary: the Krka (Yugoslavia). <i>Marine Chemistry</i> , 1991 , 32, 211-224	3.7	25
5	Atmospheric versus river inputs of metals to the Gulf of Lions. <i>Marine Pollution Bulletin</i> , 1991 , 22, 176-183	3.7	66
4	River versus atmospheric input of material to the mediterranean sea: an overview. <i>Marine Chemistry</i> , 1989 , 28, 159-182	3.7	143
3	Dissolved Cd behaviour in some selected french and chinese estuaries. Consequences on Cd supply to the ocean. <i>Marine Chemistry</i> , 1987 , 22, 125-136	3.7	131
2	Stable lead isotopes ratios in major french rivers and estuaries. <i>Science of the Total Environment</i> , 1986 , 54, 61-76	10.2	89
1	Lead cycling in estuaries, illustrated by the Gironde estuary, France. <i>Nature</i> , 1984 , 308, 409-414	50.4	142