Wenhai Luo

List of Publications by Citations

Source: https://exaly.com/author-pdf/8412689/wenhai-luo-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,094 28 45
papers citations h-index g-index

70 2,749 9.6 5.45
ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|----|--|---------------------|-----------|
| 66 | Osmotic versus conventional membrane bioreactors integrated with reverse osmosis for water reuse: Biological stability, membrane fouling, and contaminant removal. <i>Water Research</i> , 2017 , 109, 123 | 2- 1/3 4 | 128 |
| 65 | Effects of aeration rate on maturity and gaseous emissions during sewage sludge composting. <i>Waste Management</i> , 2016 , 56, 403-10 | 8.6 | 119 |
| 64 | Resource recovery from wastewater by anaerobic membrane bioreactors: Opportunities and challenges. <i>Bioresource Technology</i> , 2018 , 270, 669-677 | 11 | 98 |
| 63 | Phosphorus and water recovery by a novel osmotic membrane bioreactor-reverse osmosis system. <i>Bioresource Technology</i> , 2016 , 200, 297-304 | 11 | 89 |
| 62 | High retention membrane bioreactors: challenges and opportunities. <i>Bioresource Technology</i> , 2014 , 167, 539-46 | 11 | 85 |
| 61 | Performance of mature compost to control gaseous emissions in kitchen waste composting. <i>Science of the Total Environment</i> , 2019 , 657, 262-269 | 10.2 | 81 |
| 60 | Performance of co-composting sewage sludge and organic fraction of municipal solid waste at different proportions. <i>Bioresource Technology</i> , 2018 , 250, 853-859 | 11 | 77 |
| 59 | Effect of phosphogypsum and dicyandiamide as additives on NH3, N20 and CH4 emissions during composting. <i>Journal of Environmental Sciences</i> , 2013 , 25, 1338-45 | 6.4 | 72 |
| 58 | Biomimetic aquaporin membranes for osmotic membrane bioreactors: Membrane performance and contaminant removal. <i>Bioresource Technology</i> , 2018 , 249, 62-68 | 11 | 68 |
| 57 | Effects of salinity build-up on the performance and bacterial community structure of a membrane bioreactor. <i>Bioresource Technology</i> , 2016 , 200, 305-10 | 11 | 65 |
| 56 | Performance of phosphogypsum and calcium magnesium phosphate fertilizer for nitrogen conservation in pig manure composting. <i>Bioresource Technology</i> , 2018 , 250, 53-59 | 11 | 63 |
| 55 | An anaerobic membrane bioreactor - membrane distillation hybrid system for energy recovery and water reuse: Removal performance of organic carbon, nutrients, and trace organic contaminants. <i>Science of the Total Environment</i> , 2018 , 628-629, 358-365 | 10.2 | 61 |
| 54 | Effects of salinity build-up on biomass characteristics and trace organic chemical removal: implications on the development of high retention membrane bioreactors. <i>Bioresource Technology</i> , 2015 , 177, 274-81 | 11 | 58 |
| 53 | Effects of woody peat and superphosphate on compost maturity and gaseous emissions during pig manure composting. <i>Waste Management</i> , 2017 , 68, 56-63 | 8.6 | 58 |
| 52 | Water extraction from mixed liquor of an aerobic bioreactor by forward osmosis: Membrane fouling and biomass characteristics assessment. <i>Separation and Purification Technology</i> , 2015 , 145, 56-6 | 52 ^{8.3} | 57 |
| 51 | Trace organic contaminant rejection by aquaporin forward osmosis membrane: Transport mechanisms and membrane stability. <i>Water Research</i> , 2018 , 132, 90-98 | 12.5 | 56 |
| 50 | The role of forward osmosis and microfiltration in an integrated osmotic-microfiltration membrane bioreactor system. <i>Chemosphere</i> , 2015 , 136, 125-32 | 8.4 | 54 |

(2020-2016)

| 49 | Evaluating ionic organic draw solutes in osmotic membrane bioreactors for water reuse. <i>Journal of Membrane Science</i> , 2016 , 514, 636-645 | 9.6 | 53 |
|----|--|------|----|
| 48 | Removal of antibiotics by sequencing-batch membrane bioreactor for swine wastewater treatment. <i>Science of the Total Environment</i> , 2019 , 684, 23-30 | 10.2 | 48 |
| 47 | Use of additive and pretreatment to control odors in municipal kitchen waste during aerobic composting. <i>Journal of Environmental Sciences</i> , 2015 , 37, 83-90 | 6.4 | 48 |
| 46 | An Osmotic Membrane Bioreactor-Membrane Distillation System for Simultaneous Wastewater Reuse and Seawater Desalination: Performance and Implications. <i>Environmental Science & Environmental Science & Technology</i> , 2017 , 51, 14311-14320 | 10.3 | 47 |
| 45 | Surface pattern by nanoimprint for membrane fouling mitigation: Design, performance and mechanisms. <i>Water Research</i> , 2017 , 124, 238-243 | 12.5 | 46 |
| 44 | Biodegradation of cellulose triacetate and polyamide forward osmosis membranes in an activated sludge bioreactor: Observations and implications. <i>Journal of Membrane Science</i> , 2016 , 510, 284-292 | 9.6 | 38 |
| 43 | Osmotic membrane bioreactors for wastewater reuse: Performance comparison between cellulose triacetate and polyamide thin film composite membranes. <i>Journal of Membrane Science</i> , 2017 , 539, 383- | -391 | 35 |
| 42 | Salinity build-up in osmotic membrane bioreactors: Causes, impacts, and potential cures. <i>Bioresource Technology</i> , 2018 , 257, 301-310 | 11 | 35 |
| 41 | Effects of sulphur on the performance of an anaerobic membrane bioreactor: Biological stability, trace organic contaminant removal, and membrane fouling. <i>Bioresource Technology</i> , 2018 , 250, 171-177 | . 11 | 34 |
| 40 | Effects of moisture and carbon/nitrogen ratio on gaseous emissions and maturity during direct composting of cornstalks used for filtration of anaerobically digested manure centrate. <i>Bioresource Technology</i> , 2020 , 298, 122503 | 11 | 32 |
| 39 | Seeing is believing: Insights from synchrotron infrared mapping for membrane fouling in osmotic membrane bioreactors. <i>Water Research</i> , 2018 , 137, 355-361 | 12.5 | 28 |
| 38 | Manure digestate storage under different conditions: Chemical characteristics and contaminant residuals. <i>Science of the Total Environment</i> , 2018 , 639, 19-25 | 10.2 | 27 |
| 37 | Comparison between aerobic and anaerobic membrane bioreactors for trace organic contaminant removal in wastewater treatment. <i>Environmental Technology and Innovation</i> , 2020 , 17, 100564 | 7 | 24 |
| 36 | Relating bacterial dynamics and functions to gaseous emissions during composting of kitchen and garden wastes. <i>Science of the Total Environment</i> , 2021 , 767, 144210 | 10.2 | 24 |
| 35 | Resource recovery from digested manure centrate: Comparison between conventional and aquaporin thin-film composite forward osmosis membranes. <i>Journal of Membrane Science</i> , 2020 , 593, 117436 | 9.6 | 24 |
| 34 | Osmotic Membrane Bioreactor and Its Hybrid Systems for Wastewater Reuse and Resource Recovery: Advances, Challenges, and Future Directions. <i>Current Pollution Reports</i> , 2018 , 4, 23-34 | 7.6 | 20 |
| 33 | Effects of digestion time in anaerobic digestion on subsequent digestate composting. <i>Bioresource Technology</i> , 2018 , 267, 117-125 | 11 | 20 |
| 32 | Factors affecting gaseous emissions, maturity, and energy efficiency in composting of livestock manure digestate. <i>Science of the Total Environment</i> , 2020 , 731, 139157 | 10.2 | 19 |

| 31 | Co-biodrying of sewage sludge and organic fraction of municipal solid waste: Role of mixing proportions. <i>Waste Management</i> , 2018 , 77, 333-340 | 8.6 | 19 |
|----|--|-------------------|----|
| 30 | Synchrotron Fourier transform infrared mapping: A novel approach for membrane fouling characterization. <i>Water Research</i> , 2017 , 111, 375-381 | 12.5 | 17 |
| 29 | Dissipation and persistence of sulfonamides, quinolones and tetracyclines in anaerobically digested biosolids and compost during short-term storage under natural conditions. <i>Science of the Total Environment</i> , 2019 , 684, 58-66 | 10.2 | 17 |
| 28 | Effects of the aeration pattern, aeration rate, and turning frequency on municipal solid waste biodrying performance. <i>Journal of Environmental Management</i> , 2018 , 218, 416-424 | 7.9 | 17 |
| 27 | Bacterial dynamics and functions driven by bulking agents to mitigate gaseous emissions in kitchen waste composting. <i>Bioresource Technology</i> , 2021 , 332, 125028 | 11 | 17 |
| 26 | Gaseous emission and maturity in composting of livestock manure and tobacco wastes: Effects of aeration intensities and mitigation by physiochemical additives. <i>Environmental Technology and Innovation</i> , 2020 , 19, 100899 | 7 | 16 |
| 25 | Anaerobic digestion of different agricultural wastes: A techno-economic assessment. <i>Bioresource Technology</i> , 2020 , 315, 123836 | 11 | 16 |
| 24 | Anaerobic cultivation of waste activated sludge to inoculate solid state anaerobic co-digestion of agricultural wastes: Effects of different cultivated periods. <i>Bioresource Technology</i> , 2019 , 294, 122078 | 11 | 13 |
| 23 | Membrane Processes for Resource Recovery from Anaerobically Digested Livestock Manure Effluent: Opportunities and Challenges. <i>Current Pollution Reports</i> , 2020 , 6, 123-136 | 7.6 | 8 |
| 22 | Bacterial dynamics and functions for gaseous emissions and humification in response to aeration intensities during kitchen waste composting. <i>Bioresource Technology</i> , 2021 , 337, 125369 | 11 | 8 |
| 21 | Anaerobic digestion of agricultural wastes from liquid to solid state: Performance and environ-economic comparison. <i>Bioresource Technology</i> , 2021 , 332, 125080 | 11 | 7 |
| 20 | Emerging investigator series: engineering membrane distillation with nanofabrication: design, performance and mechanisms. <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 1786-17 | 9 4 .2 | 5 |
| 19 | Co-biodrying of sewage sludge and organic fraction of municipal solid waste: A thermogravimetric assessment of the blends. <i>Waste Management</i> , 2019 , 95, 652-660 | 8.6 | 5 |
| 18 | Biochar amendment to advance contaminant removal in anaerobic digestion of organic solid wastes: A review. <i>Bioresource Technology</i> , 2021 , 341, 125827 | 11 | 5 |
| 17 | Effects of sludge enhanced aeration on nutrient contents and phytotoxicity of anaerobically digested centrate. <i>Chemosphere</i> , 2018 , 203, 490-496 | 8.4 | 4 |
| 16 | Insights into characteristics of organic matter during co-biodrying of sewage sludge and kitchen waste under different aeration intensities. <i>Environmental Technology and Innovation</i> , 2020 , 20, 101117 | 7 | 4 |
| 15 | Effects of surfactant addition to draw solution on the performance of osmotic membrane bioreactor. <i>Journal of Membrane Science</i> , 2021 , 618, 118634 | 9.6 | 4 |
| 14 | Bacterial dynamics for gaseous emission and humification in bio-augmented composting of kitchen waste. <i>Science of the Total Environment</i> , 2021 , 801, 149640 | 10.2 | 4 |

LIST OF PUBLICATIONS

| 13 | Strategies to enhance micropollutant removal from wastewater by membrane bioreactors: Recent advances and future perspectives. <i>Bioresource Technology</i> , 2022 , 344, 126322 | 11 | 3 |
|----|---|-------------------------------|---|
| 12 | Regulating bacterial dynamics by lime addition to enhance kitchen waste composting. <i>Bioresource Technology</i> , 2021 , 341, 125749 | 11 | 3 |
| 11 | New insights to the difference in microbial composition and interspecies interactions between fouling layer and mixed liquor in a membrane bioreactor. <i>Journal of Membrane Science</i> , 2022 , 643, 1200. | 3 ² 4 ⁶ | 2 |
| 10 | Carbohydrates and genetic properties of two psychrophile pseudomonas B 5-16 and B 6-15. <i>Environmental Technology and Innovation</i> , 2021 , 22, 101422 | 7 | 2 |
| 9 | Anaerobic membrane bioreactors for emerging pollutants removal 2020 , 197-218 | | 2 |
| 8 | Anaerobic osmotic membrane bioreactor for wastewater treatment and reclamation 2020 , 241-258 | | 1 |
| 7 | Enhancing biogas production from livestock manure in solid-state anaerobic digestion by sorghum-vinegar residues. <i>Environmental Technology and Innovation</i> , 2022 , 26, 102276 | 7 | 1 |
| 6 | Effects of digestion duration on energy efficiency, compost quality, and carbon flow during solid state anaerobic digestion and composting hybrid process. <i>Science of the Total Environment</i> , 2021 , 811, 151363 | 10.2 | O |
| 5 | Humification and maturation of kitchen waste during indoor composting by individual households <i>Science of the Total Environment</i> , 2021 , 152509 | 10.2 | О |
| 4 | Emerging investigator series: onsite recycling of salinellkaline soil washing water by forward osmosis: techno-economic evaluation and implication. <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 2881-2890 | 4.2 | O |
| 3 | Recovery of nitrogen and phosphorus from livestock slurry with treatment technologies: A meta-analysis <i>Waste Management</i> , 2022 , 144, 313-323 | 8.6 | О |
| 2 | Comparison between cold plasma, ultrasonication, and alkaline hydrogen peroxide pretreatments of garden waste to enhance humification in subsequent composting with kitchen waste: Performance and mechanisms <i>Bioresource Technology</i> , 2022 , 354, 127228 | 11 | O |
| 1 | Performance of coagulant-aided biomass filtration to protect ultrafiltration from membrane fouling in biogas slurry concentration. <i>Environmental Technology and Innovation</i> , 2022 , 102659 | 7 | O |