Dieter Schmoll

List of Publications by Citations

Source: https://exaly.com/author-pdf/8415627/dieter-schmoll-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 2,524 50 53 h-index g-index citations papers 2,791 5.7 4.59 54 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
53	FoxO proteins in insulin action and metabolism. <i>Trends in Endocrinology and Metabolism</i> , 2005 , 16, 183-	9 8.8	455
52	Novel concepts in insulin regulation of hepatic gluconeogenesis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 285, E685-92	6	350
51	Regulation of glucose-6-phosphatase gene expression by protein kinase Balpha and the forkhead transcription factor FKHR. Evidence for insulin response unit-dependent and -independent effects of insulin on promoter activity. <i>Journal of Biological Chemistry</i> , 2000 , 275, 36324-33	5.4	266
50	Differential regulation of endogenous glucose-6-phosphatase and phosphoenolpyruvate carboxykinase gene expression by the forkhead transcription factor FKHR in H4IIE-hepatoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 285, 897-902	3.4	92
49	A liver stress-endocrine nexus promotes metabolic integrity during dietary protein dilution. <i>Journal of Clinical Investigation</i> , 2016 , 126, 3263-78	15.9	91
48	Increased expression and altered location of annexin IV in renal clear cell carcinoma: a possible role in tumour dissemination. <i>Cancer Letters</i> , 2004 , 209, 111-8	9.9	79
47	Identification of a cAMP response element within the glucose- 6-phosphatase hydrolytic subunit gene promoter which is involved in the transcriptional regulation by cAMP and glucocorticoids in H4IIE hepatoma cells. <i>Biochemical Journal</i> , 1999 , 338, 457-463	3.8	71
46	Regulation of the forkhead transcription factor FKHR (FOXO1a) by glucose starvation and AICAR, an activator of AMP-activated protein kinase. <i>Endocrinology</i> , 2002 , 143, 3183-6	4.8	66
45	Cloning and sequencing of the 5Wegion of the human glucose-6-phosphatase gene: transcriptional regulation by cAMP, insulin and glucocorticoids in H4IIE hepatoma cells. <i>FEBS Letters</i> , 1996 , 383, 63-6	3.8	64
44	Characterization of RA839, a Noncovalent Small Molecule Binder to Keap1 and Selective Activator of Nrf2 Signaling. <i>Journal of Biological Chemistry</i> , 2015 , 290, 28446-28455	5.4	62
43	Acyl ureas as human liver glycogen phosphorylase inhibitors for the treatment of type 2 diabetes. Journal of Medicinal Chemistry, 2005 , 48, 6178-93	8.3	59
42	Modulation of FoxO signaling in human hepatoma cells by exposure to copper or zinc ions. <i>Archives of Biochemistry and Biophysics</i> , 2006 , 454, 107-13	4.1	52
41	Significant amounts of glycogen are synthesized from 3-carbon compounds in astroglial primary cultures from mice with participation of the mitochondrial phosphoenolpyruvate carboxykinase isoenzyme. <i>FEBS Journal</i> , 1995 , 227, 308-15		51
40	Mice lacking neutral amino acid transporter B(0)AT1 (Slc6a19) have elevated levels of FGF21 and GLP-1 and improved glycaemic control. <i>Molecular Metabolism</i> , 2015 , 4, 406-17	8.8	50
39	Endoplasmic reticulum stress increases glucose-6-phosphatase and glucose cycling in liver cells. <i>Endocrinology</i> , 2006 , 147, 350-8	4.8	46
38	Incorporation of radioactivity from [14C]lactate into the glycogen of cultured mouse astroglial cells. Evidence for gluconeogenesis in brain cells. <i>Biological Chemistry Hoppe-Seyler</i> , 1993 , 374, 343-7		46
37	Repletion of branched chain amino acids reverses mTORC1 signaling but not improved metabolism during dietary protein dilution. <i>Molecular Metabolism</i> , 2017 , 6, 873-881	8.8	42

(2001-2007)

36	CB1 receptor antagonist AVE1625 affects primarily metabolic parameters independently of reduced food intake in Wistar rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 293, E826-32	6	39
35	Biophysical characterization of the interaction between hepatic glucokinase and its regulatory protein: impact of physiological and pharmacological effectors. <i>Journal of Biological Chemistry</i> , 2008 , 283, 31333-40	5.4	38
34	DYRK1 is a co-activator of FKHR (FOXO1a)-dependent glucose-6-phosphatase gene expression. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 300, 764-9	3.4	38
33	Molecular basis for the interaction of the mammalian amino acid transporters B0AT1 and B0AT3 with their ancillary protein collectrin. <i>Journal of Biological Chemistry</i> , 2015 , 290, 24308-25	5.4	35
32	Identification of novel inhibitors of the amino acid transporter B AT1 (SLC6A19), a potential target to induce protein restriction and to treat type 2 diabetes. <i>British Journal of Pharmacology</i> , 2017 , 174, 468-482	8.6	31
31	Tumour necrosis factor alpha decreases glucose-6-phosphatase gene expression by activation of nuclear factor kappaB. <i>Biochemical Journal</i> , 2004 , 382, 471-9	3.8	31
30	The role of glucose 6-phosphate in mediating the effects of glucokinase overexpression on hepatic glucose metabolism. <i>FEBS Journal</i> , 2006 , 273, 336-46	5.7	28
29	Restriction of essential amino acids dictates the systemic metabolic response to dietary protein dilution. <i>Nature Communications</i> , 2020 , 11, 2894	17.4	27
28	Identification and synthesis of novel inhibitors of acetyl-CoA carboxylase with in vitro and in vivo efficacy on fat oxidation. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 8679-87	8.3	27
27	The Keap1-Nrf2 protein-protein interaction: A suitable target for small molecules. <i>Drug Discovery Today: Technologies</i> , 2017 , 24, 11-17	7.1	25
26	Muscle-type specific intramyocellular and hepatic lipid metabolism during starvation in wistar rats. <i>Diabetes</i> , 2004 , 53, 528-34	0.9	24
25	Identification of a cAMP response element within the glucose- 6-phosphatase hydrolytic subunit gene promoter which is involved in the transcriptional regulation by cAMP and glucocorticoids in H4IIE hepatoma cells. <i>Biochemical Journal</i> , 1999 , 338, 457	3.8	23
24	Inhibition of citrate cotransporter Slc13a5/mINDY by RNAi improves hepatic insulin sensitivity and prevents diet-induced non-alcoholic fatty liver disease in mice. <i>Molecular Metabolism</i> , 2016 , 5, 1072-108	\$.8 2	22
23	Selective inhibition of 12-lipoxygenase protects islets and beta cells from inflammatory cytokine-mediated beta cell dysfunction. <i>Diabetologia</i> , 2015 , 58, 549-57	10.3	21
22	Dysregulated pyruvate dehydrogenase complex in Zucker diabetic fatty rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 294, E88-96	6	20
21	Thermodynamic characterization of allosteric glycogen phosphorylase inhibitors. <i>Biochemistry</i> , 2008 , 47, 4683-91	3.2	18
20	Evidence for an indirect transcriptional regulation of glucose-6-phosphatase gene expression by liver X receptors. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 338, 981-6	3.4	15
19	Phorbol ester-induced activation of mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase and extracellular-signal-regulated protein kinase decreases glucose-6-phosphatase gene expression. <i>Biochemical Journal</i> , 2001 , 357, 867-873	3.8	15

18	Intestinal glucose-dependent expression of glucose-6-phosphatase: involvement of the aryl receptor nuclear translocator transcription factor. <i>Journal of Biological Chemistry</i> , 2005 , 280, 20094-101	5.4	13
17	Characterization of cis-elements mediating the stimulation of glucose-6-phosphate transporter promoter activity by glucocorticoids. <i>Gene</i> , 2003 , 320, 59-66	3.8	11
16	Differential expression of the subunits of the glucose-6-phosphatase system in the clear cell type of human renal cell carcinoma - no evidence for an overexpression of protein kinase B. <i>Cancer Letters</i> , 2001 , 167, 85-90	9.9	11
15	Colocalization of fructose-1,6-bisphosphatase and glial fibrillary acidic protein in rat brain. <i>Brain Research</i> , 1995 , 677, 341-4	3.7	11
14	Regulation of the Forkhead Transcription Factor FKHR (FOXO1a) by Glucose Starvation and AICAR, an Activator of AMP-Activated Protein Kinase		11
13	Pau d'Mrco activates Nrf2-dependent gene expression via the MEK/ERK-pathway. <i>Journal of Toxicological Sciences</i> , 2014 , 39, 353-61	1.9	10
12	Phorbol ester-induced activation of mitogen-activated protein kinase/extracellular-signal-regulated protein kinase decreases glucose-6-phosphatase gene expression. <i>Biochemical Journal</i> , 2001 , 357, 867-73	3.8	8
11	Glucose induces glucose 6-phosphatase hydrolytic subunit gene transcription in an insulinoma cell line (INS-1). <i>FEBS Letters</i> , 1999 , 443, 53-6	3.8	7
10	Construction and characterization of a conditionally active construct of the insulin-regulated forkhead transcription factor FKHR. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2002 , 110, 304-9	2.3	5
9	Chronic Activation of Hepatic Nrf2 Has No Major Effect on Fatty Acid and Glucose Metabolism in Adult Mice. <i>PLoS ONE</i> , 2016 , 11, e0166110	3.7	5
8	Activation of Adenosine Monophosphate-Activated Protein Kinase Reduces the Onset of Diet-Induced Hepatocellular Carcinoma in Mice. <i>Hepatology Communications</i> , 2020 , 4, 1056-1072	6	3
7	Cellular models for the analysis of signaling by protein kinase B and the forkhead transcription factor FKHR (Foxo1a). <i>Regulatory Peptides</i> , 2004 , 121, 19-24		3
6	Basal level glucose-6-phosphatase gene transcription requires binding sites for Sp family proteins within the gene promoter. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2001 , 1521, 126-9)	3
5	AMPKI and AMPKI define an isoform-specific gene signature in human pluripotent stem cells, differentially mediating cardiac lineage specification. <i>Journal of Biological Chemistry</i> , 2020 , 295, 17659-1	1 5 : 8 71	2
4	INS-1 cells as a model for studying the role of pancreatic glucose-6-phosphatase in glucokinase dependent glucose-mediated insulin secretion. <i>Biochemical Society Transactions</i> , 1997 , 25, 71S	5.1	1
3	Effects of Short-Term Dietary Protein Restriction on Blood Amino Acid Levels in Young Men. <i>Nutrients</i> , 2020 , 12,	6.7	1
2	Chapter 10 Forkhead proteins and the regulation of hepatic gene expression. <i>Advances in Molecular and Cellular Endocrinology</i> , 2006 , 187-317		
1	Suppression of cAMP/dexamethasone induced glucose-6-phosphatase gene transcription by insulin. <i>Biochemical Society Transactions</i> , 1999 , 27, A106-A106	5.1	