

# Dieter Schmoll

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8415627/dieter-schmoll-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53  
papers

2,524  
citations

26  
h-index

50  
g-index

54  
ext. papers

2,791  
ext. citations

5.7  
avg, IF

4.59  
L-index

#	Paper	IF	Citations
53	Activation of Adenosine Monophosphate-Activated Protein Kinase Reduces the Onset of Diet-Induced Hepatocellular Carcinoma in Mice. <i>Hepatology Communications</i> , <b>2020</b> , 4, 1056-1072	6	3
52	Restriction of essential amino acids dictates the systemic metabolic response to dietary protein dilution. <i>Nature Communications</i> , <b>2020</b> , 11, 2894	17.4	27
51	AMPK $\alpha$ and AMPK $\beta$ define an isoform-specific gene signature in human pluripotent stem cells, differentially mediating cardiac lineage specification. <i>Journal of Biological Chemistry</i> , <b>2020</b> , 295, 17659-17671	5.4	2
50	Effects of Short-Term Dietary Protein Restriction on Blood Amino Acid Levels in Young Men. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	1
49	Identification of novel inhibitors of the amino acid transporter B AT1 (SLC6A19), a potential target to induce protein restriction and to treat type 2 diabetes. <i>British Journal of Pharmacology</i> , <b>2017</b> , 174, 468-482	8.6	31
48	The Keap1-Nrf2 protein-protein interaction: A suitable target for small molecules. <i>Drug Discovery Today: Technologies</i> , <b>2017</b> , 24, 11-17	7.1	25
47	Repletion of branched chain amino acids reverses mTORC1 signaling but not improved metabolism during dietary protein dilution. <i>Molecular Metabolism</i> , <b>2017</b> , 6, 873-881	8.8	42
46	A liver stress-endocrine nexus promotes metabolic integrity during dietary protein dilution. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 3263-78	15.9	91
45	Chronic Activation of Hepatic Nrf2 Has No Major Effect on Fatty Acid and Glucose Metabolism in Adult Mice. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166110	3.7	5
44	Inhibition of citrate cotransporter Slc13a5/mINDY by RNAi improves hepatic insulin sensitivity and prevents diet-induced non-alcoholic fatty liver disease in mice. <i>Molecular Metabolism</i> , <b>2016</b> , 5, 1072-1082	8.8	22
43	Mice lacking neutral amino acid transporter B(0)AT1 (Slc6a19) have elevated levels of FGF21 and GLP-1 and improved glycaemic control. <i>Molecular Metabolism</i> , <b>2015</b> , 4, 406-17	8.8	50
42	Selective inhibition of 12-lipoxygenase protects islets and beta cells from inflammatory cytokine-mediated beta cell dysfunction. <i>Diabetologia</i> , <b>2015</b> , 58, 549-57	10.3	21
41	Characterization of RA839, a Noncovalent Small Molecule Binder to Keap1 and Selective Activator of Nrf2 Signaling. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 28446-28455	5.4	62
40	Molecular basis for the interaction of the mammalian amino acid transporters B0AT1 and B0AT3 with their ancillary protein collectrin. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 24308-25	5.4	35
39	Pau d'Arco activates Nrf2-dependent gene expression via the MEK/ERK-pathway. <i>Journal of Toxicological Sciences</i> , <b>2014</b> , 39, 353-61	1.9	10
38	Identification and synthesis of novel inhibitors of acetyl-CoA carboxylase with in vitro and in vivo efficacy on fat oxidation. <i>Journal of Medicinal Chemistry</i> , <b>2010</b> , 53, 8679-87	8.3	27
37	Thermodynamic characterization of allosteric glycogen phosphorylase inhibitors. <i>Biochemistry</i> , <b>2008</b> , 47, 4683-91	3.2	18

36	Biophysical characterization of the interaction between hepatic glucokinase and its regulatory protein: impact of physiological and pharmacological effectors. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 31333-40	5.4	38
35	Dysregulated pyruvate dehydrogenase complex in Zucker diabetic fatty rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2008</b> , 294, E88-96	6	20
34	CB1 receptor antagonist AVE1625 affects primarily metabolic parameters independently of reduced food intake in Wistar rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 293, E826-32	6	39
33	Endoplasmic reticulum stress increases glucose-6-phosphatase and glucose cycling in liver cells. <i>Endocrinology</i> , <b>2006</b> , 147, 350-8	4.8	46
32	Modulation of FoxO signaling in human hepatoma cells by exposure to copper or zinc ions. <i>Archives of Biochemistry and Biophysics</i> , <b>2006</b> , 454, 107-13	4.1	52
31	Chapter 10 Forkhead proteins and the regulation of hepatic gene expression. <i>Advances in Molecular and Cellular Endocrinology</i> , <b>2006</b> , 187-317		
30	The role of glucose 6-phosphate in mediating the effects of glucokinase overexpression on hepatic glucose metabolism. <i>FEBS Journal</i> , <b>2006</b> , 273, 336-46	5.7	28
29	Evidence for an indirect transcriptional regulation of glucose-6-phosphatase gene expression by liver X receptors. <i>Biochemical and Biophysical Research Communications</i> , <b>2005</b> , 338, 981-6	3.4	15
28	Acyl ureas as human liver glycogen phosphorylase inhibitors for the treatment of type 2 diabetes. <i>Journal of Medicinal Chemistry</i> , <b>2005</b> , 48, 6178-93	8.3	59
27	FoxO proteins in insulin action and metabolism. <i>Trends in Endocrinology and Metabolism</i> , <b>2005</b> , 16, 183-98.8		455
26	Intestinal glucose-dependent expression of glucose-6-phosphatase: involvement of the aryl receptor nuclear translocator transcription factor. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 20094-101	5.4	13
25	Muscle-type specific intramyocellular and hepatic lipid metabolism during starvation in wistar rats. <i>Diabetes</i> , <b>2004</b> , 53, 528-34	0.9	24
24	Increased expression and altered location of annexin IV in renal clear cell carcinoma: a possible role in tumour dissemination. <i>Cancer Letters</i> , <b>2004</b> , 209, 111-8	9.9	79
23	Cellular models for the analysis of signaling by protein kinase B and the forkhead transcription factor FKHR (Foxo1a). <i>Regulatory Peptides</i> , <b>2004</b> , 121, 19-24		3
22	Tumour necrosis factor alpha decreases glucose-6-phosphatase gene expression by activation of nuclear factor kappaB. <i>Biochemical Journal</i> , <b>2004</b> , 382, 471-9	3.8	31
21	DYRK1 is a co-activator of FKHR (FOXO1a)-dependent glucose-6-phosphatase gene expression. <i>Biochemical and Biophysical Research Communications</i> , <b>2003</b> , 300, 764-9	3.4	38
20	Characterization of cis-elements mediating the stimulation of glucose-6-phosphate transporter promoter activity by glucocorticoids. <i>Gene</i> , <b>2003</b> , 320, 59-66	3.8	11
19	Novel concepts in insulin regulation of hepatic gluconeogenesis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2003</b> , 285, E685-92	6	350

18	Regulation of the forkhead transcription factor FKHR (FOXO1a) by glucose starvation and AICAR, an activator of AMP-activated protein kinase. <i>Endocrinology</i> , <b>2002</b> , 143, 3183-6	4.8	66
17	Construction and characterization of a conditionally active construct of the insulin-regulated forkhead transcription factor FKHR. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2002</b> , 110, 304-9	2.3	5
16	Phorbol ester-induced activation of mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase and extracellular-signal-regulated protein kinase decreases glucose-6-phosphatase gene expression. <i>Biochemical Journal</i> , <b>2001</b> , 357, 867-873	3.8	15
15	Phorbol ester-induced activation of mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase and extracellular-signal-regulated protein kinase decreases glucose-6-phosphatase gene expression. <i>Biochemical Journal</i> , <b>2001</b> , 357, 867-73	3.8	8
14	Basal level glucose-6-phosphatase gene transcription requires binding sites for Sp family proteins within the gene promoter. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , <b>2001</b> , 1521, 126-9		3
13	Differential regulation of endogenous glucose-6-phosphatase and phosphoenolpyruvate carboxykinase gene expression by the forkhead transcription factor FKHR in H4IIE-hepatoma cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2001</b> , 285, 897-902	3.4	92
12	Differential expression of the subunits of the glucose-6-phosphatase system in the clear cell type of human renal cell carcinoma - no evidence for an overexpression of protein kinase B. <i>Cancer Letters</i> , <b>2001</b> , 167, 85-90	9.9	11
11	Regulation of glucose-6-phosphatase gene expression by protein kinase B $\alpha$ and the forkhead transcription factor FKHR. Evidence for insulin response unit-dependent and -independent effects of insulin on promoter activity. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 36324-33	5.4	266
10	Glucose induces glucose 6-phosphatase hydrolytic subunit gene transcription in an insulinoma cell line (INS-1). <i>FEBS Letters</i> , <b>1999</b> , 443, 53-6	3.8	7
9	Identification of a cAMP response element within the glucose- 6-phosphatase hydrolytic subunit gene promoter which is involved in the transcriptional regulation by cAMP and glucocorticoids in H4IIE hepatoma cells. <i>Biochemical Journal</i> , <b>1999</b> , 338, 457-463	3.8	71
8	Suppression of cAMP/dexamethasone induced glucose-6-phosphatase gene transcription by insulin. <i>Biochemical Society Transactions</i> , <b>1999</b> , 27, A106-A106	5.1	
7	Identification of a cAMP response element within the glucose- 6-phosphatase hydrolytic subunit gene promoter which is involved in the transcriptional regulation by cAMP and glucocorticoids in H4IIE hepatoma cells. <i>Biochemical Journal</i> , <b>1999</b> , 338, 457	3.8	23
6	INS-1 cells as a model for studying the role of pancreatic glucose-6-phosphatase in glucokinase dependent glucose-mediated insulin secretion. <i>Biochemical Society Transactions</i> , <b>1997</b> , 25, 71S	5.1	1
5	Cloning and sequencing of the 5' region of the human glucose-6-phosphatase gene: transcriptional regulation by cAMP, insulin and glucocorticoids in H4IIE hepatoma cells. <i>FEBS Letters</i> , <b>1996</b> , 383, 63-6	3.8	64
4	Colocalization of fructose-1,6-bisphosphatase and glial fibrillary acidic protein in rat brain. <i>Brain Research</i> , <b>1995</b> , 677, 341-4	3.7	11
3	Significant amounts of glycogen are synthesized from 3-carbon compounds in astroglial primary cultures from mice with participation of the mitochondrial phosphoenolpyruvate carboxykinase isoenzyme. <i>FEBS Journal</i> , <b>1995</b> , 227, 308-15		51
2	Incorporation of radioactivity from [ <sup>14</sup> C]lactate into the glycogen of cultured mouse astroglial cells. Evidence for gluconeogenesis in brain cells. <i>Biological Chemistry Hoppe-Seyler</i> , <b>1993</b> , 374, 343-7		46
1	Regulation of the Forkhead Transcription Factor FKHR (FOXO1a) by Glucose Starvation and AICAR, an Activator of AMP-Activated Protein Kinase		11

