Mikitaka Iguchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8416051/publications.pdf

Version: 2024-02-01

55	890	15	27
papers	citations	h-index	g-index
56	56	56	924
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Endoscopic submucosal dissection for early gastric cancer using the tip of an electrosurgical snare (thin type). Digestive Endoscopy, 2004, 16, 34-38.	1.3	213
2	ENDOSCOPIC SUBMUCOSAL DISSECTION FOR THE RELIABLE EN BLOC RESECTION OF COLORECTAL MUCOSAL TUMORS. Digestive Endoscopy, 2004, 16, S89-S92.	1.3	71
3	Prediction model of bleeding after endoscopic submucosal dissection for early gastric cancer: BEST-J score. Gut, 2021, 70, 476-484.	6.1	68
4	Contrast-Enhanced Endoscopic Ultrasonography for Pancreatic Tumors. BioMed Research International, 2015, 2015, 1-8.	0.9	36
5	Utility of Elastography with Endoscopic Ultrasonography Shear-Wave Measurement for Diagnosing Chronic Pancreatitis. Gut and Liver, 2020, 14, 659-664.	1.4	36
6	Endoscopic features associated with development of metachronous gastric cancer in patients who underwent endoscopic resection followed by <scp><i>Helicobacter pylori</i> Digestive Endoscopy, 2016, 28, 434-442.</scp>	1.3	29
7	The incidence of nonâ€ampullary duodenal cancer in Japan: The first analysis of a national cancer registry. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 1216-1221.	1.4	28
8	Efficacy of endoscopic preventive procedures to reduce delayed adverse events after endoscopic resection of superficial nonampullary duodenal epithelial tumors: a meta-analysis of observational comparative trials. Gastrointestinal Endoscopy, 2021, 93, 367-374.e3.	0.5	28
9	<i>Helicobacter pylori</i> -related chronic gastritis as a risk factor for colonic neoplasms. World Journal of Gastroenterology, 2014, 20, 1485.	1.4	24
10	Nonrecurrence Rate of Underwater EMR for â‰20-mm Nonampullary Duodenal Adenomas: A Multicenter Prospective Study (D-UEMR Study). Clinical Gastroenterology and Hepatology, 2022, 20, 1010-1018.e3.	2.4	23
11	Helicobacter pylori infection reduces intraluminal nitric oxide in humans. Journal of Gastroenterology, 1999, 34, 668-674.	2.3	21
12	Influence of anticoagulants on the risk of delayed bleeding after gastric endoscopic submucosal dissection: a multicenter retrospective study. Gastric Cancer, 2021, 24, 179-189.	2.7	21
13	Endoscopic ultrasonography shear wave as a predictive factor of endocrine/exocrine dysfunction in chronic pancreatitis. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 391-396.	1.4	20
14	Serological and histological indices of hepatocellular carcinoma and tumor volume doubling time. Molecular and Clinical Oncology, 2013, 1, 977-981.	0.4	18
15	Rapid On-Site Evaluation by Endosonographers during Endoscopic Ultrasonography-Guided Fine-Needle Aspiration for Diagnosis of Gastrointestinal Stromal Tumors. Clinical Endoscopy, 2017, 50, 372-378.	0.6	18
16	Utility of Contrast-Enhanced Harmonic Endoscopic Ultrasonography for Early Diagnosis of Small Pancreatic Cancer. Diagnostics, 2020, 10, 23.	1.3	16
17	Video capsule endoscopy as the initial examination for overt obscure gastrointestinal bleeding can efficiently identify patients who require double-balloon enteroscopy. BMC Gastroenterology, 2015, 15, 132.	0.8	15
18	The arterial tumor enhancement pattern on contrast-enhanced computed tomography is associated with primary cancer death after radiofrequency ablation for small hepatocellular carcinoma. Hepatology International, 2016, 10, 328-339.	1.9	14

#	Article	IF	Citations
19	Serum pepsinogen levels can quantify the risk of development of metachronous gastric cancer after endoscopic resection. International Journal of Cancer, 2016, 139, 1150-1156.	2.3	12
20	Risk of colonic diverticular rebleeding according to endoscopic appearance. Endoscopy International Open, 2018, 06, E36-E42.	0.9	9
21	Radical treatment for walledâ€off necrosis: Transmural nasocyst continuous irrigation. Digestive Endoscopy, 2019, 31, 307-315.	1.3	9
22	Risk Factors for Bleeding After Endoscopic Submucosal Dissection for Gastric Cancer in Elderly Patients Older Than 80 Years in Japan. Clinical and Translational Gastroenterology, 2021, 12, e00404.	1.3	9
23	Hypointense hepatocellular carcinomas on apparent diffusion coefficient mapping: Pathological features and metastatic recurrence after hepatectomy. Hepatology Research, 2016, 46, 634-641.	1.8	8
24	Contribution of Contrastâ€Enhanced Sonography With Perfluorobutane Microbubbles for Diagnosis of Recurrent Hepatocellular Carcinoma. Journal of Ultrasound in Medicine, 2016, 35, 1383-1391.	0.8	8
25	Rebleeding in patients with delayed bleeding after endoscopic submucosal dissection for early gastric cancer. Digestive Endoscopy, 2021, 33, 1120-1130.	1.3	8
26	Risk Factors for Non-Ampullary Duodenal Adenocarcinoma: A Systematic Review. Digestive Diseases, 2022, 40, 147-155.	0.8	8
27	Antithrombotics increase bleeding after endoscopic submucosal dissection for gastric cancer: Nationwide propensity score analysis. Digestive Endoscopy, 2022, 34, 974-983.	1.3	8
28	Japanese apricot improves symptoms of gastrointestinal dysmotility associated with gastroesophageal reflux disease. World Journal of Gastroenterology, 2015, 21, 8170.	1.4	8
29	A Novel Endoscopic Ultrasonography Imaging Technique for Depicting Microcirculation in Pancreatobiliary Lesions without the Need for Contrast-Enhancement: A Prospective Exploratory Study. Diagnostics, 2021, 11, 2018.	1.3	8
30	Elevated risk of recurrent colorectal neoplasia with Helicobacter pylori-associated chronic atrophic gastritis: A follow-up study of patients with endoscopically resected colorectal neoplasia. Molecular and Clinical Oncology, 2013, 1, 75-82.	0.4	7
31	Kupffer Imaging by Contrastâ€Enhanced Sonography With Perfluorobutane Microbubbles Is Associated With Outcomes After Radiofrequency Ablation of Hepatocellular Carcinoma. Journal of Ultrasound in Medicine, 2016, 35, 359-371.	0.8	7
32	Irregular Defects in Hepatocellular Carcinomas During the Kupffer Phase of Contrast-Enhanced Ultrasonography with Perfluorobutane Microbubbles: Pathological Features and Metastatic Recurrence After Surgical Resection. Ultrasound in Medicine and Biology, 2017, 43, 1829-1836.	0.7	7
33	Diagnosis of pancreatic tuberculosis by combined, contrast-enhanced sonography and endoscopic ultrasound-guided fine-needle aspiration. Clinical Journal of Gastroenterology, 2010, 3, 159-164.	0.4	6
34	The Wire-Grasping Method as a New Technique for Forceps Biopsy of Biliary Strictures: A Prospective Randomized Controlled Study of Effectiveness. Gut and Liver, 2016, 10, 642-648.	1.4	6
35	Timing of bleeding and thromboembolism associated with endoscopic submucosal dissection for gastric cancer in Japan. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 2769-2777.	1.4	6
36	The Real-World Safety and Efficacy of Daclatasvir and Asunaprevir for Elderly Patients. Gut and Liver, 2018, 12, 86-93.	1.4	6

#	Article	IF	Citations
37	Low-Dose Pegylated Interferon α-2b Plus Ribavirin for Elderly and/or Cirrhotic Patients with Genotype 2 Hepatitis C Virus. Gut and Liver, 2016, 10, 617-623.	1.4	5
38	Traction method versus conventional endoscopic submucosal dissection for gastric epithelial neoplasms. Medicine (United States), 2022, 101, e29172.	0.4	5
39	Prediction of Sustained Virological Response to Telaprevir-Based Triple Therapy Using Viral Response within 2 Weeks. Hepatitis Research and Treatment, 2014, 2014, 1-8.	2.0	4
40	Exploration of the characteristics of chronotypes in upper gastrointestinal tract diseases: a multicenter study in Japan. Chronobiology International, 2021, 38, 534-542.	0.9	4
41	Common Bile Duct Dilatation With Stones Indicates Requirement for Early Drainage in Patients With or Without Cholangitis. Gastroenterology Research, 2013, 6, 219-226.	0.4	4
42	Do synbiotics really enhance beneficial synbiotics effect on defecation symptoms in healthy adults?. Medicine (United States), 2022, 101, e28858.	0.4	4
43	Novel endoscopic ultrasonography imaging technique for visualizing microcirculation without contrast enhancement in subepithelial lesions: Prospective study. Digestive Endoscopy, 2021, 33, 955-961.	1.3	3
44	Prediction of a Null Response to Pegylated Interferon \hat{l} ±-2b Plus Ribavirin in Patients with High Viral Load Genotype 1b Hepatitis C. Gut and Liver, 2014, 8, 421-427.	1.4	3
45	Simeprevir-Based Triple Therapy with Reduced Doses of Pegylated Interferon α-2a Plus Ribavirin for Interferon Ineligible Patients with Genotype 1b Hepatitis C Virus. Gut and Liver, 2017, 11, 551-558.	1.4	3
46	Migration of a Percutaneous Endoscopic Gastrojejunostomy Tube into the Colon with Small Intestinal Telescoping. Clinical Endoscopy, 2019, 52, 616-619.	0.6	3
47	Following JGES guidelines for patients with antiplatelet agents might increase bleeding after gastric endoscopic submucosal dissection. Digestive Endoscopy, 2015, 27, 711-711.	1.3	2
48	Add-on Pegylated Interferon Alpha-2a Therapy in Chronic Hepatitis B Japanese Patients Treated with Entecavir. Hepatitis Research and Treatment, 2017, 2017, 1-7.	2.0	2
49	Prognostic value of 18F-fluorodeoxyglucose positron emission tomography in patients with small hepatocellular carcinoma treated by radiofrequency ablation. Cancer Imaging, 2020, 20, 74.	1.2	2
50	Migration of a pancreatic duct stent into the peritoneal cavity during chemotherapy for pancreatic malignant lymphoma. Clinical Journal of Gastroenterology, 2021, 14, 1358-1363.	0.4	2
51	Oral indigo carmine for the detection of colon adenoma. Scandinavian Journal of Gastroenterology, 2021, 56, 351-355.	0.6	2
52	The degree of mucosal atrophy is associated with postâ€endoscopic submucosal dissection bleeding in early gastric cancer. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 870-877.	1.4	2
53	Influence of hospital volume on bleeding after endoscopic submucosal dissection for early gastric cancer in Japan: a multicenter propensity score-matched analysis. Surgical Endoscopy and Other Interventional Techniques, 2021, , 1.	1.3	1
54	Continuous warfarin administration versus heparin bridging therapy in post colorectal polypectomy haemorrhage: a study protocol for a multicentre randomised controlled trial (WHICH study). Trials, 2021, 22, 33.	0.7	0

#	Article	IF	CITATIONS
55	A Case of IgA Vasculitis Deficiency Presenting with Typical Endoscopic Image. The Journal of the Japanese Society of Internal Medicine, 2018, 107, 1350-1356.	0.0	0