

Mikitaka Iguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8416051/publications.pdf>

Version: 2024-02-01

55
papers

890
citations

566801

15
h-index

525886

27
g-index

56
all docs

56
docs citations

56
times ranked

924
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors for Non-Ampullary Duodenal Adenocarcinoma: A Systematic Review. <i>Digestive Diseases</i> , 2022, 40, 147-155.	0.8	8
2	Nonrecurrence Rate of Underwater EMR for ≥ 20 -mm Nonampullary Duodenal Adenomas: A Multicenter Prospective Study (D-UEMR Study). <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 1010-1018.e3.	2.4	23
3	Antithrombotics increase bleeding after endoscopic submucosal dissection for gastric cancer: Nationwide propensity score analysis. <i>Digestive Endoscopy</i> , 2022, 34, 974-983.	1.3	8
4	The degree of mucosal atrophy is associated with post-endoscopic submucosal dissection bleeding in early gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 870-877.	1.4	2
5	Do synbiotics really enhance beneficial synbiotics effect on defecation symptoms in healthy adults?. <i>Medicine (United States)</i> , 2022, 101, e28858.	0.4	4
6	Traction method versus conventional endoscopic submucosal dissection for gastric epithelial neoplasms. <i>Medicine (United States)</i> , 2022, 101, e29172.	0.4	5
7	Novel endoscopic ultrasonography imaging technique for visualizing microcirculation without contrast enhancement in subepithelial lesions: Prospective study. <i>Digestive Endoscopy</i> , 2021, 33, 955-961.	1.3	3
8	Endoscopic ultrasonography shear wave as a predictive factor of endocrine/exocrine dysfunction in chronic pancreatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 391-396.	1.4	20
9	Prediction model of bleeding after endoscopic submucosal dissection for early gastric cancer: BEST-J score. <i>Gut</i> , 2021, 70, 476-484.	6.1	68
10	Influence of anticoagulants on the risk of delayed bleeding after gastric endoscopic submucosal dissection: a multicenter retrospective study. <i>Gastric Cancer</i> , 2021, 24, 179-189.	2.7	21
11	The incidence of non-ampullary duodenal cancer in Japan: The first analysis of a national cancer registry. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 1216-1221.	1.4	28
12	Exploration of the characteristics of chronotypes in upper gastrointestinal tract diseases: a multicenter study in Japan. <i>Chronobiology International</i> , 2021, 38, 534-542.	0.9	4
13	Efficacy of endoscopic preventive procedures to reduce delayed adverse events after endoscopic resection of superficial nonampullary duodenal epithelial tumors: a meta-analysis of observational comparative trials. <i>Gastrointestinal Endoscopy</i> , 2021, 93, 367-374.e3.	0.5	28
14	Continuous warfarin administration versus heparin bridging therapy in post colorectal polypectomy haemorrhage: a study protocol for a multicentre randomised controlled trial (WHICH study). <i>Trials</i> , 2021, 22, 33.	0.7	0
15	Rebleeding in patients with delayed bleeding after endoscopic submucosal dissection for early gastric cancer. <i>Digestive Endoscopy</i> , 2021, 33, 1120-1130.	1.3	8
16	Timing of bleeding and thromboembolism associated with endoscopic submucosal dissection for gastric cancer in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 2769-2777.	1.4	6
17	Migration of a pancreatic duct stent into the peritoneal cavity during chemotherapy for pancreatic malignant lymphoma. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1358-1363.	0.4	2
18	Influence of hospital volume on bleeding after endoscopic submucosal dissection for early gastric cancer in Japan: a multicenter propensity score-matched analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, , 1.	1.3	1

#	ARTICLE	IF	CITATIONS
19	Risk Factors for Bleeding After Endoscopic Submucosal Dissection for Gastric Cancer in Elderly Patients Older Than 80 Years in Japan. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00404.	1.3	9
20	A Novel Endoscopic Ultrasonography Imaging Technique for Depicting Microcirculation in Pancreatobiliary Lesions without the Need for Contrast-Enhancement: A Prospective Exploratory Study. <i>Diagnostics</i> , 2021, 11, 2018.	1.3	8
21	Oral indigo carmine for the detection of colon adenoma. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 351-355.	0.6	2
22	Prognostic value of 18F-fluorodeoxyglucose positron emission tomography in patients with small hepatocellular carcinoma treated by radiofrequency ablation. <i>Cancer Imaging</i> , 2020, 20, 74.	1.2	2
23	Utility of Contrast-Enhanced Harmonic Endoscopic Ultrasonography for Early Diagnosis of Small Pancreatic Cancer. <i>Diagnostics</i> , 2020, 10, 23.	1.3	16
24	Utility of Elastography with Endoscopic Ultrasonography Shear-Wave Measurement for Diagnosing Chronic Pancreatitis. <i>Gut and Liver</i> , 2020, 14, 659-664.	1.4	36
25	Radical treatment for walled-off necrosis: Transmural nasocyst continuous irrigation. <i>Digestive Endoscopy</i> , 2019, 31, 307-315.	1.3	9
26	Migration of a Percutaneous Endoscopic Gastrojejunostomy Tube into the Colon with Small Intestinal Telescoping. <i>Clinical Endoscopy</i> , 2019, 52, 616-619.	0.6	3
27	Risk of colonic diverticular rebleeding according to endoscopic appearance. <i>Endoscopy International Open</i> , 2018, 06, E36-E42.	0.9	9
28	The Real-World Safety and Efficacy of Daclatasvir and Asunaprevir for Elderly Patients. <i>Gut and Liver</i> , 2018, 12, 86-93.	1.4	6
29	A Case of IgA Vasculitis Deficiency Presenting with Typical Endoscopic Image. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2018, 107, 1350-1356.	0.0	0
30	Irregular Defects in Hepatocellular Carcinomas During the Kupffer Phase of Contrast-Enhanced Ultrasonography with Perfluorobutane Microbubbles: Pathological Features and Metastatic Recurrence After Surgical Resection. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1829-1836.	0.7	7
31	Add-on Pegylated Interferon Alpha-2a Therapy in Chronic Hepatitis B Japanese Patients Treated with Entecavir. <i>Hepatitis Research and Treatment</i> , 2017, 2017, 1-7.	2.0	2
32	Simeprevir-Based Triple Therapy with Reduced Doses of Pegylated Interferon α -2a Plus Ribavirin for Interferon Ineligible Patients with Genotype 1b Hepatitis C Virus. <i>Gut and Liver</i> , 2017, 11, 551-558.	1.4	3
33	Rapid On-Site Evaluation by Endosonographers during Endoscopic Ultrasonography-Guided Fine-Needle Aspiration for Diagnosis of Gastrointestinal Stromal Tumors. <i>Clinical Endoscopy</i> , 2017, 50, 372-378.	0.6	18
34	The Wire-Grasping Method as a New Technique for Forceps Biopsy of Biliary Strictures: A Prospective Randomized Controlled Study of Effectiveness. <i>Gut and Liver</i> , 2016, 10, 642-648.	1.4	6
35	Endoscopic features associated with development of metachronous gastric cancer in patients who underwent endoscopic resection followed by <i>Helicobacter pylori</i> eradication. <i>Digestive Endoscopy</i> , 2016, 28, 434-442.	1.3	29
36	Serum pepsinogen levels can quantify the risk of development of metachronous gastric cancer after endoscopic resection. <i>International Journal of Cancer</i> , 2016, 139, 1150-1156.	2.3	12

#	ARTICLE	IF	CITATIONS
37	Hypointense hepatocellular carcinomas on apparent diffusion coefficient mapping: Pathological features and metastatic recurrence after hepatectomy. <i>Hepatology Research</i> , 2016, 46, 634-641.	1.8	8
38	Contribution of Contrast-Enhanced Sonography With Perfluorobutane Microbubbles for Diagnosis of Recurrent Hepatocellular Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 1383-1391.	0.8	8
39	The arterial tumor enhancement pattern on contrast-enhanced computed tomography is associated with primary cancer death after radiofrequency ablation for small hepatocellular carcinoma. <i>Hepatology International</i> , 2016, 10, 328-339.	1.9	14
40	Kupffer Imaging by Contrast-Enhanced Sonography With Perfluorobutane Microbubbles Is Associated With Outcomes After Radiofrequency Ablation of Hepatocellular Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 359-371.	0.8	7
41	Low-Dose Pegylated Interferon \pm 2b Plus Ribavirin for Elderly and/or Cirrhotic Patients with Genotype 2 Hepatitis C Virus. <i>Gut and Liver</i> , 2016, 10, 617-623.	1.4	5
42	Video capsule endoscopy as the initial examination for overt obscure gastrointestinal bleeding can efficiently identify patients who require double-balloon enteroscopy. <i>BMC Gastroenterology</i> , 2015, 15, 132.	0.8	15
43	Following JGES guidelines for patients with antiplatelet agents might increase bleeding after gastric endoscopic submucosal dissection. <i>Digestive Endoscopy</i> , 2015, 27, 711-711.	1.3	2
44	Contrast-Enhanced Endoscopic Ultrasonography for Pancreatic Tumors. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	36
45	Japanese apricot improves symptoms of gastrointestinal dysmotility associated with gastroesophageal reflux disease. <i>World Journal of Gastroenterology</i> , 2015, 21, 8170.	1.4	8
46	<i>Helicobacter pylori</i> -related chronic gastritis as a risk factor for colonic neoplasms. <i>World Journal of Gastroenterology</i> , 2014, 20, 1485.	1.4	24
47	Prediction of Sustained Virological Response to Telaprevir-Based Triple Therapy Using Viral Response within 2 Weeks. <i>Hepatitis Research and Treatment</i> , 2014, 2014, 1-8.	2.0	4
48	Prediction of a Null Response to Pegylated Interferon \pm 2b Plus Ribavirin in Patients with High Viral Load Genotype 1b Hepatitis C. <i>Gut and Liver</i> , 2014, 8, 421-427.	1.4	3
49	Serological and histological indices of hepatocellular carcinoma and tumor volume doubling time. <i>Molecular and Clinical Oncology</i> , 2013, 1, 977-981.	0.4	18
50	Elevated risk of recurrent colorectal neoplasia with <i>Helicobacter pylori</i> -associated chronic atrophic gastritis: A follow-up study of patients with endoscopically resected colorectal neoplasia. <i>Molecular and Clinical Oncology</i> , 2013, 1, 75-82.	0.4	7
51	Common Bile Duct Dilatation With Stones Indicates Requirement for Early Drainage in Patients With or Without Cholangitis. <i>Gastroenterology Research</i> , 2013, 6, 219-226.	0.4	4
52	Diagnosis of pancreatic tuberculosis by combined, contrast-enhanced sonography and endoscopic ultrasound-guided fine-needle aspiration. <i>Clinical Journal of Gastroenterology</i> , 2010, 3, 159-164.	0.4	6
53	Endoscopic submucosal dissection for early gastric cancer using the tip of an electrosurgical snare (thin type). <i>Digestive Endoscopy</i> , 2004, 16, 34-38.	1.3	213
54	ENDOSCOPIC SUBMUCOSAL DISSECTION FOR THE RELIABLE EN BLOC RESECTION OF COLORECTAL MUCOSAL TUMORS. <i>Digestive Endoscopy</i> , 2004, 16, S89-S92.	1.3	71

#	ARTICLE	IF	CITATIONS
55	Helicobacter pylori infection reduces intraluminal nitric oxide in humans. Journal of Gastroenterology, 1999, 34, 668-674.	2.3	21