

Hans-Peter Klenk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/841625/hans-peter-klenk-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

401
papers

20,292
citations

53
h-index

132
g-index

413
ext. papers

28,398
ext. citations

5.2
avg, IF

6.61
L-index

#	Paper	IF	Citations
401	Ionizing-radiation-resistant <i>Kocuria rhizophila</i> PT10 isolated from the Tunisian Sahara xerophyte <i>Panicum turgidum</i> : Polyphasic characterization and proteogenomic arsenal. <i>Genomics</i> , 2021 , 113, 317-330	4.3	4
400	Draft genome sequence of <i>Promicromonospora panici</i> sp. nov., a novel ionizing-radiation-resistant actinobacterium isolated from roots of the desert plant <i>Panicum turgidum</i> . <i>Extremophiles</i> , 2021 , 25, 25-38	3	
399	Roadmap for naming uncultivated Archaea and Bacteria. <i>Nature Microbiology</i> , 2020 , 5, 987-994	26.6	64
398	Isolation, Classification and Antagonistic Properties of Alkalitolerant Actinobacteria from Algerian Saharan Soils. <i>Geomicrobiology Journal</i> , 2020 , 37, 826-836	2.5	1
397	Genome-based classification of <i>Micromonospora craterilacus</i> sp. nov., a novel actinobacterium isolated from Nemrut Lake. <i>Antonie Van Leeuwenhoek</i> , 2020 , 113, 791-801	2.1	5
396	Database Resources of the National Genomics Data Center in 2020. <i>Nucleic Acids Research</i> , 2020 , 48, D24-D33	20.1	119
395	sp. nov., isolated from growing in the Odiel marshes(Spain) and emended descriptions of and. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 220-227	2.2	3
394	Polyphasic classification of strains isolated from the Karakum Desert and description of sp. nov., sp. nov., sp. nov. and sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 636-647	2.2	10
393	sp. nov. a novel plant growth-promoting bacterium with potential use in phytoremediation. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 3287-3294	2.2	6
392	sp. nov., a home for a gifted strain isolated from Indonesian sand dune soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 4874-4882	2.2	1
391	Genome analysis of the marine bacterium <i>Kiloniella laminariae</i> and first insights into comparative genomics with related <i>Kiloniella</i> species. <i>Archives of Microbiology</i> , 2020 , 202, 815-824	3	3
390	<i>Pseudomonas khazarica</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium isolated from Khazar Sea sediments. <i>Antonie Van Leeuwenhoek</i> , 2020 , 113, 521-532	2.1	5
389	Mixotrophic Iron-Oxidizing Isolates from an Acid Mine Drainage-Affected Creek. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	2
388	<i>Micromonospora orduensis</i> sp. nov., isolated from deep marine sediment. <i>Antonie Van Leeuwenhoek</i> , 2020 , 113, 397-405	2.1	9
387	Toward unrestricted use of public genomic data. <i>Science</i> , 2019 , 363, 350-352	33.3	25
386	Consent insufficient for data release-Response. <i>Science</i> , 2019 , 364, 446	33.3	4
385	Isolation, characterization and analysis of bacteriophages from the haloalkaline lake Elmenteita, Kenya. <i>PLoS ONE</i> , 2019 , 14, e0215734	3.7	13

384	Comparative genomic analysis of eight novel haloalkaliphilic bacteriophages from Lake Elmenteita, Kenya. <i>PLoS ONE</i> , 2019 , 14, e0212102	3.7	3
383	Frankia torreyi sp. nov., the first actinobacterium of the genus Frankia Brunchorst 1886, 174 isolated in axenic culture. <i>Antonie Van Leeuwenhoek</i> , 2019 , 112, 57-65	2.1	13
382	Genomic Insight into Three Marine sp. Strains from the Gulf of California. <i>Microbiology Resource Announcements</i> , 2019 , 8,	1.3	1
381	Genomic Insights Into Plant-Growth-Promoting Potentialities of the Genus. <i>Frontiers in Microbiology</i> , 2019 , 10, 1457	5.7	25
380	Genomic Encyclopedia of Bacteria and Archaea (GEBA) VI: learning from type strains. <i>Microbiology Australia</i> , 2019 , 40, 125	0.8	2
379	High-quality draft genome sequences of DSM 14164, DSM 17497, DSM 15088, DSM 21245 and DSM 16006: taxonomic considerations. <i>Access Microbiology</i> , 2019 , 1, e000067	1	2
378	An update on the taxonomy of the genus Frankia Brunchorst, 1886, 174. <i>Antonie Van Leeuwenhoek</i> , 2019 , 112, 5-21	2.1	14
377	Jiangella anatolica sp. nov. isolated from coastal lake soil. <i>Antonie Van Leeuwenhoek</i> , 2019 , 112, 887-895	2.1	2
376	A study of three bacteria isolated from marine sediment and description of Micromonospora globispora sp. nov. <i>Systematic and Applied Microbiology</i> , 2019 , 42, 190-197	4.2	5
375	Hunting for cultivable Micromonospora strains in soils of the Atacama Desert. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 1375-1387	2.1	8
374	Genome sequence and comparative analysis of Jiangella alba YIM 61503 isolated from a medicinal plant Maytenus austroyunnanensis. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 667-678	2.1	1
373	Genome-based classification of micromonosporae with a focus on their biotechnological and ecological potential. <i>Scientific Reports</i> , 2018 , 8, 525	4.9	63
372	Genome biology of a novel lineage of planctomycetes widespread in anoxic aquatic environments. <i>Environmental Microbiology</i> , 2018 , 20, 2438-2455	5.2	23
371	Formal description of Mycobacterium neglectum sp. nov. and Mycobacterium palauense sp. nov., rapidly growing actinobacteria. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 1209-1223	2.1	2
370	Defining the Species and Under the Framework of Genomics. <i>Frontiers in Microbiology</i> , 2018 , 9, 1360	5.7	15
369	Micromonospora phytophila sp. nov. and Micromonospora luteiviridis sp. nov., isolated as natural inhabitants of plant nodules. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 248-253	2.2	12
368	Streptomyces sediminis sp. nov. isolated from crater lake sediment. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 493-500	2.1	8
367	Revisiting the Taxonomic Status of the Biomedically and Industrially Important Genus , Using a Phylogenomic Approach. <i>Frontiers in Microbiology</i> , 2018 , 9, 2281	5.7	14

366	Genome-Based Taxonomic Classification of the Phylum. <i>Frontiers in Microbiology</i> , 2018 , 9, 2007	5.7	297
365	Nonomuraea insulae sp. nov., isolated from forest soil. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 2051-2059	2.1	4
364	Frankia discariae sp. nov.: an infective and effective microsymbiont isolated from the root nodule of Discaria trinervis. <i>Archives of Microbiology</i> , 2017 , 199, 641-647	3	23
363	Phylogenomics of Rhodobacteraceae reveals evolutionary adaptation to marine and non-marine habitats. <i>ISME Journal</i> , 2017 , 11, 1483-1499	11.9	167
362	Kribbella soli sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 641-649	2.1	9
361	Actinomadura alkaliterrae sp. nov., isolated from an alkaline soil. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 787-794	2.1	7
360	Complete genome sequence of strain YIM 002 (DSM 44835), the type species of the genus and source of new antibiotic compounds. <i>Standards in Genomic Sciences</i> , 2017 , 12, 21		5
359	Blastococcus colisei sp. nov., isolated from an archaeological amphitheatre. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 339-346	2.1	9
358	High quality draft genome of type strain a rock actinobacterium, and emended description of. <i>Standards in Genomic Sciences</i> , 2017 , 12, 4		6
357	High quality permanent draft genome sequence of DSM 19482, isolated from raw cow milk. <i>Standards in Genomic Sciences</i> , 2017 , 12, 31		2
356	1,003 reference genomes of bacterial and archaeal isolates expand coverage of the tree of life. <i>Nature Biotechnology</i> , 2017 , 35, 676-683	44.5	161
355	Frankia inefficax sp. nov., an actinobacterial endophyte inducing ineffective, non nitrogen-fixing, root nodules on its actinorhizal host plants. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 313-320	2.1	35
354	Saccharothrix ghardaiensis sp. nov., an actinobacterium isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 399-405	2.1	10
353	Characterization of the first cultured representative of a Bacteroidetes clade specialized on the scavenging of cyanobacteria. <i>Environmental Microbiology</i> , 2017 , 19, 1134-1148	5.2	24
352	Actinoalloteichus fjordicus sp. nov. isolated from marine sponges: phenotypic, chemotaxonomic and genomic characterisation. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 1705-1717	2.1	5
351	Critical Assessment of Metagenome Interpretation-a benchmark of metagenomics software. <i>Nature Methods</i> , 2017 , 14, 1063-1071	21.6	412
350	Draft genome sequence of CL-YJ9 (DSM 18822), isolated from the rhizosphere of the coastal tidal-flat plant. <i>Standards in Genomic Sciences</i> , 2017 , 12, 65		1
349	Planomonospora algeriensis sp. nov., an actinobacterium isolated from a Saharan soil of Algeria. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 245-252	2.1	10

348	, and Form an "Operational Group " within the Species Complex. <i>Frontiers in Microbiology</i> , 2017 , 8, 22	5.7	186
347	Genomic Analysis of , the Thermophilic Anaerobic Bacterium of the Novel Bacterial Phylum. <i>Frontiers in Microbiology</i> , 2017 , 8, 195	5.7	30
346	Promicromonospora kermanensis sp. nov., an actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 262-267	2.2	7
345	Brevundimonas canariensis sp. nov., isolated from roots of Triticum aestivum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 969-973	2.2	7
344	Frankia coriariae sp. nov., an infective and effective microsymbiont isolated from Coriaria japonica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 1266-1270	2.2	27
343	Reclassification of Mzabimyces algeriensis Saker et al. 2015 as Halopolyspora algeriensis comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2787-2790	2.2	6
342	Mycobacterium eburneum sp. nov., a non-chromogenic, fast-growing strain isolated from sputum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3174-3181	2.2	9
341	Frankia asymbiotica sp. nov., a non-infective actinobacterium isolated from Morella californica root nodule. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4897-4901	2.2	21
340	Two novel species of rapidly growing mycobacteria: Mycobacterium lehmannii sp. nov. and Mycobacterium neumannii sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4948-4955	2.2	5
339	Kocuria salina sp. nov., an actinobacterium isolated from the rhizosphere of the halophyte Arthrocnemum macrostachyum and emended description of Kocuria turfanensis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 5006-5012	2.2	5
338	Stone-dwelling actinobacteria Blastococcus saxobsidens, Modestobacter marinus and Geodermatophilus obscurus proteogenomes. <i>ISME Journal</i> , 2016 , 10, 21-9	11.9	46
337	Comparative genomics of biotechnologically important yeasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 9882-7	11.5	212
336	Metabolic traits of an uncultured archaeal lineage--MSBL1--from brine pools of the Red Sea. <i>Scientific Reports</i> , 2016 , 6, 19181	4.9	51
335	High quality draft genome sequences of Pseudomonas fulva DSM 17717(T), Pseudomonas parafulva DSM 17004(T) and Pseudomonas cremoricolorata DSM 17059(T) type strains. <i>Standards in Genomic Sciences</i> , 2016 , 11, 55	9	
334	High-quality draft genome sequence of strain AK4OH1, a gammaproteobacterium isolated from estuarine sediment. <i>Standards in Genomic Sciences</i> , 2016 , 11, 66	4	
333	Complete genome sequence of the haloalkaliphilic, obligately chemolithoautotrophic thiosulfate and sulfide-oxidizing <i>Ep</i> roteobacterium Thioalkalimicrobium cyclicum type strain ALM 1 (DSM 14477(T)). <i>Standards in Genomic Sciences</i> , 2016 , 11, 38	5	
332	Comparing polysaccharide decomposition between the type strains Gramella echincola KMM 6050(T) (DSM 19838(T)) and Gramella portivictoriae UST040801-001(T) (DSM 23547(T)), and emended description of Gramella echincola Nedashkovskaya et al. 2005 emend. Shahina et al. 2014 and Gramella portivictoriae Lau et al. 2005. <i>Standards in Genomic Sciences</i> , 2016 , 11, 37	14	
331	The revisited genome of Pseudomonas putida KT2440 enlightens its value as a robust metabolic chassis. <i>Environmental Microbiology</i> , 2016 , 18, 3403-3424	5.2	194

330	High-quality draft genome sequence of <i>Flavobacterium suncheonense</i> GH29-5(T) (DSM 17707(T)) isolated from greenhouse soil in South Korea, and emended description of <i>Flavobacterium suncheonense</i> GH29-5(T). <i>Standards in Genomic Sciences</i> , 2016 , 11, 42	1
329	Genome sequence of <i>Shimia</i> str. SK013, a representative of the Roseobacter group isolated from marine sediment. <i>Standards in Genomic Sciences</i> , 2016 , 11, 25	4
328	Characterization of the first cultured representative of Verrucomicrobia subdivision 5 indicates the proposal of a novel phylum. <i>ISME Journal</i> , 2016 , 10, 2801-2816	11.9 98
327	High quality permanent draft genome sequence of <i>Phaseolibacter flectens</i> ATCC 12775(T), a plant pathogen of French bean pods. <i>Standards in Genomic Sciences</i> , 2016 , 11, 4	1
326	<i>Thermoactinomyces khenchelensis</i> sp. nov., a filamentous bacterium isolated from soil sediment of a terrestrial hot spring. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 311-7	2.1 7
325	High-resolution phylogenetic microbial community profiling. <i>ISME Journal</i> , 2016 , 10, 2020-32	11.9 161
324	<i>Nocardia donostiensis</i> sp. nov., isolated from human respiratory specimens. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 653-60	2.1 7
323	<i>Actinomadura algeriensis</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 159-65	2.1 13
322	<i>Nocardia zapadnayensis</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 95-103	2.1 4
321	Taxonomy, Physiology, and Natural Products of Actinobacteria. <i>Microbiology and Molecular Biology Reviews</i> , 2016 , 80, 1-43	13.2 841
320	sp. nov., an actinobacterium isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 1034-1038	2.2 8
319	<i>Streptosporangium saharensis</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 1371-1376	2.2 10
318	<i>Microbulbifer rhizosphaerae</i> sp. nov., isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 1844-1850	2.2 13
317	<i>Streptosporangium becharensis</i> sp. nov., an actinobacterium isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2484-2490	2.2 16
316	<i>Actinomadura adrarensis</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2724-2729	2.2 9
315	<i>Actinophytocola algeriensis</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2760-2765	2.2 12
314	<i>Geodermatophilus pulveris</i> sp. nov., a gamma-radiation-resistant actinobacterium isolated from the Sahara desert. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 3828-3834	2.2 18
313	<i>Micromonospora profundi</i> sp. nov., isolated from deep marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4735-4743	2.2 7

312	Saccharothrix isguenensis sp. nov., an actinobacterium isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4785-4790	2.2	8
311	Blastococcus capsensis sp. nov., isolated from an archaeological Roman pool and emended description of the genus Blastococcus, B. aggregatus, B. saxobsidens, B. jejuensis and B. endophyticus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4864-4872	2.2	17
310	Labrenzia salina sp. nov., isolated from the rhizosphere of the halophyte Arthrocnemum macrostachyum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 5173-5180	2.2	12
309	Proposal of a type strain for Frankia alni (Woronin 1866) Von Tubeuf 1895, emended description of Frankia alni, and recognition of Frankia casuarinae sp. nov. and Frankia elaeagni sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 5201-5210	2.2	42
308	Nakamurella silvestris sp. nov., an actinobacterium isolated from alpine forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 5460-5464	2.2	6
307	Genome-Based Taxonomic Classification of. <i>Frontiers in Microbiology</i> , 2016 , 7, 2003	5.7	114
306	gen. nov., sp. nov., an Unusual Member of the Phylum Planctomycetes from the German Wadden Sea. <i>Frontiers in Microbiology</i> , 2016 , 7, 2079	5.7	34
305	Draft Genome Sequence of Frankia Strain G2, a Nitrogen-Fixing Actinobacterium Isolated from Casuarina equisetifolia and Able To Nodulate Actinorhizal Plants of the Order Rhamnales. <i>Genome Announcements</i> , 2016 , 4,		10
304	Nocardiopsis mwathae sp. nov., isolated from the haloalkaline Lake Elmenteita in the African Rift Valley. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 421-30	2.1	4
303	Kroppenstedtia pulmonis sp. nov. and Kroppenstedtia sanguinis sp. nov., isolated from human patients. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 603-10	2.1	4
302	Micromonospora yasonensis sp. nov., isolated from a Black Sea sediment. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 1019-28	2.1	7
301	Actinopolyspora biskrensis sp. nov., a novel halophilic actinomycete isolated from Northern Sahara. <i>Current Microbiology</i> , 2015 , 70, 423-8	2.4	8
300	Caldisalinibacter kiritimatiensis gen. nov., sp. nov., a Moderately Thermohalophilic Thiosulfate-Reducing Bacterium from a Hypersaline Microbial Mat. <i>Geomicrobiology Journal</i> , 2015 , 32, 347-354	2.5	4
299	Streptomyces alkaliphilus sp. nov., isolated from sediments of Lake Elmenteita in the Kenyan Rift Valley. <i>Antonie Van Leeuwenhoek</i> , 2015 , 107, 1249-59	2.1	10
298	High quality draft genome sequence of Meganema perideroedes str. Gr1(T) and a proposal for its reclassification to the family Meganemaceae fam. nov. <i>Standards in Genomic Sciences</i> , 2015 , 10, 23		9
297	Genomic Encyclopedia of Bacterial and Archaeal Type Strains, Phase III: the genomes of soil and plant-associated and newly described type strains. <i>Standards in Genomic Sciences</i> , 2015 , 10, 26		48
296	Diversity and antagonistic properties of culturable halophilic actinobacteria in soils of two arid regions of septentrional Sahara: M'lab and Zibans. <i>Annals of Microbiology</i> , 2015 , 65, 2241-2253	3.2	5
295	High Diversity of Culturable Prokaryotes in a Lithifying Hypersaline Microbial Mat. <i>Geomicrobiology Journal</i> , 2015 , 32, 332-346	2.5	35

294	Bounagaea algeriensis gen. nov., sp. nov., an extremely halophilic actinobacterium isolated from a Saharan soil of Algeria. <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 473-82	2.1	12
293	Nocardia arizonensis sp. nov., obtained from human respiratory specimens. <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 1129-37	2.1	5
292	Harnessing the landscape of microbial culture media to predict new organism-media pairings. <i>Nature Communications</i> , 2015 , 6, 8493	17.4	79
291	Jonesia luteola sp. nov., a bacterium isolated from Xinjiang Province, China. <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 611-8	2.1	1
290	454 Pyrosequencing-based assessment of bacterial diversity and community structure in termite guts, mounds and surrounding soils. <i>SpringerPlus</i> , 2015 , 4, 471	31	
289	Phytomonospora cypria sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 1425-1432	2.1	4
288	Actinokineospora mzabensis sp. nov., a novel actinomycete isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2015 , 107, 291-6	2.1	16
287	Description of gamma radiation-resistant <i>Geodermatophilus dictyosporus</i> sp. nov. to accommodate the not validly named <i>Geodermatophilus obscurus</i> subsp. <i>dictyosporus</i> (Luedemann, 1968). <i>Extremophiles</i> , 2015 , 19, 77-85	3	18
286	High-quality draft genome sequence of <i>Gracilimonas tropica</i> CL-CB462(T) (DSM 19535(T)), isolated from a <i>Synechococcus</i> culture. <i>Standards in Genomic Sciences</i> , 2015 , 10, 98	1	
285	Complete genome sequence and description of <i>Salinispira pacifica</i> gen. nov., sp. nov., a novel spirochaete isolated from a hypersaline microbial mat. <i>Standards in Genomic Sciences</i> , 2015 , 10, 7	23	
284	Draft genome sequence of <i>Halomonas lutea</i> strain YIM 91125(T) (DSM 23508(T)) isolated from the alkaline Lake Ebinur in Northwest China. <i>Standards in Genomic Sciences</i> , 2015 , 10, 1	31	
283	A taxonomic framework for emerging groups of ecologically important marine gammaproteobacteria based on the reconstruction of evolutionary relationships using genome-scale data. <i>Frontiers in Microbiology</i> , 2015 , 6, 281	5.7	88
282	High quality draft genome sequence of <i>Flavobacterium rivuli</i> type strain WB 3.3-2(T) (DSM 21788(T)), a valuable source of polysaccharide decomposing enzymes. <i>Standards in Genomic Sciences</i> , 2015 , 10, 46	11	
281	<i>Saccharothrix tamanrassetensis</i> sp. nov., an actinomycete isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1316-1320	2.2	16
280	<i>Actinoalloteichus hoggarensis</i> sp. nov., an actinomycete isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2006-2010	2.2	9
279	Description of <i>Geodermatophilus bullaregiensis</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 415-25	2.1	10
278	<i>Geodermatophilus aquaeductus</i> sp. nov., isolated from the ruins of Hadrian's aqueduct. <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 41-50	2.1	14
277	<i>Nocardiopsis algeriensis</i> sp. nov., an alkalitolerant actinomycete isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2015 , 107, 313-20	2.1	21

276	Belliella kenyensis sp. nov., isolated from an alkaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 457-462	2.2	8
275	Prauserella isguenensis sp. nov., a halophilic actinomycete isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1598-1603	2.2	16
274	Dissecting the taxonomic heterogeneity within <i>Propionibacterium acnes</i> : proposal for <i>Propionibacterium acnes</i> subsp. <i>acnes</i> subsp. nov. and <i>Propionibacterium acnes</i> subsp. <i>elongatum</i> subsp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 4776-4787	2.2	47
273	Saccharopolyspora ghardaiensis sp. nov., an extremely halophilic actinomycete isolated from Algerian Saharan soil. <i>Journal of Antibiotics</i> , 2014 , 67, 299-303	3.7	14
272	Identification of novel biomass-degrading enzymes from genomic dark matter: Populating genomic sequence space with functional annotation. <i>Biotechnology and Bioengineering</i> , 2014 , 111, 1550-65	4.9	17
271	Nocardia casuarinae sp. nov., an actinobacterial endophyte isolated from root nodules of Casuarina glauca. <i>Antonie Van Leeuwenhoek</i> , 2014 , 105, 1099-106	2.1	16
270	Description of <i>Geodermatophilus amargosae</i> sp. nov., to accommodate the not validly named <i>Geodermatophilus obscurus</i> subsp. <i>amargosae</i> (Luedemann, 1968). <i>Current Microbiology</i> , 2014 , 68, 365-714	2.1	16
269	Mzabimyces algeriensis gen. nov., sp. nov., a halophilic filamentous actinobacterium isolated from a Saharan soil, and proposal of Mzabimycetaceae fam. nov. <i>Antonie Van Leeuwenhoek</i> , 2014 , 106, 1021-30	2.1	13
268	Nocardia vulneris sp. nov., isolated from wounds of human patients in North America. <i>Antonie Van Leeuwenhoek</i> , 2014 , 106, 543-53	2.1	19
267	Streptomonospora algeriensis sp. nov., a halophilic actinomycete isolated from soil in Algeria. <i>Antonie Van Leeuwenhoek</i> , 2014 , 106, 287-92	2.1	13
266	Complete genome sequence of DSM 30083(T), the type strain (U5/41(T)) of <i>Escherichia coli</i> , and a proposal for delineating subspecies in microbial taxonomy. <i>Standards in Genomic Sciences</i> , 2014 , 9, 2	2.1	267
265	Genome sequence and emended description of <i>Leisingera nanhaiensis</i> strain DSM 24252(T) isolated from marine sediment. <i>Standards in Genomic Sciences</i> , 2014 , 9, 687-703	2.1	5
264	Complete genome sequence of the <i>Phaeobacter gallaeciensis</i> type strain CIP 105210(T) (= DSM 26640(T) = BS107(T)). <i>Standards in Genomic Sciences</i> , 2014 , 9, 914-32	2.1	13
263	Genome sequence of the <i>Thermotoga thermarum</i> type strain (LA3(T)) from an African solfataric spring. <i>Standards in Genomic Sciences</i> , 2014 , 9, 1105-17	2.1	4
262	Genome sequence of the exopolysaccharide-producing <i>Salipiger mucosus</i> type strain (DSM 16094(T)), a moderately halophilic member of the Roseobacter clade. <i>Standards in Genomic Sciences</i> , 2014 , 9, 1331-43	2.1	10
261	High quality draft genome sequence of <i>Olivibacter sitiensis</i> type strain (AW-6(T)), a diphenol degrader with genes involved in the catechol pathway. <i>Standards in Genomic Sciences</i> , 2014 , 9, 783-93	2.1	8
260	Genome sequence of the mud-dwelling archaeon <i>Methanoplanus limicola</i> type strain (DSM 2279(T)), reclassification of <i>Methanoplanus petrolearius</i> as <i>Methanolacinia petrolearia</i> and emended descriptions of the genera <i>Methanoplanus</i> and <i>Methanolacinia</i> . <i>Standards in Genomic Sciences</i> , 2014 , 9, 1076-88	2.1	10
259	Genome analysis of <i>Desulfotomaculum gibsoniae</i> strain Groll(T) a highly versatile Gram-positive sulfate-reducing bacterium. <i>Standards in Genomic Sciences</i> , 2014 , 9, 821-39	2.1	20

258	High quality draft genome sequence of the slightly halophilic bacterium <i>Halomonas zhanjiangensis</i> type strain JSM 078169(T) (DSM 21076(T)) from a sea urchin in southern China. <i>Standards in Genomic Sciences</i> , 2014 , 9, 1020-30	8
257	Complete genome sequence of the bacteriochlorophyll a-containing <i>Roseibacterium elongatum</i> type strain (DSM 19469(T)), a representative of the Roseobacter group isolated from Australian coast sand. <i>Standards in Genomic Sciences</i> , 2014 , 9, 840-54	3
256	Genome sequence of the <i>Wenxinia marina</i> type strain (DSM 24838(T)), a representative of the Roseobacter group isolated from oilfield sediments. <i>Standards in Genomic Sciences</i> , 2014 , 9, 855-65	2
255	Genome sequence of the pink to light reddish-pigmented <i>Rubellimicrobium mesophilum</i> type strain (DSM 19309(T)), a representative of the Roseobacter group isolated from soil, and emended description of the species. <i>Standards in Genomic Sciences</i> , 2014 , 9, 902-13	6
254	Genome-scale data suggest reclassifications in the Leisingera-Phaeobacter cluster including proposals for <i>Sedimentitalea</i> gen. nov. and <i>Pseudophaeobacter</i> gen. nov. <i>Frontiers in Microbiology</i> , 2014 , 5, 416	5.7 38
253	Genomic encyclopedia of bacteria and archaea: sequencing a myriad of type strains. <i>PLoS Biology</i> , 2014 , 12, e1001920	9.7 146
252	Highly parallelized inference of large genome-based phylogenies. <i>Concurrency Computation Practice and Experience</i> , 2014 , 26, 1715-1729	1.4 39
251	Pathways and substrate-specific regulation of amino acid degradation in <i>Phaeobacter inhibens</i> DSM 17395 (archetype of the marine Roseobacter clade). <i>Environmental Microbiology</i> , 2014 , 16, 218-38	5.2 24
250	Genomic Encyclopedia of Type Strains, Phase I: The one thousand microbial genomes (KMG-I) project. <i>Standards in Genomic Sciences</i> , 2014 , 9, 1278-84	72
249	Comparative genomics of the bacterial genus <i>Streptococcus</i> illuminates evolutionary implications of species groups. <i>PLoS ONE</i> , 2014 , 9, e101229	3.7 57
248	Genomic Standards Consortium Projects. <i>Standards in Genomic Sciences</i> , 2014 , 9, 599-601	23
247	When should a DDH experiment be mandatory in microbial taxonomy?. <i>Archives of Microbiology</i> , 2013 , 195, 413-8	3 377
246	<i>Actinopolyspora righensis</i> sp. nov., a novel halophilic actinomycete isolated from Saharan soil in Algeria. <i>Antonie Van Leeuwenhoek</i> , 2013 , 104, 301-7	2.1 20
245	Genome sequence-based species delimitation with confidence intervals and improved distance functions. <i>BMC Bioinformatics</i> , 2013 , 14, 60	3.6 3251
244	<i>Hoffmannoscypha</i> , a novel genus of brightly coloured, cupulate Pyronemataceae closely related to Tricharina and Geopora. <i>Mycological Progress</i> , 2013 , 12, 675-686	1.9 12
243	<i>Geodermatophilus africanus</i> sp. nov., a halotolerant actinomycete isolated from Saharan desert sand. <i>Antonie Van Leeuwenhoek</i> , 2013 , 104, 207-16	2.1 36
242	<i>Microlunatus cavernae</i> sp. nov., a novel actinobacterium isolated from Alu ancient cave, Yunnan, South-West China. <i>Antonie Van Leeuwenhoek</i> , 2013 , 104, 95-101	2.1 5
241	<i>Saccharothrix saharensis</i> sp. nov., an actinomycete isolated from Algerian Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 3744-3749	2.2 15

240	Chryseobacterium hispalense sp. nov., a plant-growth-promoting bacterium isolated from a rainwater pond in an olive plant nursery, and emended descriptions of Chryseobacterium defluvii, Chryseobacterium indogenes, Chryseobacterium wanjuense and Chryseobacterium gregarium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 4386-4395	2.2	156
239	Nonomuraea jabiensis sp. nov., isolated from arid soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 212-218	2.2	13
238	Geodermatophilus siccatus sp. nov., isolated from arid sand of the Saharan desert in Chad. <i>Antonie Van Leeuwenhoek</i> , 2013 , 103, 449-56	2.1	35
237	Actinopolyspora saharensis sp. nov., a novel halophilic actinomycete isolated from a Saharan soil of Algeria. <i>Antonie Van Leeuwenhoek</i> , 2013 , 103, 771-6	2.1	20
236	Actinopolyspora mzabensis sp. nov., a halophilic actinomycete isolated from an Algerian Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 3787-3792	2.2	25
235	Description of Streptomonospora sediminis sp. nov. and Streptomonospora nankaiensis sp. nov., and reclassification of Nocardiopsis arabica Hozzein & Goodfellow 2008 as Streptomonospora arabica comb. nov. and emended description of the genus Streptomonospora. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1147-1155	2.2	21
234	16S-rRNA-based analysis of bacterial diversity in the gut of fungus-cultivating termites (Microtermes and Odontotermes species). <i>Antonie Van Leeuwenhoek</i> , 2013 , 104, 869-83	2.1	24
233	opm: an R package for analysing OmniLog(R) phenotype microarray data. <i>Bioinformatics</i> , 2013 , 29, 1823-1827	4.2	153
232	Saccharothrix hoggarensis sp. nov., an actinomycete isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 549-553	2.2	21
231	Phylogeny-driven target selection for large-scale genome-sequencing (and other) projects. <i>Standards in Genomic Sciences</i> , 2013 , 8, 360-74	42	
230	Genome of the marine alphaproteobacterium Hoeflea phototrophica type strain (DFL-43(T)). <i>Standards in Genomic Sciences</i> , 2013 , 7, 440-8	7	
229	Complete genome sequence of Coriobacterium glomerans type strain (PW2(T)) from the midgut of Pyrrhocoris apterus L. (red soldier bug). <i>Standards in Genomic Sciences</i> , 2013 , 8, 15-25	5	
228	Complete genome sequence of the bile-resistant pigment-producing anaerobe Alistipes finegoldii type strain (AHN2437(T)). <i>Standards in Genomic Sciences</i> , 2013 , 8, 26-36	6	
227	High-quality-draft genome sequence of the yellow-pigmented flavobacterium Joostella marina type strain (En5(T)). <i>Standards in Genomic Sciences</i> , 2013 , 8, 37-46	4	
226	Complete genome sequence of the moderate thermophile Anaerobaculum mobile type strain (NGA(T)). <i>Standards in Genomic Sciences</i> , 2013 , 8, 47-57	10	
225	Genome sequence of the free-living aerobic spirochete Turneriella parva type strain (H(T)), and emendation of the species Turneriella parva. <i>Standards in Genomic Sciences</i> , 2013 , 8, 228-38	8	
224	Genome analysis of Desulfotomaculum kuznetsovii strain 17(T) reveals a physiological similarity with Pelotomaculum thermopropionicum strain SI(T). <i>Standards in Genomic Sciences</i> , 2013 , 8, 69-87	29	
223	Permanent draft genome sequences of the symbiotic nitrogen fixing <i>Ensifer meliloti</i> strains BO21CC and AK58. <i>Standards in Genomic Sciences</i> , 2013 , 9, 325-33	4	

222	Genome sequence of the phage-gene rich marine <i>Phaeobacter arcticus</i> type strain DSM 23566(T.). <i>Standards in Genomic Sciences</i> , 2013, 8, 450-64	9
221	Genome sequence of the <i>Leisingera aquimarina</i> type strain (DSM 24565(T)), a member of the marine Roseobacter clade rich in extrachromosomal elements. <i>Standards in Genomic Sciences</i> , 2013, 8, 389-402	16
220	Non-contiguous finished genome sequence of plant-growth promoting <i>Serratia proteamaculans</i> S4. <i>Standards in Genomic Sciences</i> , 2013, 8, 441-9	9
219	Genome sequence of the chemoheterotrophic soil bacterium <i>Saccharomonospora cyanea</i> type strain (NA-134(T)). <i>Standards in Genomic Sciences</i> , 2013, 9, 28-41	1
218	Genome sequence of the moderately thermophilic sulfur-reducing bacterium <i>Thermaerovibrio velox</i> type strain (Z-9701(T)) and emended description of the genus <i>Thermaerovibrio</i> . <i>Standards in Genomic Sciences</i> , 2013, 9, 57-70	4
217	Genome sequence of the <i>Litoreibacter arenae</i> type strain (DSM 19593(T)), a member of the Roseobacter clade isolated from sea sand. <i>Standards in Genomic Sciences</i> , 2013, 9, 117-27	6
216	Genome sequence of <i>Frateuria aurantia</i> type strain (Kond167(T)), a xanthomonade isolated from <i>Lilium auratum</i> Lindl. <i>Standards in Genomic Sciences</i> , 2013, 9, 83-92	1
215	Genome of the R-body producing marine alphaproteobacterium <i>Labrenzia alexandrii</i> type strain (DFL-11(T)). <i>Standards in Genomic Sciences</i> , 2013, 7, 413-26	8
214	Genome sequence of the thermophilic fresh-water bacterium <i>Spirochaeta caldaria</i> type strain (H1(T)), reclassification of <i>Spirochaeta caldaria</i> , <i>Spirochaeta stenostrepta</i> , and <i>Spirochaeta zuelzerae</i> in the genus <i>Treponema</i> as <i>Treponema caldaria</i> comb. nov., <i>Treponema stenostrepta</i> comb. nov., and <i>Treponema zuelzerae</i> comb. nov., and emendation of the genus <i>Treponema</i> . <i>Standards in Genomic Sciences</i> , 2013, 8, 84-105	24
213	Complete genome sequence of the halophilic bacterium <i>Spirochaeta africana</i> type strain (Z-7692(T)) from the alkaline Lake Magadi in the East African Rift. <i>Standards in Genomic Sciences</i> , 2013, 8, 165-76	2
212	Genome sequence of the phylogenetically isolated spirochete <i>Leptonema illini</i> type strain (3055(T)). <i>Standards in Genomic Sciences</i> , 2013, 8, 177-87	4
211	Genome sequence of the reddish-pigmented <i>Rubellimicrobium thermophilum</i> type strain (DSM 16684(T)), a member of the Roseobacter clade. <i>Standards in Genomic Sciences</i> , 2013, 8, 480-90	3
210	Genome sequence of <i>Phaeobacter daeponensis</i> type strain (DSM 23529(T)), a facultatively anaerobic bacterium isolated from marine sediment, and emendation of <i>Phaeobacter daeponensis</i> . <i>Standards in Genomic Sciences</i> , 2013, 9, 142-59	10
209	Complete genome sequence of the marine methyl-halide oxidizing <i>Leisingera methylohalidivorans</i> type strain (DSM 14336(T)), a representative of the Roseobacter clade. <i>Standards in Genomic Sciences</i> , 2013, 9, 128-41	13
208	Complete genome sequence of <i>Enterobacter</i> sp. IIT-BT 08: A potential microbial strain for high rate hydrogen production. <i>Standards in Genomic Sciences</i> , 2013, 9, 359-69	13
207	Genome sequence of <i>Phaeobacter inhibens</i> type strain (T5(T)), a secondary metabolite producing representative of the marine Roseobacter clade, and emendation of the species description of <i>Phaeobacter inhibens</i> . <i>Standards in Genomic Sciences</i> , 2013, 9, 334-50	19
206	Comparative genomic analysis of the genus <i>Nocardiopsis</i> provides new insights into its genetic mechanisms of environmental adaptability. <i>PLoS ONE</i> , 2013, 8, e61528	3.7 30
205	Diversity of <i>Termitomyces</i> associated with fungus-farming termites assessed by cultural and culture-independent methods. <i>PLoS ONE</i> , 2013, 8, e56464	3.7 18

204	Genome sequence of <i>Phaeobacter caeruleus</i> type strain (DSM 24564(T)), a surface-associated member of the marine Roseobacter clade. <i>Standards in Genomic Sciences</i> , 2013 , 8, 403-19		12
203	Kibdelosporangium phytohabitans sp. nov., a novel endophytic actinomycete isolated from oil-seed plant <i>Jatropha curcas</i> L. containing 1-aminocyclopropane-1-carboxylic acid deaminase. <i>Antonie Van Leeuwenhoek</i> , 2012 , 101, 433-41	2.1	28
202	A novel strain of <i>Actinopolyspora mortivallis</i> with antibacterial activity isolated from a Saharan soil. <i>Annals of Microbiology</i> , 2012 , 62, 1049-1057	3.2	6
201	Charcoal filter paper improves the viability of cryopreserved filamentous ectomycorrhizal and saprotrophic Basidiomycota and Ascomycota. <i>Mycologia</i> , 2012 , 104, 324-30	2.4	12
200	Complete genome sequence of the rapeseed plant-growth promoting <i>Serratia plymuthica</i> strain AS9. <i>Standards in Genomic Sciences</i> , 2012 , 6, 54-62		25
199	Actinopolyspora algeriensis sp. nov., a novel halophilic actinomycete isolated from a Saharan soil. <i>Extremophiles</i> , 2012 , 16, 771-6	3	18
198	Visualization and curve-parameter estimation strategies for efficient exploration of phenotype microarray kinetics. <i>PLoS ONE</i> , 2012 , 7, e34846	3.7	139
197	A novel mitovirus from the hypogeous ectomycorrhizal fungus <i>Tuber excavatum</i> . <i>Archives of Virology</i> , 2012 , 157, 787-790	2.6	26
196	Complete genome sequences of <i>Desulfosporosinus orientis</i> DSM765T, <i>Desulfosporosinus youngiae</i> DSM17734T, <i>Desulfosporosinus meridiei</i> DSM13257T, and <i>Desulfosporosinus acidiphilus</i> DSM22704T. <i>Journal of Bacteriology</i> , 2012 , 194, 6300-1	3.5	46
195	Promicromonospora xylanilytica sp. nov., an endophytic actinomycete isolated from surface-sterilized leaves of the medicinal plant <i>Maytenus austroyunnanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 84-89	2.2	13
194	Genome sequence of the moderately thermophilic, amino-acid-degrading and sulfur-reducing bacterium <i>Thermovirga lienii</i> type strain (Cas60314(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 230-9		21
193	Genome sequence of the orange-pigmented seawater bacterium <i>Owenweeksia hongkongensis</i> type strain (UST20020801(T)). <i>Standards in Genomic Sciences</i> , 2012 , 7, 120-30		11
192	Permanent draft genome sequence of the gliding predator <i>Saprosira grandis</i> strain Sa g1 (= HR1). <i>Standards in Genomic Sciences</i> , 2012 , 6, 210-9		1
191	Genome sequence of the soil bacterium <i>Saccharomonospora azurea</i> type strain (NA-128(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 220-9		10
190	Complete genome sequence of the facultatively anaerobic, appendaged bacterium <i>Muricauda ruestringensis</i> type strain (B1(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 185-93		8
189	Complete genome sequence of <i>Polynucleobacter necessarius</i> subsp. <i>asymbioticus</i> type strain (QLW-P1DMWA-1(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 74-83		27
188	Complete genome sequence of the aerobic, heterotroph <i>Marinithermus hydrothermalis</i> type strain (T1(T)) from a deep-sea hydrothermal vent chimney. <i>Standards in Genomic Sciences</i> , 2012 , 6, 21-30		6
187	Complete genome sequence of the aquatic bacterium <i>Runella slithyformis</i> type strain (LSU 4(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 145-54		16

186	Genome sequence of the ocean sediment bacterium <i>Saccharomonospora marina</i> type strain (XMU15(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 265-75	3
185	Complete genome sequence of the thermophilic sulfate-reducing ocean bacterium <i>Thermodesulfatator indicus</i> type strain (CIR29812(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 155-64	9
184	Genome sequence of the homoacetogenic bacterium <i>Holophaga foetida</i> type strain (TMBS4(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 174-84	23
183	Complete genome sequence of the orange-red pigmented, radioresistant <i>Deinococcus proteolyticus</i> type strain (MRP(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 240-50	7
182	Complete genome sequence of the plant-associated <i>Serratia plymuthica</i> strain AS13. <i>Standards in Genomic Sciences</i> , 2012 , 7, 22-30	16
181	Genome sequence of the flexirubin-pigmented soil bacterium <i>Niabella soli</i> type strain (JS13-8(T)). <i>Standards in Genomic Sciences</i> , 2012 , 7, 210-20	0
180	Genome sequence of the Antarctic rhodopsins-containing flavobacterium <i>Gillisia limnaea</i> type strain (R-8282(T)). <i>Standards in Genomic Sciences</i> , 2012 , 7, 107-19	9
179	Complete genome sequence of the sulfate-reducing firmicute <i>Desulfotomaculum ruminis</i> type strain (DL(T)). <i>Standards in Genomic Sciences</i> , 2012 , 7, 304-19	18
178	Complete genome sequence of <i>Halopiger xanaduensis</i> type strain (SH-6(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 31-42	7
177	Complete genome sequence of the sulfur compounds oxidizing chemolithoautotroph <i>Sulfuricurvum kujiense</i> type strain (YK-1(T)). <i>Standards in Genomic Sciences</i> , 2012 , 6, 94-103	31
176	Genomics of aerobic cellulose utilization systems in actinobacteria. <i>PLoS ONE</i> , 2012 , 7, e39331	3.7 73
175	Complete genome sequence of the facultatively chemolithoautotrophic and methylotrophic alpha Proteobacterium <i>Starkeya novella</i> type strain (ATCC 8093T). <i>Standards in Genomic Sciences</i> , 2012 , 7, 44-58	15
174	Complete genome sequence of the filamentous gliding predatory bacterium <i>Herpetosiphon aurantiacus</i> type strain (114-95(T)). <i>Standards in Genomic Sciences</i> , 2011 , 5, 356-70	35
173	Novel insights into the diversity of catabolic metabolism from ten haloarchaeal genomes. <i>PLoS ONE</i> , 2011 , 6, e20237	3.7 60
172	Codivergence of mycoviruses with their hosts. <i>PLoS ONE</i> , 2011 , 6, e22252	3.7 37
171	The complete genome sequence of <i>Thermoproteus tenax</i> : a physiologically versatile member of the Crenarchaeota. <i>PLoS ONE</i> , 2011 , 6, e24222	3.7 41
170	Complete genome sequence of <i>Leadbetterella byssophila</i> type strain (4M15). <i>Standards in Genomic Sciences</i> , 2011 , 4, 2-12	15
169	Complete genome sequence of <i>Hydrogenobacter thermophilus</i> type strain (TK-6). <i>Standards in Genomic Sciences</i> , 2011 , 4, 131-43	8

168	Complete genome sequence of <i>Paludibacter propionicigenes</i> type strain (WB4). <i>Standards in Genomic Sciences</i> , 2011, 4, 36-44	24
167	Complete genome sequence of <i>Bacteroides helcogenes</i> type strain (P 36-108). <i>Standards in Genomic Sciences</i> , 2011, 4, 45-53	7
166	Complete genome sequence of <i>Weeksella virosa</i> type strain (9751). <i>Standards in Genomic Sciences</i> , 2011, 4, 81-90	8
165	Complete genome sequence of <i>Desulfobulbus propionicus</i> type strain (1pr3). <i>Standards in Genomic Sciences</i> , 2011, 4, 100-10	39
164	Complete genome sequence of <i>Marivirga tractuosa</i> type strain (H-43). <i>Standards in Genomic Sciences</i> , 2011, 4, 154-62	15
163	Complete genome sequence of <i>Desulfurococcus mucosus</i> type strain (O7/1). <i>Standards in Genomic Sciences</i> , 2011, 4, 173-82	9
162	Complete genome sequence of <i>Cellulophaga lytica</i> type strain (LIM-21). <i>Standards in Genomic Sciences</i> , 2011, 4, 221-32	23
161	Non-contiguous finished genome sequence of <i>Bacteroides coprosuis</i> type strain (PC139). <i>Standards in Genomic Sciences</i> , 2011, 4, 233-43	4
160	Complete genome sequence of <i>Rhodospirillum rubrum</i> type strain (S1). <i>Standards in Genomic Sciences</i> , 2011, 4, 293-302	31
159	Complete genome sequence of the extremely halophilic <i>Halanaerobium praevalens</i> type strain (GSL). <i>Standards in Genomic Sciences</i> , 2011, 4, 312-21	24
158	Complete genome sequence of <i>Nitratifractor salsuginis</i> type strain (E9I37-1). <i>Standards in Genomic Sciences</i> , 2011, 4, 322-30	10
157	Complete genome sequence of <i>Mahella australiensis</i> type strain (50-1 BON). <i>Standards in Genomic Sciences</i> , 2011, 4, 331-41	6
156	Complete genome sequence of <i>Treponema succinifaciens</i> type strain (6091). <i>Standards in Genomic Sciences</i> , 2011, 4, 361-70	20
155	Complete genome sequence of the hyperthermophilic chemolithoautotroph <i>Pyrolobus fumarii</i> type strain (1A). <i>Standards in Genomic Sciences</i> , 2011, 4, 381-92	10
154	Complete genome sequence of <i>Staphylothermus hellenicus</i> P8. <i>Standards in Genomic Sciences</i> , 2011, 5, 12-20	5
153	Complete genome sequence of the acetate-degrading sulfate reducer <i>Desulfobacca acetoxidans</i> type strain (ASRB2). <i>Standards in Genomic Sciences</i> , 2011, 4, 393-401	19
152	Complete genome sequence of the thermophilic, hydrogen-oxidizing <i>Bacillus tusciae</i> type strain (T2) and reclassification in the new genus, <i>Kyridia</i> gen. nov. as <i>Kyridia tusciae</i> comb. nov. and emendation of the family <i>Alicyclobacillaceae</i> da Costa and Rainey, 2010. <i>Standards in Genomic Sciences</i> , 2011, 5, 121-34	35
151	Complete genome sequence of the gliding, heparinolytic <i>Pedobacter saltans</i> type strain (113). <i>Standards in Genomic Sciences</i> , 2011, 5, 30-40	11

150	Non-contiguous finished genome sequence of the opportunistic oral pathogen <i>Prevotella multisaccharivorax</i> type strain (PPPA20). <i>Standards in Genomic Sciences</i> , 2011 , 5, 41-9	2
149	Complete genome sequence of <i>Tolumonas auensis</i> type strain (TA 4). <i>Standards in Genomic Sciences</i> , 2011 , 5, 112-20	4
148	Complete genome sequence of <i>Hirschia baltica</i> type strain (IFAM 1418(T)). <i>Standards in Genomic Sciences</i> , 2011 , 5, 287-97	8
147	Complete genome sequence of the halophilic and highly halotolerant <i>Chromohalobacter salexigens</i> type strain (1H11(T)). <i>Standards in Genomic Sciences</i> , 2011 , 5, 379-88	28
146	Genome sequence of the filamentous, gliding <i>Thiothrix nivea</i> neotype strain (JP2(T)). <i>Standards in Genomic Sciences</i> , 2011 , 5, 398-406	9
145	Complete genome sequence of the thermophilic sulfur-reducer <i>Desulfurobacterium thermolithothrophum</i> type strain (BSA(T)) from a deep-sea hydrothermal vent. <i>Standards in Genomic Sciences</i> , 2011 , 5, 407-15	10
144	Complete genome sequence of <i>Calditerrivibrio nitroreducens</i> type strain (Yu37-1). <i>Standards in Genomic Sciences</i> , 2011 , 4, 54-62	9
143	Complete genome sequence of <i>Truepera radiovictrix</i> type strain (RQ-24). <i>Standards in Genomic Sciences</i> , 2011 , 4, 91-9	37
142	Complete genome sequence of <i>Bacteroides salanitronis</i> type strain (BL78). <i>Standards in Genomic Sciences</i> , 2011 , 4, 191-9	8
141	Complete genome sequence of <i>Odoribacter splanchnicus</i> type strain (1651/6). <i>Standards in Genomic Sciences</i> , 2011 , 4, 200-9	62
140	Complete genome sequence of <i>Oceanithermus profundus</i> type strain (506). <i>Standards in Genomic Sciences</i> , 2011 , 4, 210-20	3
139	Complete genome sequence of <i>Tsukamurella paurometabola</i> type strain (no. 33). <i>Standards in Genomic Sciences</i> , 2011 , 4, 342-51	8
138	Non-contiguous finished genome sequence and contextual data of the filamentous soil bacterium <i>Ktedonobacter racemifer</i> type strain (SOSP1-21). <i>Standards in Genomic Sciences</i> , 2011 , 5, 97-111	72
137	Complete genome sequence of <i>Isosphaera pallida</i> type strain (IS1B). <i>Standards in Genomic Sciences</i> , 2011 , 4, 63-71	40
136	Complete genome sequence of <i>Cellulophaga algicola</i> type strain (IC166). <i>Standards in Genomic Sciences</i> , 2011 , 4, 72-80	22
135	Complete genome sequence of the thermophilic sulfur-reducer <i>Hippea maritima</i> type strain (MH(2)). <i>Standards in Genomic Sciences</i> , 2011 , 4, 303-11	6
134	Complete genome sequence of <i>Haliscoenobacter hydrossis</i> type strain (O). <i>Standards in Genomic Sciences</i> , 2011 , 4, 352-60	17
133	Complete genome sequence of the gliding freshwater bacterium <i>Fluvicola taffensis</i> type strain (RW262). <i>Standards in Genomic Sciences</i> , 2011 , 5, 21-9	19

132	Genome sequence of the moderately thermophilic halophile <i>Flexistipes sinusarabici</i> strain (MAS10). <i>Standards in Genomic Sciences</i> , 2011 , 5, 86-96	8
131	Complete genome sequence of <i>Deinococcus maricopensis</i> type strain (LB-34). <i>Standards in Genomic Sciences</i> , 2011 , 4, 163-72	11
130	A blueprint of ectoine metabolism from the genome of the industrial producer <i>Halomonas elongata</i> DSM 2581 T. <i>Environmental Microbiology</i> , 2011 , 13, 1973-94	5.2 170
129	Relationship of <i>Bacillus amyloliquefaciens</i> clades associated with strains DSM 7T and FZB42T: a proposal for <i>Bacillus amyloliquefaciens</i> subsp. <i>amyloliquefaciens</i> subsp. nov. and <i>Bacillus amyloliquefaciens</i> subsp. <i>plantarum</i> subsp. nov. based on complete genome sequence comparisons. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011 , 61, 1786-1801	2.2 200
128	Complete genome sequence of the first endornavirus from the ascocarp of the ectomycorrhizal fungus <i>Tuber aestivum</i> Vittad. <i>Archives of Virology</i> , 2011 , 156, 343-5	2.6 49
127	A novel <i>Tuber aestivum</i> (Vittad.) mitovirus. <i>Archives of Virology</i> , 2011 , 156, 1107-10	2.6 33
126	Whole Genome Sequence Comparisons in Taxonomy. <i>Methods in Microbiology</i> , 2011 , 38, 409-436	2.8 4
125	The DNA bank network: the start from a german initiative. <i>Biopreservation and Biobanking</i> , 2011 , 9, 51-5	2.1 128
124	The Genomic Standards Consortium. <i>PLoS Biology</i> , 2011 , 9, e1001088	9.7 143
123	Complete genome sequence of <i>Thermomonospora curvata</i> type strain (B9). <i>Standards in Genomic Sciences</i> , 2011 , 4, 13-22	24
122	Species delimitation in taxonomically difficult fungi: the case of <i>Hymenogaster</i> . <i>PLoS ONE</i> , 2011 , 6, e15614	25
121	Complete genome sequence of <i>Syntrophobutulus glycolicus</i> type strain (FlGlyR). <i>Standards in Genomic Sciences</i> , 2011 , 4, 371-80	3
120	Complete genome sequence of <i>Riemberella anatipestifer</i> type strain (ATCC 11845). <i>Standards in Genomic Sciences</i> , 2011 , 4, 144-53	16
119	The complete genome sequence of the algal symbiont <i>Dinoroseobacter shibae</i> : a hitchhiker's guide to life in the sea. <i>ISME Journal</i> , 2010 , 4, 61-77	11.9 187
118	Homologues of nitrite reductases in ammonia-oxidizing archaea: diversity and genomic context. <i>Environmental Microbiology</i> , 2010 , 12, 1075-88	5.2 108
117	<i>Streptomyces iranensis</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010 , 60, 1504-1509	2.2 14
116	Complete genome sequence of <i>Cellulomonas flavigena</i> type strain (134). <i>Standards in Genomic Sciences</i> , 2010 , 3, 15-25	31
115	Digital DNA-DNA hybridization for microbial species delineation by means of genome-to-genome sequence comparison. <i>Standards in Genomic Sciences</i> , 2010 , 2, 117-34	972

114	Complete genome sequence of <i>Planctomyces limnophilus</i> type strain (M290). <i>Standards in Genomic Sciences</i> , 2010 , 3, 47-56	28
113	Permanent draft genome sequence of <i>Dethiosulfovibrio peptidovorans</i> type strain (SEBR 4207). <i>Standards in Genomic Sciences</i> , 2010 , 3, 85-92	8
112	Complete genome sequence of <i>Ferrimonas balearica</i> type strain (PAT). <i>Standards in Genomic Sciences</i> , 2010 , 3, 174-82	9
111	Non-contiguous finished genome sequence of <i>Aminomonas paucivorans</i> type strain (GLU-3). <i>Standards in Genomic Sciences</i> , 2010 , 3, 285-93	8
110	Complete genome sequence of <i>Ilyobacter polytropus</i> type strain (CuHbu1). <i>Standards in Genomic Sciences</i> , 2010 , 3, 304-14	7
109	Complete genome sequence of <i>Nocardiopsis dassonvillei</i> type strain (IMRU 509). <i>Standards in Genomic Sciences</i> , 2010 , 3, 325-36	27
108	Complete genome sequence of <i>Veillonella parvula</i> type strain (Te3). <i>Standards in Genomic Sciences</i> , 2010 , 2, 57-65	29
107	Complete genome sequence of <i>Kribbella flava</i> type strain (IFO 14399). <i>Standards in Genomic Sciences</i> , 2010 , 2, 186-93	10
106	Complete genome sequence of <i>Conexibacter woesei</i> type strain (ID131577). <i>Standards in Genomic Sciences</i> , 2010 , 2, 212-9	15
105	Complete genome sequence of <i>Thermocrinis albus</i> type strain (HI 11/12). <i>Standards in Genomic Sciences</i> , 2010 , 2, 194-202	14
104	Complete genome sequence of <i>Meiothermus silvanus</i> type strain (VI-R2). <i>Standards in Genomic Sciences</i> , 2010 , 3, 37-46	16
103	Complete genome sequence of <i>Olsenella uli</i> type strain (VPI D76D-27C). <i>Standards in Genomic Sciences</i> , 2010 , 3, 76-84	27
102	The Earth Microbiome Project: Meeting report of the "1 EMP meeting on sample selection and acquisition" at Argonne National Laboratory October 6 2010. <i>Standards in Genomic Sciences</i> , 2010 , 3, 249-53	146
101	Complete genome sequence of <i>Acidaminococcus fermentans</i> type strain (VR4). <i>Standards in Genomic Sciences</i> , 2010 , 3, 1-14	19
100	Complete genome sequence of <i>Meiothermus ruber</i> type strain (21). <i>Standards in Genomic Sciences</i> , 2010 , 3, 26-36	28
99	Complete genome sequence of <i>Acetohalobium arabaticum</i> type strain (Z-7288). <i>Standards in Genomic Sciences</i> , 2010 , 3, 57-65	16
98	Complete genome sequence of <i>Ignisphaera aggregans</i> type strain (AQ1.S1). <i>Standards in Genomic Sciences</i> , 2010 , 3, 66-75	13
97	Complete genome sequence of <i>Vulcanisaeta distributa</i> type strain (IC-017). <i>Standards in Genomic Sciences</i> , 2010 , 3, 117-25	8

96	Complete genome sequence of <i>Arcanobacterium haemolyticum</i> type strain (11018). <i>Standards in Genomic Sciences</i> , 2010 , 3, 126-35	7
95	Complete genome sequence of <i>Thermosediminibacter oceanii</i> type strain (JW/IW-1228P). <i>Standards in Genomic Sciences</i> , 2010 , 3, 108-16	10
94	Complete genome sequence of <i>Spirochaeta smaragdinae</i> type strain (SEBR 4228). <i>Standards in Genomic Sciences</i> , 2010 , 3, 136-44	15
93	Complete genome sequence of 'Thermobaculum terrenum' type strain (YNP1). <i>Standards in Genomic Sciences</i> , 2010 , 3, 153-62	9
92	Complete genome sequence of <i>Desulfarculus baarsii</i> type strain (2st14). <i>Standards in Genomic Sciences</i> , 2010 , 3, 276-84	27
91	Complete genome sequence of <i>Intrasporangium calvum</i> type strain (7 KIP). <i>Standards in Genomic Sciences</i> , 2010 , 3, 294-303	4
90	Complete genome sequence of <i>Methanothermus fervidus</i> type strain (V24S). <i>Standards in Genomic Sciences</i> , 2010 , 3, 315-24	14
89	Complete genome sequence of <i>Thermaerobacter marianensis</i> type strain (7p75a). <i>Standards in Genomic Sciences</i> , 2010 , 3, 337-45	7
88	Standard operating procedure for calculating genome-to-genome distances based on high-scoring segment pairs. <i>Standards in Genomic Sciences</i> , 2010 , 2, 142-8	384
87	Complete genome sequence of <i>Xylanimonas cellulosilytica</i> type strain (XIL07). <i>Standards in Genomic Sciences</i> , 2010 , 2, 1-8	8
86	Complete genome sequence of <i>Alicyclobacillus acidocaldarius</i> type strain (104-IA). <i>Standards in Genomic Sciences</i> , 2010 , 2, 9-18	20
85	Complete genome sequence of <i>Sphaerotilus thermophilus</i> type strain (S 6022). <i>Standards in Genomic Sciences</i> , 2010 , 2, 49-56	20
84	Complete genome sequence of <i>Streptosporangium roseum</i> type strain (NI 9100). <i>Standards in Genomic Sciences</i> , 2010 , 2, 29-37	25
83	Complete genome sequence of <i>Chitinophaga pinensis</i> type strain (UQM 2034). <i>Standards in Genomic Sciences</i> , 2010 , 2, 87-95	57
82	Complete genome sequence of <i>Sulfurospirillum deleyianum</i> type strain (5175). <i>Standards in Genomic Sciences</i> , 2010 , 2, 149-57	24
81	Complete genome sequence of <i>Haloterrigena turkmenica</i> type strain (4k). <i>Standards in Genomic Sciences</i> , 2010 , 2, 107-16	28
80	Complete genome sequence of <i>Haliangium ochraceum</i> type strain (SMP-2). <i>Standards in Genomic Sciences</i> , 2010 , 2, 96-106	53
79	Complete genome sequence of <i>Geodermatophilus obscurus</i> type strain (G-20). <i>Standards in Genomic Sciences</i> , 2010 , 2, 158-67	49

78	Complete genome sequence of Nakamurella multipartita type strain (Y-104). <i>Standards in Genomic Sciences</i> , 2010 , 2, 168-75	28	
77	Complete genome sequence of Spirosoma linguale type strain (1). <i>Standards in Genomic Sciences</i> , 2010 , 2, 176-85	35	
76	Complete genome sequence of Segniliparus rotundus type strain (CDC 1076). <i>Standards in Genomic Sciences</i> , 2010 , 2, 203-11	9	
75	Complete genome sequence of Sebaldella termitidis type strain (NCTC 11300). <i>Standards in Genomic Sciences</i> , 2010 , 2, 220-7	16	
74	Complete genome sequence of Thermosphaera aggregans type strain (M11TL). <i>Standards in Genomic Sciences</i> , 2010 , 2, 245-59	12	
73	Complete genome sequence of Brachyspira murdochii type strain (56-150). <i>Standards in Genomic Sciences</i> , 2010 , 2, 260-9	18	
72	Complete genome sequence of Aminobacterium colombiense type strain (ALA-1). <i>Standards in Genomic Sciences</i> , 2010 , 2, 280-9	27	
71	Complete genome sequence of Arcobacter nitrofigilis type strain (CI). <i>Standards in Genomic Sciences</i> , 2010 , 2, 300-8	32	
70	Complete genome sequence of Coraliomargarita akajimensis type strain (04OKA010-24). <i>Standards in Genomic Sciences</i> , 2010 , 2, 290-9	18	
69	Complete genome sequence of Thermobispora bispora type strain (R51). <i>Standards in Genomic Sciences</i> , 2010 , 2, 318-26	18	
68	Complete genome sequence of Desulfohalobium retbaense type strain (HR(100)). <i>Standards in Genomic Sciences</i> , 2010 , 2, 38-48	17	
67	Complete genome sequence of Archaeoglobus profundus type strain (AV18). <i>Standards in Genomic Sciences</i> , 2010 , 2, 327-46	20	
66	Complete genome sequence of Denitrovibrio acetiphilus type strain (N2460). <i>Standards in Genomic Sciences</i> , 2010 , 2, 270-9	11	
65	Complete genome sequence of Gordonia bronchialis type strain (3410). <i>Standards in Genomic Sciences</i> , 2010 , 2, 19-28	19	
64	"Hot standards" for the thermoacidophilic archaeon Sulfolobus solfataricus. <i>Extremophiles</i> , 2010 , 14, 119-42	3	46
63	The neglected hypogeous fungus Hydnotrya bailii Soehner (1959) is a widespread sister taxon of Hydnotrya tulasnei (Berk.) Berk. & Broome (1846). <i>Mycological Progress</i> , 2010 , 9, 195-203	1.9	16
62	Oxidation of aliphatic, branched chain, and aromatic hydrocarbons by Nocardia cyriacigeorgica isolated from oil-polluted sand samples collected in the Saudi Arabian Desert. <i>Journal of Basic Microbiology</i> , 2010 , 50, 241-53	2.7	31
61	Complete genome sequence of Sulfurimonas autotrophica type strain (OK10). <i>Standards in Genomic Sciences</i> , 2010 , 3, 194-202	32	

60	Complete genome sequence of <i>Methanoplanus petrolearius</i> type strain (SEBR 4847). <i>Standards in Genomic Sciences</i> , 2010 , 3, 203-11	12
59	Nonomuraea antimicrobica sp. nov., an endophytic actinomycete isolated from a leaf of <i>Maytenus austroyunnanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009 , 59, 2747-51	28
58	Complete genome sequence of <i>Capnocytophaga ochracea</i> type strain (VPI 2845). <i>Standards in Genomic Sciences</i> , 2009 , 1, 101-9	12
57	A phylogeny-driven genomic encyclopaedia of Bacteria and Archaea. <i>Nature</i> , 2009 , 462, 1056-60	50.4 803
56	Genome sequence of <i>Desulfobacterium autotrophicum</i> HRM2, a marine sulfate reducer oxidizing organic carbon completely to carbon dioxide. <i>Environmental Microbiology</i> , 2009 , 11, 1038-55	5.2 89
55	Degradation of the multiple branched alkane 2,6,10,14-tetramethyl-pentadecane (pristane) in <i>Rhodococcus ruber</i> and <i>Mycobacterium neoaurum</i> . <i>International Biodeterioration and Biodegradation</i> , 2009 , 63, 201-207	4.8 26
54	SulFoSYS (Sulfolobus Systems Biology): towards a silicon cell model for the central carbohydrate metabolism of the archaeon <i>Sulfolobus solfataricus</i> under temperature variation. <i>Biochemical Society Transactions</i> , 2009 , 37, 58-64	5.1 25
53	Complete genome sequence of <i>Halorhabdus utahensis</i> type strain (AX-2). <i>Standards in Genomic Sciences</i> , 2009 , 1, 218-25	21
52	Complete genome sequence of <i>Beutenbergia cavernae</i> type strain (HKI 0122). <i>Standards in Genomic Sciences</i> , 2009 , 1, 21-8	11
51	Complete genome sequence of <i>Cryptobacterium curtum</i> type strain (12-3). <i>Standards in Genomic Sciences</i> , 2009 , 1, 93-100	13
50	Complete genome sequence of <i>Desulfomicrobium baculum</i> type strain (X). <i>Standards in Genomic Sciences</i> , 2009 , 1, 29-37	30
49	Complete genome sequence of <i>Acidimicrobium ferrooxidans</i> type strain (ICP). <i>Standards in Genomic Sciences</i> , 2009 , 1, 38-45	27
48	Complete genome sequence of <i>Sanguibacter keddieii</i> type strain (ST-74). <i>Standards in Genomic Sciences</i> , 2009 , 1, 110-8	10
47	Complete genome sequence of <i>Catenulispora acidiphila</i> type strain (ID 139908). <i>Standards in Genomic Sciences</i> , 2009 , 1, 119-25	19
46	Complete genome sequence of <i>Leptotrichia buccalis</i> type strain (C-1013-b). <i>Standards in Genomic Sciences</i> , 2009 , 1, 126-32	17
45	Complete genome sequence of <i>Saccharomonospora viridis</i> type strain (P101). <i>Standards in Genomic Sciences</i> , 2009 , 1, 141-9	21
44	Complete genome sequence of <i>Actinosynnema mirum</i> type strain (101). <i>Standards in Genomic Sciences</i> , 2009 , 1, 46-53	32
43	Complete genome sequence of <i>Pedobacter heparinus</i> type strain (HIM 762-3). <i>Standards in Genomic Sciences</i> , 2009 , 1, 54-62	19

42	Complete genome sequence of <i>Halogeometricum borinquense</i> type strain (PR3). <i>Standards in Genomic Sciences</i> , 2009 , 1, 150-9	22
41	Complete genome sequence of <i>Anaerococcus prevotii</i> type strain (PC1). <i>Standards in Genomic Sciences</i> , 2009 , 1, 159-65	18
40	Complete genome sequence of <i>Atopobium parvulum</i> type strain (IPP 1246). <i>Standards in Genomic Sciences</i> , 2009 , 1, 166-73	21
39	Complete genome sequence of <i>Eggerthella lenta</i> type strain (IPP VPI 0255). <i>Standards in Genomic Sciences</i> , 2009 , 1, 174-82	31
38	Complete genome sequence of <i>Kangiella koreensis</i> type strain (SW-125). <i>Standards in Genomic Sciences</i> , 2009 , 1, 226-33	10
37	Complete genome sequence of <i>Jonesia denitrificans</i> type strain (Prevot 55134). <i>Standards in Genomic Sciences</i> , 2009 , 1, 262-9	10
36	Complete genome sequence of <i>Halomicrobium mukohataei</i> type strain (arg-2). <i>Standards in Genomic Sciences</i> , 2009 , 1, 270-7	30
35	Complete genome sequence of <i>Rhodothermus marinus</i> type strain (R-10). <i>Standards in Genomic Sciences</i> , 2009 , 1, 283-90	20
34	Complete genome sequence of <i>Streptobacillus moniliformis</i> type strain (9901). <i>Standards in Genomic Sciences</i> , 2009 , 1, 300-7	16
33	Complete genome sequence of <i>Brachybacterium faecium</i> type strain (Schefferle 6-10). <i>Standards in Genomic Sciences</i> , 2009 , 1, 3-11	19
32	Complete genome sequence of <i>Pirellula staleyi</i> type strain (ATCC 27377). <i>Standards in Genomic Sciences</i> , 2009 , 1, 308-16	26
31	Complete genome sequence of <i>Kytococcus sedentarius</i> type strain (541). <i>Standards in Genomic Sciences</i> , 2009 , 1, 12-20	94
30	Complete genome sequence of <i>Dyadobacter fermentans</i> type strain (NS114). <i>Standards in Genomic Sciences</i> , 2009 , 1, 133-40	19
29	Complete genome sequence of <i>Thermaaerovibrio acidaminovorans</i> type strain (Su883). <i>Standards in Genomic Sciences</i> , 2009 , 1, 254-61	19
28	Complete genome sequence of <i>Desulfotomaculum acetoxidans</i> type strain (5575). <i>Standards in Genomic Sciences</i> , 2009 , 1, 242-53	33
27	Complete genome sequence of <i>Stackebrandtia nassauensis</i> type strain (LLR-40K-21). <i>Standards in Genomic Sciences</i> , 2009 , 1, 234-41	16
26	The genome of <i>Hyperthermus butylicus</i> : a sulfur-reducing, peptide fermenting, neutrophilic Crenarchaeote growing up to 108 degrees C. <i>Archaea</i> , 2007 , 2, 127-35	2 37
25	pIT3, a cryptic plasmid isolated from the hyperthermophilic crenarchaeon <i>Sulfolobus solfataricus</i> IT3. <i>Plasmid</i> , 2006 , 56, 35-45	3.3 14

24	Novel genes for nitrite reductase and Amo-related proteins indicate a role of uncultivated mesophilic crenarchaeota in nitrogen cycling. <i>Environmental Microbiology</i> , 2005 , 7, 1985-95	5.2	674
23	The genome of <i>Sulfolobus acidocaldarius</i> , a model organism of the Crenarchaeota. <i>Journal of Bacteriology</i> , 2005 , 187, 4992-9	3.5	235
22	Reconstruction of the central carbohydrate metabolism of <i>Thermoproteus tenax</i> by use of genomic and biochemical data. <i>Journal of Bacteriology</i> , 2004 , 186, 2179-94	3.5	61
21	The genome sequence of the extreme thermophile <i>Thermus thermophilus</i> . <i>Nature Biotechnology</i> , 2004 , 22, 547-53	44.5	302
20	First insight into the genome of an uncultivated crenarchaeote from soil. <i>Environmental Microbiology</i> , 2002 , 4, 603-11	5.2	144
19	An archaebacterial ATPase, homologous to ATPases in the eukaryotic 26 S proteasome, activates protein breakdown by 20 S proteasomes. <i>Journal of Biological Chemistry</i> , 1999 , 274, 26008-14	5.4	135
18	RNA polymerase of <i>Aquifex pyrophilus</i> : implications for the evolution of the bacterial rpoBC operon and extremely thermophilic bacteria. <i>Journal of Molecular Evolution</i> , 1999 , 48, 528-41	3.1	48
17	Characterization and sequence comparison of temperature-regulated chaperonins from the hyperthermophilic archaeon <i>Archaeoglobus fulgidus</i> . <i>Gene</i> , 1998 , 215, 431-8	3.8	24
16	Biochemical and phylogenetic characterization of the dUTPase from the archaeal virus SIRV. <i>Journal of Biological Chemistry</i> , 1998 , 273, 6024-9	5.4	33
15	PPi-dependent phosphofructokinase from <i>Thermoproteus tenax</i> , an archaeal descendant of an ancient line in phosphofructokinase evolution. <i>Journal of Bacteriology</i> , 1998 , 180, 2137-43	3.5	70
14	The complete genome sequence of the hyperthermophilic, sulphate-reducing archaeon <i>Archaeoglobus fulgidus</i> . <i>Nature</i> , 1997 , 390, 364-70	50.4	1257
13	Complete nucleotide sequence of the <i>Sulfolobus islandicus</i> multicopy plasmid pRN1. <i>Plasmid</i> , 1996 , 35, 141-4	3.3	58
12	Location of Protist Lineages in a Phylogenetic Tree Inferred from Sequences of DNA-dependent RNA Polymerases. <i>Archiv für Protistenkunde</i> , 1995 , 145, 221-230		28
11	DNA-dependent RNA polymerase subunit B as a tool for phylogenetic reconstructions: branching topology of the archaeal domain. <i>Journal of Molecular Evolution</i> , 1994 , 38, 420-32	3.1	48
10	Characterization and phylogeny of mcrlI, a gene cluster encoding an isoenzyme of methyl coenzyme M reductase from hyperthermophilic <i>Methanothermus fervidus</i> . <i>Molecular Genetics and Genomics</i> , 1994 , 243, 198-206		22
9	Evolution. Archaea and eukaryotes versus bacteria?. <i>Current Biology</i> , 1994 , 4, 920-2	6.3	26
8	Nucleotide sequence of the gene for a 74 kDa DNA polymerase from the archaeon <i>Sulfolobus solfataricus</i> . <i>Nucleic Acids Research</i> , 1993 , 21, 2768	20.1	15
7	Chapter 12 Transcription in archaea. <i>New Comprehensive Biochemistry</i> , 1993 , 26, 367-391		38

- | | | | |
|---|--|------|----|
| 6 | DNA-rRNA hybridization studies on <i>Halococcus saccharolyticus</i> and other halobacteria. <i>FEMS Microbiology Letters</i> , 1993 , 111, 69-72 | 2.9 | 5 |
| 5 | Nucleotide sequence of the genes encoding the subunits H, B, A' and A'' of the DNA-dependent RNA polymerase and the initiator tRNA from <i>Thermoplasma acidophilum</i> . <i>Nucleic Acids Research</i> , 1992 , 20, 5226 | 20.1 | 16 |
| 4 | Nucleotide sequence of the genes encoding the three largest subunits of the DNA-dependent RNA polymerase from the archaeum <i>Thermococcus celer</i> . <i>Nucleic Acids Research</i> , 1992 , 20, 4659 | 20.1 | 8 |
| 3 | Nucleotide sequence of the genes encoding the L30, S12 and S7 equivalent ribosomal proteins from the archaeum <i>Thermococcus celer</i> . <i>Nucleic Acids Research</i> , 1991 , 19, 6047 | 20.1 | 16 |
| 2 | The phylogenetic relations of DNA-dependent RNA polymerases of archaebacteria, eukaryotes, and eubacteria. <i>Canadian Journal of Microbiology</i> , 1989 , 35, 73-80 | 3.2 | 59 |
| 1 | Comparative evaluation of gene expression in archaebacteria. <i>FEBS Journal</i> , 1988 , 173, 473-82 | 101 | |