

# Luigi Tarantini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8416473/publications.pdf>

Version: 2024-02-01

87  
papers

2,189  
citations

257450

24  
h-index

243625

44  
g-index

101  
all docs

101  
docs citations

101  
times ranked

3658  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic effect of inappropriately high left ventricular mass in asymptomatic severe aortic stenosis. <i>Heart</i> , 2011, 97, 301-307.	2.9	243
2	Renal Dysfunction in Patients With Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2012, 5, 309-314.	3.9	152
3	Prevalence and prognostic impact of non-cardiac comorbidities in heart failure outpatients with preserved and reduced ejection fraction: a community-based study. <i>European Journal of Heart Failure</i> , 2018, 20, 1257-1266.	7.1	130
4	Incremental Value of Gait Speed in Predicting Prognosis of Older Adults With Heart Failure. <i>JACC: Heart Failure</i> , 2016, 4, 289-298.	4.1	93
5	Trastuzumab Adjuvant Chemotherapy and Cardiotoxicity in Real-World Women With Breast Cancer. <i>Journal of Cardiac Failure</i> , 2012, 18, 113-119.	1.7	91
6	Usefulness of frailty profile for targeting older heart failure patients in disease management programs: a cost-effectiveness, pilot study. <i>Journal of Cardiovascular Medicine</i> , 2010, 11, 739-747.	1.5	87
7	Functional mitral regurgitation predicts 1-year mortality in elderly patients with systolic chronic heart failure. <i>European Journal of Heart Failure</i> , 2005, 7, 1112-1117.	7.1	84
8	Right atrial size and function in patients with pulmonary hypertension associated with disorders of respiratory system or hypoxemia. <i>European Journal of Echocardiography</i> , 2007, 8, 322-331.	2.3	81
9	The increasing detection of asymptomatic left ventricular dysfunction in patients with type 2 diabetes mellitus without overt cardiac disease: Data from the SHOR TWAVE study. <i>Diabetes Research and Clinical Practice</i> , 2013, 101, 309-316.	2.8	72
10	Heart failure in younger patients: the Meta-analysis Global Group in Chronic Heart Failure (MAGGIC). <i>European Heart Journal</i> , 2014, 35, 2714-2721.	2.2	71
11	Cardiotoxicity of Aromatase Inhibitors in Breast Cancer Patients. <i>Clinical Breast Cancer</i> , 2017, 17, 11-17.	2.4	60
12	Adjuvant trastuzumab cardiotoxicity in patients over 60 years of age with early breast cancer: a multicenter cohort analysis. <i>Annals of Oncology</i> , 2012, 23, 3058-3063.	1.2	55
13	Chronic kidney disease elicits excessive increase in left ventricular mass growth in patients at increased risk for cardiovascular events. <i>Journal of Hypertension</i> , 2011, 29, 565-573.	0.5	53
14	Role of renal function on the development of cardiotoxicity associated with trastuzumab-based adjuvant chemotherapy for early breast cancer. <i>Internal and Emergency Medicine</i> , 2012, 7, 439-446.	2.0	45
15	Administration of Angiotensin-Converting Enzyme Inhibitors and $\beta$ -Blockers During Adjuvant Trastuzumab Chemotherapy for Nonmetastatic Breast Cancer: Marker of Risk or Cardioprotection in the Real World?. <i>Oncologist</i> , 2012, 17, 917-924.	3.7	44
16	Analysis of Circumferential and Longitudinal Left Ventricular Systolic Function in Patients With Non-Ischemic Chronic Heart Failure and Preserved Ejection Fraction (from the CARRY-IN-HFpEF Study). <i>American Journal of Cardiology</i> , 2012, 109, 383-389.	1.6	34
17	Prevalence, predictors, and prognostic implications of improvement in left ventricular systolic function and clinical status in patients >70 years of age with recently diagnosed systolic heart failure. <i>American Journal of Cardiology</i> , 2003, 92, 166-172.	1.6	31
18	Chronic left ventricular failure in the community: prevalence, prognosis, and predictors of the complete clinical recovery with return of cardiac size and function to normal in patients undergoing optimal therapy. <i>Journal of Cardiac Failure</i> , 2004, 10, 250-257.	1.7	30

#	ARTICLE	IF	CITATIONS
19	Chronic renal dysfunction and anaemia are associated with cognitive impairment in older patients with heart failure. <i>Journal of Cardiovascular Medicine</i> , 2014, 15, 481-490.	1.5	29
20	Predictors of early-stage left ventricular dysfunction in type 2 diabetes: results of DYDA study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 415-423.	2.8	28
21	Analysis of midwall shortening reveals high prevalence of left ventricular myocardial dysfunction in patients with diabetes mellitus: the DYDA study. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 935-943.	1.8	28
22	Prognostic significance of anaemia in patients with heart failure with preserved and reduced ejection fraction: results from the MAGGIC individual patient data meta-analysis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016, 109, 377-382.	0.5	28
23	Progression of Renal Impairment and Chronic Kidney Disease in Chronic Heart Failure: An Analysis From GISSI-HF. <i>Journal of Cardiac Failure</i> , 2017, 23, 2-9.	1.7	26
24	Prescription patterns of diuretics in chronic heart failure: A contemporary background as a clue to their role in treatment. <i>Journal of Cardiac Failure</i> , 2003, 9, 210-218.	1.7	25
25	Prevalence, predictors and prognostic value of acute impairment in renal function during intensive unloading therapy in a community population hospitalized for decompensated heart failure. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 419-427.	1.5	25
26	Evaluation of different strategies for identifying asymptomatic left ventricular dysfunction and pre-clinical (stage B) heart failure in the elderly. Results from the PREDICTOR™, a population based study in central Italy. <i>European Journal of Heart Failure</i> , 2013, 15, 1102-1112.	7.1	25
27	Changes in Plasma N-Terminal proBNP Levels and Ventricular Filling Pressures During Intensive Unloading Therapy in Elderly With Decompensated Congestive Heart Failure and Preserved Left Ventricular Systolic Function. <i>Journal of Cardiac Failure</i> , 2006, 12, 608-615.	1.7	23
28	Role of hypertension on new onset congestive heart failure in patients receiving trastuzumab therapy for breast cancer. <i>Journal of Cardiovascular Medicine</i> , 2014, 15, 141-146.	1.5	23
29	Oncology and Cardiac Rehabilitation: An Underrated Relationship. <i>Journal of Clinical Medicine</i> , 2020, 9, 1810.	2.4	23
30	ANMCO/AIOM/AICO Consensus Document on clinical and management pathways of cardio-oncology: executive summary. <i>European Heart Journal Supplements</i> , 2017, 19, D370-D379.	0.1	22
31	Hemodynamic response to intensive unloading therapy (furosemide and nitroprusside) in patients >70 years of age with left ventricular systolic dysfunction and decompensated chronic heart failure. <i>American Journal of Cardiology</i> , 2003, 92, 1050-1056.	1.6	20
32	Clinical features, and in-hospital and 1-year mortalities of patients with acute heart failure and severe renal dysfunction. Data from the Italian Registry IN-HF Outcome. <i>International Journal of Cardiology</i> , 2013, 168, 3691-3697.	1.7	20
33	Atrial fibrillation, cognitive impairment, frailty and disability in older heart failure patients. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 616-623.	1.5	20
34	Translation and validation of the Italian version of the European Heart Failure Self-care Behaviour Scale. <i>Journal of Cardiovascular Medicine</i> , 2010, 11, 493-498.	1.5	19
35	Left Atrial Work in Patients with Stable Chronic Heart Failure: Factors Associated and Prognostic Role. <i>Echocardiography</i> , 2014, 31, 123-132.	0.9	19
36	Evolution of renal function during and after an episode of cardiac decompensation: results from the Italian survey on acute heart failure. <i>Journal of Cardiovascular Medicine</i> , 2010, 11, 234-243.	1.5	18

#	ARTICLE	IF	CITATIONS
37	Prevalence and prognostic role of anaemia in patients with acute heart failure and preserved or depressed ventricular function. <i>Internal and Emergency Medicine</i> , 2013, 8, 147-155.	2.0	18
38	Inappropriately high left ventricular mass in patients with type 2 diabetes mellitus and no overt cardiac disease. The DYDA study. <i>Journal of Hypertension</i> , 2011, 29, 1994-2003.	0.5	17
39	Clinical profile and outcome of patients with rheumatoid arthritis and abnormally high aortic stiffness. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1848-1859.	1.8	16
40	Pharmacological left ventricular reverse remodeling in elderly patients receiving optimal therapy for chronic heart failure. <i>European Journal of Heart Failure</i> , 2005, 7, 1040-1048.	7.1	15
41	Left atrial size and force in patients with systolic chronic heart failure: Comparison with healthy controls and different cardiac diseases. <i>Experimental and Clinical Cardiology</i> , 2010, 15, e45-51.	1.3	14
42	Clinical implications of the CKD epidemiology collaboration (CKD-EPI) equation compared with the modification of diet in renal disease (MDRD) study equation for the estimation of renal dysfunction in patients with cardiovascular disease. <i>Internal and Emergency Medicine</i> , 2015, 10, 955-963.	2.0	13
43	Prognostic Stratification by Conventional Echocardiography of Patients with Aortic Stenosis: The "CAIMAN" ECHO Score. <i>Echocardiography</i> , 2013, 30, 367-377.	0.9	12
44	Cardiovascular risk stratification and management of patients with rheumatoid arthritis in clinical practice: The "EPIDAURO registry". <i>International Journal of Cardiology</i> , 2014, 172, 534-536.	1.7	10
45	Chronic kidney disease and prognosis in elderly patients with cardiovascular disease: Comparison between CKD-EPI and Berlin Initiative Study-1 formulas. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1504-1513.	1.8	10
46	An update on the conquests and perspectives of cardio-oncology in the field of tumor angiogenesis-targeting TKI-based therapy. <i>Expert Opinion on Drug Safety</i> , 2019, 18, 485-496.	2.4	10
47	Utility of 2D-speckle tracking echocardiography in early identification of left ventricular dysfunction in antineoplastic therapy-induced cardiotoxicity.. <i>Journal of Clinical Oncology</i> , 2013, 31, 631-631.	1.6	10
48	Dilated versus nondilated cardiomyopathy in the elderly population treated with guideline-based medical therapy for systolic chronic heart failure. <i>Journal of Cardiac Failure</i> , 2004, 10, 481-489.	1.7	9
49	Does atrial fibrillation in very elderly patients with chronic systolic heart failure limit the use of carvedilol?. <i>International Journal of Cardiology</i> , 2006, 107, 220-224.	1.7	9
50	Safety and efficacy of carvedilol in very elderly diabetic patients with heart failure. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 675-682.	1.5	9
51	Cardiovascular Risk Factors and Timing of Anthracyclines and Trastuzumab Cardiac Toxicity. <i>Anticancer Research</i> , 2019, 39, 5741-5745.	1.1	9
52	Adjuvant Hormonotherapy and Cardiovascular Risk in Post-Menopausal Women with Breast Cancer: A Large Population-Based Cohort Study. <i>Cancers</i> , 2021, 13, 2254.	3.7	9
53	Combined Circumferential and Longitudinal Left Ventricular Systolic Dysfunction in Patients with Asymptomatic Aortic Stenosis. <i>Echocardiography</i> , 2015, 32, 1064-1072.	0.9	8
54	Cardiac arrest and ventricular fibrillation in a young man treated with capecitabine: Case report and literature review. <i>International Journal of Cardiology</i> , 2016, 220, 280-283.	1.7	8

#	ARTICLE	IF	CITATIONS
55	Combined circumferential and longitudinal left ventricular systolic dysfunction in patients with type 2 diabetes mellitus without myocardial ischemia. <i>Experimental and Clinical Cardiology</i> , 2013, 18, e26-31.	1.3	8
56	Severe aortic valve stenosis with normal left ventricular function and low vs. high pressure gradient: Different hemodynamic profiles but similar clinical presentation, comorbidity and outcome. <i>International Journal of Cardiology</i> , 2013, 167, 2326-2328.	1.7	7
57	Role of a multidisciplinary program in improving outcomes in cognitively impaired heart failure older patients. <i>Monaldi Archives for Chest Disease</i> , 2015, 78, 20-8.	0.6	7
58	Portrait of Italian Cardio-Oncology: Results of a Nationwide Associazione Nazionale Medici Cardiologi Ospedalieri (ANMCO) Survey. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 677544.	2.4	7
59	ANMCO POSITION PAPER: cardio-oncology in the COVID era (CO and CO). <i>European Heart Journal Supplements</i> , 2021, 23, C128-C153.	0.1	7
60	The worrisome liaison between left ventricular systolic dysfunction and mitral annulus calcification in type 2 diabetes without coronary artery disease: Data from the SHORTWAVE study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 1188-1194.	2.6	5
61	Cardiovascular Risk After Adjuvant Trastuzumab in Early Breast Cancer: An Italian Population-Based Cohort Study. <i>Oncologist</i> , 2020, 25, e1492-e1499.	3.7	5
62	Cardio-oncology: the new frontier of clinical and preventive cardiology. <i>Monaldi Archives for Chest Disease</i> , 2020, 90, .	0.6	5
63	Clinical profile and outcome of patients with chronic inflammatory arthritis and metabolic syndrome. <i>Internal and Emergency Medicine</i> , 2021, 16, 863-874.	2.0	5
64	Does metabolic syndrome worsen systolic dysfunction in diabetes? The shortwave study. <i>Acta Diabetologica</i> , 2015, 52, 143-151.	2.5	4
65	Insights from Cardiac Mechanics after Three Decades from Successfully Repaired Aortic Coarctation. <i>Congenital Heart Disease</i> , 2016, 11, 254-261.	0.2	4
66	A Population-Based Study of Cardiovascular Disease Mortality in Italian Cancer Patients. <i>Cancers</i> , 2021, 13, 5903.	3.7	4
67	Cardiovascular Biomarkers, Cardiac Dysfunction, and Outcomes in Patients With Type 2 Diabetes: A Prospective, Multicenter Study. <i>Diabetes Care</i> , 2013, 36, e137-e138.	8.6	3
68	Reasons why patients suffering from chronic heart failure at very high risk for death survive. <i>International Journal of Cardiology</i> , 2014, 177, 213-218.	1.7	3
69	Value of Combined Circumferential and Longitudinal Left Ventricular Systolic Dysfunction to Predict Adverse Outcome in Patients with Asymptomatic Aortic Stenosis. <i>Journal of Heart Valve Disease</i> , 2016, 25, 28-38.	0.5	3
70	Does treatment assignment influence the prognosis of patients with symptomatic severe aortic stenosis?. <i>Cardiovascular Ultrasound</i> , 2015, 13, 2.	1.6	2
71	Reasons why patients suffering from chronic heart failure at very low risk for mortality die. <i>International Journal of Cardiology</i> , 2016, 223, 947-952.	1.7	2
72	Are aortic coarctation and rheumatoid arthritis different models of aortic stiffness? Data from an echocardiographic study. <i>Cardiovascular Ultrasound</i> , 2018, 16, 9.	1.6	2

#	ARTICLE	IF	CITATIONS
73	Cardio-Oncology in the COVID Era (Co & Co): The Never Ending Story. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 821193.	2.4	2
74	Analysis of Left Atrial Performance in Patients with Type 2 Diabetes Mellitus without Overt Cardiac Disease and Inducible Ischemia: High Prevalence of Increased Systolic Force Related to Enhanced Left Ventricular Systolic Longitudinal Function. <i>Echocardiography</i> , 2015, 32, 221-228.	0.9	1
75	Long term follow-up (F/U) report of symptomatic cardiac events (SCEs) in 2,809 breast cancer (BC) patients (pts) treated with adjuvant trastuzumab (T) in real world (RW) practice. <i>Annals of Oncology</i> , 2019, 30, v718.	1.2	1
76	Cancer in adult patients with inflammatory arthritis is associated with high ascending aortic stiffness and left ventricular hypertrophy and diastolic dysfunction. <i>Internal and Emergency Medicine</i> , 2021, 16, 73-81.	2.0	1
77	Trends in Incidence and Mortality of Kidney Cancer in a Northern Italian Province: An Update to 2020. <i>Biology</i> , 2022, 11, 1048.	2.8	1
78	Does renal function influence the prognostic impact of type 2 diabetes mellitus in patients with chronic heart failure and left ventricular dysfunction?. <i>IJC Metabolic &amp; Endocrine</i> , 2014, 4, 53-57.	0.5	0
79	Echocardiographic markers of inducible myocardial ischemia at baseline evaluation preparatory to exercise stress echocardiography. <i>Cardiovascular Ultrasound</i> , 2015, 14, 21.	1.6	0
80	Left ventricular systolic dysfunction in chronic kidney disease: from asymptomatic changes in geometry and function to overt heart failure. <i>Monaldi Archives for Chest Disease</i> , 2015, 82, 10-5.	0.6	0
81	Cardiotoxicity of capecitabine: Captions not to bin. <i>International Journal of Cardiology</i> , 2017, 229, 6.	1.7	0
82	The troubling liaison between cancer and metabolic syndrome in chronic inflammatory rheumatic diseases. <i>Arthritis Research and Therapy</i> , 2021, 23, 89.	3.5	0
83	Relationship between changes in left ventricular ejection and use of angiotensin-converting enzyme inhibitors and/or betablockers during adjuvant trastuzumab chemotherapy in early breast cancer: Data from the real world.. <i>Journal of Clinical Oncology</i> , 2012, 30, 645-645.	1.6	0
84	Role of hypertension on new onset congestive heart failure in patients receiving trastuzumab adjuvant chemotherapy for early breast cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, e11556-e11556.	1.6	0
85	LDL cholesterol levels in patients with coronary artery disease in real word: data from Cardiovascular Registry of Trieste. <i>Cardiologia Croatica</i> , 2014, 9, 247-247.	0.0	0
86	Is it time to calculate renal function in non valvular atrial fibrillation patients to stratify the risk of future events?. <i>Cardiologia Croatica</i> , 2014, 9, 210-210.	0.0	0
87	Prognostic impact of CHA2DS2VASC and renal dysfunction in non valvular atrial fibrillation patients: which is the best equation to stratify risk of future events?. <i>Cardiologia Croatica</i> , 2014, 9, 204-204.	0.0	0