

Ben L Phillips

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8416545/ben-l-phillips-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

7,463
citations

46
h-index

84
g-index

153
ext. papers

8,568
ext. citations

4.6
avg, IF

6.34
L-index

#	Paper	IF	Citations
143	Increased rates of dispersal of free-ranging cane toads (<i>Rhinella marina</i>) during their global invasion. <i>Scientific Reports</i> , 2021 , 11, 23574	4.9	0
142	Novel Predators can Elicit Rapid Shifts in Prey Demographics and Behavior. <i>Bulletin of the Ecological Society of America</i> , 2021 , 102, e01921	0.7	
141	Trophic cascade driven by behavioral fine-tuning as naïve prey rapidly adjust to a novel predator. <i>Ecology</i> , 2021 , 102, e03363	4.6	4
140	Rapid evolution in predator-free conservation havens and its effects on endangered species recovery. <i>Conservation Biology</i> , 2021 , 35, 383-385	6	7
139	No behavioral syndromes or sex-specific personality differences in the southern rainforest sunskink (<i>Lampropholis similis</i>). <i>Ethology</i> , 2021 , 127, 102-108	1.7	0
138	No outbreeding depression in a trial of targeted gene flow in an endangered Australian marsupial. <i>Conservation Genetics</i> , 2021 , 22, 23-33	2.6	3
137	Energetic scaling across different host densities and its consequences for pathogen proliferation. <i>Functional Ecology</i> , 2021 , 35, 475-484	5.6	4
136	Effects of learning and adaptation on population viability. <i>Conservation Biology</i> , 2021 , 35, 1245-1255	6	2
135	Using Biophysical Models to Improve Survey Efficiency for Cryptic Ectotherms. <i>Journal of Wildlife Management</i> , 2020 , 84, 1185-1195	1.9	1
134	Training fails to elicit behavioral change in a marsupial suffering evolutionary loss of antipredator behaviors. <i>Journal of Mammalogy</i> , 2020 , 101, 1108-1116	1.8	3
133	Evolution Transforms Pushed Waves into Pulled Waves. <i>American Naturalist</i> , 2020 , 195, E87-E99	3.7	9
132	Time since fire is an over-simplified measure of habitat suitability for the New Holland mouse. <i>Journal of Mammalogy</i> , 2020 , 101, 476-486	1.8	
131	Can pathogens optimize both transmission and dispersal by exploiting sexual dimorphism in their hosts?. <i>Biology Letters</i> , 2019 , 15, 20190180	3.6	4
130	Whispers on the wind: male cane toads modify mate searching and amplexus tactics based on calls from other males. <i>Animal Behaviour</i> , 2019 , 153, 131-136	2.8	1
129	Spatial sorting as the spatial analogue of natural selection. <i>Theoretical Ecology</i> , 2019 , 12, 155-163	1.6	35
128	Targeted gene flow and rapid adaptation in an endangered marsupial. <i>Conservation Biology</i> , 2019 , 33, 112-121	6	18
127	Heritability of climate-relevant traits in a rainforest skink. <i>Heredity</i> , 2019 , 122, 41-52	3.6	19

126	Forecasting species range dynamics with process-explicit models: matching methods to applications. <i>Ecology Letters</i> , 2019 , 22, 1940-1956	10	72
125	Bias averted: personality may not influence trappability. <i>Behavioral Ecology and Sociobiology</i> , 2019 , 73, 1	2.5	12
124	May the (selective) force be with you: Spatial sorting and natural selection exert opposing forces on limb length in an invasive amphibian. <i>Journal of Evolutionary Biology</i> , 2019 , 32, 994-1001	2.3	11
123	Accounting for detectability and abundance in survey design for a declining species. <i>Diversity and Distributions</i> , 2019 , 25, 1655-1665	5	7
122	The Potential for Rapid Evolution under Anthropogenic Climate Change. <i>Current Biology</i> , 2019 , 29, R996-R1007	3	37
121	Bangers and cash: Baiting efficiency in a heterogeneous population. <i>Wildlife Society Bulletin</i> , 2019 , 43, 669-677	1.4	2
120	The on-ground feasibility of a waterless barrier to stop the spread of invasive cane toads in Western Australia. <i>Conservation Science and Practice</i> , 2019 , 1, e74	2.2	2
119	Anywhere but here: local conditions motivate dispersal in. <i>PeerJ</i> , 2019 , 7, e6599	3.1	2
118	Clipping the Tail Fin Enables Cohort Identification of Small Anuran Tadpoles. <i>Copeia</i> , 2019 , 107, 71	1.1	1
117	Infection in patchy populations: Contrasting pathogen invasion success and dispersal at varying times since host colonization. <i>Evolution Letters</i> , 2019 , 3, 555-566	5.3	10
116	How many and when? Optimising targeted gene flow for a step change in the environment. <i>Ecology Letters</i> , 2019 , 22, 447-457	10	11
115	Invasion history alters the behavioural consequences of immune system activation in cane toads. <i>Journal of Animal Ecology</i> , 2018 , 87, 716-726	4.7	8
114	Behavioural responses of an Australian colubrid snake (<i>Dendrelaphis punctulatus</i>) to a novel toxic prey item (the Cane Toad <i>Rhinella marina</i>). <i>Biological Invasions</i> , 2018 , 20, 2507-2516	2.7	2
113	The impact of parasites during range expansion of an invasive gecko. <i>Parasitology</i> , 2018 , 145, 1400-1409	2.7	10
112	Adjusting to climate: Acclimation, adaptation and developmental plasticity in physiological traits of a tropical rainforest lizard. <i>Integrative Zoology</i> , 2018 , 13, 411-427	1.9	25
111	Not such silly sausages: Evidence suggests northern quolls exhibit aversion to toads after training with toad sausages. <i>Austral Ecology</i> , 2018 , 43, 592-601	1.5	14
110	Out of the frying pan: Reintroduction of toad-smart northern quolls to southern Kakadu National Park. <i>Austral Ecology</i> , 2018 , 43, 139-149	1.5	25
109	The perils of paradise: an endangered species conserved on an island loses antipredator behaviours within 13 generations. <i>Biology Letters</i> , 2018 , 14,	3.6	46

108	Using connectivity to identify climatic drivers of local adaptation. <i>Ecology Letters</i> , 2018 , 21, 207-216	10	10
107	Exploring mechanisms and origins of reduced dispersal in island Komodo dragons. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018 , 285,	4.4	9
106	Taste overshadows less salient cues to elicit food aversion in endangered marsupial. <i>Applied Animal Behaviour Science</i> , 2018 , 209, 83-87	2.2	1
105	New Weapons in the Toad Toolkit: A Review of Methods to Control and Mitigate the Biodiversity Impacts of Invasive Cane Toads (<i>Rhinella Marina</i>). <i>Quarterly Review of Biology</i> , 2017 , 92, 123-49	5.4	54
104	Vertical (arboreality) and horizontal (dispersal) movement increase the resilience of vertebrates to climatic instability. <i>Global Ecology and Biogeography</i> , 2017 , 26, 787-798	6.1	31
103	Living on the Edge: Parasite Prevalence Changes Dramatically across a Range Edge in an Invasive Gecko. <i>American Naturalist</i> , 2017 , 189, 178-183	3.7	15
102	Cost and feasibility of a barrier to halt the spread of invasive cane toads in arid Australia: incorporating expert knowledge into model-based decision-making. <i>Journal of Applied Ecology</i> , 2017 , 54, 216-224	5.8	11
101	Thermoregulatory behaviour explains countergradient variation in the upper thermal limit of a rainforest skink. <i>Oikos</i> , 2017 , 126, 748-757	4	20
100	Going feral: Time and propagule pressure determine range expansion of Asian house geckos into natural environments. <i>Austral Ecology</i> , 2017 , 42, 165-175	1.5	11
99	Get smart: native mammal develops toad-smart behavior in response to a toxic invader. <i>Behavioral Ecology</i> , 2017 , 28, 854-858	2.3	14
98	Peripheral Isolates as Sources of Adaptive Diversity under Climate Change. <i>Frontiers in Ecology and Evolution</i> , 2017 , 5,	3.7	23
97	Intraspecific variation in climate-relevant traits in a tropical rainforest lizard. <i>Diversity and Distributions</i> , 2016 , 22, 1000-1012	5	29
96	The genetic backburn: using rapid evolution to halt invasions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283, 20153037	4.4	14
95	Heat hardening in a tropical lizard: geographic variation explained by the predictability and variance in environmental temperatures. <i>Functional Ecology</i> , 2016 , 30, 1161-1168	5.6	51
94	After the games are over: life-history trade-offs drive dispersal attenuation following range expansion. <i>Ecology and Evolution</i> , 2016 , 6, 6425-6434	2.8	17
93	Targeted gene flow for conservation. <i>Conservation Biology</i> , 2016 , 30, 259-67	6	54
92	Spatial Sorting Unlikely to Promote Maladaptive Hybridization: Response to Lowe, Muhlfeld, and Allendorf. <i>Trends in Ecology and Evolution</i> , 2015 , 30, 564-565	10.9	1
91	Directional dispersal has not evolved during the cane toad invasion. <i>Functional Ecology</i> , 2015 , 29, 830-836	3.6	9

90	Invader immunology: invasion history alters immune system function in cane toads (<i>Rhinella marina</i>) in tropical Australia. <i>Ecology Letters</i> , 2015 , 18, 57-65	10	69
89	Virgins in the vanguard: low reproductive frequency in invasion-front cane toads. <i>Biological Journal of the Linnean Society</i> , 2015 , 116, 743-747	1.9	42
88	Stress and immunity at the invasion front: a comparison across cane toad (<i>Rhinella marina</i>) populations. <i>Biological Journal of the Linnean Society</i> , 2015 , 116, 748-760	1.9	27
87	Evolutionary processes make invasion speed difficult to predict. <i>Biological Invasions</i> , 2015 , 17, 1949-1960.	0.7	33
86	Identifying the time scale of synchronous movement: a study on tropical snakes. <i>Movement Ecology</i> , 2015 , 3, 12	4.6	1
85	Chemoreception and mating behaviour of a tropical Australian skink. <i>Acta Ethologica</i> , 2015 , 18, 283-293	1.1	7
84	The capacity of refugia for conservation planning under climate change. <i>Frontiers in Ecology and the Environment</i> , 2015 , 13, 106-112	5.5	166
83	Characteristics of climate change refugia for Australian biodiversity. <i>Austral Ecology</i> , 2014 , 39, 887-897	1.5	66
82	The straight and narrow path: the evolution of straight-line dispersal at a cane toad invasion front. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014 , 281,	4.4	59
81	Behavioural responses of reptile predators to invasive cane toads in tropical Australia. <i>Austral Ecology</i> , 2014 , 39, 448-454	1.5	13
80	Asplenium bird's nest ferns in rainforest canopies are climate-contingent refuges for frogs. <i>Global Ecology and Conservation</i> , 2014 , 2, 37-46	2.8	18
79	Stepping inside the niche: microclimate data are critical for accurate assessment of species' vulnerability to climate change. <i>Biology Letters</i> , 2014 , 10,	3.6	42
78	After the crash: How do predators adjust following the invasion of a novel toxic prey type?. <i>Austral Ecology</i> , 2014 , 39, 190-197	1.5	20
77	Stability of the wMel Wolbachia Infection following invasion into <i>Aedes aegypti</i> populations. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e3115	4.8	204
76	Do evolutionary constraints on thermal performance manifest at different organizational scales?. <i>Journal of Evolutionary Biology</i> , 2014 , 27, 2687-94	2.3	25
75	Evolution of dispersal and life history interact to drive accelerating spread of an invasive species. <i>Ecology Letters</i> , 2013 , 16, 1079-87	10	114
74	Rapid shifts in dispersal behavior on an expanding range edge. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 13452-6	11.5	101
73	Do pathogens become more virulent as they spread? Evidence from the amphibian declines in Central America. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013 , 280, 20131290	4.4	35

72	Identifying optimal barriers to halt the invasion of cane toads <i>Rhinella marina</i> in arid Australia. <i>Journal of Applied Ecology</i> , 2013 , 50, 129-137	5.8	42
71	Road transect surveys do not reveal any consistent effects of a toxic invasive species on tropical reptiles. <i>Biological Invasions</i> , 2013 , 15, 1005-1015	2.7	10
70	Improved spatial estimates of climate predict patchier species distributions. <i>Diversity and Distributions</i> , 2013 , 19, 1106-1113	5	33
69	Increasing arboreality with altitude: a novel biogeographic dimension. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013 , 280, 20131581	4.4	69
68	There is no evidence for a temporal link between pathogen arrival and frog extinctions in north-eastern Australia. <i>PLoS ONE</i> , 2012 , 7, e52502	3.7	8
67	Risky movement increases the rate of range expansion. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 1194-202	4.4	39
66	Reduced investment in immune function in invasion-front populations of the cane toad (<i>Rhinella marina</i>) in Australia. <i>Biological Invasions</i> , 2012 , 14, 999-1008	2.7	57
65	Range shift promotes the formation of stable range edges. <i>Journal of Biogeography</i> , 2012 , 39, 153-161	4.1	34
64	Do dingoes suppress the activity of feral cats in northern Australia?. <i>Austral Ecology</i> , 2012 , 37, 134-139	1.5	60
63	Cane toads lack physiological enhancements for dispersal at the invasive front in Northern Australia. <i>Biology Open</i> , 2012 , 1, 37-42	2.2	12
62	Fire history from life-history: determining the fire regime that a plant community is adapted using life-histories. <i>PLoS ONE</i> , 2012 , 7, e31544	3.7	5
61	The role of behavioural variation in the invasion of new areas 2012 , 190-200		16
60	The ecological impact of invasive cane toads on tropical snakes: field data do not support laboratory-based predictions. <i>Ecology</i> , 2011 , 92, 422-31	4.6	48
59	Adaptation or preadaptation: why are keelback snakes (<i>Tropidonophis mairii</i>) less vulnerable to invasive cane toads (<i>Bufo marinus</i>) than are other Australian snakes?. <i>Evolutionary Ecology</i> , 2011 , 25, 13-24	1.8	30
58	An evolutionary process that assembles phenotypes through space rather than through time. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 5708-11	11.5	329
57	Reply to Lee: Spatial sorting, assortative mating, and natural selection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, E348-E348	11.5	7
56	Establishment success of introduced amphibians increases in the presence of congeneric species. <i>American Naturalist</i> , 2011 , 177, 382-8	3.7	43
55	Predator behaviour and morphology mediates the impact of an invasive species: cane toads and death adders in Australia. <i>Animal Conservation</i> , 2010 , 13, 53-59	3.2	83

54	An invasive species imposes selection on life-history traits of a native frog. <i>Biological Journal of the Linnean Society</i> , 2010 , 100, 329-336	1.9	14
53	Trade-offs and the evolution of life-histories during range expansion. <i>Ecology Letters</i> , 2010 , 13, 1210-20	10	269
52	The frog filter: amphibian introduction bias driven by taxonomy, body size and biogeography. <i>Global Ecology and Biogeography</i> , 2010 , 19, 496	6.1	34
51	Evolutionarily accelerated invasions: the rate of dispersal evolves upwards during the range advance of cane toads. <i>Journal of Evolutionary Biology</i> , 2010 , 23, 2595-601	2.3	143
50	Adjusting to a toxic invader: native Australian frogs learn not to prey on cane toads. <i>Behavioral Ecology</i> , 2010 , 21, 966-971	2.3	49
49	Turgid female toads give males the slip: a new mechanism of female mate choice in the Anura. <i>Biology Letters</i> , 2010 , 6, 322-4	3.6	12
48	Parasites and pathogens lag behind their host during periods of host range advance. <i>Ecology</i> , 2010 , 91, 872-81	4.6	155
47	Life-history evolution in range-shifting populations. <i>Ecology</i> , 2010 , 91, 1617-27	4.6	271
46	Locomotor performance in an invasive species: cane toads from the invasion front have greater endurance, but not speed, compared to conspecifics from a long-colonised area. <i>Oecologia</i> , 2010 , 162, 343-8	2.9	105
45	Comparisons through time and space suggest rapid evolution of dispersal behaviour in an invasive species. <i>Wildlife Research</i> , 2009 , 36, 23	1.8	109
44	Fatal attraction: adaptations to prey on native frogs imperil snakes after invasion of toxic toads. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 2813-8	4.4	24
43	The evolution of growth rates on an expanding range edge. <i>Biology Letters</i> , 2009 , 5, 802-4	3.6	115
42	The evolution of an intelligent dispersal strategy: biased, correlated random walks in patchy landscapes. <i>Oikos</i> , 2009 , 118, 309-319	4	76
41	Sublethal costs associated with the consumption of toxic prey by snakes. <i>Austral Ecology</i> , 2009 , 34, 179-184	1.5	18
40	Identification and dynamics of a cryptic suture zone in tropical rainforest. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 1235-44	4.4	124
39	Does desiccation risk drive the distribution of juvenile cane toads (<i>Bufo marinus</i>) in tropical Australia?. <i>Journal of Tropical Ecology</i> , 2009 , 25, 193-200	1.3	23
38	Modelling species distributions without using species distributions: the cane toad in Australia under current and future climates. <i>Ecography</i> , 2008 , 31, 423-434	6.5	258
37	Tails of enticement: caudal luring by an ambush-foraging snake (<i>Acanthophis praelongus</i> , Elapidae). <i>Functional Ecology</i> , 2008 , 22, 1134-1139	5.6	22

36	The spatial ecology of cane toads (<i>Bufo marinus</i>) in tropical Australia: Why do metamorph toads stay near the water?. <i>Austral Ecology</i> , 2008 , 33, 630-640	1.5	45
35	A native dasyurid predator (common planigale, <i>Planigale maculata</i>) rapidly learns to avoid a toxic invader. <i>Austral Ecology</i> , 2008 , 33, 821-829	1.5	83
34	Reid's paradox revisited: the evolution of dispersal kernels during range expansion. <i>American Naturalist</i> , 2008 , 172 Suppl 1, S34-48	3.7	177
33	A toad more traveled: the heterogeneous invasion dynamics of cane toads in Australia. <i>American Naturalist</i> , 2008 , 171, E134-48	3.7	182
32	The toad ahead: challenges of modelling the range and spread of an invasive species. <i>Wildlife Research</i> , 2008 , 35, 222	1.8	49
31	Abiotic and biotic influences on the dispersal behavior of metamorph cane toads (<i>Bufo marinus</i>) in tropical Australia. <i>Journal of Experimental Zoology</i> , 2008 , 309, 215-24		33
30	Rapid expansion of the cane toad (<i>Bufo marinus</i>) invasion front in tropical Australia. <i>Austral Ecology</i> , 2007 , 32, 169-176	1.5	163
29	Do invasive cane toads (<i>Chaunus marinus</i>) compete with Australian frogs (<i>Cyclorana australis</i>)?. <i>Austral Ecology</i> , 2007 , 32, 900-907	1.5	38
28	The cane toad's (<i>Chaunus</i> [<i>Bufo</i>] <i>marinus</i>) increasing ability to invade Australia is revealed by a dynamically updated range model. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007 , 274, 1413-14	4.4	204
27	When dinner is dangerous: toxic frogs elicit species-specific responses from a generalist snake predator. <i>American Naturalist</i> , 2007 , 170, 936-42	3.7	18
26	Invasion, stress, and spinal arthritis in cane toads. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 17698-700	11.5	78
25	An invasive species induces rapid adaptive change in a native predator: cane toads and black snakes in Australia. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006 , 273, 1545-50	4.4	177
24	Spatial and temporal variation in the morphology (and thus, predicted impact) of an invasive species in Australia. <i>Ecography</i> , 2006 , 29, 205-212	6.5	21
23	Toad on the road: Use of roads as dispersal corridors by cane toads (<i>Bufo marinus</i>) at an invasion front in tropical Australia. <i>Biological Conservation</i> , 2006 , 133, 88-94	6.2	122
22	Toxic tucker: the potential impact of Cane Toads on Australian reptiles. <i>Pacific Conservation Biology</i> , 2006 , 12, 40	1.2	63
21	Allometry and selection in a novel predator-prey system: Australian snakes and the invading cane toad. <i>Oikos</i> , 2006 , 112, 122-130	4	53
20	Effects of an invasive anuran [the cane toad (<i>Bufo marinus</i>)] on the invertebrate fauna of a tropical Australian floodplain. <i>Animal Conservation</i> , 2006 , 9, 431-438	3.2	52
19	Invasion and the evolution of speed in toads. <i>Nature</i> , 2006 , 439, 803	50.4	594

18	The morphology, and hence impact, of an invasive species (the cane toad, <i>Bufo marinus</i>): changes with time since colonisation. <i>Animal Conservation</i> , 2005 , 8, 407-413	3.2	50
17	WHEN VICARS MEET: A NARROW CONTACT ZONE BETWEEN MORPHOLOGICALLY CRYPTIC PHYLOGEOGRAPHIC LINEAGES OF THE RAINFOREST SKINK, <i>CARLIA RUBRIGULARIS</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2004 , 58, 1536	3.8	4
16	Mechanisms and consequences of sexual conflict in garter snakes (<i>Thamnophis sirtalis</i> , Colubridae). <i>Behavioral Ecology</i> , 2004 , 15, 654-660	2.3	42
15	Adapting to an invasive species: toxic cane toads induce morphological change in Australian snakes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17150-5	11.5	210
14	Single copy nuclear DNA markers characterized for comparative phylogeography in Australian wet tropics rainforest skinks. <i>Molecular Ecology Notes</i> , 2004 , 4, 185-187		45
13	When vicars meet: a narrow contact zone between morphologically cryptic phylogeographic lineages of the rainforest skink, <i>Carlia rubrigularis</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2004 , 58, 1536-48	3.8	93
12	Species-isolating mechanisms in a mating system with male mate choice (garter snakes, <i>Thamnophis</i> spp.). <i>Canadian Journal of Zoology</i> , 2004 , 82, 1091-1098	1.5	26
11	The lexicon of love: what cues cause size-assortative courtship by male garter snakes?. <i>Behavioral Ecology and Sociobiology</i> , 2003 , 53, 234-237	2.5	34
10	Assessing the Potential Impact of Cane Toads on Australian Snakes. <i>Conservation Biology</i> , 2003 , 17, 1738-1747	15.6	156
9	Behavioral shifts associated with reproduction in garter snakes. <i>Behavioral Ecology</i> , 2003 , 14, 251-256	2.3	24
8	Benefits of female mimicry in snakes. <i>Nature</i> , 2001 , 414, 267	50.4	45
7	Unwelcome and unpredictable: the sorry saga of cane toads in Australia	83-104	3
6	Selection on a single trait does not recapitulate the evolution of life-history traits seen during an invasion. <i>Peer Community in Evolutionary Biology</i> , 100096		
5	Estimating the benefit of quarantine: eradicating invasive cane toads from islands. <i>NeoBiota</i> , 2004 , 60, 117-136	4.2	1
4	Evolution transforms pushed waves into pulled waves		3
3	Trophic cascade driven by behavioural fine-tuning as naïve prey rapidly adjust to a novel predator		2
2	Using connectivity to identify climatic drivers of local adaptation		1
1	Behaviour on Invasion Fronts, and the Behaviour of Invasion Fronts	82-95	0

