Sandra Regina Georgetti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8416847/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Spray-drying of casein/pectin bioconjugate microcapsules containing grape (Vitis labrusca) by-product extract. Food Chemistry, 2022, 368, 130817.	8.2	22
2	<i>Pimenta pseudocaryophyllus</i> (Gomes) Landrum extract inhibits inflammatory pain in mice: targeting neutrophil recruitment, oxidative stress, and cytokine production. Natural Product Research, 2022, , 1-4.	1.8	0
3	A topical formulation containing quercetin-loaded microcapsules protects against oxidative and inflammatory skin alterations triggered by UVB irradiation: enhancement of activity by microencapsulation. Journal of Drug Targeting, 2021, 29, 983-997.	4.4	7
4	Protective effect of oral treatment with Cordia verbenacea extract against UVB irradiation deleterious effects in the skin of hairless mouse. Journal of Photochemistry and Photobiology B: Biology, 2021, 216, 112151.	3.8	6
5	Protection against UVB deleterious skin effects in a mouse model: effect of a topical emulsion containing Cordia verbenacea extract. Photochemical and Photobiological Sciences, 2021, 20, 1033-1051.	2.9	3
6	Topical Administration of 15-Deoxy-Δ12,14-Prostaglandin J2 Using a Nonionic Cream: Effect on UVB-Induced Skin Oxidative, Inflammatory, and Histopathological Modifications in Mice. Mediators of Inflammation, 2021, 2021, 1-15.	3.0	1
7	Hydroethanolic Extract of Grape Peel from Vitis labrusca Winemaking Waste: Antinociceptive and Anti-Inflammatory Activities. Food Technology and Biotechnology, 2021, 60, 21-28.	2.1	1
8	Analgesic activity and mechanism of action of a Beta vulgaris dye enriched in betalains in inflammatory models in mice. Inflammopharmacology, 2020, 28, 1663-1675.	3.9	16
9	The Lipoxin Receptor/FPR2 Agonist BML-111 Protects Mouse Skin Against Ultraviolet B Radiation. Molecules, 2020, 25, 2953.	3.8	17
10	Prevention of UVB radiation-induced oxidative stress in mice by topical administration of Azadirachta indica (neem) extract. Revista De Ciencias Farmaceuticas Basica E Aplicada, 2020, 41, .	0.3	1
11	Parameters of the fermentation of soybean flour by Monascus purpureus or Aspergillus oryzae on the production of bioactive compounds and antioxidant activity. Food Chemistry, 2019, 271, 274-283.	8.2	51
12	Treatment with maresin 1, a docosahexaenoic acid-derived pro-resolution lipid, protects skin from inflammation and oxidative stress caused by UVB irradiation. Scientific Reports, 2019, 9, 3062.	3.3	51
13	Preclinical Evaluation of Rutin-Loaded Microparticles with an Enhanced Analgesic Effect. ACS Omega, 2019, 4, 1221-1227.	3.5	15
14	Optimization of ultrasoundâ€assisted extraction of grapeâ€seed oil to enhance process yield and minimize free radical formation. Journal of the Science of Food and Agriculture, 2018, 98, 5019-5026.	3.5	38
15	Quercetin attenuates zymosan-induced arthritis in mice. Biomedicine and Pharmacotherapy, 2018, 102, 175-184.	5.6	67
16	The Lipid Mediator Resolvin D1 Reduces the Skin Inflammation and Oxidative Stress Induced by UV Irradiation in Hairless Mice. Frontiers in Pharmacology, 2018, 9, 1242.	3.5	42
17	Microencapsulation of grape seed oil by spray drying. Food Science and Technology, 2018, 38, 263-270.	1.7	39
18	Topical emulsion containing pyrrolidine dithiocarbamate: effectiveness against ultraviolet B irradiation-induced injury of hairless mouse skin. Journal of Pharmacy and Pharmacology, 2018, 70, 1461-1473.	2.4	4

#	Article	IF	CITATIONS
19	Trans-chalcone added in topical formulation inhibits skin inflammation and oxidative stress in a model of ultraviolet B radiation skin damage in hairless mice. Journal of Photochemistry and Photobiology B: Biology, 2017, 171, 139-146.	3.8	25
20	trans-Chalcone, a flavonoid precursor, inhibits UV-induced skin inflammation and oxidative stress in mice by targeting NADPH oxidase and cytokine production. Photochemical and Photobiological Sciences, 2017, 16, 1162-1173.	2.9	31
21	Antinociceptive Effect ofTephrosia sinapouExtract in the Acetic Acid, Phenyl-p-benzoquinone, Formalin, and Complete Freund's Adjuvant Models of Overt Pain-Like Behavior in Mice. Scientifica, 2016, 2016, 1-8.	1.7	6
22	Topical Formulation Containing Naringenin: Efficacy against Ultraviolet B Irradiation-Induced Skin Inflammation and Oxidative Stress in Mice. PLoS ONE, 2016, 11, e0146296.	2.5	75
23	Influence of the degree of hydrolysis and type of enzyme on antioxidant activity of okara protein hydrolysates. Food Science and Technology, 2016, 36, 375-381.	1.7	62
24	Topical formulation containing hesperidin methyl chalcone inhibits skin oxidative stress and inflammation induced by ultraviolet B irradiation. Photochemical and Photobiological Sciences, 2016, 15, 554-563.	2.9	37
25	Resveratrol-Loaded Liquid-Crystalline System Inhibits UVB-Induced Skin Inflammation and Oxidative Stress in Mice. Journal of Natural Products, 2016, 79, 1329-1338.	3.0	25
26	Multi-response optimisation of the extraction solvent system for phenolics and antioxidant activities from fermented soy flour using a simplex-centroid design. Food Chemistry, 2016, 197, 175-184.	8.2	48
27	Naringenin Inhibits Superoxide Anion-Induced Inflammatory Pain: Role of Oxidative Stress, Cytokines, Nrf-2 and the NOâ^'cGMPâ^'PKGâ^'KATPChannel Signaling Pathway. PLoS ONE, 2016, 11, e0153015.	2.5	113
28	Naringenin Inhibits UVB Irradiation-Induced Inflammation and Oxidative Stress in the Skin of Hairless Mice. Journal of Natural Products, 2015, 78, 1647-1655.	3.0	114
29	Vanillic Acid Inhibits Inflammatory Pain by Inhibiting Neutrophil Recruitment, Oxidative Stress, Cytokine Production, and NFκB Activation in Mice. Journal of Natural Products, 2015, 78, 1799-1808.	3.0	139
30	Hesperidin methyl chalcone inhibits oxidative stress and inflammation in a mouse model of ultraviolet B irradiation-induced skin damage. Journal of Photochemistry and Photobiology B: Biology, 2015, 148, 145-153.	3.8	44
31	Anti-inflammatory activity of betalain-rich dye of Beta vulgaris: effect on edema, leukocyte recruitment, superoxide anion and cytokine production. Archives of Pharmacal Research, 2015, 38, 494-504.	6.3	73
32	Topical Formulations Containing Pimenta pseudocaryophyllus Extract: In Vitro Antioxidant Activity and In Vivo Efficacy Against UV-B-Induced Oxidative Stress. AAPS PharmSciTech, 2014, 15, 86-95.	3.3	31
33	The ruthenium nitric oxide donor, [Ru(HEDTA)NO], inhibits acute nociception in mice by modulating oxidative stress, cytokine production and activating the cGMP/PKG/ATP-sensitive potassium channel signaling pathway. Naunyn-Schmiedeberg's Archives of Pharmacology, 2014, 387, 1053-1068.	3.0	12
34	Pyrrolidine dithiocarbamate inhibits UVB-induced skin inflammation and oxidative stress in hairless mice and exhibits antioxidant activity in vitro. Journal of Photochemistry and Photobiology B: Biology, 2014, 138, 124-133.	3.8	59
35	Efficacy of topical formulations containing Pimenta pseudocaryophyllus extract against UVB-induced oxidative stress and inflammation in hairless mice. Journal of Photochemistry and Photobiology B: Biology, 2013, 127, 153-160.	3.8	60
36	The ruthenium NO donor, [Ru(bpy)2(NO)SO3](PF6), inhibits inflammatory pain: Involvement of TRPV1 and cGMP/PKG/ATP-sensitive potassium channel signaling pathway. Pharmacology Biochemistry and Behavior, 2013, 105, 157-165.	2.9	29

#	Article	IF	CITATIONS
37	Quercetin-Loaded Microcapsules Ameliorate Experimental Colitis in Mice by Anti-inflammatory and Antioxidant Mechanisms. Journal of Natural Products, 2013, 76, 200-208.	3.0	129
38	Tephrosia sinapouethyl acetate extract inhibits inflammatory pain in mice: Opioid receptor dependent inhibition of TNFαand IL-1βproduction. Pharmaceutical Biology, 2013, 51, 1262-1271.	2.9	15
39	Protective Effect of Fermented Soybean Dried Extracts against TPA-Induced Oxidative Stress in Hairless Mice Skin. BioMed Research International, 2013, 2013, 1-8.	1.9	15
40	Preparation and Characterization of Microcapsules Based on Biodegradable Polymers: Pectin/Casein Complex for Controlled Drug Release Systems. AAPS PharmSciTech, 2012, 13, 364-372.	3.3	58
41	Flavonoids as Anti-Inflammatory and Analgesic Drugs: Mechanisms of Action and Perspectives in the Development of Pharmaceutical Forms. Studies in Natural Products Chemistry, 2012, 36, 297-330.	1.8	86
42	Tephrosia sinapou extract reduces inflammatory leukocyte recruitment in mice: effect on oxidative stress, nitric oxide and cytokine production. Revista Brasileira De Farmacognosia, 2012, 22, 587-597.	1.4	19
43	Antioxidant activity and physical-chemical properties of spray and spouted bed dried extracts of Bauhinia forficata. Brazilian Journal of Pharmaceutical Sciences, 2009, 45, 209-218.	1.2	14
44	Method validation and stability study of quercetin in topical emulsions. Quimica Nova, 2009, 32, 1939-1942.	0.3	4
45	Assessment of in vitro methodologies to determine topical and transdermal delivery of the flavonoid quercetin. Brazilian Journal of Pharmaceutical Sciences, 2009, 45, 357-364.	1.2	6
46	Quercetin Reduces Inflammatory Pain: Inhibition of Oxidative Stress and Cytokine Production. Journal of Natural Products, 2009, 72, 1975-1979.	3.0	138
47	Evaluation of in vivo efficacy of topical formulations containing soybean extract. International Journal of Pharmaceutics, 2008, 352, 189-196.	5.2	25
48	Quercetin in Lyotropic Liquid Crystalline Formulations: Physical, Chemical and Functional Stability. AAPS PharmSciTech, 2008, 9, 591-596.	3.3	18
49	Spray drying of the soybean extract: Effects on chemical properties and antioxidant activity. LWT - Food Science and Technology, 2008, 41, 1521-1527.	5.2	97
50	Validation of HPLC, DPPH• and nitrosation methods for mesalamine determination in pharmaceutical dosage forms. BJPS: Brazilian Journal of Pharmaceutical Sciences, 2007, 43, 97-103.	0.5	7
51	In vitro evaluation of quercetin cutaneous absorption from topical formulations and its functional stability by antioxidant activity. International Journal of Pharmaceutics, 2007, 328, 183-190.	5.2	103
52	Evaluation of the antioxidant activity of soybean extract by different in vitro methods and investigation of this activity after its incorporation in topical formulations. European Journal of Pharmaceutics and Biopharmaceutics, 2006, 64, 99-106.	4.3	50
53	Protective effect of topical formulations containing quercetin against UVB-induced oxidative stress in hairless mice. Journal of Photochemistry and Photobiology B: Biology, 2006, 84, 21-27.	3.8	239
54	Artemisia arborescens L essential oil-loaded solid lipid nanoparticles for potential agricultural application: Preparation and characterization. AAPS PharmSciTech, 2006, 7, E10.	3.3	189

#	Article	IF	CITATIONS
55	Evaluation of functional stability of quercetin as a raw material and in different topical formulations by its antilipoperoxidative activity. AAPS PharmSciTech, 2006, 7, E64-E71.	3.3	39
56	Assessment of the antioxidant activities of Brazilian extracts of propolis alone and in topical pharmaceutical formulations. Journal of Pharmaceutical and Biomedical Analysis, 2005, 39, 455-462.	2.8	87
57	Evaluation of the antioxidant activity of different flavonoids by the chemiluminescence method. AAPS PharmSci, 2003, 5, 111-115.	1.3	48
58	Production of Hydrolysate of Okara Protein Concentrate with High Antioxidant Capacity and Aglycone Isoflavone Content. Brazilian Archives of Biology and Technology, 0, 62, .	0.5	3