Cunjiang Song

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/8418454/publications.pdf

Version: 2024-02-01

57	1,992	218677	265206
papers	citations	26 h-index	42 g-index

57	57	57	2333
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Characteristics and biodegradation properties of poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/organophilic montmorillonite (PHBV/OMMT) nanocomposite. Polymer Degradation and Stability, 2005, 87, 69-76.	5.8	170
2	Phylogenetic Diversity and Metabolic Potential of Activated Sludge Microbial Communities in Full-Scale Wastewater Treatment Plants. Environmental Science & Technology, 2011, 45, 7408-7415.	10.0	166
3	Thermal properties and degradability of poly(propylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667 Td (carbonate)/poly(Î²-hyd Stability, 2009, 94, 575-583.	5.8	100
4	Biodegradation behavior of polycaprolactone/rice husk ecocomposites in simulated soil medium. Polymer Degradation and Stability, 2008, 93, 1571-1576.	5.8	92
5	Glutamic acid independent production of poly-Î³-glutamic acid by Bacillus amyloliquefaciens LL3 and cloning of pgsBCA genes. Bioresource Technology, 2011, 102, 4251-4257.	9.6	84
6	Improved poly-Î³-glutamic acid production in Bacillus amyloliquefaciens by modular pathway engineering. Metabolic Engineering, 2015, 32, 106-115.	7.0	84
7	Genetic and metabolic engineering for microbial production of poly-Î³-glutamic acid. Biotechnology Advances, 2018, 36, 1424-1433.	11.7	62
8	Metabolic Engineering of Pseudomonas putida KT2440 for Complete Mineralization of Methyl Parathion and Î³-Hexachlorocyclohexane. ACS Synthetic Biology, 2016, 5, 434-442.	3.8	54
9	Simultaneous production and characterization of medium-chain-length polyhydroxyalkanoates and alginate oligosaccharides by Pseudomonas mendocina NK-01. Applied Microbiology and Biotechnology, 2011, 92, 791-801.	3.6	53
10	Engineering Pseudomonas putida KT2440 for simultaneous degradation of organophosphates and pyrethroids and its application in bioremediation of soil. Biodegradation, 2015, 26, 223-233.	3.0	51
11	Functions of poly-gamma-glutamic acid (Î³-PGA) degradation genes in Î³-PGA synthesis and cell morphology maintenance. Applied Microbiology and Biotechnology, 2014, 98, 6397-6407.	3.6	48
12	Introduction of Environmentally Degradable Parameters to Evaluate the Biodegradability of Biodegradable Polymers. PLoS ONE, 2012, 7, e38341.	2.5	42
13	Synthesis of poly (Î³-glutamic acid) and heterologous expression of pgsBCA genes. Journal of Molecular Catalysis B: Enzymatic, 2010, 67, 111-116.	1.8	39
14	CRISPRâ€“Mediated Genome Editing and Gene Repression in Scheffersomyces stipitis. Biotechnology Journal, 2018, 13, e1700598.	3.5	39
15	Recruiting a new strategy to improve levan production in Bacillus amyloliquefaciens. Scientific Reports, 2015, 5, 13814.	3.3	38
16	Complete Genome Sequence of Bacillus amyloliquefaciens LL3, Which Exhibits Glutamic Acid-Independent Production of Poly-Î³-Glutamic Acid. Journal of Bacteriology, 2011, 193, 3393-3394.	2.2	37
17	Phase morphology, physical properties, and biodegradation behavior of novel PLA/PHBHHx blends. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2012, 100B, 23-31.	3.4	36
18	Short-cut nitrification in biological aerated filters with modified zeolite and nitrifying sludge. Bioresource Technology, 2013, 136, 148-154.	9.6	35

#	Article	IF	Citations
19	Combinatorial metabolic engineering of Pseudomonas putida KT2440 for efficient mineralization of 1,2,3-trichloropropane. Scientific Reports, 2017, 7, 7064.	3.3	34
20	Chromosome integration of theVitreoscillahemoglobin gene (vgb) mediated by temperature-sensitive plasmid enhances Î³-PGA production inBacillus amyloliquefaciens. FEMS Microbiology Letters, 2013, 343, 127-134.	1.8	32
21	Cloning of Îµâ€polyâ€<scp>L</scp>â€lysine (Îµâ€<scp>PL</scp>) synthetase gene from a newly isolated Îµâ€<scp>PL</scp>â€producing <scp>S</scp>treptomyces albulusâ€...<scp>NK</scp>660 and its heterologous expression in <scp>S</scp>treptomyces lividans. Microbial Biotechnology, 2014, 7, 155-164.	4.2	32
22	A markerless gene replacement method for B. amyloliquefaciens LL3 and its use in genome reduction and improvement of poly-Î³-glutamic acid production. Applied Microbiology and Biotechnology, 2014, 98, 8963-8973.	3.6	32
23	Engineering Pseudomonas putida <scp>KT</scp>2440 for simultaneous degradation of carbofuran and chlorpyrifos. Microbial Biotechnology, 2016, 9, 792-800.	4.2	31
24	Analysis of polyhydroxyalkanoate (PHA) synthase gene and PHA-producing bacteria in activated sludge that produces PHA containing 3-hydroxydodecanoate. FEMS Microbiology Letters, 2013, 346, 56-64.	1.8	30
25	Engineering of recombinant <scp>E</scp>scherichia coli cells coâ€expressing polyâ€Î³â€glutamic acid (Î³â€<scp>PGA</scp>) synthetase and glutamate racemase for differential yielding of Î³â€<scp>PGA</scp>. Microbial Biotechnology, 2013, 6, 675-684.	4.2	30
26	Metabolic engineering of <scp>B</scp>acillus amyloliquefaciens for polyâ€gammaâ€glutamic acid (Î³â€<scp>PGA</scp>) overproduction. Microbial Biotechnology, 2014, 7, 446-455.	4.2	28
27	Deletion of genes involved in glutamate metabolism to improve poly-gamma-glutamic acid production in B. amyloliquefaciens LL3. Journal of Industrial Microbiology and Biotechnology, 2015, 42, 297-305.	3.0	27
28	Crystallization behavior and biodegradation of poly(3-hydroxybutyrate) and poly(ethylene glycol) multiblock copolymers. Polymer Degradation and Stability, 2006, 91, 1240-1246.	5.8	26
29	Comparison of medium-chain-length polyhydroxyalkanoates synthases from Pseudomonas mendocina NK-01 with the same substrate specificity. Microbiological Research, 2013, 168, 231-237.	5.3	26
30	Construction of energy-conserving sucrose utilization pathways for improving poly-Î³-glutamic acid production in Bacillus amyloliquefaciens. Microbial Cell Factories, 2017, 16, 98.	4.0	24
31	The rapid evaluation of material biodegradability using an improved ISO 14852 method with a microbial community. Polymer Testing, 2010, 29, 832-839.	4.8	23
32	Mutations in genes encoding antibiotic substances increase the synthesis of poly-Î³-glutamic acid inBacillus amyloliquefaciensLL3. MicrobiologyOpen, 2017, 6, e00398.	3.0	23
33	Complete Genome of Pseudomonas mendocina NK-01, Which Synthesizes Medium-Chain-Length Polyhydroxyalkanoates and Alginate Oligosaccharides. Journal of Bacteriology, 2011, 193, 3413-3414.	2.2	22
34	Curing the Plasmid pMC1 from the Poly (Î³-glutamic Acid) Producing Bacillus amyloliquefaciens LL3 Strain Using Plasmid Incompatibility. Applied Biochemistry and Biotechnology, 2013, 171, 532-542.	2.9	21
35	Treatment of high-salinity chemical wastewater by indigenous bacteria â€“ bioaugmented contact oxidation. Bioresource Technology, 2013, 144, 380-386.	9.6	21
36	Improvement of levan production in Bacillus amyloliquefaciens through metabolic optimization of regulatory elements. Applied Microbiology and Biotechnology, 2017, 101, 4163-4174.	3.6	21

#	Article	IF	Citations
37	Enhancing poly-Î³-glutamic acid production in Bacillus amyloliquefaciens by introducing the glutamate synthesis features from Corynebacterium glutamicum. Microbial Cell Factories, 2017, 16, 88.	4.0	20
38	Construction of a Bacillus amyloliquefaciens strain for high purity levan production. FEMS Microbiology Letters, 2015, 362, .	1.8	18
39	An upp-based markerless gene replacement method for genome reduction and metabolic pathway engineering in Pseudomonas mendocina NK-01 and Pseudomonas putida KT2440. Journal of Microbiological Methods, 2015, 113, 27-33.	1.6	18
40	Effects of Chromosomal Integration of the Vitreoscilla Hemoglobin Gene (vgb) and S-Adenosylmethionine Synthetase Gene (metK) on Îµ-Poly-l-Lysine Synthesis in Streptomyces albulus NK660. Applied Biochemistry and Biotechnology, 2016, 178, 1445-1457.	2.9	18
41	Twin-Arginine Translocation of Methyl Parathion Hydrolase in Bacillus subtilis. Environmental Science & Technology, 2010, 44, 7607-7612.	10.0	17
42	The biodegradation of poly(3-hydroxy-butyrate-co-3-hydroxyvalerate) (PHB/V) and PHB/V-degrading microorganisms in soil. Polymers for Advanced Technologies, 2003, 14, 184-188.	3.2	16
43	Elucidation of major contributors involved in nitrogen removal and transcription level of nitrogen-cycling genes in activated sludge from WWTPs. Scientific Reports, 2017, 7, 44728.	3.3	15
44	Estimation on Biodegradability of Poly (3-hydroxybutyrate-co-3-hydroxyvalerate) (PHB/V) and Numbers of Aerobic PHB/V Degrading Microorganisms in Different Natural Environments. Journal of Polymers and the Environment, 2005, 13, 39-45.	5.0	14
45	Augmented production of alginate oligosaccharides by the Pseudomonas mendocina NK-01 mutant. Carbohydrate Research, 2012, 352, 109-116.	2.3	14
46	Effects of MreB paralogs on poly-Î³-glutamic acid synthesis and cell morphology inBacillus amyloliquefaciens. FEMS Microbiology Letters, 2016, 363, fnw187.	1.8	14
47	Recruiting Energy-Conserving Sucrose Utilization Pathways for Enhanced 2,3-Butanediol Production in Bacillus subtilis. ACS Sustainable Chemistry and Engineering, 2017, 5, 11221-11225.	6.7	14
48	Highâ€Throughput Sequencing of Viable Microbial Communities in Raw Pork Subjected to a Fast Cooling Process. Journal of Food Science, 2017, 82, 145-153.	3.1	14
49	Regulation of bacteria population behaviors by AI-2 â€œconsumer cellsâ€•and â€œsupplier cellsâ€• BMC Microbiology, 2017, 17, 198.	3.3	14
50	Efficacy of Various Preservatives on Extending Shelf Life of Vacuum-Packaged Raw Pork during 4Â°C Storage. Journal of Food Protection, 2018, 81, 636-645.	1.7	14
51	Production of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) from Cottonseed Oil and Valeric Acid in Batch Culture of Ralstonia sp. Strain JC-64. Applied Biochemistry and Biotechnology, 2001, 94, 169-178.	2.9	13
52	Construction of a Green Fluorescent Protein (GFP)-Marked Multifunctional Pesticide-Degrading Bacterium for Simultaneous Degradation of Organophosphates and Î³-Hexachlorocyclohexane. Journal of Agricultural and Food Chemistry, 2013, 61, 1328-1334.	5.2	11
53	Enhancement of medium-chain-length polyhydroxyalkanoates biosynthesis from glucose by metabolic engineering in Pseudomonas mendocina. Biotechnology Letters, 2016, 38, 313-320.	2.2	11
54	Estimation of the Number of Polyhydroxyalkanoate (PHA)-Degraders in Soil and Isolation of Degraders Based on the Method of Most Probable Number (MPN) Using PHA-Film. Bioscience, Biotechnology and Biochemistry, 2001, 65, 1214-1217.	1.3	7

#	Article	IF	Citations
55	Biodegradability, cellular compatibility and cell infiltration of poly(3-hydroxybutyrate-co-4-hydroxybutyrate) in comparison with poly(Îµ-caprolactone) and poly(lactide-co-glycolide). Journal of Bioactive and Compatible Polymers, 2015, 30, 209-221.	2.1	7
56	Genome Sequence of the Îµ-Poly- l -Lysine-Producing Strain Streptomyces albulus NK660, Isolated from Soil in Gutian, Fujian Province, China. Genome Announcements, 2014, 2, .	0.8	6
57	Effects of glucose and glycine on the biodegradation of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) (PHB / V) and the proliferation of PHB / V-degrading microorganisms in soil suspension. Soil Science and Plant Nutrition, 2002, 48, 159-164.	1.9	4