

Ida Henriette Caspersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8422069/publications.pdf>

Version: 2024-02-01

25
papers

751
citations

623188

14
h-index

676716

22
g-index

27
all docs

27
docs citations

27
times ranked

1090
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Suboptimal Maternal Iodine Intake Is Associated with Impaired Child Neurodevelopment at 3 Years of Age in the Norwegian Mother and Child Cohort Study. <i>Journal of Nutrition</i> , 2017, 147, 1314-1324. | 1.3 | 136 |
| 2 | Maternal Iodine Intake and Offspring Attention-Deficit/Hyperactivity Disorder: Results from a Large Prospective Cohort Study. <i>Nutrients</i> , 2017, 9, 1239. | 1.7 | 70 |
| 3 | Metal and essential element concentrations during pregnancy and associations with autism spectrum disorder and attention-deficit/hyperactivity disorder in children. <i>Environment International</i> , 2021, 152, 106468. | 4.8 | 68 |
| 4 | Determinants of plasma PCB, brominated flame retardants, and organochlorine pesticides in pregnant women and 3 year old children in The Norwegian Mother and Child Cohort Study. <i>Environmental Research</i> , 2016, 146, 136-144. | 3.7 | 61 |
| 5 | Iodine Intake is Associated with Thyroid Function in Mild to Moderately Iodine Deficient Pregnant Women. <i>Thyroid</i> , 2018, 28, 1359-1371. | 2.4 | 54 |
| 6 | Excess risk and clusters of symptoms after COVID-19 in a large Norwegian cohort. <i>European Journal of Epidemiology</i> , 2022, 37, 539-548. | 2.5 | 53 |
| 7 | The influence of maternal dietary exposure to dioxins and PCBs during pregnancy on ADHD symptoms and cognitive functions in Norwegian preschool children. <i>Environment International</i> , 2016, 94, 649-660. | 4.8 | 39 |
| 8 | Patterns and dietary determinants of essential and toxic elements in blood measured in mid-pregnancy: The Norwegian Environmental Biobank. <i>Science of the Total Environment</i> , 2019, 671, 299-308. | 3.9 | 38 |
| 9 | Insufficient maternal iodine intake is associated with subfecundity, reduced foetal growth, and adverse pregnancy outcomes in the Norwegian Mother, Father and Child Cohort Study. <i>BMC Medicine</i> , 2020, 18, 211. | 2.3 | 38 |
| 10 | Language delay and poorer school performance in children of mothers with inadequate iodine intake in pregnancy: results from follow-up at 8 years in the Norwegian Mother and Child Cohort Study. <i>European Journal of Nutrition</i> , 2019, 58, 3047-3058. | 1.8 | 30 |
| 11 | Prenatal mercury exposure, maternal seafood consumption and associations with child language at five years. <i>Environment International</i> , 2018, 110, 71-79. | 4.8 | 28 |
| 12 | Dietary exposure to dioxins and PCBs in a large cohort of pregnant women: Results from the Norwegian Mother and Child Cohort Study (MoBa). <i>Environment International</i> , 2013, 59, 398-407. | 4.8 | 26 |
| 13 | Does the food processing contaminant acrylamide cause developmental neurotoxicity? A review and identification of knowledge gaps. <i>Reproductive Toxicology</i> , 2021, 101, 93-114. | 1.3 | 20 |
| 14 | Benefits of cooperation among large-scale cohort studies and human biomonitoring projects in environmental health research: An exercise in blood lead analysis of the Environment and Child Health International Birth Cohort Group. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 1059-1067. | 2.1 | 16 |
| 15 | The associations between maternal and child diet quality and child ADHD – findings from a large Norwegian pregnancy cohort study. <i>BMC Psychiatry</i> , 2021, 21, 139. | 1.1 | 16 |
| 16 | Gestational blood levels of toxic metal and essential element mixtures and associations with global DNA methylation in pregnant women and their infants. <i>Science of the Total Environment</i> , 2021, 787, 147621. | 3.9 | 13 |
| 17 | Maternal Dietary Selenium Intake during Pregnancy Is Associated with Higher Birth Weight and Lower Risk of Small for Gestational Age Births in the Norwegian Mother, Father and Child Cohort Study. <i>Nutrients</i> , 2021, 13, 23. | 1.7 | 12 |
| 18 | Estimating the Strength of Associations Between Prenatal Diet Quality and Child Developmental Outcomes: Results From a Large Prospective Pregnancy Cohort Study. <i>American Journal of Epidemiology</i> , 2019, 188, 1902-1912. | 1.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Association between work situation and life satisfaction during the COVID-19 pandemic: prospective cohort study in Norway. <i>BMJ Open</i> , 2022, 12, e049586. | 0.8 | 6 |
| 20 | Maternal seafood intake during pregnancy, prenatal mercury exposure and child body mass index trajectories up to 8 years. <i>International Journal of Epidemiology</i> , 2021, 50, 1134-1146. | 0.9 | 5 |
| 21 | Association of sweetened carbonated beverage consumption during pregnancy and ADHD symptoms in the offspring: a study from the Norwegian Mother, Father and Child Cohort Study (MoBa). <i>European Journal of Nutrition</i> , 2022, 61, 2153-2166. | 1.8 | 3 |
| 22 | Iron status in mid-pregnancy and associations with interpregnancy interval, hormonal contraceptives, dietary factors and supplement use. <i>British Journal of Nutrition</i> , 2021, 126, 1270-1280. | 1.2 | 2 |
| 23 | Mild-to-moderate iodine deficiency is associated with lower birthweight and increased risk of preterm delivery in a large Norwegian pregnancy cohort. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 0.4 | 0 |
| 24 | Inadequate iodine intake is associated with subfecundity in mild-to-moderately iodine deficient Norwegian women. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 0.4 | 0 |
| 25 | Risk of attention-deficit/hyperactivity disorder and autism spectrum disorder in children associated with gestational levels of toxic metals and essential elements. <i>ISEE Conference Abstracts</i> , 2021, 2021, . | 0.0 | 0 |