

Ida Henriette Caspersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8422069/publications.pdf>

Version: 2024-02-01

25
papers

751
citations

623188

14
h-index

676716

22
g-index

27
all docs

27
docs citations

27
times ranked

1090
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of sweetened carbonated beverage consumption during pregnancy and ADHD symptoms in the offspring: a study from the Norwegian Mother, Father and Child Cohort Study (MoBa). <i>European Journal of Nutrition</i> , 2022, 61, 2153-2166.	1.8	3
2	Excess risk and clusters of symptoms after COVID-19 in a large Norwegian cohort. <i>European Journal of Epidemiology</i> , 2022, 37, 539-548.	2.5	53
3	Association between work situation and life satisfaction during the COVID-19 pandemic: prospective cohort study in Norway. <i>BMJ Open</i> , 2022, 12, e049586.	0.8	6
4	Iron status in mid-pregnancy and associations with interpregnancy interval, hormonal contraceptives, dietary factors and supplement use. <i>British Journal of Nutrition</i> , 2021, 126, 1270-1280.	1.2	2
5	Maternal seafood intake during pregnancy, prenatal mercury exposure and child body mass index trajectories up to 8 years. <i>International Journal of Epidemiology</i> , 2021, 50, 1134-1146.	0.9	5
6	The associations between maternal and child diet quality and child ADHD findings from a large Norwegian pregnancy cohort study. <i>BMC Psychiatry</i> , 2021, 21, 139.	1.1	16
7	Does the food processing contaminant acrylamide cause developmental neurotoxicity? A review and identification of knowledge gaps. <i>Reproductive Toxicology</i> , 2021, 101, 93-114.	1.3	20
8	Metal and essential element concentrations during pregnancy and associations with autism spectrum disorder and attention-deficit/hyperactivity disorder in children. <i>Environment International</i> , 2021, 152, 106468.	4.8	68
9	Risk of attention-deficit/hyperactivity disorder and autism spectrum disorder in children associated with gestational levels of toxic metals and essential elements. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
10	Gestational blood levels of toxic metal and essential element mixtures and associations with global DNA methylation in pregnant women and their infants. <i>Science of the Total Environment</i> , 2021, 787, 147621.	3.9	13
11	Maternal Dietary Selenium Intake during Pregnancy Is Associated with Higher Birth Weight and Lower Risk of Small for Gestational Age Births in the Norwegian Mother, Father and Child Cohort Study. <i>Nutrients</i> , 2021, 13, 23.	1.7	12
12	Insufficient maternal iodine intake is associated with subfecundity, reduced foetal growth, and adverse pregnancy outcomes in the Norwegian Mother, Father and Child Cohort Study. <i>BMC Medicine</i> , 2020, 18, 211.	2.3	38
13	Mild-to-moderate iodine deficiency is associated with lower birthweight and increased risk of preterm delivery in a large Norwegian pregnancy cohort. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
14	Inadequate iodine intake is associated with subfecundity in mild-to-moderately iodine deficient Norwegian women. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
15	Estimating the Strength of Associations Between Prenatal Diet Quality and Child Developmental Outcomes: Results From a Large Prospective Pregnancy Cohort Study. <i>American Journal of Epidemiology</i> , 2019, 188, 1902-1912.	1.6	10
16	Benefits of cooperation among large-scale cohort studies and human biomonitoring projects in environmental health research: An exercise in blood lead analysis of the Environment and Child Health International Birth Cohort Group. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 1059-1067.	2.1	16
17	Patterns and dietary determinants of essential and toxic elements in blood measured in mid-pregnancy: The Norwegian Environmental Biobank. <i>Science of the Total Environment</i> , 2019, 671, 299-308.	3.9	38
18	Language delay and poorer school performance in children of mothers with inadequate iodine intake in pregnancy: results from follow-up at 8 years in the Norwegian Mother and Child Cohort Study. <i>European Journal of Nutrition</i> , 2019, 58, 3047-3058.	1.8	30

#	ARTICLE	IF	CITATIONS
19	Prenatal mercury exposure, maternal seafood consumption and associations with child language at five years. <i>Environment International</i> , 2018, 110, 71-79.	4.8	28
20	Iodine Intake is Associated with Thyroid Function in Mild to Moderately Iodine Deficient Pregnant Women. <i>Thyroid</i> , 2018, 28, 1359-1371.	2.4	54
21	Suboptimal Maternal Iodine Intake Is Associated with Impaired Child Neurodevelopment at 3 Years of Age in the Norwegian Mother and Child Cohort Study. <i>Journal of Nutrition</i> , 2017, 147, 1314-1324.	1.3	136
22	Maternal Iodine Intake and Offspring Attention-Deficit/Hyperactivity Disorder: Results from a Large Prospective Cohort Study. <i>Nutrients</i> , 2017, 9, 1239.	1.7	70
23	The influence of maternal dietary exposure to dioxins and PCBs during pregnancy on ADHD symptoms and cognitive functions in Norwegian preschool children. <i>Environment International</i> , 2016, 94, 649-660.	4.8	39
24	Determinants of plasma PCB, brominated flame retardants, and organochlorine pesticides in pregnant women and 3 year old children in The Norwegian Mother and Child Cohort Study. <i>Environmental Research</i> , 2016, 146, 136-144.	3.7	61
25	Dietary exposure to dioxins and PCBs in a large cohort of pregnant women: Results from the Norwegian Mother and Child Cohort Study (MoBa). <i>Environment International</i> , 2013, 59, 398-407.	4.8	26