Marlene A Van Baak

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8422454/marlene-a-van-baak-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116	3,800	32	57
papers	citations	h-index	g-index
151 ext. papers	4,382 ext. citations	6.1 avg, IF	5.24 L-index

#	Paper	IF	Citations
116	Dietary carbohydrates and weight loss maintenance. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2021 , 24, 354-358	3.8	O
115	Effect of exercise training interventions on energy intake and appetite control in adults with overweight or obesity: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2021 , 22 Suppl 4, e1325	1 ^{0.6}	4
114	Effect of exercise on cardiometabolic health of adults with overweight or obesity: Focus on blood pressure, insulin resistance, and intrahepatic fat-A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2021 , 22 Suppl 4, e13269	10.6	9
113	Effect of different types of regular exercise on physical fitness in adults with overweight or obesity: Systematic review and meta-analyses. <i>Obesity Reviews</i> , 2021 , 22 Suppl 4, e13239	10.6	5
112	Effective behavior change techniques to promote physical activity in adults with overweight or obesity: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2021 , 22 Suppl 4, e13258	10.6	8
111	Effect of exercise training on weight loss, body composition changes, and weight maintenance in adults with overweight or obesity: An overview of 12 systematic reviews and 149 studies. <i>Obesity Reviews</i> , 2021 , 22 Suppl 4, e13256	10.6	17
110	Effect of exercise training on psychological outcomes in adults with overweight or obesity: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2021 , 22 Suppl 4, e13261	10.6	5
109	Physical Activity, Weight Loss, and Weight Maintenance in the DiOGenes Multicenter Trial. <i>Frontiers in Nutrition</i> , 2021 , 8, 683369	6.2	1
108	Diet Composition, Glucose Homeostasis, and Weight Regain in the YoYo Study. <i>Nutrients</i> , 2021 , 13,	6.7	2
107	Effect of exercise training before and after bariatric surgery: A systematic review and meta-analysis. <i>Obesity Reviews</i> , 2021 , 22 Suppl 4, e13296	10.6	9
106	Exercise training in the management of overweight and obesity in adults: Synthesis of the evidence and recommendations from the European Association for the Study of Obesity Physical Activity Working Group. <i>Obesity Reviews</i> , 2021 , 22 Suppl 4, e13273	10.6	7
105	The association of changes in body mass index and metabolic parameters between adults with overweight or obesity and their children in a family-based randomized trial (DiOGenes) <i>Pediatric Obesity</i> , 2021 , e12884	4.6	O
104	Passive exposure to heat improves glucose metabolism in overweight humans. <i>Acta Physiologica</i> , 2020 , 229, e13488	5.6	14
103	The Effect of Vitamin D Supplementation on Insulin Sensitivity: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2020 , 43, 1659-1669	14.6	8
102	Stratifying cellular metabolism during weight loss: an interplay of metabolism, metabolic flexibility and inflammation. <i>Scientific Reports</i> , 2020 , 10, 1651	4.9	4
101	Associations between the proportion of fat-free mass loss during weight loss, changes in appetite, and subsequent weight change: results from a randomized 2-stage dietary intervention trial. American Journal of Clinical Nutrition, 2020, 111, 536-544	7	14
100	Adipose tissue contribution to plasma fibroblast growth factor 21 and fibroblast activation protein in obesity. <i>International Journal of Obesity</i> , 2020 , 44, 544-547	5.5	6

(2017-2019)

99	Glucose Restriction Plus Refeeding in Vitro Induce Changes of the Human Adipocyte Secretome with an Impact on Complement Factors and Cathepsins. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	4	
98	A computational model of postprandial adipose tissue lipid metabolism derived using human arteriovenous stable isotope tracer data. <i>PLoS Computational Biology</i> , 2019 , 15, e1007400	5	4	
97	Adipocyte abundances of CES1, CRYAB, ENO1 and GANAB are modified in-vitro by glucose restriction and are associated with cellular remodelling during weight regain. <i>Adipocyte</i> , 2019 , 8, 190-2	20ở ^{.2}	4	
96	Dietary Strategies for Weight Loss Maintenance. <i>Nutrients</i> , 2019 , 11,	6.7	15	
95	Dietary Inflammatory Index Score and Its Association with Body Weight, Blood Pressure, Lipid Profile, and Leptin in Indonesian Adults. <i>Nutrients</i> , 2019 , 11,	6.7	15	
94	Mechanisms of weight regain after weight loss - the role of adipose tissue. <i>Nature Reviews Endocrinology</i> , 2019 , 15, 274-287	15.2	50	
93	Weight loss decreases self-reported appetite and alters food preferences in overweight and obese adults: Observational data from the DiOGenes study. <i>Appetite</i> , 2018 , 125, 314-322	4.5	16	
92	Combined Analysis of Stress- and ECM-Related Genes in Their Effect on Weight Regain. <i>Obesity</i> , 2018 , 26, 492-498	8	7	
91	Adipose tissue oxygenation is associated with insulin sensitivity independently of adiposity in obese men and women. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2286-2290	6.7	13	
90	Profiling Cellular Processes in Adipose Tissue during Weight Loss Using Time Series Gene Expression. <i>Genes</i> , 2018 , 9,	4.2	4	
89	Exercise training-induced effects on the abdominal subcutaneous adipose tissue phenotype in humans with obesity. <i>Journal of Applied Physiology</i> , 2018 , 125, 1585-1593	3.7	31	
88	The effect of warmth acclimation on behaviour, thermophysiology and perception. <i>Building Research and Information</i> , 2017 , 45, 800-807	4.3	9	
87	A role for leukocyte integrins and extracellular matrix remodeling of adipose tissue in the risk of weight regain after weight loss. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 1054-1062	7	17	
86	Genetic Predictors of B % Weight Loss by Multidisciplinary Advice to Severely Obese Subjects. Journal of Nutrigenetics and Nutrigenomics, 2017 , 10, 32-42		6	
85	A lifestyle intervention study targeting individuals with low socioeconomic status of different ethnic origins: important aspects for successful implementation. <i>BMC Public Health</i> , 2017 , 18, 54	4.1	8	
84	Effectiveness of the MetSLIM lifestyle intervention targeting individuals of low socio-economic status and different ethnic origins with elevated waist-to-height ratio. <i>Public Health Nutrition</i> , 2017 , 20, 2617-2628	3.3	6	
83	Dietary weight loss-induced changes in RBP4, FFA, and ACE predict weight regain in people with overweight and obesity. <i>Physiological Reports</i> , 2017 , 5, e13450	2.6	17	
82	Adipose Tissue Meal-Derived Fatty Acid Uptake Before and After Diet-Induced Weight Loss in Adults with Overweight and Obesity. <i>Obesity</i> , 2017 , 25, 1391-1399	8	7	

81	Dietary Intake after Weight Loss and the Risk of Weight Regain: Macronutrient Composition and Inflammatory Properties of the Diet. <i>Nutrients</i> , 2017 , 9,	6.7	13
80	Dietary Intake of Protein from Different Sources and Weight Regain, Changes in Body Composition and Cardiometabolic Risk Factors after Weight Loss: The DIOGenes Study. <i>Nutrients</i> , 2017 , 9,	6.7	19
79	The Impact of Gender and Protein Intake on the Success of Weight Maintenance and Associated Cardiovascular Risk Benefits, Independent of the Mode of Food Provision: The DiOGenes Randomized Trial. <i>Journal of the American College of Nutrition</i> , 2016 , 35, 20-30	3.5	7
78	The effect of rate of weight loss on long-term weight regain in adults with overweight and obesity. <i>Obesity</i> , 2016 , 24, 321-7	8	68
77	Estimating real cell size distribution from cross-section microscopy imaging. <i>Bioinformatics</i> , 2016 , 32, i396-i404	7.2	16
76	The cilium: a cellular antenna with an influence on obesity risk. <i>British Journal of Nutrition</i> , 2016 , 116, 576-92	3.6	26
75	Effect of increased protein intake on renal acid load and renal hemodynamic responses. <i>Physiological Reports</i> , 2016 , 4, e12687	2.6	8
74	Supplementation of prebiotics to a whey-based beverage reduces the risk of hypercholesterolaemia in rats. <i>International Dairy Journal</i> , 2015 , 48, 80-84	3.5	10
73	Challenges of a healthy lifestyle for socially disadvantaged people of Dutch, Moroccan and Turkish origin in the Netherlands: a focus group study. <i>Critical Public Health</i> , 2015 , 25, 615-626	2.6	21
72	Adapting an effective lifestyle intervention towards individuals with low socioeconomic status of different ethnic origins: the design of the MetSLIM study. <i>BMC Public Health</i> , 2015 , 15, 125	4.1	6
71	Effect of a high-protein diet on maintenance of blood pressure levels achieved after initial weight loss: the DiOGenes randomized study. <i>Journal of Human Hypertension</i> , 2015 , 29, 58-63	2.6	14
70	Dietary proteins improve endothelial function under fasting conditions but not in the postprandial state, with no effects on markers of low-grade inflammation. <i>British Journal of Nutrition</i> , 2015 , 114, 18	19 -2 8	8
69	Variation in extracellular matrix genes is associated with weight regain after weight loss in a sex-specific manner. <i>Genes and Nutrition</i> , 2015 , 10, 56	4.3	16
68	Extreme obesity is associated with variation in genes related to the circadian rhythm of food intake and hypothalamic signaling. <i>Physiological Genomics</i> , 2015 , 47, 225-31	3.6	21
67	Olfactory receptor genes cooperate with protocadherin genes in human extreme obesity. <i>Genes and Nutrition</i> , 2015 , 10, 465	4.3	13
66	The Role of Protein and Carbohydrates for Long-Term Weight Control: Lessons from the Diogenes Trial. <i>Current Nutrition Reports</i> , 2014 , 3, 379-386	6	
65	Weight loss maintenance in overweight subjects on ad libitum diets with high or low protein content and glycemic index: the DIOGENES trial 12-month results. <i>International Journal of Obesity</i> , 2014 , 38, 1511-7	5.5	83
64	High frequency of rare variants with a moderate-to-high predicted biological effect in protocadherin genes of extremely obese. <i>Genes and Nutrition</i> , 2014 , 9, 399	4.3	9

(2013-2014)

63	Influence of thermophysiology on thermal behavior: the essentials of categorization. <i>Physiology and Behavior</i> , 2014 , 128, 180-7	3.5	35
62	Increased Ebxidation with improved glucose uptake capacity in adipose tissue from obese after weight loss and maintenance. <i>Obesity</i> , 2014 , 22, 819-27	8	21
61	24-hour glucose profiles on diets varying in protein content and glycemic index. <i>Nutrients</i> , 2014 , 6, 3050	0 -66 †	4
60	Associations between dairy protein intake and body weight and risk markers of diabetes and CVD during weight maintenance. <i>British Journal of Nutrition</i> , 2014 , 111, 944-53	3.6	9
59	Perceptions on healthy eating, physical activity and lifestyle advice: opportunities for adapting lifestyle interventions to individuals with low socioeconomic status. <i>BMC Public Health</i> , 2014 , 14, 1036	4.1	61
58	Differential effects of proteins and carbohydrates on postprandial blood pressure-related responses. <i>British Journal of Nutrition</i> , 2014 , 112, 600-8	3.6	14
57	Impact of weight loss and maintenance with ad libitum diets varying in protein and glycemic index content on metabolic syndrome. <i>Nutrition</i> , 2014 , 30, 410-7	4.8	14
56	Experience and acceptability of diets of varying protein content and glycemic index in an obese cohort: results from the Diogenes trial. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 990-5	5.2	15
55	Brown adipose tissue activity after a high-calorie meal in humans. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 57-64	7	118
54	Metabolic syndrome, circulating RBP4, testosterone, and SHBG predict weight regain at 6 months after weight loss in men. <i>Obesity</i> , 2013 , 21, 1997-2006	8	20
53	Identification of biomarkers for intake of protein from meat, dairy products and grains: a controlled dietary intervention study. <i>British Journal of Nutrition</i> , 2013 , 110, 810-22	3.6	37
52	Influence of SNPs in nutrient-sensitive candidate genes and gene-diet interactions on blood lipids: the DiOGenes study. <i>British Journal of Nutrition</i> , 2013 , 110, 790-6	3.6	12
51	Nutrition as a link between obesity and cardiovascular disease: how can we stop the obesity epidemic?. <i>Thrombosis and Haemostasis</i> , 2013 , 110, 689-96	7	13
50	Blood pressure decreases more after high-carbohydrate meals than after high-protein meals in overweight adults with elevated blood pressure, but there is no difference after 4 weeks of consuming a carbohydrate-rich or protein-rich diet. <i>Journal of Nutrition</i> , 2013 , 143, 424-9	4.1	8
49	PS1 - 4. Adipose tissue blood flow (ATBF) changes in overweight and obese subjects following rapid and slow weight loss. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013 , 11, 135-135	O	
48	The role of dietary protein in blood pressure regulation. <i>Current Opinion in Lipidology</i> , 2013 , 24, 65-70	4.4	24
47	Twenty-four hour urinary urea excretion and 9-year risk of hypertension: the PREVEND study. <i>Journal of Hypertension</i> , 2013 , 31, 1564-9	1.9	3
46	Blood profiling of proteins and steroids during weight maintenance with manipulation of dietary protein level and glycaemic index [CORRIGENDUM. <i>British Journal of Nutrition</i> , 2013 , 110, 971-971	3.6	

45	Dietary protein, blood pressure and renal function in renal transplant recipients. <i>British Journal of Nutrition</i> , 2013 , 109, 1463-70	3.6	43
44	A multicentre weight loss study using a low-calorie diet over 8 weeks: regional differences in efficacy across eight European cities. <i>Swiss Medical Weekly</i> , 2013 , 143, w13721	3.1	11
43	Circulating ACE is a predictor of weight loss maintenance not only in overweight and obese women, but also in men. <i>International Journal of Obesity</i> , 2012 , 36, 1545-51	5.5	31
42	Application of the Theory of Planned Behaviour to weight control in an overweight cohort. Results from a pan-European dietary intervention trial (DiOGenes). <i>Appetite</i> , 2012 , 58, 313-8	4.5	29
41	Dietary acid load and metabolic acidosis in renal transplant recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 1811-8	6.9	74
40	Caloric restriction induces changes in insulin and body weight measurements that are inversely associated with subsequent weight regain. <i>PLoS ONE</i> , 2012 , 7, e42858	3.7	22
39	Systemic Endrenergic stimulation of thermogenesis is not accompanied by brown adipose tissue activity in humans. <i>Diabetes</i> , 2012 , 61, 3106-13	0.9	148
38	Analyses of single nucleotide polymorphisms in selected nutrient-sensitive genes in weight-regain prevention: the DIOGENES study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1254-60	7	32
37	Dietary acid load and risk of hypertension: the Rotterdam Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1438-44	7	97
36	Protein supplementation lowers blood pressure in overweight adults: effect of dietary proteins on blood pressure (PROPRES), a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 966-71	7	23
35	Sodium intake and blood pressure in renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 3352-9	4.3	54
34	Blood profiling of proteins and steroids during weight maintenance with manipulation of dietary protein level and glycaemic index. <i>British Journal of Nutrition</i> , 2012 , 107, 106-19	3.6	18
33	Starches, sugars and obesity. <i>Nutrients</i> , 2011 , 3, 341-69	6.7	129
32	Lack of evidence for the role of human adenovirus-36 in obesity in a European cohort. <i>Obesity</i> , 2011 , 19, 220-1	8	58
31	Effects of different protein content and glycaemic index of ad libitum diets on diabetes risk factors in overweight adults: the DIOGenes multicentre, randomized, dietary intervention trial. Diabetes/Metabolism Research and Reviews, 2011, 27, 705-16	7.5	13
30	Beta-adrenergic receptor blockade does not inhibit cold-induced thermogenesis in humans: possible involvement of brown adipose tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E598-605	5.6	37
29	A distinct adipose tissue gene expression response to caloric restriction predicts 6-mo weight maintenance in obese subjects. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1399-409	7	48
28	Effects of weight loss and long-term weight maintenance with diets varying in protein and glycemic index on cardiovascular risk factors: the diet, obesity, and genes (DiOGenes) study: a randomized, controlled trial. <i>Circulation</i> 2011 , 124, 2829-38	16.7	131

(2002-2011)

27	Blood profile of proteins and steroid hormones predicts weight change after weight loss with interactions of dietary protein level and glycemic index. <i>PLoS ONE</i> , 2011 , 6, e16773	3.7	32
26	Dietary acid load and rapid progression to end-stage renal disease of diabetic nephropathy in Westernized South Asian people. <i>Journal of Nephrology</i> , 2011 , 24, 11-7	4.8	22
25	Initial weight loss on an 800-kcal diet as a predictor of weight loss success after 8 weeks: the Diogenes study. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 994-9	5.2	43
24	The Diet, Obesity and Genes (Diogenes) Dietary Study in eight European countries - a comprehensive design for long-term intervention. <i>Obesity Reviews</i> , 2010 , 11, 76-91	10.6	143
23	Developing a methodology for assigning glycaemic index values to foods consumed across Europe. <i>Obesity Reviews</i> , 2010 , 11, 92-100	10.6	37
22	Dietary protein and blood pressure: a systematic review. <i>PLoS ONE</i> , 2010 , 5, e12102	3.7	109
21	The effect of protein and glycemic index on children body composition: the DiOGenes randomized study. <i>Pediatrics</i> , 2010 , 126, e1143-52	7.4	68
20	Changes in skinfold thickness and waist circumference after 12 and 24 months resulting from the NHF-NRG In Balance-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 26	8.4	29
19	Diets with high or low protein content and glycemic index for weight-loss maintenance. <i>New England Journal of Medicine</i> , 2010 , 363, 2102-13	59.2	604
18	The physiologic effects of caloric restriction are reflected in the in vivo adipocyte-enriched proteome of overweight/obese subjects. <i>Journal of Proteome Research</i> , 2009 , 8, 5532-40	5.6	41
17	Behavioral and cognitive effects of a worksite-based weight gain prevention program: the NHF-NRG in balance-project. <i>Journal of Occupational and Environmental Medicine</i> , 2009 , 51, 1437-46	2	12
16	Blunted beta-adrenoceptor-mediated fat oxidation in overweight subjects: a role for the hormone-sensitive lipase gene. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 326-32	12.7	17
15	Meal-induced activation of the sympathetic nervous system and its cardiovascular and thermogenic effects in man. <i>Physiology and Behavior</i> , 2008 , 94, 178-86	3.5	69
14	Hormone-sensitive lipase serine phosphorylation and glycerol exchange across skeletal muscle in lean and obese subjects: effect of beta-adrenergic stimulation. <i>Diabetes</i> , 2008 , 57, 1834-41	0.9	36
13	Measuring physical activity in field studies: Comparison of a questionnaire, 24-hour recall and an accelerometer. <i>European Journal of Sport Science</i> , 2007 , 7, 193-201	3.9	14
12	Adaptive thermogenesis during over- and underfeeding in man. <i>British Journal of Nutrition</i> , 2004 , 91, 329-30	3.6	9
11	Leisure-time activity is an important determinant of long-term weight maintenance after weight loss in the Sibutramine Trial on Obesity Reduction and Maintenance (STORM trial). <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 209-14	7	58
10	Acute effect of L-796568, a novel beta 3-adrenergic receptor agonist, on energy expenditure in obese men. <i>Clinical Pharmacology and Therapeutics</i> , 2002 , 71, 272-9	6.1	84

9	Short-term effects of weight loss with or without low-intensity exercise training on fat metabolism in obese men. <i>American Journal of Clinical Nutrition</i> , 2001 , 73, 523-31	7	44
8	The effect of low-intensity exercise training on fat metabolism of obese women. <i>Obesity</i> , 2001 , 9, 86-9	6	41
7	In vivo beta3-adrenergic stimulation of human thermogenesis and lipid use. <i>Clinical Pharmacology and Therapeutics</i> , 2000 , 67, 558-66	6.1	30
6	Physical activity and energy balance. <i>Public Health Nutrition</i> , 1999 , 2, 335-9	3.3	28
5	Validation of the [1,2-13C]acetate recovery factor for correction of [U-13C]palmitate oxidation rates in humans. <i>Journal of Physiology</i> , 1998 , 513 (Pt 1), 215-23	3.9	44
4	Effect of aging on beta-adrenergically mediated thermogenesis in men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998 , 274, E1075-9	6	14
3	Reliability of tests to determine peak aerobic power, anaerobic power and isokinetic muscle strength in children with spastic cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 1996 , 38, 1117-25	3.3	52
2	Substrate utilization during submaximal endurance exercise: the effect of Endrenoceptor blockade and increased plasma nonesterified fatty acid concentration. <i>American Journal of Clinical Nutrition</i> , 1993 , 57, 823S-823S	7	
1	Submaximal endurance exercise performance during enalapril treatment in patients with essential hypertension. Clinical Pharmacology and Therapeutics. 1991, 50, 221-7	6.1	8