

# Sharmilan Thanendrarajan

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8422837/sharmilan-thanendrarajan-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

581  
citations

13  
h-index

22  
g-index

89  
ext. papers

828  
ext. citations

4.3  
avg, IF

3.3  
L-index

#	Paper	IF	Citations
84	Tandem autologous stem cell transplantation in patients with persistent bone marrow minimal residual disease after first transplantation in multiple myeloma.. <i>American Journal of Hematology</i> , <b>2022</b> ,	7.1	
83	Feasibility of Outpatient Stem Cell Transplantation in Multiple Myeloma and Risk Factors Predictive of Hospital Admission.. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11,	5.1	3
82	Enrollment of Black Participants in Pivotal Clinical Trials Supporting US Food and Drug Administration Approval of Chimeric Antigen Receptor-T Cell Therapy for Hematological Malignant Neoplasms.. <i>JAMA Network Open</i> , <b>2022</b> , 5, e228161	10.4	1
81	Clinical Efficacy of Sequencing CD38 targeting monoclonal antibodies in Relapsed Refractory Multiple Myeloma: A multi-institutional experience.. <i>American Journal of Hematology</i> , <b>2022</b> ,	7.1	1
80	Eight-Color Flow Cytometry Phenotypic Markers and Disease Progression in Monoclonal Gammopathy of Unknown Significance. <i>Blood</i> , <b>2021</b> , 138, 2713-2713	2.2	
79	Enrollment of Black Americans in Pivotal Clinical Trials Supporting Food and Drug Administration (FDA) Chimeric Antigen Receptor (CAR)-T Cell Therapy Approval in Hematological Malignancies. <i>Blood</i> , <b>2021</b> , 138, 566-566	2.2	0
78	Concomitant Deletion of Short Arm (del 1p) and Amplification or Gain (1q21) of Chromosome 1 By Fluorescence in Situ Hybridization (FISH) Is Associated with Poor Clinical Outcome. <i>Blood</i> , <b>2021</b> , 138, 1627-1627	2.2	
77	Clinical implications of loss of bone marrow minimal residual disease negativity in multiple myeloma. <i>Blood Advances</i> , <b>2021</b> ,	7.8	4
76	Ethnic Disparities in AL Amyloidosis Outcomes Among Hospitalized Patients in the United States. <i>Blood</i> , <b>2021</b> , 138, 4110-4110	2.2	0
75	Bone remineralization of lytic lesions in multiple myeloma - The Arkansas experience. <i>Bone</i> , <b>2021</b> , 146, 115876	4.7	3
74	Salvage autologous stem cell transplantation in daratumumab refractory multiple myeloma (MM).. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, e20031-e20031	2.2	1
73	Persistent bone marrow minimal residual disease as a "high-risk" disease feature in multiple myeloma. <i>American Journal of Hematology</i> , <b>2021</b> , 96, E341-E344	7.1	3
72	High-risk transcriptional profiles in multiple myeloma are an acquired feature that can occur in any subtype and more frequently with each subsequent relapse. <i>British Journal of Haematology</i> , <b>2021</b> , 195, 283-286	4.5	2
71	PHF19 inhibition as a therapeutic target in multiple myeloma. <i>Current Research in Translational Medicine</i> , <b>2021</b> , 69, 103290	3.7	3
70	Monitoring treatment response and disease progression in myeloma with circulating cell-free DNA. <i>European Journal of Haematology</i> , <b>2021</b> , 106, 230-240	3.8	5
69	The molecular make up of smoldering myeloma highlights the evolutionary pathways leading to multiple myeloma. <i>Nature Communications</i> , <b>2021</b> , 12, 293	17.4	20
68	Salvage Autologous Stem Cell Transplantation in Daratumumab-Refractory Multiple Myeloma. <i>Cancers</i> , <b>2021</b> , 13,	6.6	3

67	Predicting risk of progression in relapsed multiple myeloma using traditional risk models, focal lesion assessment with PET-CT and minimal residual disease status. <i>Haematologica</i> , <b>2021</b> , 106, 3215-3218	6.6	0
66	Plasma cells expression from smouldering myeloma to myeloma reveals the importance of the PRC2 complex, cell cycle progression, and the divergent evolutionary pathways within the different molecular subgroups. <i>Leukemia</i> , <b>2021</b> ,	10.7	3
65	Genomic analysis of primary plasma cell leukemia reveals complex structural alterations and high-risk mutational patterns. <i>Blood Cancer Journal</i> , <b>2020</b> , 10, 70	7	16
64	and Mutations Associate with Adverse Outcome in a Long-term Follow-up of Patients with Multiple Myeloma. <i>Clinical Cancer Research</i> , <b>2020</b> , 26, 2422-2432	12.9	17
63	Feasibility of Outpatient Autologous Stem Cell Transplantation in Multiple Myeloma and Risk Factors Predicting Hospital Admission. <i>Blood</i> , <b>2020</b> , 136, 44-44	2.2	1
62	Predicting Risk of Progression in Relapsed Multiple Myeloma Using Minimal Residual Disease Status and Focal Lesion Assessment with PET-CT. <i>Blood</i> , <b>2020</b> , 136, 24-24	2.2	
61	Late Relapsing Multiple Myeloma ≥10 Years after Treatment on Total Therapy Protocols Are Associated with Good Outcome. <i>Blood</i> , <b>2020</b> , 136, 11-12	2.2	2
60	Clinical implications of loss of minimal residual disease (MRD) negativity in multiple myeloma.. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 8514-8514	2.2	2
59	Severe Right-Sided Heart Failure and Pulmonary Hypertension with Carfilzomib Treatment in Multiple Myeloma. <i>Heart Views</i> , <b>2020</b> , 21, 296-299	0.7	1
58	The functional epigenetic landscape of aberrant gene expression in molecular subgroups of newly diagnosed multiple myeloma. <i>Journal of Hematology and Oncology</i> , <b>2020</b> , 13, 108	22.4	8
57	Meningeosis myelomatosis. <i>Blood</i> , <b>2020</b> , 136, 1466	2.2	
56	Long-term outcomes after autologous stem cell transplantation for multiple myeloma. <i>Blood Advances</i> , <b>2020</b> , 4, 422-431	7.8	30
55	An acquired high-risk chromosome instability phenotype in multiple myeloma: Jumping 1q Syndrome. <i>Blood Cancer Journal</i> , <b>2019</b> , 9, 62	7	17
54	Lack of Spleen Signal on Diffusion Weighted MRI is associated with High Tumor Burden and Poor Prognosis in Multiple Myeloma: A Link to Extramedullary Hematopoiesis?. <i>Theranostics</i> , <b>2019</b> , 9, 4756-4763	12.1	7
53	Analysis of the Sub-Clonal Structure of Smoldering Myeloma over Time Provides a New Means of Disease Monitoring and Highlights Evolutionary Trajectories Leading to Myeloma. <i>Blood</i> , <b>2019</b> , 134, 4333-4333	2.2	2
52	EARLY Results of TOTAL Therapy 7 (TT7): High Response Rates of NEWLY Diagnosed High Risk Myeloma to Daratumumab. <i>Blood</i> , <b>2019</b> , 134, 4569-4569	2.2	2
51	Poor overall survival in hyperhaploid multiple myeloma is defined by double-hit bi-allelic inactivation of. <i>Oncotarget</i> , <b>2019</b> , 10, 732-737	3.3	5
50	The mTOR Component, Rictor, Is Regulated By the Microenvironment to Control Dormancy and Proliferative States in Myeloma Cells. <i>Blood</i> , <b>2019</b> , 134, 4412-4412	2.2	

49	The Role of PHF19 As a Promoter of Tumorigenicity and Therapeutic Target in Multiple Myeloma. <i>Blood</i> , <b>2019</b> , 134, 508-508	2.2	
48	The Translational Switch of MYC Protein Aliases in Myeloma Tumor Cells. <i>Blood</i> , <b>2019</b> , 134, 4390-4390	2.2	
47	FRAX is a robust predictor of baseline vertebral fractures in multiple myeloma patients. <i>Bone</i> , <b>2019</b> , 121, 134-138	4.7	1
46	Mesenchymal stem cells gene signature in high-risk myeloma bone marrow linked to suppression of distinct IGFBP2-expressing small adipocytes. <i>British Journal of Haematology</i> , <b>2019</b> , 184, 578-593	4.5	11
45	Metastatic prostate cancer with bone marrow infiltration mimicking multiple myeloma. <i>Clinical Case Reports (discontinued)</i> , <b>2018</b> , 6, 269-273	0.7	4
44	Kinase domain activation through gene rearrangement in multiple myeloma. <i>Leukemia</i> , <b>2018</b> , 32, 2435-2444	4.4	15
43	The Pattern of Mesenchymal Stem Cell Expression Is an Independent Marker of Outcome in Multiple Myeloma. <i>Clinical Cancer Research</i> , <b>2018</b> , 24, 2913-2919	12.9	17
42	Treatment to suppression of focal lesions on positron emission tomography-computed tomography is a therapeutic goal in newly diagnosed multiple myeloma. <i>Haematologica</i> , <b>2018</b> , 103, 1047-1053	6.6	29
41	Long-Term Follow-up Identifies Double Hit and Key Mutations As Impacting Progression Free and Overall Survival in Multiple Myeloma. <i>Blood</i> , <b>2018</b> , 132, 110-110	2.2	1
40	The Mutational Landscape of Primary Plasma Cell Leukemia. <i>Blood</i> , <b>2018</b> , 132, 114-114	2.2	2
39	Chromothripsis and Chromoplexy Are Associated with DNA Instability and Adverse Clinical Outcome in Multiple Myeloma. <i>Blood</i> , <b>2018</b> , 132, 408-408	2.2	2
38	Global Expression Changes of Malignant Plasma Cells over Time Reveals the Evolutionary Development of Signatures of Aggressive Clinical Behavior. <i>Blood</i> , <b>2018</b> , 132, 4457-4457	2.2	
37	Poor Overall Survival in Hyperhaploid Multiple Myeloma Is Defined By Double-Hit Bi-Allelic Inactivation of TP53. <i>Blood</i> , <b>2018</b> , 132, 4441-4441	2.2	
36	Expression Signature of Myeloma Residual Cells Is Characterized By Genes Associated with Proliferation, Epigenetic Modification, and Stem Cell Maintenance. <i>Blood</i> , <b>2018</b> , 132, 4465-4465	2.2	1
35	Myeloma Patient-Derived Bone Marrow Serum Negatively Regulates Natural Killer Cell Activity. <i>Blood</i> , <b>2018</b> , 132, 4468-4468	2.2	
34	Mutations and Copy Number Changes Predict Progression from Smoldering Myeloma to Symptomatic Myeloma in the Era of Novel IMWG Criteria. <i>Blood</i> , <b>2018</b> , 132, 4456-4456	2.2	
33	Combination of Flow Cytometry and Functional Imaging for Monitoring of Residual Disease in Myeloma. <i>Blood</i> , <b>2018</b> , 132, 3185-3185	2.2	
32	Extracting Prognostic Molecular Information from PET-CT Imaging of Multiple Myeloma Using Radiomic Approaches. <i>Blood</i> , <b>2018</b> , 132, 1906-1906	2.2	

31	Lack of a Spleen Signal on Diffusion Weighted MRI Is Associated with High Tumor Burden and Poor Prognosis in Multiple Myeloma. <i>Blood</i> , <b>2018</b> , 132, 4471-4471	2.2	
30	Mesenchymal Stem Cells Gene Signature in High-Risk Myeloma Bone Marrow Linked to Suppression of Distinct IGFBP2-Expressing Small Adipocytes. <i>Blood</i> , <b>2018</b> , 132, 4448-4448	2.2	
29	An Acquired High-Risk Chromosome Instability Phenotype in Multiple Myeloma: Jumping 1q Syndrome. <i>Blood</i> , <b>2018</b> , 132, 4489-4489	2.2	0
28	Proliferation and Molecular Risk Score of Low Risk Myeloma Cells Are Increased in High Risk Microenvironment Via Augmented Bioavailability of Growth Factors. <i>Blood</i> , <b>2018</b> , 132, 1929-1929	2.2	
27	The presence of large focal lesions is a strong independent prognostic factor in multiple myeloma. <i>Blood</i> , <b>2018</b> , 132, 59-66	2.2	43
26	Extensive Remineralization of Large Pelvic Lytic Lesions Following Total Therapy Treatment in Patients With Multiple Myeloma. <i>Journal of Bone and Mineral Research</i> , <b>2017</b> , 32, 1261-1266	6.3	5
25	The level of deletion 17p and bi-allelic inactivation of has a significant impact on clinical outcome in multiple myeloma. <i>Haematologica</i> , <b>2017</b> , 102, e364-e367	6.6	44
24	Clinical characteristics and prognostic factors in multiple myeloma patients with light chain deposition disease. <i>American Journal of Hematology</i> , <b>2017</b> , 92, 739-745	7.1	21
23	Assessment of Total Lesion Glycolysis by F FDG PET/CT Significantly Improves Prognostic Value of GEP and ISS in Myeloma. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 1981-1987	12.9	57
22	Monoclonal antibody therapy in multiple myeloma: where do we stand and where are we going?. <i>Immunotherapy</i> , <b>2016</b> , 8, 367-84	3.8	4
21	Signatures of Mesenchymal Cell Lineages and Microenvironment Factors Are Dysregulated in High Risk Myeloma. <i>Blood</i> , <b>2016</b> , 128, 2065-2065	2.2	1
20	Concurrent Amplification of MYC and 1q21 in Multiple Myeloma: Focal and Segmental Jumping Translocations of MYC. <i>Blood</i> , <b>2016</b> , 128, 3266-3266	2.2	1
19	Extensive Regional Intra-Clonal Heterogeneity in Multiple Myeloma - Implications for Diagnostics, Risk Stratification and Targeted Treatment. <i>Blood</i> , <b>2016</b> , 128, 3278-3278	2.2	2
18	Comparison of MRD Detection By MFC, NGS and PET-CT in Patients at Different Treatment Stages for Multiple Myeloma. <i>Blood</i> , <b>2016</b> , 128, 377-377	2.2	1
17	The Clinical Impact of Macrofocal Disease in Multiple Myeloma Differs Between Presentation and Relapse. <i>Blood</i> , <b>2016</b> , 128, 4431-4431	2.2	7
16	Daratumumab Single Agent and Daratumumab Plus Pomalidomide and Dexametasone in Relapsed/Refractory Multiple Myeloma: A Real Life Retrospective Evaluation. <i>Blood</i> , <b>2016</b> , 128, 4516-4516	2.2	8
15	A Survey of Fusion Genes in Myeloma Identifies Kinase Domain Activation Which Could be Targeted with Available Treatments. <i>Blood</i> , <b>2016</b> , 128, 117-117	2.2	1
14	Next Generation Sequencing (NGS) Based Minimal Residual Disease (MRD) Testing Is Highly Predictive of Overall and Progression Free Survival in the Total Therapy Trials and Shows Different Prognostic Implications in High Vs Standard Risk Multiple Myeloma. <i>Blood</i> , <b>2016</b> , 128, 2064-2064	2.2	

13	The Metabolic Phenotype of Myeloma Plasma Cells Differs Between Active and Residual Disease States. <i>Blood</i> , <b>2016</b> , 128, 4438-4438	2.2	
12	Translocations and Jumping Rearrangements at 8q24 Result in over-Expression of MYC and are Key Drivers of Disease Progression. <i>Blood</i> , <b>2016</b> , 128, 115-115	2.2	2
11	Clonal selection and double-hit events involving tumor suppressor genes underlie relapse in myeloma. <i>Blood</i> , <b>2016</b> , 128, 1735-44	2.2	129
10	Upfront 28-Day Metronomic Therapy for High-Risk Multiple Myeloma (HRMM). <i>Blood</i> , <b>2015</b> , 126, 1843-1843	2.2	1
9	High Risk Multiple Myeloma Demonstrates Marked Spatial Genomic Heterogeneity Between Focal Lesions and Random Bone Marrow; Implications for Targeted Therapy and Treatment Resistance. <i>Blood</i> , <b>2015</b> , 126, 20-20	2.2	4
8	Impact of Minimal Residual Disease in High and Standard Risk Multiple Myeloma. <i>Blood</i> , <b>2015</b> , 126, 2979-2979	2.2	2
7	Comprehensive Genomic Profiling of Multiple Myeloma in the Course of Clinical Care Identifies Targetable and Prognostically Significant Genomic Alterations. <i>Blood</i> , <b>2015</b> , 126, 369-369	2.2	1
6	Assessment of Total Lesion Glycolysis and Metabolic Tumor Volume Improve the Clinical Value of Focal Lesion Assessment By FDG PET/CT in Myeloma. <i>Blood</i> , <b>2015</b> , 126, 724-724	2.2	
5	Molecular Subtyping and Risk Stratification for the Classification of Myeloma. <i>Blood</i> , <b>2015</b> , 126, 4173-4173	2.2	
4	A Prognostic 51-Gene Signature Linked to Abnormal Metaphase Cytogenetics Identifies Myeloma Patients Who Benefit from Fractionated Melphalan Dosing and Added Bortezomib, Thalidomide and Dexamethasone As Conditioning for Autologous Stem Cell Transplant. <i>Blood</i> , <b>2015</b> , 126, 3181-3181	2.2	
3	Defining the Impact of Tandem Autologous Stem Cell Transplantation in Multiple Myeloma: A Case-Match Analysis in the Total Therapy Trials. <i>Blood</i> , <b>2015</b> , 126, 3182-3182	2.2	
2	Extending Metronomic Therapy to 28 Days (metro28) for Relapsed Refractory Multiple Myeloma (RRMM). <i>Blood</i> , <b>2015</b> , 126, 5395-5395	2.2	
1	Re-Mineralization of Large Pelvic Lytic Lesions By CT Imaging in Patients with Multiple Myeloma: The Arkansas Experience. <i>Blood</i> , <b>2015</b> , 126, 4193-4193	2.2	