

Antonio Pesenti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8422993/antonio-pesenti-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

358 papers	30,829 citations	70 h-index	171 g-index
391 ext. papers	39,433 ext. citations	8.3 avg, IF	7.39 L-index

#	Paper	IF	Citations
358	A Minimally Invasive and Highly Effective Extracorporeal CO2 Removal Device Combined With a Continuous Renal Replacement Therapy.. <i>Critical Care Medicine</i> , 2022 ,	1.4	1
357	Extracorporeal membrane oxygenation for COVID-19 and influenza H1N1 associated acute respiratory distress syndrome: a multicenter retrospective cohort study.. <i>Critical Care</i> , 2022 , 26, 34	10.8	1
356	Prone positioning during venovenous extracorporeal membrane oxygenation for acute respiratory distress syndrome: a pooled individual patient data analysis.. <i>Critical Care</i> , 2022 , 26, 8	10.8	1
355	Time to active sitting position: One-year findings from a temporary COVID-19 intensive care unit.. <i>Respiratory Medicine</i> , 2022 , 194, 106773	4.6	0
354	Outcome prediction during an ICU surge using a purely data-driven approach: A supervised machine learning case-study in critically ill patients from COVID-19 Lombardy outbreak. <i>International Journal of Medical Informatics</i> , 2022 , 164, 104807	5.3	3
353	Outcome of acute hypoxaemic respiratory failure: insights from the LUNG SAFE Study. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	11
352	Time course of risk factors associated with mortality of 1260 critically ill patients with COVID-19 admitted to 24 Italian intensive care units. <i>Intensive Care Medicine</i> , 2021 , 47, 995-1008	14.5	5
351	High Flow Nasal Oxygen for Severe Hypoxemia: Oxygenation Response and Outcome in COVID-19 Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 ,	10.2	2
350	Respiratory Drive in Patients with Sepsis and Septic Shock: Modulation by High-flow Nasal Cannula. <i>Anesthesiology</i> , 2021 , 135, 1066-1075	4.3	0
349	Quality of dying in hospital general wards: a cross-sectional study about the end-of-life care. <i>BMC Palliative Care</i> , 2021 , 20, 153	3	0
348	Muscle strength and functional outcome after prone positioning in COVID-19 ICU survivors. <i>Intensive and Critical Care Nursing</i> , 2021 , 69, 103160	3.1	2
347	Indication for Venovenous Extracorporeal Membrane Oxygenation: Is 65 Years Old, Too Old?. <i>ASAIO Journal</i> , 2021 , 67, e55	3.6	4
346	Preparedness of ICU networks for pandemics. <i>Current Opinion in Critical Care</i> , 2021 , 27, 13-19	3.5	2
345	Chest X-ray findings in a large cohort of 1117 patients with SARS-CoV-2 infection: a multicenter study during COVID-19 outbreak in Italy. <i>Internal and Emergency Medicine</i> , 2021 , 16, 1173-1181	3.7	5
344	Quantification of Recirculation During Veno-Venous Extracorporeal Membrane Oxygenation: In Vitro Evaluation of a Thermodilution Technique. <i>ASAIO Journal</i> , 2021 ,	3.6	1
343	A Community-Based Model to the COVID-19 Humanitarian Crisis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 639579	5.9	5
342	Mechanical ventilation parameters in critically ill COVID-19 patients: a scoping review. <i>Critical Care</i> , 2021 , 25, 115	10.8	27

341	Nursing Management of Prone Positioning in Patients With COVID-19. <i>Critical Care Nurse</i> , 2021 , 41, 27-35.6	7
340	Prone position in intubated, mechanically ventilated patients with COVID-19: a multi-centric study of more than 1000 patients. <i>Critical Care</i> , 2021 , 25, 128	10.8 49
339	Death in hospital following ICU discharge: insights from the LUNG SAFE study. <i>Critical Care</i> , 2021 , 25, 144	10.8 2
338	An appraisal of respiratory system compliance in mechanically ventilated covid-19 patients. <i>Critical Care</i> , 2021 , 25, 199	10.8 6
337	Effect of intra-arrest trans-nasal evaporative cooling in out-of-hospital cardiac arrest: a pooled individual participant data analysis. <i>Critical Care</i> , 2021 , 25, 198	10.8 2
336	Albumin replacement therapy in immunocompromised patients with sepsis - Secondary analysis of the ALBIOS trial. <i>Journal of Critical Care</i> , 2021 , 63, 83-91	4 0
335	Complications of prone positioning in patients with COVID-19: A cross-sectional study. <i>Intensive and Critical Care Nursing</i> , 2021 , 67, 103088	3.1 14
334	Noninvasive Ventilatory Support of Patients with COVID-19 outside the Intensive Care Units (WARD-COVID). <i>Annals of the American Thoracic Society</i> , 2021 , 18, 1020-1026	4.7 48
333	Unmatched ventilation and perfusion measured by electrical impedance tomography predicts the outcome of ARDS. <i>Critical Care</i> , 2021 , 25, 192	10.8 10
332	Development of a Critical Care Response - Experiences from Italy During the Coronavirus Disease 2019 Pandemic. <i>Anesthesiology Clinics</i> , 2021 , 39, 265-284	2.3 11
331	Alkaline Liquid Ventilation of the Membrane Lung for Extracorporeal Carbon Dioxide Removal (ECCOR): In Vitro Study. <i>Membranes</i> , 2021 , 11,	3.8 1
330	Pulmonary volume-feedback and ventilatory pattern after bilateral lung transplantation using neurally adjusted ventilatory assist ventilation. <i>British Journal of Anaesthesia</i> , 2021 , 127, 143-152	5.4 2
329	Noninvasive respiratory support outside the intensive care unit for acute respiratory failure related to coronavirus-19 disease: a systematic review and meta-analysis. <i>Critical Care</i> , 2021 , 25, 268	10.8 15
328	Prone Positioning during Venovenous Extracorporeal Membrane Oxygenation in Acute Respiratory Distress Syndrome. A Multicenter Cohort Study and Propensity-matched Analysis. <i>Annals of the American Thoracic Society</i> , 2021 , 18, 495-501	4.7 24
327	Sigh in Patients With Acute Hypoxemic Respiratory Failure and ARDS: The PROTECTION Pilot Randomized Clinical Trial. <i>Chest</i> , 2021 , 159, 1426-1436	5.3 3
326	Right Ventricle Dysfunction in Patients With Adult Cystic Fibrosis Enlisted for Lung Transplant. <i>Transplantation Proceedings</i> , 2021 , 53, 260-264	1.1 0
325	Pathophysiology of COVID-19-associated acute respiratory distress syndrome - Authors' reply. <i>Lancet Respiratory Medicine</i> , 2021 , 9, e5-e6	35.1 13
324	Anakinra combined with methylprednisolone in patients with severe COVID-19 pneumonia and hyperinflammation: An observational cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 561-566.e4	11.5 53

323	Esophageal balloon calibration during Sigh: A physiologic, randomized, cross-over study. <i>Journal of Critical Care</i> , 2021 , 61, 125-132	4	2
322	Complement activation and endothelial perturbation parallel COVID-19 severity and activity. <i>Journal of Autoimmunity</i> , 2021 , 116, 102560	15.5	57
321	Cardiopulmonary Resuscitation-associated Lung Edema (CRALE). A Translational Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 447-457	10.2	6
320	Volatile Sedation for Acute Respiratory Distress Syndrome Patients on Venovenous Extracorporeal Membrane Oxygenation and Ultraprotective Ventilation 2021 , 3, e0310		2
319	Barotrauma in mechanically ventilated patients with Coronavirus disease 2019: a survey of 38 hospitals in Lombardy, Italy. <i>Minerva Anestesiologica</i> , 2021 , 87, 193-198	1.9	10
318	Endothelial damage in septic shock patients as evidenced by circulating syndecan-1, sphingosine-1-phosphate and soluble VE-cadherin: a substudy of ALBIOS. <i>Critical Care</i> , 2021 , 25, 113	10.8	10
317	Impact of the COVID-19 outbreak on severe trauma trends and healthcare system reassessment in Lombardia, Italy: an analysis from the regional trauma registry. <i>World Journal of Emergency Surgery</i> , 2021 , 16, 39	9.2	7
316	Addition of 5% CO to Inspiratory Gas Prevents Lung Injury in an Experimental Model of Pulmonary Artery Ligation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 204, 933-942	10.2	1
315	Compassionate use of anti-IL6 receptor antibodies in critically ill patients with acute respiratory distress syndrome due to SARS-CoV-2. <i>Minerva Anestesiologica</i> , 2021 , 87, 1080-1090	1.9	2
314	Hospital-Acquired Infections in Critically Ill Patients With COVID-19. <i>Chest</i> , 2021 , 160, 454-465	5.3	64
313	Low noncarbonic buffer power amplifies acute respiratory acid-base disorders in patients with sepsis: an in vitro study. <i>Journal of Applied Physiology</i> , 2021 , 131, 464-473	3.7	4
312	Prone position in ARDS patients: why, when, how and for whom. <i>Intensive Care Medicine</i> , 2020 , 46, 2385-2396	23.6	85
311	One ventilator for two patients: feasibility and considerations of a last resort solution in case of equipment shortage. <i>Thorax</i> , 2020 , 75, 517-519	7.3	21
310	Genomewide Association Study of Severe Covid-19 with Respiratory Failure. <i>New England Journal of Medicine</i> , 2020 , 383, 1522-1534	59.2	913
309	Lung- and Diaphragm-Protective Ventilation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 950-961	10.2	61
308	Baseline Characteristics and Outcomes of 1591 Patients Infected With SARS-CoV-2 Admitted to ICUs of the Lombardy Region, Italy. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1574-1581	27.4	3054
307	Critical Care Utilization for the COVID-19 Outbreak in Lombardy, Italy: Early Experience and Forecast During an Emergency Response. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1545-1546	27.4	1287
306	Dissociation between the brain target and respiratory capacity in critically ill patients. Authors' reply. <i>Intensive Care Medicine</i> , 2020 , 46, 1079-1080	14.5	

305	Spontaneous Breathing Patterns During Maximum Extracorporeal CO Removal in Subjects With Early Severe ARDS. <i>Respiratory Care</i> , 2020 , 65, 911-919	2.1	6
304	Use of critical care resources during the first 2 weeks (February 24-March 8, 2020) of the Covid-19 outbreak in Italy. <i>Annals of Intensive Care</i> , 2020 , 10, 133	8.9	17
303	Dynamic bedside assessment of the physiologic effects of prone position in acute respiratory distress syndrome patients by electrical impedance tomography. <i>Minerva Anestesiologica</i> , 2020 , 86, 1057-1064	1.9	13
302	Management of critically ill patients with COVID-19: suggestions and instructions from the coordination of intensive care units of Lombardy. <i>Minerva Anestesiologica</i> , 2020 , 86, 1234-1245	1.9	19
301	Using video presentation to recruit healthcare workers during COVID-19 pandemic. <i>Acta Biomedica</i> , 2020 , 91, ahead of print	3.2	1
300	D-dimer corrected for thrombin and plasmin generation is a strong predictor of mortality in patients with sepsis. <i>Blood Transfusion</i> , 2020 , 18, 304-311	3.6	9
299	Physiologic Effects of Pulmonary Artery Occlusion: Reply. <i>Anesthesiology</i> , 2020 , 132, 935-936	4.3	0
298	Respiratory drive in the acute respiratory distress syndrome: pathophysiology, monitoring, and therapeutic interventions. <i>Intensive Care Medicine</i> , 2020 , 46, 606-618	14.5	66
297	Key Role of Respiratory Quotient to Reduce the Occurrence of Hypoxemia During Extracorporeal Gas Exchange: A Theoretical Analysis. <i>Critical Care Medicine</i> , 2020 , 48, e1327-e1331	1.4	6
296	Mechanical Ventilation for Acute Respiratory Distress Syndrome during Extracorporeal Life Support. Research and Practice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 514-525	10.2	50
295	Intraoperative extracorporeal membrane oxygenation for lung transplantation in cystic fibrosis patients: Predictors and impact on outcome. <i>Journal of Cystic Fibrosis</i> , 2020 , 19, 659-665	4.1	5
294	Time-Course of Physiologic Variables During Extracorporeal Membrane Oxygenation and Outcome of Severe Acute Respiratory Distress Syndrome. <i>ASAIO Journal</i> , 2020 , 66, 663-670	3.6	6
293	Practical Clinical Application of an Extracorporeal Carbon Dioxide Removal System in Acute Respiratory Distress Syndrome and Acute on Chronic Respiratory Failure. <i>ASAIO Journal</i> , 2020 , 66, 691-697	3.6	6
292	Oesophageal balloon calibration during pressure support ventilation: a proof of concept study. <i>Journal of Clinical Monitoring and Computing</i> , 2020 , 34, 1223-1231	2	3
291	Potential for Lung Recruitment and Ventilation-Perfusion Mismatch in Patients With the Acute Respiratory Distress Syndrome From Coronavirus Disease 2019. <i>Critical Care Medicine</i> , 2020 , 48, 1129-1134	1.4	108
290	Interdependence between elevated intra-abdominal, pleural, and airway opening pressure in severe acute respiratory distress syndrome with extracorporeal membrane oxygenation. <i>British Journal of Anaesthesia</i> , 2020 , 125, e371-e373	5.4	1
289	Risk Factors Associated With Mortality Among Patients With COVID-19 in Intensive Care Units in Lombardy, Italy. <i>JAMA Internal Medicine</i> , 2020 , 180, 1345-1355	11.5	604
288	The role for high flow nasal cannula as a respiratory support strategy in adults: a clinical practice guideline. <i>Intensive Care Medicine</i> , 2020 , 46, 2226-2237	14.5	55

287	Nasal high flow higher than 60L/min in patients with acute hypoxemic respiratory failure: a physiological study. <i>Critical Care</i> , 2020 , 24, 654	10.8	5
286	Personalized Positive End-Expiratory Pressure in Acute Respiratory Distress Syndrome: Comparison Between Optimal Distribution of Regional Ventilation and Positive Transpulmonary Pressure. <i>Critical Care Medicine</i> , 2020 , 48, 1148-1156	1.4	13
285	Extracorporeal life support for adults with acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2020 , 46, 2464-2476	14.5	40
284	Gravitational distribution of regional opening and closing pressures, hysteresis and atelectrauma in ARDS evaluated by electrical impedance tomography. <i>Critical Care</i> , 2020 , 24, 622	10.8	9
283	Pathophysiology of COVID-19-associated acute respiratory distress syndrome: a multicentre prospective observational study. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 1201-1208	35.1	293
282	Hypercoagulability of COVID-19 patients in intensive care unit: A report of thromboelastography findings and other parameters of hemostasis. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1738-1742	15.4	787
281	Case Report: Late-Onset Congenital Adrenal Hyperplasia and Acute Covid-19 Infection in a Pregnant Woman: Multidisciplinary Management. <i>Frontiers in Endocrinology</i> , 2020 , 11, 602535	5.7	
280	Veno-venous extracorporeal membrane oxygenation in acute respiratory distress syndrome: should the EOLIA Study results change our clinical approach?. <i>Minerva Anestesiologica</i> , 2019 , 85, 909-913	1.9	6
279	Efficacy and safety of lower versus higher CO extraction devices to allow ultraprotective ventilation: secondary analysis of the SUPERNOVA study. <i>Thorax</i> , 2019 , 74, 1179-1181	7.3	18
278	Microbiological colonization of healthcare workers' mobile phones in a tertiary-level Italian intensive care unit. <i>Intensive and Critical Care Nursing</i> , 2019 , 52, 17-21	3.1	4
277	Increasing support by nasal high flow acutely modifies the ROX index in hypoxemic patients: A physiologic study. <i>Journal of Critical Care</i> , 2019 , 53, 183-185	4	17
276	Nasal high flow: physiology, efficacy and safety in the acute care setting, a narrative review. <i>Open Access Emergency Medicine</i> , 2019 , 11, 109-120	1.9	11
275	Antithrombin supplementation during extracorporeal membrane oxygenation: study protocol for a pilot randomized clinical trial. <i>Trials</i> , 2019 , 20, 349	2.8	5
274	Assessment of Airway Driving Pressure and Respiratory System Mechanics during Neurally Adjusted Ventilatory Assist. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 785-788	10.2	7
273	Severe diaphragmatic dysfunction with preserved activity of accessory respiratory muscles in a critically ill child: a case report of failure of neurally adjusted ventilatory assist (NAVA) and successful support with pressure support ventilation (PSV). <i>BMC Pediatrics</i> , 2019 , 19, 155	2.6	0
272	Pathophysiology and Management of Acute Respiratory Distress Syndrome in Obese Patients. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2019 , 40, 40-56	3.9	21
271	In ARDS. <i>Lessons From the ICU</i> , 2019 , 419-437	0.1	
270	Oxygenation during general anesthesia and thoracic surgery in a patient with Titusville low-oxygen affinity hemoglobin. <i>Journal of Applied Physiology</i> , 2019 , 126, 810-814	3.7	3

269	Antithrombin During Extracorporeal Membrane Oxygenation in Adults: National Survey and Retrospective Analysis. <i>ASAIO Journal</i> , 2019 , 65, 257-263	3.6	13
268	Noninvasive assessment of airflows by electrical impedance tomography in intubated hypoxemic patients: an exploratory study. <i>Annals of Intensive Care</i> , 2019 , 9, 83	8.9	6
267	Neurological outcome of postanoxic refractory status epilepticus after aggressive treatment. <i>Epilepsy and Behavior</i> , 2019 , 101, 106374	3.2	13
266	Gastrointestinal colonization with multidrug-resistant Gram-negative bacteria during extracorporeal membrane oxygenation: effect on the risk of subsequent infections and impact on patient outcome. <i>Annals of Intensive Care</i> , 2019 , 9, 141	8.9	7
265	Effects of a physiotherapeutic program in patients on veno-venous extracorporeal membrane oxygenation: an 8-year single-center experience. <i>Minerva Anestesiologica</i> , 2019 , 85, 989-994	1.9	6
264	Extracorporeal Membrane Oxygenation and Renal Function 2019 , 751-754.e2		
263	Outcomes of Patients Presenting with Mild Acute Respiratory Distress Syndrome: Insights from the LUNG SAFE Study. <i>Anesthesiology</i> , 2019 , 130, 263-283	4.3	21
262	Effects of inspiratory flow on lung stress, pendelluft, and ventilation heterogeneity in ARDS: a physiological study. <i>Critical Care</i> , 2019 , 23, 369	10.8	13
261	Short-term Physiologic Consequences of Regional Pulmonary Vascular Occlusion in Pigs. <i>Anesthesiology</i> , 2019 , 131, 336-343	4.3	9
260	Respiratory Physiology for the Anesthesiologist. <i>Anesthesiology</i> , 2019 , 130, 1064-1077	4.3	13
259	Driving Pressure Is Associated with Outcome during Assisted Ventilation in Acute Respiratory Distress Syndrome. <i>Anesthesiology</i> , 2019 , 131, 594-604	4.3	36
258	Quality of Life and Lung Function in Survivors of Extracorporeal Membrane Oxygenation for Acute Respiratory Distress Syndrome. <i>Anesthesiology</i> , 2019 , 130, 572-580	4.3	18
257	Extracorporeal Membrane Oxygenation for Pulmonary Support 2019 , 1183-1190.e2		1
256	Intraoperative hypotension is not associated with postoperative cognitive dysfunction in elderly patients undergoing general anesthesia for surgery: results of a randomized controlled pilot trial. <i>Journal of Clinical Anesthesia</i> , 2019 , 52, 111-118	1.9	29
255	Understanding hypoxemia on ECCOR: back to the alveolar gas equation. <i>Intensive Care Medicine</i> , 2019 , 45, 255-256	14.5	18
254	Nasal High Flow Delivered within the Helmet: A New Noninvasive Respiratory Support. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 115-117	10.2	10
253	Prognostic Value of Secretoneurin in Patients With Severe Sepsis and Septic Shock: Data From the Albumin Italian Outcome Sepsis Study. <i>Critical Care Medicine</i> , 2018 , 46, e404-e410	1.4	18
252	Induction Dosage of Propofol for Repeated Sedations in Children With Hematological Disorders. <i>Journal of Pediatric Hematology/Oncology</i> , 2018 , 40, e295-e298	1.2	1

251	Safety of anesthesia for children with mucopolysaccharidoses: A retrospective analysis of 54 patients. <i>Paediatric Anaesthesia</i> , 2018 , 28, 436-442	1.8	8
250	The authors reply. <i>Critical Care Medicine</i> , 2018 , 46, e172-e173	1.4	
249	Research in Extracorporeal Life Support: A Call to Action. <i>Chest</i> , 2018 , 153, 788-791	5.3	21
248	Relationship Between Viremia and Specific Organ Damage in Ebola Patients: A Cohort Study. <i>Clinical Infectious Diseases</i> , 2018 , 66, 36-44	11.6	7
247	Platelet Drop and Fibrinolytic Shutdown in Patients With Sepsis. <i>Critical Care Medicine</i> , 2018 , 46, e221-e228		48
246	Six-Month Outcome of Immunocompromised Patients with Severe Acute Respiratory Distress Syndrome Rescued by Extracorporeal Membrane Oxygenation. An International Multicenter Retrospective Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 1297-1307	10.2	62
245	Understanding blood gas analysis. <i>Intensive Care Medicine</i> , 2018 , 44, 91-93	14.5	20
244	Persistence of Central Venous Oxygen Desaturation During Early Sepsis Is Associated With Higher Mortality: A Retrospective Analysis of the ALBIOS Trial. <i>Chest</i> , 2018 , 154, 1291-1300	5.3	9
243	Plasma sRAGE is independently associated with increased mortality in ARDS: a meta-analysis of individual patient data. <i>Intensive Care Medicine</i> , 2018 , 44, 1388-1399	14.5	49
242	Circulating Proenkephalin, Acute Kidney Injury, and Its Improvement in Patients with Severe Sepsis or Shock. <i>Clinical Chemistry</i> , 2018 , 64, 1361-1369	5.5	20
241	Immunocompromised patients with acute respiratory distress syndrome: secondary analysis of the LUNG SAFE database. <i>Critical Care</i> , 2018 , 22, 157	10.8	49
240	Application of prone position in hypoxaemic patients supported by veno-venous ECMO. <i>Intensive and Critical Care Nursing</i> , 2018 , 48, 61-68	3.1	24
239	Variation of poorly ventilated lung units (silent spaces) measured by electrical impedance tomography to dynamically assess recruitment. <i>Critical Care</i> , 2018 , 22, 26	10.8	44
238	Thromboelastography-based anticoagulation management during extracorporeal membrane oxygenation: a safety and feasibility pilot study. <i>Annals of Intensive Care</i> , 2018 , 8, 7	8.9	54
237	Impact of flow and temperature on patient comfort during respiratory support by high-flow nasal cannula. <i>Critical Care</i> , 2018 , 22, 120	10.8	43
236	Intravenous fluid therapy for hospitalized and critically ill children: rationale, available drugs and possible side effects. <i>Anaesthesiology Intensive Therapy</i> , 2018 , 50, 49-58	1.7	5
235	Quality of Life of Adult Survivors After Extra Corporeal Membrane Oxygenation (ECMO): A Quantitative Study. <i>Dimensions of Critical Care Nursing</i> , 2018 , 37, 12-17	1.9	7
234	Measurement of Diaphragmatic Electrical Activity by Surface Electromyography in Intubated Subjects and Its Relationship With Inspiratory Effort. <i>Respiratory Care</i> , 2018 , 63, 1341-1349	2.1	22

233	Septic shock-3 vs 2: an analysis of the ALBIOS study. <i>Critical Care</i> , 2018 , 22, 237	10.8	10
232	Oral Care Protocols With Specialty Training Lead to Safe Oral Care Practices and Reduce Iatrogenic Bleeding in Extracorporeal Membrane Oxygenation Patients. <i>Dimensions of Critical Care Nursing</i> , 2018 , 37, 285-293	1.9	2
231	Identifying associations between diabetes and acute respiratory distress syndrome in patients with acute hypoxemic respiratory failure: an analysis of the LUNG SAFE database. <i>Critical Care</i> , 2018 , 22, 268	10.8	14
230	Neurologic outcome of postanoxic refractory status epilepticus after aggressive treatment. <i>Neurology</i> , 2018 , 91, e2153-e2162	6.5	31
229	Pressure support ventilation + sigh in acute hypoxemic respiratory failure patients: study protocol for a pilot randomized controlled trial, the PROTECTION trial. <i>Trials</i> , 2018 , 19, 460	2.8	1
228	The first five years of neonatal and pediatric transports on extracorporeal membrane oxygenation in the center and south of Italy: The pediatric branch of the Italian "Rete Respira" network. <i>Perfusion (United Kingdom)</i> , 2018 , 33, 24-30	1.9	11
227	Effects of sodium citrate, citric acid and lactic acid on human blood coagulation. <i>Perfusion (United Kingdom)</i> , 2018 , 33, 577-583	1.9	15
226	Extracorporeal carbon dioxide removal (ECCOR) in patients with acute respiratory failure. <i>Intensive Care Medicine</i> , 2017 , 43, 519-530	14.5	58
225	Intraperitoneal adoptive transfer of mesenchymal stem cells enhances recovery from acid aspiration acute lung injury in mice. <i>Intensive Care Medicine Experimental</i> , 2017 , 5, 13	3.7	7
224	Circulating Biologically Active Adrenomedullin (bio-ADM) Predicts Hemodynamic Support Requirement and Mortality During Sepsis. <i>Chest</i> , 2017 , 152, 312-320	5.3	42
223	Fifty Years of Research in ARDS. Is Extracorporeal Circulation the Future of Acute Respiratory Distress Syndrome Management?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 1161-1170	10.2	47
222	An Official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine Clinical Practice Guideline: Mechanical Ventilation in Adult Patients with Acute Respiratory Distress Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 1075-1098	10.2	674
221	Reply: "A Word of Caution Regarding Patient Self-inflicted Lung Injury and Prophylactic Intubation" and "Hyperventilation (Not Ventilator)-induced Lung Injury". <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 937-938	10.2	2
220	Geo-economic variations in epidemiology, patterns of care, and outcomes in patients with acute respiratory distress syndrome: insights from the LUNG SAFE prospective cohort study. <i>Lancet Respiratory Medicine</i> , 2017 , 5, 627-638	35.1	63
219	Infections during extracorporeal membrane oxygenation: epidemiology, risk factors, pathogenesis and prevention. <i>International Journal of Antimicrobial Agents</i> , 2017 , 50, 9-16	14.3	86
218	Looking closer at acute respiratory distress syndrome: the role of advanced imaging techniques. <i>Current Opinion in Critical Care</i> , 2017 , 23, 30-37	3.5	22
217	Neurologic Injury in Adults Supported With Veno-Venous Extracorporeal Membrane Oxygenation for Respiratory Failure: Findings From the Extracorporeal Life Support Organization Database. <i>Critical Care Medicine</i> , 2017 , 45, 1389-1397	1.4	110
216	Physiologic Effects of High-Flow Nasal Cannula in Acute Hypoxemic Respiratory Failure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 1207-1215	10.2	240

215	ECMO for intractable status asthmaticus following atracurium. <i>Journal of Artificial Organs</i> , 2017 , 20, 178-181	1.8	7
214	Effects of Variable Pressure Support Ventilation on Regional Homogeneity and Aeration. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, e27-e28	10.2	3
213	Prone Position for Acute Respiratory Distress Syndrome. A Systematic Review and Meta-Analysis. <i>Annals of the American Thoracic Society</i> , 2017 , 14, S280-S288	4.7	247
212	Randomized, multicenter trial of lateral Trendelenburg versus semirecumbent body position for the prevention of ventilator-associated pneumonia. <i>Intensive Care Medicine</i> , 2017 , 43, 1572-1584	14.5	20
211	Extracorporeal CO2 removal: a powerful tool to be handled with care. <i>Minerva Anestesiologica</i> , 2017 , 83, 682-684	1.9	2
210	The last sigh and the death knell: a view on lung hyperinflation from a millennium ago. <i>Minerva Anestesiologica</i> , 2017 , 83, 994-995	1.9	0
209	Respiratory support in patients with acute respiratory distress syndrome: an expert opinion. <i>Critical Care</i> , 2017 , 21, 240	10.8	62
208	Bedside selection of positive end-expiratory pressure by electrical impedance tomography in hypoxemic patients: a feasibility study. <i>Annals of Intensive Care</i> , 2017 , 7, 76	8.9	37
207	Interstitial pneumonia with autoimmune features: an additional risk factor for ARDS?. <i>Annals of Intensive Care</i> , 2017 , 7, 98	8.9	11
206	Optimum support by high-flow nasal cannula in acute hypoxemic respiratory failure: effects of increasing flow rates. <i>Intensive Care Medicine</i> , 2017 , 43, 1453-1463	14.5	114
205	Nosocomial Infections During Extracorporeal Membrane Oxygenation: Incidence, Etiology, and Impact on Patients' Outcome. <i>Critical Care Medicine</i> , 2017 , 45, 1726-1733	1.4	52
204	Noninvasive Ventilation of Patients with Acute Respiratory Distress Syndrome. Insights from the LUNG SAFE Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 67-77	10.2	269
203	Pentraxin 3 in patients with severe sepsis or shock: the ALBIOS trial. <i>European Journal of Clinical Investigation</i> , 2017 , 47, 73-83	4.6	45
202	Mechanical Ventilation to Minimize Progression of Lung Injury in Acute Respiratory Failure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 438-442	10.2	491
201	Quantification of Dynamic [18F]FDG Pet Studies in Acute Lung Injury. <i>Molecular Imaging and Biology</i> , 2016 , 18, 143-52	3.8	12
200	Extracorporeal Support of Gas Exchange 2016 , 1794-1806.e2		
199	Extremely high transpulmonary pressure in a spontaneously breathing patient with early severe ARDS on ECMO. <i>Intensive Care Medicine</i> , 2016 , 42, 2101-2103	14.5	30
198	A mathematical model of oxygenation during venovenous extracorporeal membrane oxygenation support. <i>Journal of Critical Care</i> , 2016 , 36, 178-186	4	17

197	Potentially modifiable factors contributing to outcome from acute respiratory distress syndrome: the LUNG SAFE study. <i>Intensive Care Medicine</i> , 2016 , 42, 1865-1876	14.5	149
196	Daily nursing care on patients undergoing venous-venous extracorporeal membrane oxygenation: a challenging procedure!. <i>Journal of Artificial Organs</i> , 2016 , 19, 343-349	1.8	9
195	Esophageal and transpulmonary pressure in the clinical setting: meaning, usefulness and perspectives. <i>Intensive Care Medicine</i> , 2016 , 42, 1360-73	14.5	234
194	Do spontaneous and mechanical breathing have similar effects on average transpulmonary and alveolar pressure? A clinical crossover study. <i>Critical Care</i> , 2016 , 20, 142	10.8	67
193	The "baby lung" became an adult. <i>Intensive Care Medicine</i> , 2016 , 42, 663-673	14.5	131
192	Venovenous extracorporeal membrane oxygenation for acute respiratory failure : A clinical review from an international group of experts. <i>Intensive Care Medicine</i> , 2016 , 42, 712-724	14.5	91
191	The Ratio of Inspiratory Pressure Over Electrical Activity of the Diaphragm Remains Stable During ICU Stay and is not Related to Clinical Outcome. <i>Respiratory Care</i> , 2016 , 61, 495-501	2.1	6
190	Epidemiology, Patterns of Care, and Mortality for Patients With Acute Respiratory Distress Syndrome in Intensive Care Units in 50 Countries. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 788-800	27.4	2131
189	Extracorporeal CO2 Removal by Respiratory Electrodialysis: An In Vitro Study. <i>ASAIO Journal</i> , 2016 , 62, 143-9	3.6	12
188	Ventilator Management During ECLS. <i>Respiratory Medicine</i> , 2016 , 163-180	0.2	
187	Ion-Exchange Resin Anticoagulation (I-ERA): A Novel Extracorporeal Technique for Regional Anticoagulation. <i>Shock</i> , 2016 , 46, 304-11	3.4	4
186	"Awake" extracorporeal membrane oxygenation (ECMO): pathophysiology, technical considerations, and clinical pioneering. <i>Critical Care</i> , 2016 , 20, 150	10.8	103
185	Extracorporeal Carbon Dioxide Removal Enhanced by Lactic Acid Infusion in Spontaneously Breathing Conscious Sheep. <i>Anesthesiology</i> , 2016 , 124, 674-82	4.3	20
184	Control of Respiratory Drive and Effort in Extracorporeal Membrane Oxygenation Patients Recovering from Severe Acute Respiratory Distress Syndrome. <i>Anesthesiology</i> , 2016 , 125, 159-67	4.3	61
183	Sedation and general anesthesia for patients with Cornelia De Lange syndrome: A case series. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2016 , 172, 222-8	3.1	4
182	In-Hospital Neurologic Complications in Adult Patients Undergoing Venoarterial Extracorporeal Membrane Oxygenation: Results From the Extracorporeal Life Support Organization Registry. <i>Critical Care Medicine</i> , 2016 , 44, e964-72	1.4	137
181	Imaging in acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2016 , 42, 686-698	14.5	79
180	Associations between ventilator settings during extracorporeal membrane oxygenation for refractory hypoxemia and outcome in patients with acute respiratory distress syndrome: a pooled individual patient data analysis : Mechanical ventilation during ECMO. <i>Intensive Care Medicine</i> , 2016 , 42, 1672-1684	14.5	112

179	Bedside assessment of the effects of positive end-expiratory pressure on lung inflation and recruitment by the helium dilution technique and electrical impedance tomography. <i>Intensive Care Medicine</i> , 2016 , 42, 1576-1587	14.5	52
178	Successful Transplantation of Lungs From an Uncontrolled Donor After Circulatory Death Preserved In Situ by Alveolar Recruitment Maneuvers and Assessed by Ex Vivo Lung Perfusion. <i>American Journal of Transplantation</i> , 2016 , 16, 1312-8	8.7	48
177	Spatial orientation and mechanical properties of the human trachea: a computed tomography study. <i>Respiratory Care</i> , 2015 , 60, 561-6	2.1	1
176	Prone positioning improves oxygenation in spontaneously breathing nonintubated patients with hypoxemic acute respiratory failure: A retrospective study. <i>Journal of Critical Care</i> , 2015 , 30, 1390-4	4	134
175	Effects on membrane lung gas exchange of an intermittent high gas flow recruitment maneuver: preliminary data in veno-venous ECMO patients. <i>Journal of Artificial Organs</i> , 2015 , 18, 213-9	1.8	7
174	Angiotensin-(1-7) improves oxygenation, while reducing cellular infiltrate and fibrosis in experimental Acute Respiratory Distress Syndrome. <i>Intensive Care Medicine Experimental</i> , 2015 , 3, 44	3.7	70
173	Combining multiple ECG features does not improve prediction of defibrillation outcome compared to single features in a large population of out-of-hospital cardiac arrests. <i>Critical Care</i> , 2015 , 19, 425	10.8	20
172	The use of a novel cleaning closed suction system reduces the volume of secretions within the endotracheal tube as assessed by micro-computed tomography: a randomized clinical trial. <i>Annals of Intensive Care</i> , 2015 , 5, 57	8.9	4
171	Effects of Sigh on Regional Lung Strain and Ventilation Heterogeneity in Acute Respiratory Failure Patients Undergoing Assisted Mechanical Ventilation. <i>Critical Care Medicine</i> , 2015 , 43, 1823-31	1.4	38
170	Enhanced Extracorporeal CO2 Removal by Regional Blood Acidification: Effect of Infusion of Three Metabolizable Acids. <i>ASAIO Journal</i> , 2015 , 61, 533-9	3.6	17
169	Extubation during pediatric extracorporeal membrane oxygenation: is it always safe?. <i>Pediatric Critical Care Medicine</i> , 2015 , 16, 493-4	3	4
168	The effects of exogenous surfactant treatment in a murine model of two-hit lung injury. <i>Anesthesia and Analgesia</i> , 2015 , 120, 381-8	3.9	5
167	Respiratory Electrodialysis. A Novel, Highly Efficient Extracorporeal CO2 Removal Technique. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 192, 719-26	10.2	58
166	Sepsis: needs for defining severity. <i>Intensive Care Medicine</i> , 2015 , 41, 551-2	14.5	9
165	Pain control with ultrasound-guided inguinal field block compared with spinal anesthesia after hernia surgery: a randomized trial. <i>Surgery</i> , 2015 , 157, 304-11	3.6	4
164	Amplitude spectrum area to guide defibrillation: a validation on 1617 patients with ventricular fibrillation. <i>Circulation</i> , 2015 , 131, 478-87	16.7	52
163	Blood kinetics of Ebola virus in survivors and nonsurvivors. <i>Journal of Clinical Investigation</i> , 2015 , 125, 4692-8	15.9	67
162	ECMO-Extracorporeal Life Support in Adults 2014 ,		15

161	Position paper for the organization of extracorporeal membrane oxygenation programs for acute respiratory failure in adult patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 488-96	10.2	290
160	New treatment bundles improve survival in out-of-hospital cardiac arrest patients: a historical comparison. <i>Resuscitation</i> , 2014 , 85, 1240-4	4	21
159	The application of esophageal pressure measurement in patients with respiratory failure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 520-31	10.2	318
158	Measurement of endotracheal tube secretions volume by micro computed tomography (MicroCT) scan: an experimental and clinical study. <i>BMC Anesthesiology</i> , 2014 , 14, 22	2.4	5
157	Effect of prone positioning during mechanical ventilation on mortality among patients with acute respiratory distress syndrome: a systematic review and meta-analysis. <i>Cmaj</i> , 2014 , 186, E381-90	3.5	136
156	Albumin replacement in patients with severe sepsis or septic shock. <i>New England Journal of Medicine</i> , 2014 , 370, 1412-21	59.2	677
155	Extracorporeal carbon dioxide removal through ventilation of acidified dialysate: an experimental study. <i>Journal of Heart and Lung Transplantation</i> , 2014 , 33, 536-41	5.8	33
154	Regional blood acidification enhances extracorporeal carbon dioxide removal: a 48-hour animal study. <i>Anesthesiology</i> , 2014 , 120, 416-24	4.3	36
153	L1-2 roots block with psoas compartment block: reply from the authors?. <i>British Journal of Anaesthesia</i> , 2014 , 112, 591-3	5.4	
152	Ventilatory Management of ARDS Before and During ECMO 2014 , 239-248		
151	Alveolar pentraxin 3 as an early marker of microbiologically confirmed pneumonia: a threshold-finding prospective observational study. <i>Critical Care</i> , 2014 , 18, 562	10.8	36
150	Assessing effort and work of breathing. <i>Current Opinion in Critical Care</i> , 2014 , 20, 352-8	3.5	25
149	Modular extracorporeal life support: effects of ultrafiltrate recirculation on the performance of an extracorporeal carbon dioxide removal device. <i>ASAIO Journal</i> , 2014 , 60, 335-41	3.6	15
148	Newer Indications for ECMO: Pulmonary Embolism, Pulmonary Hypertension, Septic Shock and Trauma 2014 , 179-192		2
147	ECMO for Ischemic Cardiogenic Shock 2014 , 105-116		2
146	Clinical assessment of auto-positive end-expiratory pressure by diaphragmatic electrical activity during pressure support and neurally adjusted ventilatory assist. <i>Anesthesiology</i> , 2014 , 121, 563-71	4.3	27
145	Newer Indications and Challenges 2014 , 463-472		1
144	Predicting mortality risk in patients undergoing venovenous ECMO for ARDS due to influenza A (H1N1) pneumonia: the ECMOnet score. <i>Intensive Care Medicine</i> , 2013 , 39, 275-81	14.5	154

143	Patient-ventilator interaction in ARDS patients with extremely low compliance undergoing ECMO: a novel approach based on diaphragm electrical activity. <i>Intensive Care Medicine</i> , 2013 , 39, 282-91	14.5	83
142	Extracorporeal membrane oxygenation (ECMO) in patients with H1N1 influenza infection: a systematic review and meta-analysis including 8 studies and 266 patients receiving ECMO. <i>Critical Care</i> , 2013 , 17, R30	10.8	128
141	Outbreak of skin and soft tissue infections in a hospital newborn nursery in Italy due to community-acquired meticillin-resistant <i>Staphylococcus aureus</i> USA300 clone. <i>Journal of Hospital Infection</i> , 2013 , 83, 36-40	6.9	23
140	Body position changes redistribute lung computed-tomographic density in patients with acute respiratory failure: impact and clinical fallout through the following 20 years. <i>Intensive Care Medicine</i> , 2013 , 39, 1909-15	14.5	59
139	Regional distribution of air trapping in chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 188, 1466-7	10.2	19
138	Estimation of patient's inspiratory effort from the electrical activity of the diaphragm. <i>Critical Care Medicine</i> , 2013 , 41, 1483-91	1.4	116
137	Topographic distribution of tidal ventilation in acute respiratory distress syndrome: effects of positive end-expiratory pressure and pressure support. <i>Critical Care Medicine</i> , 2013 , 41, 1664-73	1.4	76
136	Psoas compartment block for anaesthesia during surgical repair of inguinal hernias. <i>British Journal of Anaesthesia</i> , 2013 , 111, 298-9	5.4	3
135	Infusion of 2.5 meq/min of Lactic Acid minimally increases CO ₂ production compared to an isocaloric glucose infusion in healthy anesthetized, mechanically ventilated pigs. <i>Critical Care</i> , 2013 , 17, R268	10.8	17
134	Unilateral acid aspiration augments the effects of ventilator lung injury in the contralateral lung. <i>Anesthesiology</i> , 2013 , 119, 642-51	4.3	11
133	Transpulmonary pressure at functional residual capacity. <i>Critical Care Medicine</i> , 2013 , 41, e9	1.4	3
132	Effect of percutaneous tracheostomy on gas exchange in hypoxemic and non-hypoxemic mechanically ventilated patients. <i>Respiratory Care</i> , 2013 , 58, 482-6	2.1	4
131	Respiratory pattern during neurally adjusted ventilatory assist in acute respiratory failure patients. <i>Intensive Care Medicine</i> , 2012 , 38, 230-9	14.5	57
130	ECMO criteria for influenza A (H1N1)-associated ARDS: role of transpulmonary pressure. <i>Intensive Care Medicine</i> , 2012 , 38, 395-403	14.5	140
129	Clinical review: Respiratory monitoring in the ICU - a consensus of 16. <i>Critical Care</i> , 2012 , 16, 219	10.8	81
128	Time course of metabolic activity and cellular infiltration in a murine model of acid-induced lung injury. <i>Intensive Care Medicine</i> , 2012 , 38, 694-701	14.5	19
127	Assessment of patient-ventilator breath contribution during neurally adjusted ventilatory assist. <i>Intensive Care Medicine</i> , 2012 , 38, 1224-32	14.5	22
126	Imaging in acute lung injury and acute respiratory distress syndrome. <i>Current Opinion in Critical Care</i> , 2012 , 18, 29-34	3.5	27

125	Use of extracorporeal respiratory support during pregnancy: a case report and literature review. <i>ASAIO Journal</i> , 2012 , 58, 281-4	3.6	20
124	Regional Lung Strain and Inflammation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 185, 229-230	10.2	1
123	A clinical assessment of the Mucus Shaver: a device to keep the endotracheal tube free from secretions. <i>Critical Care Medicine</i> , 2012 , 40, 119-24	1.4	66
122	A multicentre, randomised, open-label, controlled trial evaluating equivalence of inhalational and intravenous anaesthesia during elective craniotomy. <i>European Journal of Anaesthesiology</i> , 2012 , 29, 371-3	3.3	59
121	The Eldicus prospective, observational study of triage decision making in European intensive care units. Part II: intensive care benefit for the elderly. <i>Critical Care Medicine</i> , 2012 , 40, 132-8	1.4	133
120	Inhalation versus endovenous sedation in subarachnoid hemorrhage patients: effects on regional cerebral blood flow. <i>Critical Care Medicine</i> , 2012 , 40, 2797-804	1.4	48
119	The Eldicus prospective, observational study of triage decision making in European intensive care units: part I--European Intensive Care Admission Triage Scores. <i>Critical Care Medicine</i> , 2012 , 40, 125-31	1.4	59
118	Performance of different continuous positive airway pressure helmets equipped with safety valves during failure of fresh gas supply 2012 , 189-193		
117	The effect of a single bolus of exogenous surfactant on lung compliance persists until two weeks after treatment in a model of acid aspiration pneumonitis. <i>Pulmonary Pharmacology and Therapeutics</i> , 2011 , 24, 141-6	3.5	4
116	Extracorporeal membrane oxygenation for interhospital transfer of severe acute respiratory distress syndrome patients: 5-year experience. <i>International Journal of Artificial Organs</i> , 2011 , 34, 1052-60	1.9	35
115	Nonconventional support of respiration. <i>Current Opinion in Critical Care</i> , 2011 , 17, 527-32	3.5	14
114	Bronchopleural fistulae and pulmonary ossification in posttraumatic acute respiratory distress syndrome: successful treatment with extracorporeal support. <i>ASAIO Journal</i> , 2011 , 57, 336-40	3.6	3
113	Neurally Adjusted Ventilatory Assist (NAVA) Improves Patient-Ventilator Interaction In Severe ARDS Patients Undergoing ECMO 2011 ,		2
112	A High Significance Level after Analysis of Covariance in a Small-group Study?. <i>Anesthesiology</i> , 2011 , 114, 1244-1244	4.3	
111	Successful use of neurally adjusted ventilatory assist in a patient with extremely low respiratory system compliance undergoing ECMO. <i>Intensive Care Medicine</i> , 2011 , 37, 166-7	14.5	23
110	Fluid leakage across tracheal tube cuff, effect of different cuff material, shape, and positive expiratory pressure: a bench-top study. <i>Intensive Care Medicine</i> , 2011 , 37, 343-7	14.5	96
109	Performance of different continuous positive airway pressure helmets equipped with safety valves during failure of fresh gas supply. <i>Intensive Care Medicine</i> , 2011 , 37, 1031-5	14.5	16
108	The Italian ECMO network experience during the 2009 influenza A(H1N1) pandemic: preparation for severe respiratory emergency outbreaks. <i>Intensive Care Medicine</i> , 2011 , 37, 1447-57	14.5	259

107	Implications of ICU triage decisions on patient mortality: a cost-effectiveness analysis. <i>Critical Care</i> , 2011 , 15, R56	10.8	51
106	Tracheal secretion management in the mechanically ventilated patient: comparison of standard assessment and an acoustic secretion detector. <i>Respiratory Care</i> , 2011 , 56, 596-603	2.1	17
105	Lung regional metabolic activity and gas volume changes induced by tidal ventilation in patients with acute lung injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 183, 1193-9	10.2	144
104	Segregation of virulent influenza A(H1N1) variants in the lower respiratory tract of critically ill patients during the 2010-2011 seasonal epidemic. <i>PLoS ONE</i> , 2011 , 6, e28332	3.7	28
103	Percutaneous vascular cannulation for extracorporeal life support (ECLS): a modified technique. <i>International Journal of Artificial Organs</i> , 2010 , 33, 553-7	1.9	32
102	Intra-arrest transnasal evaporative cooling: a randomized, prehospital, multicenter study (PRINCE: Pre-ROSC IntraNasal Cooling Effectiveness). <i>Circulation</i> , 2010 , 122, 729-36	16.7	1030
101	Airway pressure and flow monitoring. <i>Current Opinion in Critical Care</i> , 2010 , 16, 255-60	3.5	13
100	Carbon dioxide dialysis will save the lung. <i>Critical Care Medicine</i> , 2010 , 38, S549-54	1.4	340
99	(18)-F-fluorodeoxyglucose positron emission tomography/computed tomography study in acute lung injury/acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2010 , 38, 348	1.4	
98	Role of absolute lung volume to assess alveolar recruitment in acute respiratory distress syndrome patients. <i>Critical Care Medicine</i> , 2010 , 38, 1300-7	1.4	30
97	Elevated plasma and alveolar levels of soluble receptor for advanced glycation endproducts are associated with severity of lung dysfunction in ARDS patients. <i>Tohoku Journal of Experimental Medicine</i> , 2010 , 222, 105-12	2.4	27
96	Prone ventilation reduces mortality in patients with acute respiratory failure and severe hypoxemia: systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2010 , 36, 585-99	14.5	377
95	Persisting high levels of plasma pentraxin 3 over the first days after severe sepsis and septic shock onset are associated with mortality. <i>Intensive Care Medicine</i> , 2010 , 36, 621-9	14.5	114
94	Imaging of lung inflammation during severe influenza A: H1N1. <i>Intensive Care Medicine</i> , 2010 , 36, 717-8	14.5	14
93	Continuous flow biphasic positive airway pressure by helmet in patients with acute hypoxic respiratory failure: effect on oxygenation. <i>Intensive Care Medicine</i> , 2010 , 36, 1688-94	14.5	8
92	Increase of oxygen consumption during a progressive decrease of ventilatory support is lower in patients failing the trial in comparison with those who succeed. <i>Anesthesiology</i> , 2010 , 113, 378-85	4.3	25
91	Prone positioning in patients with moderate and severe acute respiratory distress syndrome: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 1977-84	27.4	324
90	Is helmet CPAP first line pre-hospital treatment of presumed severe acute pulmonary edema?. <i>Intensive Care Medicine</i> , 2009 , 35, 656-62	14.5	42

89	An improved Boussignac device for the delivery of non-invasive CPAP: the SUPER-Boussignac. <i>Intensive Care Medicine</i> , 2009 , 35, 1094-9	14.5	8
88	Short-term evaluation of sedation with sevoflurane administered by the anesthetic conserving device in critically ill patients. <i>Intensive Care Medicine</i> , 2009 , 35, 1240-6	14.5	35
87	Blood acidification enhances carbon dioxide removal of membrane lung: an experimental study. <i>Intensive Care Medicine</i> , 2009 , 35, 1484-7	14.5	55
86	Anaesthesiological strategies in elective craniotomy: randomized, equivalence, open trial--the NeuroMorfeo trial. <i>Trials</i> , 2009 , 10, 19	2.8	13
85	Tight glycemic control may favor fibrinolysis in patients with sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 424-34	14.5	52
84	Extracorporeal gas exchange. <i>Current Opinion in Critical Care</i> , 2009 , 15, 52-8	3.5	29
83	Lungs of patients with acute respiratory distress syndrome show diffuse inflammation in normally aerated regions: a [18F]-fluoro-2-deoxy-D-glucose PET/CT study. <i>Critical Care Medicine</i> , 2009 , 37, 2216-22	1.4	134
82	Decreasing pulmonary ventilation through bicarbonate ultrafiltration: an experimental study. <i>Critical Care Medicine</i> , 2009 , 37, 2612-8	1.4	31
81	The concept of Baby lung	2009	375-383
80	Extracorporeal membrane oxygenation with a poly-methylpentene oxygenator (Quadrox D). The experience of a single Italian centre in adult patients with refractory cardiogenic shock. <i>ASAIO Journal</i> , 2008 , 54, 89-94	3.6	51
79	Pentraxin 3 in acute respiratory distress syndrome: an early marker of severity. <i>Critical Care Medicine</i> , 2008 , 36, 2302-8	1.4	658
78	Extravascular lung water as a predictor of mortality in acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2008 , 36, 2220-1; author reply 2221-2	1.4	8
77	Internally coated endotracheal tubes with silver sulfadiazine in polyurethane to prevent bacterial colonization: a clinical trial. <i>Intensive Care Medicine</i> , 2008 , 34, 1030-7	14.5	44
76	Tight glycemic control does not affect asymmetric-dimethylarginine in septic patients. <i>Intensive Care Medicine</i> , 2008 , 34, 1843-50	14.5	32
75	Measurement of end-expiratory lung volume by oxygen washin-washout in controlled and assisted mechanically ventilated patients. <i>Intensive Care Medicine</i> , 2008 , 34, 2235-40	14.5	26
74	Extracorporeal cardiopulmonary support for cardiogenic shock caused by pheochromocytoma: a case report and literature review. <i>Anesthesiology</i> , 2008 , 108, 959-62	4.3	15
73	Lung injury and recovery in a murine model of unilateral acid aspiration: functional, biochemical, and morphologic characterization. <i>Anesthesiology</i> , 2008 , 108, 1037-46	4.3	54
72	Danger of helmet continuous positive airway pressure during failure of fresh gas source supply. <i>Intensive Care Medicine</i> , 2007 , 33, 153-7	14.5	29

71	Measurement of pressure-time product during spontaneous assisted breathing by rapid interrupter technique. <i>Anesthesiology</i> , 2007 , 106, 484-90	4.3	18
70	A systematic approach to substernal epicardial echocardiographic examination. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2007 , 21, 237-42	2.1	3
69	Early stroke care in Italy--a steep way ahead: an observational study. <i>Emergency Medicine Journal</i> , 2006 , 23, 608-11	1.5	4
68	Prospective performance evaluation of emergency medical services for cardiac arrest in Lombardia: is something moving forward?. <i>European Journal of Emergency Medicine</i> , 2006 , 13, 192-6	2.3	3
67	The concept of Baby lung 2006 , 303-311		4
66	Hemodynamic instability after cardiac surgery: transesophageal echocardiographic diagnosis of a localized pericardial tamponade. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2005 , 19, 775-6	2.1	8
65	Measurement of pulmonary edema in patients with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2005 , 33, 2547-54	1.4	65
64	The concept of "baby lung". <i>Intensive Care Medicine</i> , 2005 , 31, 776-84	14.5	508
63	Lung volume in mechanically ventilated patients: measurement by simplified helium dilution compared to quantitative CT scan. <i>Intensive Care Medicine</i> , 2004 , 30, 282-289	14.5	50
62	Application of guidelines for severe head trauma: data from an Italian database. <i>European Journal of Emergency Medicine</i> , 2003 , 10, 68-72	2.3	5
61	Decrease in PaCO ₂ with prone position is predictive of improved outcome in acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2003 , 31, 2727-33	1.4	184
60	Head helmet versus face mask for non-invasive continuous positive airway pressure: a physiological study. <i>Intensive Care Medicine</i> , 2003 , 29, 1680-7	14.5	102
59	Low tidal volume, high respiratory rate and auto-PEEP: the importance of the basics. <i>Critical Care</i> , 2003 , 7, 105-6	10.8	12
58	Translaryngeal tracheostomy in acute respiratory distress syndrome patients. <i>Intensive Care Medicine</i> , 2002 , 28, 726-30	14.5	5
57	Emergency system prospective performance evaluation for cardiac arrest in Lombardia, an Italian region. <i>Resuscitation</i> , 2002 , 55, 247-54	4	9
56	Statement of the 4th International Consensus Conference in Critical Care on ICU-Acquired Pneumonia--Chicago, Illinois, May 2002. <i>Intensive Care Medicine</i> , 2002 , 28, 1521-36	14.5	107
55	Prone positioning of patients with acute respiratory failure. <i>New England Journal of Medicine</i> , 2002 , 346, 295-7	59.2	8
54	Sigh improves gas exchange and lung volume in patients with acute respiratory distress syndrome undergoing pressure support ventilation. <i>Anesthesiology</i> , 2002 , 96, 788-94	4.3	91

53	Laparoscopy Is Contraindicated in Neurotrauma Patients? There Is Certainly a Doubt!. <i>Critical Care Medicine</i> , 2002 , 30, 2403	1.4	
52	Extracorporeal circulation for acute respiratory failure. <i>Intensive Care Medicine</i> , 2001 , 27, 934-6	14.5	4
51	Computerised tomography scan imaging in acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2001 , 27, 631-9	14.5	19
50	Closed system endotracheal suctioning maintains lung volume during volume-controlled mechanical ventilation. <i>Intensive Care Medicine</i> , 2001 , 27, 648-54	14.5	96
49	Effect of prone positioning on the survival of patients with acute respiratory failure. <i>New England Journal of Medicine</i> , 2001 , 345, 568-73	59.2	894
48	Induced abdominal compartment syndrome increases intracranial pressure in neurotrauma patients: a prospective study. <i>Critical Care Medicine</i> , 2001 , 29, 1466-71	1.4	167
47	Hemodynamic and gas exchange response to inhaled nitric oxide and prone positioning in acute respiratory distress syndrome patients. <i>Critical Care Medicine</i> , 2000 , 28, 2707-12	1.4	38
46	Effects of periodic lung recruitment maneuvers on gas exchange and respiratory mechanics in mechanically ventilated acute respiratory distress syndrome (ARDS) patients. <i>Intensive Care Medicine</i> , 2000 , 26, 501-7	14.5	131
45	Control of fever by continuous, low-dose diclofenac sodium infusion in acute cerebral damage patients. <i>Intensive Care Medicine</i> , 2000 , 26, 552-7	14.5	28
44	Pressure support ventilation in patients with acute lung injury. <i>Critical Care Medicine</i> , 2000 , 28, 1269-75	1.4	77
43	Reverse-thrust ventilation in hypercapnic patients with acute respiratory distress syndrome. Acute physiological effects. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000 , 162, 363-8	10.2	8
42	Potential Carry-over Effect Because of Non-randomization of Intervention Order. <i>Critical Care Medicine</i> , 2000 , 28, 909	1.4	
41	How to Open the Lung? The Unsolved Question. <i>Anesthesiology</i> , 2000 , 93, 1155-1155	4.3	
40	Adult respiratory distress syndrome due to pulmonary and extrapulmonary causes: CT, clinical, and functional correlations. <i>Radiology</i> , 1999 , 213, 545-52	20.5	159
39	Effects of continuous negative extrathoracic pressure versus positive end-expiratory pressure in acute lung injury patients. <i>Critical Care Medicine</i> , 1998 , 26, 1025-31	1.4	32
38	End-inspiratory airway occlusion: a method to assess the pressure developed by inspiratory muscles in patients with acute lung injury undergoing pressure support. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997 , 156, 1210-6	10.2	59
37	Lung and chest wall mechanics in normal anaesthetized subjects and in patients with COPD at different PEEP levels. <i>European Respiratory Journal</i> , 1997 , 10, 2545-52	13.6	13
36	Caesarean delivery of a patient with truncus arteriosus. <i>International Journal of Obstetric Anesthesia</i> , 1997 , 6, 279-84	2.1	6

35	Positive end-expiratory pressure prevents the loss of respiratory compliance during low tidal volume ventilation in acute lung injury patients. <i>Chest</i> , 1996 , 109, 480-5	5.3	58
34	Goal-oriented hemodynamic therapy. <i>New England Journal of Medicine</i> , 1996 , 334, 799; author reply 800	59.2	13
33	Tissue hypoxia 1996 , 22, 1250		1
32	A trial of goal-oriented hemodynamic therapy in critically ill patients. SvO2 Collaborative Group. <i>New England Journal of Medicine</i> , 1995 , 333, 1025-32	59.2	1241
31	Sympathetic modulation of radial artery compliance in congestive heart failure. <i>Hypertension</i> , 1995 , 26, 348-54	8.5	71
30	Lung structure and function in different stages of severe adult respiratory distress syndrome. <i>JAMA - Journal of the American Medical Association</i> , 1994 , 271, 1772-1779	27.4	208
29	Effects of short-term oxygenation changes on acute lung injury patients undergoing pressure support ventilation. <i>Chest</i> , 1993 , 103, 1185-9	5.3	27
28	Respiratory mechanics and bronchodilator responsiveness in patients with the adult respiratory distress syndrome. <i>Critical Care Medicine</i> , 1993 , 21, 78-83	1.4	45
27	An interrupter technique for measuring respiratory mechanics and the pressure generated by respiratory muscles during partial ventilatory support. <i>Chest</i> , 1992 , 102, 918-23	5.3	30
26	Body position changes redistribute lung computed-tomographic density in patients with acute respiratory failure. <i>Anesthesiology</i> , 1991 , 74, 15-23	4.3	465
25	The value of portable chest roentgenography in adult respiratory distress syndrome. Comparison with computed tomography. <i>Chest</i> , 1991 , 100, 762-9	5.3	27
24	CT scan in ARDS: clinical and physiopathological insights. <i>Acta Anaesthesiologica Scandinavica</i> , 1991 , 95, 87-94; discussion 94-6	1.9	66
23	The effects of positive end-expiratory pressure on respiratory resistance in patients with the adult respiratory distress syndrome and in normal anesthetized subjects. <i>The American Review of Respiratory Disease</i> , 1991 , 144, 101-7		65
22	Percutaneous extracorporeal CO2 removal in a patient with bullous emphysema with recurrent bilateral pneumothoraces and respiratory failure. <i>Anesthesiology</i> , 1990 , 72, 571-3	4.3	33
21	Relationships between lung computed tomographic density, gas exchange, and PEEP in acute respiratory failure. <i>Anesthesiology</i> , 1988 , 69, 824-32	4.3	501
20	Pulmonary microthrombosis in severe adult respiratory distress syndrome. <i>Critical Care Medicine</i> , 1988 , 16, 111-3	1.4	53
19	Pressure-volume curve of total respiratory system in acute respiratory failure. Computed tomographic scan study. <i>The American Review of Respiratory Disease</i> , 1987 , 136, 730-6		694
18	Amiodarone induced phospholipidosis. Biochemical, morphological and functional changes in the lungs of rats chronically treated with amiodarone. <i>Biochemical Pharmacology</i> , 1987 , 36, 3209-14	6	33

17	Clinical pharmacological and therapeutic considerations in general intensive care. A review. <i>Drugs</i> , 1987 , 34, 662-94	12.1	1
16	Volume/pressure curve of total respiratory system in paralysed patients: artefacts and correction factors. <i>Intensive Care Medicine</i> , 1987 , 13, 19-25	14.5	100
15	Antipyretic therapy in ICU patients: evaluation of low dose diclofenac sodium. <i>Intensive Care Medicine</i> , 1986 , 12, 370-3	14.5	17
14	Low-frequency positive-pressure ventilation with extracorporeal CO ₂ removal in severe acute respiratory failure. <i>JAMA - Journal of the American Medical Association</i> , 1986 , 256, 881-886	27.4	393
13	Mean airway pressure vs. positive end-expiratory pressure during mechanical ventilation. <i>Critical Care Medicine</i> , 1985 , 13, 34-7	1.4	96
12	The role of total static lung compliance in the management of severe ARDS responsive to conventional therapy. <i>Intensive Care Medicine</i> , 1985 , 11, 163-4	14.5	
11	Tracheal and alveolar gas composition during low-frequency positive pressure ventilation with extracorporeal CO ₂ -removal (LFPPV-ECCO ₂ R). <i>Intensive Care Medicine</i> , 1985 , 11, 213-7	14.5	6
10	The main determinants of nitrogen balance during total parenteral nutrition in critically ill injured patients. <i>Intensive Care Medicine</i> , 1984 , 10, 251-4	14.5	28
9	The role of total static lung compliance in the management of severe ARDS unresponsive to conventional treatment. <i>Intensive Care Medicine</i> , 1984 , 10, 121-6	14.5	121
8	Nutritional support to long-term anesthetized and curarized patients under extracorporeal respiratory assist for terminal pulmonary failure. <i>Journal of Parenteral and Enteral Nutrition</i> , 1983 , 7, 50-4	4.2	16
7	A new look at therapy of the adult respiratory distress syndrome: motionless lungs. <i>International Anesthesiology Clinics</i> , 1983 , 21, 97-117	0.6	44
6	Venous admixture (Q _{va} /Q) and true shunt (Q _s /Q _t) in ARF patients: effects of PEEP at constant FIO ₂ . <i>Intensive Care Medicine</i> , 1983 , 9, 307-11	14.5	15
5	The editor, <i>Intensive care medicine</i> □ <i>Intensive Care Medicine</i> , 1983 , 9, 100-102	14.5	
4	Prevention of hyaline membrane disease in premature lambs by apneic oxygenation and extracorporeal carbon dioxide removal. <i>Intensive Care Medicine</i> , 1982 , 8, 11-7	14.5	37
3	Simple estimate of the true right to left shunt (Q _s /Q _t) at maintenance FIO ₂ by sulphur hexafluoride retention. <i>Intensive Care Medicine</i> , 1982 , 8, 283-6	14.5	19
2	Treatment of acute respiratory failure with low-frequency positive-pressure ventilation and extracorporeal removal of CO ₂ . <i>Lancet, The</i> , 1980 , 2, 292-4	40	196
1	New susceptibility loci for severe COVID-19 by detailed GWAS analysis in European populations		2