

Sophia S Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8424970/publications.pdf>

Version: 2024-02-01

218
papers

12,151
citations

27035

58
h-index

36203

101
g-index

224
all docs

224
docs citations

224
times ranked

15467
citing authors

#	ARTICLE	IF	CITATIONS
1	Environmental Influences on Sleep in the California Teachers Study Cohort. <i>American Journal of Epidemiology</i> , 2022, 191, 1532-1539.	1.6	12
2	Host characteristics associated with serologic inflammatory biomarkers in women. <i>Cytokine</i> , 2022, 149, 155726.	1.4	2
3	Body size and risk of non-Hodgkin lymphoma by subtype: A pooled analysis from six prospective cohorts in the United States. <i>British Journal of Haematology</i> , 2022, 197, 714-727.	1.2	8
4	A Genome-Wide Gene-Based Gene-Environment Interaction Study of Breast Cancer in More than 90,000 Women. <i>Cancer Research Communications</i> , 2022, 2, 211-219.	0.7	6
5	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110.	1.1	4
6	Distinct Reproductive Risk Profiles for Intrinsic-Like Breast Cancer Subtypes: Pooled Analysis of Population-Based Studies. <i>Journal of the National Cancer Institute</i> , 2022, 114, 1706-1719.	3.0	14
7	Anthropometric traits and risk of multiple myeloma: a pooled prospective analysis. <i>British Journal of Cancer</i> , 2022, 127, 1296-1303.	2.9	2
8	Genetic variation near CXCL12 is associated with susceptibility to HIV-related non-Hodgkin lymphoma. <i>Haematologica</i> , 2021, 106, 2233-2241.	1.7	4
9	CYP3A7*1C allele: linking premenopausal oestrone and progesterone levels with risk of hormone receptor-positive breast cancers. <i>British Journal of Cancer</i> , 2021, 124, 842-854.	2.9	5
10	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
11	Chronotype and risk of post-menopausal endometrial cancer in the California Teachers Study. <i>Chronobiology International</i> , 2021, 38, 1151-1161.	0.9	14
12	Occupational insecticide exposure and risk of non-Hodgkin lymphoma: A pooled case-control study from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2021, 149, 1768-1786.	2.3	13
13	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021, 108, 1190-1203.	2.6	6
14	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. <i>British Journal of Cancer</i> , 2021, 125, 1135-1145.	2.9	9
15	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 623-642.	1.1	19
16	Mammography screening and mortality by risk status in the California teachers study. <i>BMC Cancer</i> , 2021, 21, 1341.	1.1	4
17	Inherited variants at 3q13.33 and 3p24.1 are associated with risk of diffuse large B-cell lymphoma and implicate immune pathways. <i>Human Molecular Genetics</i> , 2020, 29, 70-79.	1.4	17
18	Modernizing Population Sciences in the Digital Age. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 712-713.	1.1	0

#	ARTICLE	IF	CITATIONS
19	Using Marketing Automation to Modernize Data Collection in the California Teachers Study Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 714-723.	1.1	7
20	Insights from Adopting a Data Commons Approach for Large-scale Observational Cohort Studies: The California Teachers Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 777-786.	1.1	12
21	Follicular lymphoma polygenic risk score is associated with increased disease risk but improved overall survival among women in a population based case-control in Los Angeles County California. <i>Cancer Epidemiology</i> , 2020, 65, 101688.	0.8	3
22	Infectious mononucleosis, immune genotypes, and non-Hodgkin lymphoma (NHL): an InterLymph Consortium study. <i>Cancer Causes and Control</i> , 2020, 31, 451-462.	0.8	4
23	Assessing Cancer Treatment Information Using Medicare and Hospital Discharge Data among Women with Non-Hodgkin Lymphoma in a Los Angeles County Caseâ€“Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 936-941.	1.1	3
24	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	1.1	13
25	Outdoor artificial light at night and risk of non-Hodgkin lymphoma among women in the California Teachers Study cohort. <i>Cancer Epidemiology</i> , 2020, 69, 101811.	0.8	15
26	Physical Activity, Hormone Therapy Use, and Stroke Risk among Women in the California Teachers Study Cohort. <i>Neuroepidemiology</i> , 2020, 54, 320-325.	1.1	3
27	Genetic overlap between autoimmune diseases and nonâ€“Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	0.6	28
28	Chronotype and postmenopausal breast cancer risk among women in the California Teachers Study. <i>Chronobiology International</i> , 2019, 36, 1504-1514.	0.9	25
29	The association between HLA and non-Hodgkin lymphoma subtypes, among a transplant-indicated population. <i>Leukemia and Lymphoma</i> , 2019, 60, 2899-2908.	0.6	9
30	Presentation and survival of multiple myeloma patients in Ghana: a review of 9 cases. <i>Ghana Medical Journal</i> , 2019, 53, 52.	0.1	17
31	Host genetic variation in tumor necrosis factor and nuclear factorâ€“B pathways and overall survival in mantle cell lymphoma: A discovery and replication study. <i>American Journal of Hematology</i> , 2019, 94, E153-E155.	2.0	1
32	Aspirin reduces long-term stroke risk in women with prior hypertensive disorders of pregnancy. <i>Neurology</i> , 2019, 92, e305-e316.	1.5	39
33	Pregnancyâ€“related factors and risk of Bâ€“cell nonâ€“Hodgkin lymphoma among women in Los Angeles. <i>British Journal of Haematology</i> , 2019, 186, 133-137.	1.2	1
34	Cytologic patterns of cervical adenocarcinomas with emphasis on factors associated with underdiagnosis. <i>Cancer Cytopathology</i> , 2018, 126, 950-958.	1.4	12
35	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.4	34
36	Disparities in hepatocellular carcinoma incidence by race/ethnicity and geographic area in California: Implications for prevention. <i>Cancer</i> , 2018, 124, 3551-3559.	2.0	20

#	ARTICLE	IF	CITATIONS
37	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , 2018, 75, 798-806.	1.3	12
38	HLA and KIR Associations of Cervical Neoplasia. <i>Journal of Infectious Diseases</i> , 2018, 218, 2006-2015.	1.9	22
39	Evaluating the use of friend or family controls in epidemiologic case-control studies. <i>Cancer Epidemiology</i> , 2017, 46, 9-13.	0.8	7
40	Sun sensitivity, indoor tanning and B-cell non-Hodgkin lymphoma risk among Caucasian women in Los Angeles County. <i>British Journal of Haematology</i> , 2017, 177, 153-156.	1.2	8
41	Trajectories in Leisure-Time Physical Activity and Risk of Stroke in Women in the California Teachers Study. <i>Stroke</i> , 2017, 48, 2346-2352.	1.0	20
42	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	1.1	15
43	Distribution of cell types differs in Papanicolaou tests of squamous cell carcinomas and adenocarcinomas. <i>Journal of the American Society of Cytopathology</i> , 2017, 6, 10-15.	0.2	3
44	Defining the genetic susceptibility to cervical neoplasia—A genome-wide association study. <i>PLoS Genetics</i> , 2017, 13, e1006866.	1.5	105
45	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , 2016, 175, 87-101.	1.2	43
46	Recreational physical activity and risk of triple negative breast cancer in the California Teachers Study. <i>Breast Cancer Research</i> , 2016, 18, 62.	2.2	26
47	Breast implants and anaplastic large cell lymphomas among females in the California Teachers Study cohort. <i>British Journal of Haematology</i> , 2016, 174, 480-483.	1.2	13
48	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	5.8	94
49	Novel polymorphisms in caspase-8 are associated with breast cancer risk in the California Teachers Study. <i>BMC Cancer</i> , 2016, 16, 14.	1.1	18
50	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	1.4	52
51	Chromosomal copy number alterations and HPV integration in cervical precancer and invasive cancer. <i>Carcinogenesis</i> , 2016, 37, 188-196.	1.3	41
52	A Pooled Analysis of Reproductive Factors, Exogenous Hormone Use, and Risk of Multiple Myeloma among Women in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 217-221.	1.1	6
53	Detection of HPV DNA in paraffin-embedded cervical samples: a comparison of four genotyping methods. <i>BMC Infectious Diseases</i> , 2015, 15, 544.	1.3	40
54	Further Confirmation of Germline Glioma Risk Variant rs78378222 in TP53 and Its Implication in Tumor Tissues via Integrative Analysis of TCGA Data. <i>Human Mutation</i> , 2015, 36, 684-688.	1.1	19

#	ARTICLE	IF	CITATIONS
55	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	5.8	58
56	Non-Hodgkin Lymphoma, Body Mass Index, and Cytokine Polymorphisms: A Pooled Analysis from the InterLymph Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1061-1070.	1.1	8
57	Invited Commentary: E Pluribus Unum for Epidemiology. <i>American Journal of Epidemiology</i> , 2015, 183, kww236.	1.6	1
58	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	1.6	54
59	Molecular transitions from papillomavirus infection to cervical precancer and cancer: Role of stromal estrogen receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E3255-64.	3.3	197
60	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Diffuse Large B-Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 15-25.	0.9	98
61	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 1-14.	0.9	52
62	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mycosis Fungoides and Sezary Syndrome: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 98-105.	0.9	42
63	Human Leukocyte Antigen Class I and II Alleles and Cervical Adenocarcinoma. <i>Frontiers in Oncology</i> , 2014, 4, 119.	1.3	23
64	Molecular characteristics of diffuse large B-cell lymphoma in human immunodeficiency virus-infected and -uninfected patients in the pre-highly active antiretroviral therapy and pre-rituximab era. <i>Leukemia and Lymphoma</i> , 2014, 55, 551-557.	0.6	24
65	Body size and multiple myeloma mortality: a pooled analysis of 20 prospective studies. <i>British Journal of Haematology</i> , 2014, 166, 667-676.	1.2	90
66	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	1.4	90
67	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Marginal Zone Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 52-65.	0.9	70
68	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Peripheral T-Cell Lymphomas: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 66-75.	0.9	52
69	Personal History of Diabetes, Genetic Susceptibility to Diabetes, and Risk of Brain Glioma: A Pooled Analysis of Observational Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 47-54.	1.1	31
70	Evaluation of a multiplex panel of immune-related markers in cervical secretions: A methodologic study. <i>International Journal of Cancer</i> , 2014, 134, 411-425.	2.3	18
71	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	0.9	265
72	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	9.4	147

#	ARTICLE	IF	CITATIONS
73	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	2.6	96
74	Medication use and multiple myeloma risk in Los Angeles County. <i>Cancer Causes and Control</i> , 2014, 25, 1233-1237.	0.8	6
75	Factors associated with reduced accuracy in Papanicolaou tests for patients with invasive cervical cancer. <i>Cancer Cytopathology</i> , 2014, 122, 694-701.	1.4	14
76	Body Mass Index and Risk of Death in Asian Americans. <i>American Journal of Public Health</i> , 2014, 104, 520-525.	1.5	25
77	Heterogeneity of high-grade cervical intraepithelial neoplasia related to HPV16: Implications for natural history and management. <i>International Journal of Cancer</i> , 2013, 132, 148-154.	2.3	28
78	Joint effects between five identified risk variants, allergy, and autoimmune conditions on glioma risk. <i>Cancer Causes and Control</i> , 2013, 24, 1885-1891.	0.8	23
79	The role of co-factors in the progression from human papillomavirus infection to cervical cancer. <i>Gynecologic Oncology</i> , 2013, 128, 265-270.	0.6	105
80	Known glioma risk loci are associated with glioma with a family history of brain tumours—a case-control gene association study. <i>International Journal of Cancer</i> , 2013, 132, 2464-2468.	2.3	22
81	Anthropometric, behavioral, and female reproductive factors and risk of multiple myeloma: a pooled analysis. <i>Cancer Causes and Control</i> , 2013, 24, 1279-1289.	0.8	11
82	Smoking, variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma: a pooled analysis within the InterLymph consortium. <i>Cancer Causes and Control</i> , 2013, 24, 125-134.	0.8	20
83	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	9.4	179
84	Reproducibility of Linear Array for Human Papillomavirus Genotyping. <i>Journal of Clinical Microbiology</i> , 2013, 51, 625-628.	1.8	9
85	Confirmation of the Reported Association of Clonal Chromosomal Mosaicism with an Increased Risk of Incident Hematologic Cancer. <i>PLoS ONE</i> , 2013, 8, e59823.	1.1	26
86	Epidemiology and Prognosis of T-Cell Lymphoma. , 2013, , 25-39.		24
87	Abstract PR07: Body size and multiple myeloma mortality: A pooled analysis of 20 prospective studies. <i>Cancer Prevention Research</i> , 2013, 6, PR07-PR07.	0.7	4
88	Association between adult height, genetic susceptibility and risk of glioma. <i>International Journal of Epidemiology</i> , 2012, 41, 1075-1085.	0.9	26
89	LIM domain only 2 protein expression, <i>LMO2</i> germline genetic variation, and overall survival in diffuse large B-cell lymphoma in the pre-rituximab era. <i>Leukemia and Lymphoma</i> , 2012, 53, 1105-1112.	0.6	5
90	Human Papillomavirus Load Measured by Linear Array Correlates with Quantitative PCR in Cervical Cytology Specimens. <i>Journal of Clinical Microbiology</i> , 2012, 50, 1564-1570.	1.8	26

#	ARTICLE	IF	CITATIONS
91	PRRC2A and BCL2L11 gene variants influence risk of non-Hodgkin lymphoma: results from the InterLymph consortium. <i>Blood</i> , 2012, 120, 4645-4648.	0.6	34
92	Genome-wide association study of glioma and meta-analysis. <i>Human Genetics</i> , 2012, 131, 1877-1888.	1.8	222
93	Tubal ligation frequency in Oklahoma women with cervical cancer. <i>Gynecologic Oncology</i> , 2012, 127, 278-282.	0.6	7
94	Clinical and Pathological Heterogeneity of Cervical Intraepithelial Neoplasia Grade 3. <i>PLoS ONE</i> , 2012, 7, e29051.	1.1	13
95	Inherited genetic variation and overall survival following follicular lymphoma. <i>American Journal of Hematology</i> , 2012, 87, 724-726.	2.0	13
96	Single Nucleotide Polymorphisms in the PRDX3 and RPS19 and Risk of HPV Persistence and Cervical Precancer/Cancer. <i>PLoS ONE</i> , 2012, 7, e33619.	1.1	37
97	Human Leukocyte Antigen Class I and II Alleles and Overall Survival in Diffuse Large B-Cell Lymphoma and Follicular Lymphoma. <i>Scientific World Journal</i> , The, 2011, 11, 2062-2070.	0.8	12
98	Variation in Effects of Non-Hodgkin Lymphoma Risk Factors According to the Human Leukocyte Antigen (HLA)-DRB1*01:01 Allele and Ancestral Haplotype 8.1. <i>PLoS ONE</i> , 2011, 6, e26949.	1.1	11
99	Risk of Cervical Intraepithelial Neoplasia 2+ Among Women With a History of Previous Treatment for Cervical Intraepithelial Neoplasia. <i>Journal of Lower Genital Tract Disease</i> , 2011, 15, 11-14.	0.9	3
100	Adulthood residential ultraviolet radiation, sun sensitivity, dietary vitamin D, and risk of lymphoid malignancies in the California Teachers Study. <i>Blood</i> , 2011, 118, 1591-1599.	0.6	69
101	Genetic variation in Th1/Th2 pathway genes and risk of non-Hodgkin lymphoma: a pooled analysis of three population-based case-control studies. <i>British Journal of Haematology</i> , 2011, 153, 341-350.	1.2	34
102	A pooled analysis of three studies evaluating genetic variation in innate immunity genes and non-Hodgkin lymphoma risk. <i>British Journal of Haematology</i> , 2011, 152, 721-726.	1.2	29
103	Dietary phytochemicals and risk of lymphoid malignancies in the California Teachers Study cohort. <i>Cancer Causes and Control</i> , 2011, 22, 237-249.	0.8	16
104	HPV16 variant lineage, clinical stage, and survival in women with invasive cervical cancer. <i>Infectious Agents and Cancer</i> , 2011, 6, 19.	1.2	25
105	Risk factors for non-Hodgkin lymphoma subtypes defined by histology and t(14;18) in a population-based case-control study. <i>International Journal of Cancer</i> , 2011, 129, 938-947.	2.3	14
106	Oral contraceptives, menopausal hormone therapy use and risk of B-cell non-Hodgkin lymphoma in the California Teachers Study. <i>International Journal of Cancer</i> , 2011, 129, 974-982.	2.3	22
107	Joint Associations Between Genetic Variants and Reproductive Factors in Glioma Risk Among Women. <i>American Journal of Epidemiology</i> , 2011, 174, 901-908.	1.6	27
108	Cigarette Smoking, Passive Smoking, and Non-Hodgkin Lymphoma Risk: Evidence From the California Teachers Study. <i>American Journal of Epidemiology</i> , 2011, 174, 563-573.	1.6	29

#	ARTICLE	IF	CITATIONS
109	Variations in Chromosomes 9 and 6p21.3 with Risk of Non-Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 42-49.	1.1	17
110	Lymphoid Malignancies in U.S. Asians: Incidence Rate Differences by Birthplace and Acculturation. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1064-1077.	1.1	77
111	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. <i>PLoS Genetics</i> , 2011, 7, e1001378.	1.5	93
112	Immunostaining to identify molecular subtypes of diffuse large B-cell lymphoma in a population-based epidemiologic study in the pre-rituximab era. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 245-52.	0.4	7
113	Seroprevalence and Correlates of Human Papillomavirus 16/18 Seropositivity Among Young Women in Costa Rica. <i>Sexually Transmitted Diseases</i> , 2010, 37, 706-714.	0.8	27
114	Human leukocyte antigen class I and II alleles in non-Hodgkin lymphoma etiology. <i>Blood</i> , 2010, 115, 4820-4823.	0.6	68
115	Cervical cancer incidence among 6 Asian ethnic groups in the United States, 1996 through 2004. <i>Cancer</i> , 2010, 116, 949-956.	2.0	68
116	Smoking, alcohol use, obesity, and overall survival from non-Hodgkin lymphoma. <i>Cancer</i> , 2010, 116, 2993-3000.	2.0	68
117	Common single nucleotide polymorphisms in immunoregulatory genes and multiple myeloma risk among women in Connecticut. <i>American Journal of Hematology</i> , 2010, 85, 560-563.	2.0	21
118	Polymorphisms in DNA repair genes and risk of non-Hodgkin lymphoma in a pooled analysis of three studies. <i>British Journal of Haematology</i> , 2010, 151, 239-244.	1.2	18
119	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010, 42, 661-664.	9.4	152
120	Common Genetic Variants and Risk for HPV Persistence and Progression to Cervical Cancer. <i>PLoS ONE</i> , 2010, 5, e8667.	1.1	104
121	Parents' Ages at Birth and Risk of Adult-onset Hematologic Malignancies Among Female Teachers in California. <i>American Journal of Epidemiology</i> , 2010, 171, 1262-1269.	1.6	25
122	Tumor Necrosis Factor (TNF) and Lymphotoxin- α (LTA) Polymorphisms and Risk of Non-Hodgkin Lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , 2010, 171, 267-276.	1.6	128
123	Alcohol Consumption Over Time and Risk of Lymphoid Malignancies in the California Teachers Study Cohort. <i>American Journal of Epidemiology</i> , 2010, 172, 1373-1383.	1.6	25
124	Risk of Meningioma and Common Variation in Genes Related to Innate Immunity. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1356-1361.	1.1	41
125	Genetic Epidemiology. , 2010, , 617-634.		0
126	Unraveling the interactions between environmental factors and genetic polymorphisms in non-Hodgkin lymphoma risk. <i>Expert Review of Anticancer Therapy</i> , 2010, 10, 403-413.	1.1	11

#	ARTICLE	IF	CITATIONS
127	Genetic Admixture and Population Substructure in Guanacaste Costa Rica. <i>PLoS ONE</i> , 2010, 5, e13336.	1.1	16
128	Risk of Non-Hodgkin Lymphoma Associated with Germline Variation in Genes that Regulate the Cell Cycle, Apoptosis, and Lymphocyte Development. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1259-1270.	1.1	59
129	Human Papillomavirus Cofactors by Disease Progression and Human Papillomavirus Types in the Study to Understand Cervical Cancer Early Endpoints and Determinants. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 113-120.	1.1	76
130	Common Genetic Variation in <i>TP53</i> and Risk of Human Papillomavirus Persistence and Progression to CIN3/Cancer Revisited. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1631-1637.	1.1	23
131	Common Variation in Genes Related to Innate Immunity and Risk of Adult Glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1651-1658.	1.1	60
132	Utility of methylation markers in cervical cancer early detection: Appraisal of the state-of-the-science. <i>Gynecologic Oncology</i> , 2009, 112, 293-299.	0.6	247
133	Accuracy of cervical specimens obtained for biomarker studies in women with CIN3. <i>Gynecologic Oncology</i> , 2009, 115, 493-496.	0.6	24
134	Grading the severity of cervical neoplasia based on combined histopathology, cytopathology, and HPV genotype distribution among 1,700 women referred to colposcopy in Oklahoma. <i>International Journal of Cancer</i> , 2009, 124, 964-969.	2.3	76
135	Reproductive factors, exogenous hormone use and risk of lymphoid neoplasms among women in the National Institutes of Health AARP Diet and Health Study Cohort. <i>International Journal of Cancer</i> , 2009, 124, 2737-2743.	2.3	35
136	Common genetic variants and risk for non-Hodgkin lymphoma and adult T-cell lymphoma/leukemia in Jamaica. <i>International Journal of Cancer</i> , 2009, 125, 1479-1482.	2.3	11
137	Multiple human papillomavirus genotype infections in cervical cancer progression in the study to understand cervical cancer early endpoints and determinants. <i>International Journal of Cancer</i> , 2009, 125, 2151-2158.	2.3	165
138	Association of HPV16 E6 variants with diagnostic severity in cervical cytology samples of 354 women in a US population. <i>International Journal of Cancer</i> , 2009, 125, 2609-2613.	2.3	69
139	Relationship between interferon regulatory factor 4 genetic polymorphisms, measures of sun sensitivity and risk for non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2009, 20, 1291-1302.	0.8	15
140	SLC6A3 and body mass index in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. <i>BMC Medical Genetics</i> , 2009, 10, 9.	2.1	4
141	Genetic variation in caspase genes and risk of non-Hodgkin lymphoma: a pooled analysis of 3 population-based case-control studies. <i>Blood</i> , 2009, 114, 264-267.	0.6	42
142	A pooled investigation of Toll-like receptor gene variants and risk of non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2009, 30, 275-281.	1.3	75
143	Common Variants in Immune and DNA Repair Genes and Risk for Human Papillomavirus Persistence and Progression to Cervical Cancer. <i>Journal of Infectious Diseases</i> , 2009, 199, 20-30.	1.9	107
144	Organochlorine exposure, immune gene variation, and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2009, 113, 1899-1905.	0.6	39

#	ARTICLE	IF	CITATIONS
145	Common Gene Variants in the Tumor Necrosis Factor (TNF) and TNF Receptor Superfamilies and NF- κ B Transcription Factors and Non-Hodgkin Lymphoma Risk. PLoS ONE, 2009, 4, e5360.	1.1	88
146	Vegetables- and antioxidant-related nutrients, genetic susceptibility, and non-Hodgkin lymphoma risk. Cancer Causes and Control, 2008, 19, 491-503.	0.8	14
147	Incidence of lymphoid neoplasms by subtype among six Asian ethnic groups in the United States, 1996-2004. Cancer Causes and Control, 2008, 19, 1171-1181.	0.8	45
148	Chromosomal Aberrations in Peripheral Blood Lymphocytes and Risk for Non-Hodgkin Lymphoma. Journal of the National Cancer Institute Monographs, 2008, 2008, 78-82.	0.9	4
149	Re: Hair dye use, genetic variation in N -acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma, author response. Carcinogenesis, 2008, 29, 1084-1085.	1.3	1
150	Identification of Novel Methylation Markers in Cervical Cancer Using Restriction Landmark Genomic Scanning. Cancer Research, 2008, 68, 2489-2497.	0.4	63
151	Host immune gene polymorphisms in combination with clinical and demographic factors predict late survival in diffuse large B-cell lymphoma patients in the pre-rituximab era. Blood, 2008, 112, 2694-2702.	0.6	64
152	Etiologic heterogeneity among non-Hodgkin lymphoma subtypes. Blood, 2008, 112, 5150-5160.	0.6	148
153	Family History of Cancer and Risk of Lymphoma: Influence of IL8RB, GGH IVS7 and IL10 Polymorphisms.. Blood, 2008, 112, 1777-1777.	0.6	0
154	Impact of interleukin-10 polymorphisms (1082 and 3575) on the survival of patients with lymphoid neoplasms. Haematologica, 2007, 92, 1475-1481.	1.7	26
155	Human Papillomavirus (HPV) Genotyping Using Paired Exfoliated Cervicovaginal Cells and Paraffin-Embedded Tissues To Highlight Difficulties in Attributing HPV Types to Specific Lesions. Journal of Clinical Microbiology, 2007, 45, 3245-3250.	1.8	39
156	Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma. Carcinogenesis, 2007, 28, 1759-1764.	1.3	39
157	Family history of hematopoietic malignancies and risk of non-Hodgkin lymphoma (NHL): a pooled analysis of 10,211 cases and 11,905 controls from the international Lymphoma Epidemiology Consortium (InterLymph). Blood, 2007, 109, 3479-3488.	0.6	159
158	Gene-nutrient interactions among determinants of folate and one-carbon metabolism on the risk of non-Hodgkin lymphoma: NCI-SEER Case-Control Study. Blood, 2007, 109, 3050-3059.	0.6	86
159	NHL and genomic variability in RAG1 and BRCA2. Blood, 2007, 109, 5523-5523.	0.6	0
160	Flexible Design for Following Up Positive Findings. American Journal of Human Genetics, 2007, 81, 540-551.	2.6	47
161	Publishing on genes and lymphoma in the era of "big science". Leukemia and Lymphoma, 2007, 48, 2091-2092.	0.6	0
162	Prognostic significance of host immune gene polymorphisms in follicular lymphoma survival. Blood, 2007, 109, 5439-5446.	0.6	109

#	ARTICLE	IF	CITATIONS
163	Immune Mechanisms in Non-Hodgkin Lymphoma: Joint Effects of the TNF G308A and IL10 T3575A Polymorphisms with Non-Hodgkin Lymphoma Risk Factors. <i>Cancer Research</i> , 2007, 67, 5042-5054.	0.4	57
164	Polymorphisms in Apoptosis and Cell Cycle Control Genes and Risk of Brain Tumors in Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1655-1661.	1.1	89
165	Common variants in genes that mediate immunity and risk of multiple myeloma. <i>International Journal of Cancer</i> , 2007, 120, 2715-2722.	2.3	34
166	Evaluation of candidate methylation markers to detect cervical neoplasia. <i>Gynecologic Oncology</i> , 2007, 107, 549-553.	0.6	59
167	DNA extraction: An understudied and important aspect of HPV genotyping using PCR-based methods. <i>Journal of Virological Methods</i> , 2007, 143, 45-54.	1.0	45
168	Genotype frequency and F _{ST} analysis of polymorphisms in immunoregulatory genes in Chinese and Caucasian populations. <i>Immunogenetics</i> , 2007, 59, 839-852.	1.2	27
169	Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2007, 18, 989-999.	0.8	41
170	Genetic polymorphisms in the oxidative stress pathway and susceptibility to non-Hodgkin lymphoma. <i>Human Genetics</i> , 2007, 121, 161-168.	1.8	65
171	Genetic variation in catechol-O-methyltransferase (COMT) and obesity in the prostate, lung, colorectal, and ovarian (PLCO) cancer screening trial. <i>Human Genetics</i> , 2007, 122, 41-49.	1.8	15
172	Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. <i>Lancet Oncology</i> , The, 2006, 7, 27-38.	5.1	345
173	Polymorphisms in oxidative stress genes and risk for non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2006, 27, 1828-1834.	1.3	113
174	Common Genetic Variants in Proinflammatory and Other Immunoregulatory Genes and Risk for Non-Hodgkin Lymphoma. <i>Cancer Research</i> , 2006, 66, 9771-9780.	0.4	124
175	Genetic variants in caspase genes and susceptibility to non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2006, 28, 823-827.	1.3	60
176	Risk of non-Hodgkin lymphoma (NHL) in relation to germline variation in DNA repair and related genes. <i>Blood</i> , 2006, 108, 3161-3167.	0.6	73
177	Genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2) and risk of non-Hodgkin lymphoma. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 537-545.	0.7	48
178	DRD2 genetic variation in relation to smoking and obesity in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 901-910.	0.7	46
179	Cervical Tissue Collection Methods for RNA Preservation: Comparison of Snap-frozen, Ethanol-fixed, and RNAlater-fixation. <i>Diagnostic Molecular Pathology</i> , 2006, 15, 144-148.	2.1	41
180	Predicting absolute risk of CIN3 during post-colposcopic follow-up: Results from the ASCUS-LSIL Triage Study (ALTS). <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 341-348.	0.7	68

#	ARTICLE	IF	CITATIONS
181	Polymorphisms in DNA repair genes and risk of non-Hodgkin lymphoma among women in Connecticut. <i>Human Genetics</i> , 2006, 119, 659-668.	1.8	81
182	Cyclin D1 splice variant and risk for non-Hodgkin lymphoma. <i>Human Genetics</i> , 2006, 120, 297-300.	1.8	22
183	Pathological characteristics of cervical adenocarcinoma in a multi-center U.S.-based study. <i>Gynecologic Oncology</i> , 2006, 103, 541-546.	0.6	43
184	Comparison of human papillomavirus distribution in cytologic subgroups of low-grade squamous intraepithelial lesion. <i>Cancer</i> , 2006, 108, 288-297.	2.0	10
185	“Sip volume” as a quality indicator in liquid-based cervical cytology. <i>Cancer</i> , 2006, 108, 462-467.	2.0	1
186	Metabolic Gene Variants and Risk of Non-Hodgkin's Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1647-1653.	1.1	59
187	Cytokine polymorphisms in the Th1/Th2 pathway and susceptibility to non-Hodgkin lymphoma. <i>Blood</i> , 2006, 107, 4101-4108.	0.6	166
188	Lymphoma incidence patterns by WHO subtype in the United States, 1992-2001. <i>Blood</i> , 2006, 107, 265-276.	0.6	1,392
189	Interleukin-6-Related Genotypes, Body Mass Index, and Risk of Multiple Myeloma and Plasmacytoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2285-2291.	1.1	57
190	Non-Hodgkin Lymphoma. , 2006, , 898-918.		63
191	Impact of IL-10 Polymorphisms in Survival of Lymphoid Neoplasms.. <i>Blood</i> , 2006, 108, 2382-2382.	0.6	0
192	Towards Improved Biomarker Studies of Cervical Neoplasia. <i>Diagnostic Molecular Pathology</i> , 2005, 14, 59-64.	2.1	5
193	Mortality trends for cervical squamous and adenocarcinoma in the United States. <i>Cancer</i> , 2005, 103, 1258-1264.	2.0	159
194	Socioeconomic status and the risk of cervical intraepithelial neoplasia grade 3 among oncogenic human papillomavirus DNA-positive women with equivocal or mildly abnormal cytology. <i>Cancer</i> , 2005, 104, 61-70.	2.0	56
195	Determinants of human papillomavirus-negative, low-grade squamous intraepithelial lesions in the atypical squamous cells of undetermined significance/low-grade squamous intraepithelial lesions triage study (ALTS). <i>Cancer</i> , 2005, 105, 253-262.	2.0	29
196	Hierarchy of resistance to cervical neoplasia mediated by combinations of killer immunoglobulin-like receptor and human leukocyte antigen loci. <i>Journal of Experimental Medicine</i> , 2005, 201, 1069-1075.	4.2	209
197	Medication Use, Medical Conditions, and the Risk of Human Papillomavirus Infection and Subsequent Cervical Intraepithelial Neoplasia 3 Among Women with Mild Cytologic Abnormalities. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 542-545.	1.1	3
198	Evaluating the Risk of Cervical Precancer with a Combination of Cytologic, Virologic, and Visual Methods. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2665-2668.	1.1	27

#	ARTICLE	IF	CITATIONS
199	Genetic Variation and Willingness to Participate in Epidemiologic Research: Data from Three Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2449-2453.	1.1	69
200	A Putative Exonic Splicing Polymorphism in the BCL6 Gene and the Risk of Non-Hodgkin Lymphoma. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1616-1618.	3.0	33
201	Seroreactivity to Human Papillomavirus (HPV) Types 16, 18, or 31 and Risk of Subsequent HPV Infection. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 324-327.	1.1	177
202	Cervical adenocarcinoma and squamous cell carcinoma incidence trends among white women and black women in the United States for 1976-2000. <i>Cancer</i> , 2004, 100, 1035-1044.	2.0	367
203	Validation of p16INK4a as a marker of oncogenic human papillomavirus infection in cervical biopsies from a population-based cohort in Costa Rica. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1355-60.	1.1	33
204	Chapter 5: Viral and Host Factors in Human Papillomavirus Persistence and Progression. <i>Journal of the National Cancer Institute Monographs</i> , 2003, 2003, 35-40.	0.9	150
205	The role of genetic polymorphisms in environmental health.. <i>Environmental Health Perspectives</i> , 2003, 111, 1055-1064.	2.8	127
206	Histopathologic extent of cervical intraepithelial neoplasia 3 lesions in the atypical squamous cells of undetermined significance low-grade squamous intraepithelial lesion triage study: implications for subject safety and lead-time bias. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 372-9.	1.1	26
207	Determinants of human papillomavirus load among women with histological cervical intraepithelial neoplasia 3: dominant impact of surrounding low-grade lesions. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 1038-44.	1.1	33
208	Comprehensive Analysis of Human Leukocyte Antigen Class I Alleles and Cervical Neoplasia in 3 Epidemiologic Studies. <i>Journal of Infectious Diseases</i> , 2002, 186, 598-605.	1.9	59
209	Association of HLA Class I and II Alleles and Extended Haplotypes With Nasopharyngeal Carcinoma in Taiwan. <i>Journal of the National Cancer Institute</i> , 2002, 94, 1780-1789.	3.0	193
210	The impact of early cystic fibrosis diagnosis on pulmonary function in children. <i>Journal of Pediatrics</i> , 2002, 141, 804-810.	0.9	49
211	Host and viral genetics and risk of cervical cancer: a review. <i>Virus Research</i> , 2002, 89, 229-240.	1.1	270
212	Lack of Evidence for Human-to-Human Transmission of Avian Influenza A (H9N2) Viruses in Hong Kong, China 1999. <i>Emerging Infectious Diseases</i> , 2002, 8, 154-159.	2.0	85
213	Human leukocyte antigen class I alleles and cervical neoplasia: no heterozygote advantage. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002, 11, 419-20.	1.1	4
214	Public Attitudes regarding the Donation and Storage of Blood Specimens for Genetic Research. <i>Public Health Genomics</i> , 2001, 4, 18-26.	0.6	101
215	Medium chain acyl-CoA dehydrogenase deficiency: Human genome epidemiology review. <i>Genetics in Medicine</i> , 1999, 1, 332-339.	1.1	70
216	Elevated HPRT mutation frequencies in aflatoxin-exposed residents of Daxin, Qidong County, People's Republic of China. <i>Carcinogenesis</i> , 1999, 20, 2181-2184.	1.3	13

#	ARTICLE	IF	CITATIONS
217	Tobacco smoking and cancer: The promise of molecular epidemiology. Salud Publica De Mexico, 1997, 39, 331-45.	0.1	3
218	Secondhand Smoke. , 0, , 703-755.		9