

Sophia S Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8424970/publications.pdf>

Version: 2024-02-01

218
papers

12,151
citations

23565

58
h-index

31843

101
g-index

224
all docs

224
docs citations

224
times ranked

14421
citing authors

#	ARTICLE	IF	CITATIONS
1	Environmental Influences on Sleep in the California Teachers Study Cohort. American Journal of Epidemiology, 2022, 191, 1532-1539.	3.4	12
2	Host characteristics associated with serologic inflammatory biomarkers in women. Cytokine, 2022, 149, 155726.	3.2	2
3	Body size and risk of <scp>nonâ€Hodgkin</scp> lymphoma by subtype: A pooled analysis from six prospective cohorts in the United States. British Journal of Haematology, 2022, 197, 714-727.	2.5	8
4	A Genome-Wide Gene-Based Geneâ€Environment Interaction Study of Breast Cancer in More than 90,000 Women. Cancer Research Communications, 2022, 2, 211-219.	1.7	6
5	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1103-1110.	2.5	4
6	Distinct Reproductive Risk Profiles for Intrinsic-Like Breast Cancer Subtypes: Pooled Analysis of Population-Based Studies. Journal of the National Cancer Institute, 2022, 114, 1706-1719.	6.3	14
7	Anthropometric traits and risk of multiple myeloma: a pooled prospective analysis. British Journal of Cancer, 2022, 127, 1296-1303.	6.4	2
8	Genetic variation near CXCL12 is associated with susceptibility to HIV-related non-Hodgkin lymphoma. Haematologica, 2021, 106, 2233-2241.	3.5	4
9	CYP3A7*1C allele: linking premenopausal oestrone and progesterone levels with risk of hormone receptor-positive breast cancers. British Journal of Cancer, 2021, 124, 842-854.	6.4	5
10	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
11	Chronotype and risk of post-menopausal endometrial cancer in the California Teachers Study. Chronobiology International, 2021, 38, 1151-1161.	2.0	14
12	Occupational insecticide exposure and risk of n<scp>onâ€Hodgkin</scp> lymphoma: A pooled c<scp>aseâ€control</scp> study from the <scp>InterLymph</scp> Consortium. International Journal of Cancer, 2021, 149, 1768-1786.	5.1	13
13	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. American Journal of Human Genetics, 2021, 108, 1190-1203.	6.2	6
14	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. British Journal of Cancer, 2021, 125, 1135-1145.	6.4	9
15	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 623-642.	2.5	19
16	Mammography screening and mortality by risk status in the California teachers study. BMC Cancer, 2021, 21, 1341.	2.6	4
17	Inherited variants at 3q13.33 and 3p24.1 are associated with risk of diffuse large B-cell lymphoma and implicate immune pathways. Human Molecular Genetics, 2020, 29, 70-79.	2.9	17
18	Modernizing Population Sciences in the Digital Age. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 712-713.	2.5	0

#	ARTICLE	IF	CITATIONS
19	Using Marketing Automation to Modernize Data Collection in the California Teachers Study Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 714-723.	2.5	7
20	Insights from Adopting a Data Commons Approach for Large-scale Observational Cohort Studies: The California Teachers Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 777-786.	2.5	12
21	Follicular lymphoma polygenic risk score is associated with increased disease risk but improved overall survival among women in a population based case-control in Los Angeles County California. Cancer Epidemiology, 2020, 65, 101688.	1.9	3
22	Infectious mononucleosis, immune genotypes, and non-Hodgkin lymphoma (NHL): an InterLymph Consortium study. Cancer Causes and Control, 2020, 31, 451-462.	1.8	4
23	Assessing Cancer Treatment Information Using Medicare and Hospital Discharge Data among Women with Non-Hodgkin Lymphoma in a Los Angeles County Caseâ€“Control Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 936-941.	2.5	3
24	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1074-1078.	2.5	13
25	Outdoor artificial light at night and risk of non-Hodgkin lymphoma among women in the California Teachers Study cohort. Cancer Epidemiology, 2020, 69, 101811.	1.9	15
26	Physical Activity, Hormone Therapy Use, and Stroke Risk among Women in the California Teachers Study Cohort. Neuroepidemiology, 2020, 54, 320-325.	2.3	3
27	Genetic overlap between autoimmune diseases and nonâ€“Hodgkin lymphoma subtypes. Genetic Epidemiology, 2019, 43, 844-863.	1.3	28
28	Chronotype and postmenopausal breast cancer risk among women in the California Teachers Study. Chronobiology International, 2019, 36, 1504-1514.	2.0	25
29	The association between HLA and non-Hodgkin lymphoma subtypes, among a transplant-indicated population. Leukemia and Lymphoma, 2019, 60, 2899-2908.	1.3	9
30	Presentation and survival of multiple myeloma patients in Ghana: a review of 9 cases. Ghana Medical Journal, 2019, 53, 52.	0.4	17
31	Host genetic variation in tumor necrosis factor and nuclear factorâ€“B pathways and overall survival in mantle cell lymphoma: A discovery and replication study. American Journal of Hematology, 2019, 94, E153-E155.	4.1	1
32	Aspirin reduces long-term stroke risk in women with prior hypertensive disorders of pregnancy. Neurology, 2019, 92, e305-e316.	1.1	39
33	Pregnancyâ€“related factors and risk of Bâ€“cell nonâ€“Hodgkin lymphoma among women in Los Angeles. British Journal of Haematology, 2019, 186, 133-137.	2.5	1
34	Cytologic patterns of cervical adenocarcinomas with emphasis on factors associated with underdiagnosis. Cancer Cytopathology, 2018, 126, 950-958.	2.4	12
35	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. Cancer Research, 2018, 78, 4086-4096.	0.9	34
36	Disparities in hepatocellular carcinoma incidence by race/ethnicity and geographic area in California: Implications for prevention. Cancer, 2018, 124, 3551-3559.	4.1	20

#	ARTICLE	IF	CITATIONS
37	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , 2018, 75, 798-806.	2.8	12
38	HLA and KIR Associations of Cervical Neoplasia. <i>Journal of Infectious Diseases</i> , 2018, 218, 2006-2015.	4.0	22
39	Evaluating the use of friend or family controls in epidemiologic case-control studies. <i>Cancer Epidemiology</i> , 2017, 46, 9-13.	1.9	7
40	Sun sensitivity, indoor tanning and B-cell non-Hodgkin lymphoma risk among Caucasian women in Los Angeles County. <i>British Journal of Haematology</i> , 2017, 177, 153-156.	2.5	8
41	Trajectories in Leisure-Time Physical Activity and Risk of Stroke in Women in the California Teachers Study. <i>Stroke</i> , 2017, 48, 2346-2352.	2.0	20
42	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	2.7	15
43	Distribution of cell types differs in Papanicolaou tests of squamous cell carcinomas and adenocarcinomas. <i>Journal of the American Society of Cytopathology</i> , 2017, 6, 10-15.	0.5	3
44	Defining the genetic susceptibility to cervical neoplasia—A genome-wide association study. <i>PLoS Genetics</i> , 2017, 13, e1006866.	3.5	105
45	Multiple myeloma and family history of lymphohematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , 2016, 175, 87-101.	2.5	43
46	Recreational physical activity and risk of triple negative breast cancer in the California Teachers Study. <i>Breast Cancer Research</i> , 2016, 18, 62.	5.0	26
47	Breast implants and anaplastic large cell lymphomas among females in the California Teachers Study cohort. <i>British Journal of Haematology</i> , 2016, 174, 480-483.	2.5	13
48	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	12.8	94
49	Novel polymorphisms in caspase-8 are associated with breast cancer risk in the California Teachers Study. <i>BMC Cancer</i> , 2016, 16, 14.	2.6	18
50	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	2.9	52
51	Chromosomal copy number alterations and HPV integration in cervical precancer and invasive cancer. <i>Carcinogenesis</i> , 2016, 37, 188-196.	2.8	41
52	A Pooled Analysis of Reproductive Factors, Exogenous Hormone Use, and Risk of Multiple Myeloma among Women in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 217-221.	2.5	6
53	Detection of HPV DNA in paraffin-embedded cervical samples: a comparison of four genotyping methods. <i>BMC Infectious Diseases</i> , 2015, 15, 544.	2.9	40
54	Further Confirmation of Germline Glioma Risk Variant rs78378222 in TP53 and Its Implication in Tumor Tissues via Integrative Analysis of TCGA Data. <i>Human Mutation</i> , 2015, 36, 684-688.	2.5	19

#	ARTICLE	IF	CITATIONS
55	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	12.8	58
56	Non-Hodgkin Lymphoma, Body Mass Index, and Cytokine Polymorphisms: A Pooled Analysis from the InterLymph Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1061-1070.	2.5	8
57	Invited Commentary: E Pluribus Unum for Epidemiology. <i>American Journal of Epidemiology</i> , 2015, 183, kww236.	3.4	1
58	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	3.4	54
59	Molecular transitions from papillomavirus infection to cervical precancer and cancer: Role of stromal estrogen receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E3255-64.	7.1	197
60	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Diffuse Large B-Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 15-25.	2.1	98
61	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 1-14.	2.1	52
62	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mycosis Fungoides and Sezary Syndrome: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 98-105.	2.1	42
63	Human Leukocyte Antigen Class I and II Alleles and Cervical Adenocarcinoma. <i>Frontiers in Oncology</i> , 2014, 4, 119.	2.8	23
64	Molecular characteristics of diffuse large B-cell lymphoma in human immunodeficiency virus-infected and -uninfected patients in the pre-highly active antiretroviral therapy and pre-rituximab era. <i>Leukemia and Lymphoma</i> , 2014, 55, 551-557.	1.3	24
65	Body size and multiple myeloma mortality: a pooled analysis of 20 prospective studies. <i>British Journal of Haematology</i> , 2014, 166, 667-676.	2.5	90
66	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	2.9	90
67	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Marginal Zone Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 52-65.	2.1	70
68	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Peripheral T-Cell Lymphomas: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 66-75.	2.1	52
69	Personal History of Diabetes, Genetic Susceptibility to Diabetes, and Risk of Brain Glioma: A Pooled Analysis of Observational Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 47-54.	2.5	31
70	Evaluation of a multiplex panel of immune-related markers in cervical secretions: A methodologic study. <i>International Journal of Cancer</i> , 2014, 134, 411-425.	5.1	18
71	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
72	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	21.4	147

#	ARTICLE	IF	CITATIONS
73	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	6.2	96
74	Medication use and multiple myeloma risk in Los Angeles County. <i>Cancer Causes and Control</i> , 2014, 25, 1233-1237.	1.8	6
75	Factors associated with reduced accuracy in Papanicolaou tests for patients with invasive cervical cancer. <i>Cancer Cytopathology</i> , 2014, 122, 694-701.	2.4	14
76	Body Mass Index and Risk of Death in Asian Americans. <i>American Journal of Public Health</i> , 2014, 104, 520-525.	2.7	25
77	Heterogeneity of high-grade cervical intraepithelial neoplasia related to HPV16: Implications for natural history and management. <i>International Journal of Cancer</i> , 2013, 132, 148-154.	5.1	28
78	Joint effects between five identified risk variants, allergy, and autoimmune conditions on glioma risk. <i>Cancer Causes and Control</i> , 2013, 24, 1885-1891.	1.8	23
79	The role of co-factors in the progression from human papillomavirus infection to cervical cancer. <i>Gynecologic Oncology</i> , 2013, 128, 265-270.	1.4	105
80	Known glioma risk loci are associated with glioma with a family history of brain tumours—a case-control gene association study. <i>International Journal of Cancer</i> , 2013, 132, 2464-2468.	5.1	22
81	Anthropometric, behavioral, and female reproductive factors and risk of multiple myeloma: a pooled analysis. <i>Cancer Causes and Control</i> , 2013, 24, 1279-1289.	1.8	11
82	Smoking, variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma: a pooled analysis within the InterLymph consortium. <i>Cancer Causes and Control</i> , 2013, 24, 125-134.	1.8	20
83	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	21.4	179
84	Reproducibility of Linear Array for Human Papillomavirus Genotyping. <i>Journal of Clinical Microbiology</i> , 2013, 51, 625-628.	3.9	9
85	Confirmation of the Reported Association of Clonal Chromosomal Mosaicism with an Increased Risk of Incident Hematologic Cancer. <i>PLoS ONE</i> , 2013, 8, e59823.	2.5	26
86	Epidemiology and Prognosis of T-Cell Lymphoma. , 2013, , 25-39.		24
87	Abstract PR07: Body size and multiple myeloma mortality: A pooled analysis of 20 prospective studies. <i>Cancer Prevention Research</i> , 2013, 6, PR07-PR07.	1.5	4
88	Association between adult height, genetic susceptibility and risk of glioma. <i>International Journal of Epidemiology</i> , 2012, 41, 1075-1085.	1.9	26
89	LIM domain only 2 protein expression, <i>LMO2</i> germline genetic variation, and overall survival in diffuse large B-cell lymphoma in the pre-rituximab era. <i>Leukemia and Lymphoma</i> , 2012, 53, 1105-1112.	1.3	5
90	Human Papillomavirus Load Measured by Linear Array Correlates with Quantitative PCR in Cervical Cytology Specimens. <i>Journal of Clinical Microbiology</i> , 2012, 50, 1564-1570.	3.9	26

#	ARTICLE	IF	CITATIONS
91	PRRC2A and BCL2L11 gene variants influence risk of non-Hodgkin lymphoma: results from the InterLymph consortium. <i>Blood</i> , 2012, 120, 4645-4648.	1.4	34
92	Genome-wide association study of glioma and meta-analysis. <i>Human Genetics</i> , 2012, 131, 1877-1888.	3.8	222
93	Tubal ligation frequency in Oklahoma women with cervical cancer. <i>Gynecologic Oncology</i> , 2012, 127, 278-282.	1.4	7
94	Clinical and Pathological Heterogeneity of Cervical Intraepithelial Neoplasia Grade 3. <i>PLoS ONE</i> , 2012, 7, e29051.	2.5	13
95	Inherited genetic variation and overall survival following follicular lymphoma. <i>American Journal of Hematology</i> , 2012, 87, 724-726.	4.1	13
96	Single Nucleotide Polymorphisms in the PRDX3 and RPS19 and Risk of HPV Persistence and Cervical Precancer/Cancer. <i>PLoS ONE</i> , 2012, 7, e33619.	2.5	37
97	Human Leukocyte Antigen Class I and II Alleles and Overall Survival in Diffuse Large B-Cell Lymphoma and Follicular Lymphoma. <i>Scientific World Journal</i> , The, 2011, 11, 2062-2070.	2.1	12
98	Variation in Effects of Non-Hodgkin Lymphoma Risk Factors According to the Human Leukocyte Antigen (HLA)-DRB1*01:01 Allele and Ancestral Haplotype 8.1. <i>PLoS ONE</i> , 2011, 6, e26949.	2.5	11
99	Risk of Cervical Intraepithelial Neoplasia 2+ Among Women With a History of Previous Treatment for Cervical Intraepithelial Neoplasia. <i>Journal of Lower Genital Tract Disease</i> , 2011, 15, 11-14.	1.9	3
100	Adulthood residential ultraviolet radiation, sun sensitivity, dietary vitamin D, and risk of lymphoid malignancies in the California Teachers Study. <i>Blood</i> , 2011, 118, 1591-1599.	1.4	69
101	Genetic variation in Th1/Th2 pathway genes and risk of non-Hodgkin lymphoma: a pooled analysis of three population-based case-control studies. <i>British Journal of Haematology</i> , 2011, 153, 341-350.	2.5	34
102	A pooled analysis of three studies evaluating genetic variation in innate immunity genes and non-Hodgkin lymphoma risk. <i>British Journal of Haematology</i> , 2011, 152, 721-726.	2.5	29
103	Dietary phytochemicals and risk of lymphoid malignancies in the California Teachers Study cohort. <i>Cancer Causes and Control</i> , 2011, 22, 237-249.	1.8	16
104	HPV16 variant lineage, clinical stage, and survival in women with invasive cervical cancer. <i>Infectious Agents and Cancer</i> , 2011, 6, 19.	2.6	25
105	Risk factors for non-Hodgkin lymphoma subtypes defined by histology and t(14;18) in a population-based case-control study. <i>International Journal of Cancer</i> , 2011, 129, 938-947.	5.1	14
106	Oral contraceptives, menopausal hormone therapy use and risk of B-cell non-Hodgkin lymphoma in the California Teachers Study. <i>International Journal of Cancer</i> , 2011, 129, 974-982.	5.1	22
107	Joint Associations Between Genetic Variants and Reproductive Factors in Glioma Risk Among Women. <i>American Journal of Epidemiology</i> , 2011, 174, 901-908.	3.4	27
108	Cigarette Smoking, Passive Smoking, and Non-Hodgkin Lymphoma Risk: Evidence From the California Teachers Study. <i>American Journal of Epidemiology</i> , 2011, 174, 563-573.	3.4	29

#	ARTICLE	IF	CITATIONS
109	Variations in Chromosomes 9 and 6p21.3 with Risk of Non-Hodgkin Lymphoma. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 42-49.	2.5	17
110	Lymphoid Malignancies in U.S. Asians: Incidence Rate Differences by Birthplace and Acculturation. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1064-1077.	2.5	77
111	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. PLoS Genetics, 2011, 7, e1001378.	3.5	93
112	Immunostaining to identify molecular subtypes of diffuse large B-cell lymphoma in a population-based epidemiologic study in the pre-rituximab era. International Journal of Molecular Epidemiology and Genetics, 2011, 2, 245-52.	0.4	7
113	Seroprevalence and Correlates of Human Papillomavirus 16/18 Seropositivity Among Young Women in Costa Rica. Sexually Transmitted Diseases, 2010, 37, 706-714.	1.7	27
114	Human leukocyte antigen class I and II alleles in non-Hodgkin lymphoma etiology. Blood, 2010, 115, 4820-4823.	1.4	68
115	Cervical cancer incidence among 6 Asian ethnic groups in the United States, 1996 through 2004. Cancer, 2010, 116, 949-956.	4.1	68
116	Smoking, alcohol use, obesity, and overall survival from non-Hodgkin lymphoma. Cancer, 2010, 116, 2993-3000.	4.1	68
117	Common single nucleotide polymorphisms in immunoregulatory genes and multiple myeloma risk among women in Connecticut. American Journal of Hematology, 2010, 85, 560-563.	4.1	21
118	Polymorphisms in DNA repair genes and risk of non-Hodgkin lymphoma in a pooled analysis of three studies. British Journal of Haematology, 2010, 151, 239-244.	2.5	18
119	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. Nature Genetics, 2010, 42, 661-664.	21.4	152
120	Common Genetic Variants and Risk for HPV Persistence and Progression to Cervical Cancer. PLoS ONE, 2010, 5, e8667.	2.5	104
121	Parents' Ages at Birth and Risk of Adult-onset Hematologic Malignancies Among Female Teachers in California. American Journal of Epidemiology, 2010, 171, 1262-1269.	3.4	25
122	Tumor Necrosis Factor (TNF) and Lymphotoxin- α (LTA) Polymorphisms and Risk of Non-Hodgkin Lymphoma in the InterLymph Consortium. American Journal of Epidemiology, 2010, 171, 267-276.	3.4	128
123	Alcohol Consumption Over Time and Risk of Lymphoid Malignancies in the California Teachers Study Cohort. American Journal of Epidemiology, 2010, 172, 1373-1383.	3.4	25
124	Risk of Meningioma and Common Variation in Genes Related to Innate Immunity. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1356-1361.	2.5	41
125	Genetic Epidemiology. , 2010, , 617-634.		0
126	Unraveling the interactions between environmental factors and genetic polymorphisms in non-Hodgkin lymphoma risk. Expert Review of Anticancer Therapy, 2010, 10, 403-413.	2.4	11

#	ARTICLE	IF	CITATIONS
127	Genetic Admixture and Population Substructure in Guanacaste Costa Rica. PLoS ONE, 2010, 5, e13336.	2.5	16
128	Risk of Non-Hodgkin Lymphoma Associated with Germline Variation in Genes that Regulate the Cell Cycle, Apoptosis, and Lymphocyte Development. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1259-1270.	2.5	59
129	Human Papillomavirus Cofactors by Disease Progression and Human Papillomavirus Types in the Study to Understand Cervical Cancer Early Endpoints and Determinants. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 113-120.	2.5	76
130	Common Genetic Variation in <i>TP53</i> and Risk of Human Papillomavirus Persistence and Progression to CIN3/Cancer Revisited. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1631-1637.	2.5	23
131	Common Variation in Genes Related to Innate Immunity and Risk of Adult Glioma. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1651-1658.	2.5	60
132	Utility of methylation markers in cervical cancer early detection: Appraisal of the state-of-the-science. Gynecologic Oncology, 2009, 112, 293-299.	1.4	247
133	Accuracy of cervical specimens obtained for biomarker studies in women with CIN3. Gynecologic Oncology, 2009, 115, 493-496.	1.4	24
134	Grading the severity of cervical neoplasia based on combined histopathology, cytopathology, and HPV genotype distribution among 1,700 women referred to colposcopy in Oklahoma. International Journal of Cancer, 2009, 124, 964-969.	5.1	76
135	Reproductive factors, exogenous hormone use and risk of lymphoid neoplasms among women in the National Institutes of Health AARP Diet and Health Study Cohort. International Journal of Cancer, 2009, 124, 2737-2743.	5.1	35
136	Common genetic variants and risk for non-Hodgkin lymphoma and adult T-cell lymphoma/leukemia in Jamaica. International Journal of Cancer, 2009, 125, 1479-1482.	5.1	11
137	Multiple human papillomavirus genotype infections in cervical cancer progression in the study to understand cervical cancer early endpoints and determinants. International Journal of Cancer, 2009, 125, 2151-2158.	5.1	165
138	Association of HPV16 E6 variants with diagnostic severity in cervical cytology samples of 354 women in a US population. International Journal of Cancer, 2009, 125, 2609-2613.	5.1	69
139	Relationship between interferon regulatory factor 4 genetic polymorphisms, measures of sun sensitivity and risk for non-Hodgkin lymphoma. Cancer Causes and Control, 2009, 20, 1291-1302.	1.8	15
140	SLC6A3 and body mass index in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. BMC Medical Genetics, 2009, 10, 9.	2.1	4
141	Genetic variation in caspase genes and risk of non-Hodgkin lymphoma: a pooled analysis of 3 population-based case-control studies. Blood, 2009, 114, 264-267.	1.4	42
142	A pooled investigation of Toll-like receptor gene variants and risk of non-Hodgkin lymphoma. Carcinogenesis, 2009, 30, 275-281.	2.8	75
143	Common Variants in Immune and DNA Repair Genes and Risk for Human Papillomavirus Persistence and Progression to Cervical Cancer. Journal of Infectious Diseases, 2009, 199, 20-30.	4.0	107
144	Organochlorine exposure, immune gene variation, and risk of non-Hodgkin lymphoma. Blood, 2009, 113, 1899-1905.	1.4	39

#	ARTICLE	IF	CITATIONS
145	Common Gene Variants in the Tumor Necrosis Factor (TNF) and TNF Receptor Superfamilies and NF- κ B Transcription Factors and Non-Hodgkin Lymphoma Risk. PLoS ONE, 2009, 4, e5360.	2.5	88
146	Vegetables- and antioxidant-related nutrients, genetic susceptibility, and non-Hodgkin lymphoma risk. Cancer Causes and Control, 2008, 19, 491-503.	1.8	14
147	Incidence of lymphoid neoplasms by subtype among six Asian ethnic groups in the United States, 1996-2004. Cancer Causes and Control, 2008, 19, 1171-1181.	1.8	45
148	Chromosomal Aberrations in Peripheral Blood Lymphocytes and Risk for Non-Hodgkin Lymphoma. Journal of the National Cancer Institute Monographs, 2008, 2008, 78-82.	2.1	4
149	Re: Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma, author response. Carcinogenesis, 2008, 29, 1084-1085.	2.8	1
150	Identification of Novel Methylation Markers in Cervical Cancer Using Restriction Landmark Genomic Scanning. Cancer Research, 2008, 68, 2489-2497.	0.9	63
151	Host immune gene polymorphisms in combination with clinical and demographic factors predict late survival in diffuse large B-cell lymphoma patients in the pre-rituximab era. Blood, 2008, 112, 2694-2702.	1.4	64
152	Etiologic heterogeneity among non-Hodgkin lymphoma subtypes. Blood, 2008, 112, 5150-5160.	1.4	148
153	Family History of Cancer and Risk of Lymphoma: Influence of IL8RB, GGH IVS7 and IL10 Polymorphisms.. Blood, 2008, 112, 1777-1777.	1.4	0
154	Impact of interleukin-10 polymorphisms (1082 and 3575) on the survival of patients with lymphoid neoplasms. Haematologica, 2007, 92, 1475-1481.	3.5	26
155	Human Papillomavirus (HPV) Genotyping Using Paired Exfoliated Cervicovaginal Cells and Paraffin-Embedded Tissues To Highlight Difficulties in Attributing HPV Types to Specific Lesions. Journal of Clinical Microbiology, 2007, 45, 3245-3250.	3.9	39
156	Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma. Carcinogenesis, 2007, 28, 1759-1764.	2.8	39
157	Family history of hematopoietic malignancies and risk of non-Hodgkin lymphoma (NHL): a pooled analysis of 10,211 cases and 11,905 controls from the International Lymphoma Epidemiology Consortium (InterLymph). Blood, 2007, 109, 3479-3488.	1.4	159
158	Gene-nutrient interactions among determinants of folate and one-carbon metabolism on the risk of non-Hodgkin lymphoma: NCI-SEER Case-Control Study. Blood, 2007, 109, 3050-3059.	1.4	86
159	NHL and genomic variability in RAG1 and BRCA2. Blood, 2007, 109, 5523-5523.	1.4	0
160	Flexible Design for Following Up Positive Findings. American Journal of Human Genetics, 2007, 81, 540-551.	6.2	47
161	Publishing on genes and lymphoma in the era of "big science". Leukemia and Lymphoma, 2007, 48, 2091-2092.	1.3	0
162	Prognostic significance of host immune gene polymorphisms in follicular lymphoma survival. Blood, 2007, 109, 5439-5446.	1.4	109

#	ARTICLE	IF	CITATIONS
163	Immune Mechanisms in Non-Hodgkin Lymphoma: Joint Effects of the TNF G308A and IL10 T3575A Polymorphisms with Non-Hodgkin Lymphoma Risk Factors. <i>Cancer Research</i> , 2007, 67, 5042-5054.	0.9	57
164	Polymorphisms in Apoptosis and Cell Cycle Control Genes and Risk of Brain Tumors in Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1655-1661.	2.5	89
165	Common variants in genes that mediate immunity and risk of multiple myeloma. <i>International Journal of Cancer</i> , 2007, 120, 2715-2722.	5.1	34
166	Evaluation of candidate methylation markers to detect cervical neoplasia. <i>Gynecologic Oncology</i> , 2007, 107, 549-553.	1.4	59
167	DNA extraction: An understudied and important aspect of HPV genotyping using PCR-based methods. <i>Journal of Virological Methods</i> , 2007, 143, 45-54.	2.1	45
168	Genotype frequency and F ST analysis of polymorphisms in immunoregulatory genes in Chinese and Caucasian populations. <i>Immunogenetics</i> , 2007, 59, 839-852.	2.4	27
169	Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2007, 18, 989-999.	1.8	41
170	Genetic polymorphisms in the oxidative stress pathway and susceptibility to non-Hodgkin lymphoma. <i>Human Genetics</i> , 2007, 121, 161-168.	3.8	65
171	Genetic variation in catechol-O-methyltransferase (COMT) and obesity in the prostate, lung, colorectal, and ovarian (PLCO) cancer screening trial. <i>Human Genetics</i> , 2007, 122, 41-49.	3.8	15
172	Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. <i>Lancet Oncology</i> , The, 2006, 7, 27-38.	10.7	345
173	Polymorphisms in oxidative stress genes and risk for non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2006, 27, 1828-1834.	2.8	113
174	Common Genetic Variants in Proinflammatory and Other Immunoregulatory Genes and Risk for Non-Hodgkin Lymphoma. <i>Cancer Research</i> , 2006, 66, 9771-9780.	0.9	124
175	Genetic variants in caspase genes and susceptibility to non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2006, 28, 823-827.	2.8	60
176	Risk of non-Hodgkin lymphoma (NHL) in relation to germline variation in DNA repair and related genes. <i>Blood</i> , 2006, 108, 3161-3167.	1.4	73
177	Genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2) and risk of non-Hodgkin lymphoma. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 537-545.	1.5	48
178	DRD2 genetic variation in relation to smoking and obesity in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 901-910.	1.5	46
179	Cervical Tissue Collection Methods for RNA Preservation: Comparison of Snap-frozen, Ethanol-fixed, and RNAlater-fixation. <i>Diagnostic Molecular Pathology</i> , 2006, 15, 144-148.	2.1	41
180	Predicting absolute risk of CIN3 during post-colposcopic follow-up: Results from the ASCUS-LSIL Triage Study (ALTS). <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 341-348.	1.3	68

#	ARTICLE	IF	CITATIONS
181	Polymorphisms in DNA repair genes and risk of non-Hodgkin lymphoma among women in Connecticut. Human Genetics, 2006, 119, 659-668.	3.8	81
182	Cyclin D1 splice variant and risk for non-Hodgkin lymphoma. Human Genetics, 2006, 120, 297-300.	3.8	22
183	Pathological characteristics of cervical adenocarcinoma in a multi-center U.S.-based study. Gynecologic Oncology, 2006, 103, 541-546.	1.4	43
184	Comparison of human papillomavirus distribution in cytologic subgroups of low-grade squamous intraepithelial lesion. Cancer, 2006, 108, 288-297.	4.1	10
185	“Sip volume” as a quality indicator in liquid-based cervical cytology. Cancer, 2006, 108, 462-467.	4.1	1
186	Metabolic Gene Variants and Risk of Non-Hodgkin's Lymphoma. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1647-1653.	2.5	59
187	Cytokine polymorphisms in the Th1/Th2 pathway and susceptibility to non-Hodgkin lymphoma. Blood, 2006, 107, 4101-4108.	1.4	166
188	Lymphoma incidence patterns by WHO subtype in the United States, 1992-2001. Blood, 2006, 107, 265-276.	1.4	1,392
189	Interleukin-6-Related Genotypes, Body Mass Index, and Risk of Multiple Myeloma and Plasmacytoma. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2285-2291.	2.5	57
190	Non-Hodgkin Lymphoma. , 2006, , 898-918.		63
191	Impact of IL-10 Polymorphisms in Survival of Lymphoid Neoplasms.. Blood, 2006, 108, 2382-2382.	1.4	0
192	Towards Improved Biomarker Studies of Cervical Neoplasia. Diagnostic Molecular Pathology, 2005, 14, 59-64.	2.1	5
193	Mortality trends for cervical squamous and adenocarcinoma in the United States. Cancer, 2005, 103, 1258-1264.	4.1	159
194	Socioeconomic status and the risk of cervical intraepithelial neoplasia grade 3 among oncogenic human papillomavirus DNA-positive women with equivocal or mildly abnormal cytology. Cancer, 2005, 104, 61-70.	4.1	56
195	Determinants of human papillomavirus-negative, low-grade squamous intraepithelial lesions in the atypical squamous cells of undetermined significance/low-grade squamous intraepithelial lesions triage study (ALTS). Cancer, 2005, 105, 253-262.	4.1	29
196	Hierarchy of resistance to cervical neoplasia mediated by combinations of killer immunoglobulin-like receptor and human leukocyte antigen loci. Journal of Experimental Medicine, 2005, 201, 1069-1075.	8.5	209
197	Medication Use, Medical Conditions, and the Risk of Human Papillomavirus Infection and Subsequent Cervical Intraepithelial Neoplasia 3 Among Women with Mild Cytologic Abnormalities. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 542-545.	2.5	3
198	Evaluating the Risk of Cervical Precancer with a Combination of Cytologic, Virologic, and Visual Methods. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2665-2668.	2.5	27

#	ARTICLE	IF	CITATIONS
199	Genetic Variation and Willingness to Participate in Epidemiologic Research: Data from Three Studies. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2449-2453.	2.5	69
200	A Putative Exonic Splicing Polymorphism in the BCL6 Gene and the Risk of Non-Hodgkin Lymphoma. Journal of the National Cancer Institute, 2005, 97, 1616-1618.	6.3	33
201	Seroreactivity to Human Papillomavirus (HPV) Types 16, 18, or 31 and Risk of Subsequent HPV Infection. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 324-327.	2.5	177
202	Cervical adenocarcinoma and squamous cell carcinoma incidence trends among white women and black women in the United States for 1976-2000. Cancer, 2004, 100, 1035-1044.	4.1	367
203	Validation of p16INK4a as a marker of oncogenic human papillomavirus infection in cervical biopsies from a population-based cohort in Costa Rica. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1355-60.	2.5	33
204	Chapter 5: Viral and Host Factors in Human Papillomavirus Persistence and Progression. Journal of the National Cancer Institute Monographs, 2003, 2003, 35-40.	2.1	150
205	The role of genetic polymorphisms in environmental health.. Environmental Health Perspectives, 2003, 111, 1055-1064.	6.0	127
206	Histopathologic extent of cervical intraepithelial neoplasia 3 lesions in the atypical squamous cells of undetermined significance low-grade squamous intraepithelial lesion triage study: implications for subject safety and lead-time bias. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 372-9.	2.5	26
207	Determinants of human papillomavirus load among women with histological cervical intraepithelial neoplasia 3: dominant impact of surrounding low-grade lesions. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 1038-44.	2.5	33
208	Comprehensive Analysis of Human Leukocyte Antigen Class I Alleles and Cervical Neoplasia in 3 Epidemiologic Studies. Journal of Infectious Diseases, 2002, 186, 598-605.	4.0	59
209	Association of HLA Class I and II Alleles and Extended Haplotypes With Nasopharyngeal Carcinoma in Taiwan. Journal of the National Cancer Institute, 2002, 94, 1780-1789.	6.3	193
210	The impact of early cystic fibrosis diagnosis on pulmonary function in children. Journal of Pediatrics, 2002, 141, 804-810.	1.8	49
211	Host and viral genetics and risk of cervical cancer: a review. Virus Research, 2002, 89, 229-240.	2.2	270
212	Lack of Evidence for Human-to-Human Transmission of Avian Influenza A (H9N2) Viruses in Hong Kong, China 1999. Emerging Infectious Diseases, 2002, 8, 154-159.	4.3	85
213	Human leukocyte antigen class I alleles and cervical neoplasia: no heterozygote advantage. Cancer Epidemiology Biomarkers and Prevention, 2002, 11, 419-20.	2.5	4
214	Public Attitudes regarding the Donation and Storage of Blood Specimens for Genetic Research. Public Health Genomics, 2001, 4, 18-26.	1.0	101
215	Medium chain acyl-CoA dehydrogenase deficiency: Human genome epidemiology review. Genetics in Medicine, 1999, 1, 332-339.	2.4	70
216	Elevated HPRT mutation frequencies in aflatoxin-exposed residents of Daxin, Qidong County, People's Republic of China. Carcinogenesis, 1999, 20, 2181-2184.	2.8	13

#	ARTICLE	IF	CITATIONS
217	Tobacco smoking and cancer: The promise of molecular epidemiology. Salud Publica De Mexico, 1997, 39, 331-45.	0.4	3
218	Secondhand Smoke. , 0, , 703-755.		9