

Sang-Hyun Ihm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8425/publications.pdf>

Version: 2024-02-01

121
papers

2,051
citations

279487

23
h-index

301761

39
g-index

121
all docs

121
docs citations

121
times ranked

3424
citing authors

#	ARTICLE	IF	CITATIONS
1	2018 Korean Society of Hypertension Guidelines for the management of hypertension: part II-diagnosis and treatment of hypertension. <i>Clinical Hypertension</i> , 2019, 25, 20.	0.7	193
2	Effects of Sacubitril/Valsartan (LCZ696) on Natriuresis, Diuresis, Blood Pressures, and NT-proBNP in Salt-Sensitive Hypertension. <i>Hypertension</i> , 2017, 69, 32-41.	1.3	98
3	Excess protein O-GlcNAcylation and the progression of diabetic cardiomyopathy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 303, R689-R699.	0.9	88
4	Korea hypertension fact sheet 2020: analysis of nationwide population-based data. <i>Clinical Hypertension</i> , 2021, 27, 8.	0.7	77
5	Peroxisome proliferator-activated receptor- β activation attenuates cardiac fibrosis in type 2 diabetic rats: the effect of rosiglitazone on myocardial expression of receptor for advanced glycation end products and of connective tissue growth factor. <i>Basic Research in Cardiology</i> , 2010, 105, 399-407.	2.5	70
6	2018 Korean Society of Hypertension guidelines for the management of hypertension: part I-epidemiology of hypertension. <i>Clinical Hypertension</i> , 2019, 25, 16.	0.7	69
7	Relation Between C-Reactive Protein, Homocysteine Levels, Fibrinogen, and Lipoprotein Levels and Leukocyte and Platelet Counts, and 10-Year Risk for Cardiovascular Disease Among Healthy Adults in the USA. <i>American Journal of Cardiology</i> , 2010, 105, 1284-1288.	0.7	61
8	Korean Guidelines for Diagnosis and Management of Chronic Heart Failure. <i>Korean Circulation Journal</i> , 2017, 47, 555.	0.7	56
9	Decaffeinated green tea extract improves hypertension and insulin resistance in a rat model of metabolic syndrome. <i>Atherosclerosis</i> , 2012, 224, 377-383.	0.4	54
10	Catechin prevents endothelial dysfunction in the prediabetic stage of OLETF rats by reducing vascular NADPH oxidase activity and expression. <i>Atherosclerosis</i> , 2009, 206, 47-53.	0.4	52
11	Noninvasive Assessment of Myocardial Inflammation by Cardiovascular Magnetic Resonance in a Rat Model of Experimental Autoimmune Myocarditis. <i>Circulation</i> , 2012, 125, 2603-2612.	1.6	49
12	Metabolically obese status with normal weight is associated with both the prevalence and severity of angiographic coronary artery disease. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 952-960.	1.5	48
13	Serum carboxy-terminal propeptide of type I procollagen (PIP) is a marker of diastolic dysfunction in patients with early type 2 diabetes mellitus. <i>International Journal of Cardiology</i> , 2007, 122, e36-e38.	0.8	38
14	Statins and Renin-Angiotensin System Inhibitor Combination Treatment to Prevent Cardiovascular Disease. <i>Circulation Journal</i> , 2014, 78, 281-287.	0.7	37
15	2018 Korean society of hypertension guidelines for the management of hypertension: part III-hypertension in special situations. <i>Clinical Hypertension</i> , 2019, 25, 19.	0.7	31
16	Coronary collaterals: The role of MCP-1 during the early phase of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2008, 130, 409-413.	0.8	28
17	Spatial and Temporal Expression, and Statin Responsiveness of Galectin-1 and Galectin-3 in Murine Atherosclerosis. <i>Korean Circulation Journal</i> , 2013, 43, 223.	0.7	28
18	Effect of preload on left atrial function: evaluated by tissue Doppler and strain imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 938-947.	0.5	27

#	ARTICLE	IF	CITATIONS
19	Smartphone / smartwatch-based cuffless blood pressure measurement : a position paper from the Korean Society of Hypertension. <i>Clinical Hypertension</i> , 2021, 27, 4.	0.7	27
20	Passive Smoking in Never-Smokers Is Associated With Increased Plasma Homocysteine Levels Analysis of NHANES III Data. <i>International Heart Journal</i> , 2010, 51, 183-187.	0.5	26
21	Relationship between erythropoietin resistance index and left ventricular mass and function and cardiovascular events in patients on chronic hemodialysis. <i>Hemodialysis International</i> , 2012, 16, 181-187.	0.4	26
22	Dipeptidyl peptidase 4 inhibitor attenuates obesity-induced myocardial fibrosis by inhibiting transforming growth factor- β 1 and Smad2/3 pathways in high-fat diet-induced obesity rat model. <i>Metabolism: Clinical and Experimental</i> , 2017, 76, 42-55.	1.5	26
23	Age is an Independent Risk Factor for the Early Morning Blood Pressure Surge in Patients Never-Treated for Hypertension. <i>Korean Circulation Journal</i> , 2009, 39, 322.	0.7	23
24	Imatinib Mesylate Attenuates Myocardial Remodeling Through Inhibition of Platelet-Derived Growth Factor and Transforming Growth Factor Activation in a Rat Model of Hypertension. <i>Hypertension</i> , 2014, 63, 1228-1234.	1.3	23
25	Status of hypertension screening in the Korea National General Health Screening Program: a questionnaire survey on 210 screening centers in two metropolitan areas. <i>Clinical Hypertension</i> , 2017, 23, 23.	0.7	23
26	The effect of alcohol dose on the development of hypertension in Asian and Western men: systematic review and meta-analysis. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 906-916.	0.7	23
27	Target Organ Status in White-Coat Hypertensives Usefulness of Serum Procollagen Type I Propeptide in the Respect of Left Ventricular Diastolic Dysfunction. <i>Circulation Journal</i> , 2009, 73, 100-105.	0.7	22
28	Not nondipping but nocturnal blood pressure predicts left ventricular hypertrophy in the essential hypertensive patients. <i>Journal of Hypertension</i> , 2014, 32, 1999-2004.	0.3	22
29	Relation Between Flow Reserve Capacity of Penetrating Intramyocardial Coronary Arteries and Myocardial Fibrosis in Hypertension: Study Using Transthoracic Doppler Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 373-378.	1.2	21
30	Comparison of the efficacy between hydrochlorothiazide and chlorthalidone on central aortic pressure when added on to candesartan in treatment-naïve patients of hypertension. <i>Hypertension Research</i> , 2013, 36, 79-84.	1.5	21
31	Efficacy and Safety of Fixed-dose Combination Therapy With Telmisartan and Rosuvastatin in Korean Patients With Hypertension and Dyslipidemia: TELSTA-YU (TELMisartan-rosuvaSTatin from YUhan), a Multicenter, Randomized, 4-arm, Double-blind, Placebo-controlled, Phase III Study. <i>Clinical Therapeutics</i> , 2018, 40, 676-691.e1.	1.1	21
32	Clinical Benefit of Treatment of Stage-1, Low-Risk Hypertension. <i>Hypertension</i> , 2018, 72, 1285-1293.	1.3	20
33	Effects of sarcopenia, body mass indices, and sarcopenic obesity on diastolic function and exercise capacity in Koreans. <i>Metabolism: Clinical and Experimental</i> , 2019, 97, 18-24.	1.5	19
34	Controversies in the 2017 ACC/AHA Hypertension Guidelines: Who Can Be Eligible for Treatments Under the New Guidelines? An Asian Perspective. <i>Circulation Journal</i> , 2019, 83, 504-510.	0.7	18
35	The impaired flow reserve capacity of penetrating intramyocardial coronary arteries in apical hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 128-132.	1.2	17
36	Relation between peripheral vascular endothelial function and coronary flow reserve in patients with chest pain and normal coronary angiogram. <i>International Journal of Cardiology</i> , 2006, 113, 118-120.	0.8	17

#	ARTICLE	IF	CITATIONS
37	Associations between the triglyceride-glucose index and cardiovascular disease in over 150,000 cancer survivors: a population-based cohort study. <i>Cardiovascular Diabetology</i> , 2022, 21, 52.	2.7	17
38	Obstructive Sleep Apnea Using Watch [®] PAT [™] 200 Is Independently Associated With an Increase in Morning Blood Pressure Surge in Never [®] Treated Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2015, 17, 675-681.	1.0	16
39	Impaired Fasting Glucose and Impaired Glucose Tolerance Do Not Predict Hypertension: A Community Cohort Study. <i>American Journal of Hypertension</i> , 2015, 28, 493-500.	1.0	16
40	Antihypertensive Drugs and the Risk of Cancer: A Nationwide Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 771.	1.0	16
41	Prehypertension is associated with early complications of atherosclerosis but not with exercise capacity. <i>International Journal of Cardiology</i> , 2017, 227, 387-392.	0.8	15
42	Prehypertension is a comorbid state with autonomic and metabolic dysfunction. <i>Journal of Clinical Hypertension</i> , 2018, 20, 273-279.	1.0	15
43	Discordance between ambulatory versus clinic blood pressure according to global cardiovascular risk group. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 610-619.	0.7	15
44	Efficacy and Safety of 30-Mg Fimasartan for the Treatment of Patients With Mild to Moderate Hypertension: An 8-Week, Multicenter, Randomized, Double-Blind, Phase III Clinical Study. <i>Clinical Therapeutics</i> , 2014, 36, 1412-1421.	1.1	14
45	The Association between Parameters of Socioeconomic Status and Hypertension in Korea: the Korean Genome and Epidemiology Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1922.	1.1	14
46	Disparities in Mortality and Cardiovascular Events by Income and Blood Pressure Levels Among Patients With Hypertension in South Korea. <i>Journal of the American Heart Association</i> , 2021, 10, e018446.	1.6	14
47	Magnetic resonance imaging of macrophage activity in atherosclerotic plaques of apolipoprotein E-deficient mice by using polyethylene glycolated magnetic fluorescent silica-coated nanoparticles. <i>Current Applied Physics</i> , 2009, 9, S15-S18.	1.1	12
48	Gender Differences in the Association between Serum $\hat{\gamma}$ -Glutamyltransferase and Blood Pressure Change: A Prospective Community-Based Cohort Study. <i>Journal of Korean Medical Science</i> , 2014, 29, 1379.	1.1	12
49	Is the use of RAS inhibitors safe in the current era of COVID-19 pandemic?. <i>Clinical Hypertension</i> , 2020, 26, 11.	0.7	12
50	Title is missing!. <i>Coronary Artery Disease</i> , 2003, 14, 293-299.	0.3	11
51	Cell adhesion molecule mediation of myocardial inflammatory responses associated with ventricular pacing. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H1387-H1393.	1.5	10
52	Successful Percutaneous Aspiration Thrombectomy for Acute Mesenteric Ischemia in a Patient With Atrial Fibrillation Despite Optimal Anticoagulation Therapy. <i>Canadian Journal of Cardiology</i> , 2013, 29, 1329.e5-1329.e7.	0.8	10
53	Effect of physical activity on the cardiometabolic profiles of non-obese and obese subjects: Results from the Korea National Health and Nutritional Examination Survey. <i>PLoS ONE</i> , 2019, 14, e0208189.	1.1	10
54	Association between N-terminal pro-brain natriuretic peptide and acute ischemic stroke in patients on chronic hemodialysis. <i>International Urology and Nephrology</i> , 2010, 42, 537-543.	0.6	9

#	ARTICLE	IF	CITATIONS
55	Improved Blood Pressure Control with Nifedipine GITS/Valsartan Combination Versus High-Dose Valsartan Monotherapy in Mild-to-Moderate Hypertensive Patients from Asia: Results from the ADVISE Study, a Randomized Trial. <i>Cardiovascular Therapeutics</i> , 2012, 30, 326-332.	1.1	9
56	The clinical usefulness of central hemodynamics to evaluate diastolic dysfunction in subjects without hypertension. <i>Clinical Interventions in Aging</i> , 2014, 9, 527.	1.3	9
57	Efficacy and safety of two fixed-dose combinations of S-amlodipine and telmisartan (CKD-828) versus S-amlodipine monotherapy in patients with hypertension inadequately controlled using S-amlodipine monotherapy: an 8-week, multicenter, randomized, double-blind, Phase III clinical study. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 3817-3826.	2.0	9
58	Efficacy and Tolerability of Combination Therapy Versus Monotherapy with Candesartan and/or Amlodipine for Dose Finding in Essential Hypertension: A Phase II Multicenter, Randomized, Double-blind Clinical Trial. <i>Clinical Therapeutics</i> , 2017, 39, 1628-1638.	1.1	9
59	The impact of preload on 3-dimensional deformation parameters: principal strain, twist and torsion. <i>Cardiovascular Ultrasound</i> , 2017, 15, 22.	0.5	9
60	Sex-specific associations of obesity with exercise capacity and diastolic function in Koreans. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 254-262.	1.1	9
61	Activation of Aryl Hydrocarbon Receptor by ITE Improves Cardiac Function in Mice After Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2021, 10, e020502.	1.6	9
62	Clinical features and predictors of masked uncontrolled hypertension from the Korean Ambulatory Blood Pressure Monitoring Registry. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1102-1114.	0.7	9
63	Interventions for Adherence Improvement in the Primary Prevention of Cardiovascular Diseases: Expert Consensus Statement. <i>Korean Circulation Journal</i> , 2022, 52, 1.	0.7	9
64	The Impact of the Aortic Pulse Wave Velocity on the Cardiovascular Outcomes of Hemodialysis Patients. <i>Journal of Korean Medical Science</i> , 2009, 24, S121.	1.1	8
65	Relationship Between Plasma Adiponectin, Retinol-Binding Protein 4 and Uric Acid in Hypertensive Patients With Metabolic Syndrome. <i>Korean Circulation Journal</i> , 2011, 41, 198.	0.7	8
66	Higher Blood Pressure Variability in White Coat Hypertension; from the Korean Ambulatory Blood Pressure Monitoring Registry. <i>Korean Circulation Journal</i> , 2016, 46, 365.	0.7	8
67	Visit-to-visit variability of systolic blood pressure predicts all-cause mortality in patients received percutaneous coronary intervention with drug-eluting stents. <i>Heart and Vessels</i> , 2018, 33, 489-497.	0.5	8
68	Blood pressure levels and cardiovascular risk according to age in patients with diabetes mellitus: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 181.	2.7	8
69	Magnetic resonance tracking of multifunctional nanoparticle-labeled mouse mesenchymal stem cells in a mouse model of myocardial infarction. <i>Current Applied Physics</i> , 2009, 9, S12-S14.	1.1	7
70	A high normal thyroid-stimulating hormone is associated with arterial stiffness, central systolic blood pressure, and 24-hour systolic blood pressure in males with treatment-naïve hypertension and euthyroid. <i>International Journal of Cardiology</i> , 2014, 177, 949-956.	0.8	7
71	Heart Rate and Bone Mineral Density in Older Women with Hypertension: Results from the Korea National Health and Nutritional Examination Survey. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1144-1150.	1.3	7
72	Metabolic syndrome, not menopause, is a risk factor for hypertension in peri-menopausal women. <i>Clinical Hypertension</i> , 2018, 24, 14.	0.7	7

#	ARTICLE	IF	CITATIONS
73	Office Blood Pressure Range and Cardiovascular Events in Patients With Hypertension: A Nationwide Cohort Study in South Korea. <i>Journal of the American Heart Association</i> , 2021, 10, e017890.	1.6	7
74	Effect of angiotensin receptor blockers on the development of cancer: A nationwide cohort study in korea. <i>Journal of Clinical Hypertension</i> , 2021, 23, 879-887.	1.0	7
75	Cost-Effectiveness Analysis of Hypertension Screening in the Korea National Health Screening Program. <i>Korean Circulation Journal</i> , 2021, 51, 610.	0.7	7
76	Angiotensin Receptor Blockers as an Alternative to Angiotensin-Converting Enzyme Inhibitors in Patients with Acute Myocardial Infarction Undergoing Percutaneous Coronary Intervention. <i>Journal of Korean Medical Science</i> , 2019, 34, e289.	1.1	7
77	Infective endocarditis of the aortic valve complicated by massive pericardial effusion and rupture of a sinus of valsalva into the right atrium. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 910-912.	1.2	6
78	Relationship between the course of depression symptoms and the left ventricular mass index and left ventricular filling pressure in chronic haemodialysis patients. <i>Nephrology</i> , 2011, 16, 180-186.	0.7	6
79	Efficacy and Tolerability of Pitavastatin Versus Pitavastatin/Fenofibrate in High-risk Korean Patients with Mixed Dyslipidemia: A Multicenter, Randomized, Double-blinded, Parallel, Therapeutic Confirmatory Clinical Trial. <i>Clinical Therapeutics</i> , 2020, 42, 2021-2035.e3.	1.1	6
80	<p>Effect of Fimasartan versus Valsartan and Olmesartan on Office and Ambulatory Blood Pressure in Korean Patients with Mild-to-Moderate Essential Hypertension: A Randomized, Double-Blind, Active Control, Three-Parallel Group, Forced Titration, Multicenter, Phase IV Study (Fimasartan Achieving Systolic Blood Pressure Target (FAST) Study)</p>. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 347-360.	2.0	6
81	Real-world evidence on the strategy of olmesartan-based triple single-pill combination in Korean hypertensive patients: a prospective, multicenter, observational study (RESOLVE-PRO). <i>Clinical Hypertension</i> , 2021, 27, 21.	0.7	6
82	Relation between Serum Carboxy-Terminal Propeptide of Type 1 Procollagen(PIP), a Marker of Myocardial Fibrosis, and Left Ventricular Diastolic Function in Patients with Early Type 2 Diabetes Mellitus. <i>Korean Circulation Journal</i> , 2005, 35, 500.	0.7	5
83	Independent determinants for presence and degree of left ventricular systolic dyssynchrony in treatment-naïve patients with hypertension. <i>Journal of Hypertension</i> , 2013, 31, 601-609.	0.3	5
84	Office blood pressure threshold of 130/80ÂmmHg better predicts uncontrolled outâ€ofâ€office blood pressure in apparent treatmentâ€resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2021, 23, 595-605.	1.0	5
85	Protective effect of controlled blood pressure on risk of dementia in low-risk, grade 1 hypertension. <i>Journal of Hypertension</i> , 2021, 39, 1662-1669.	0.3	5
86	Central blood pressure lowering effect of telmisartanâ€rosuvastatin singleâ€pill combination in hypertensive patients combined with dyslipidemia: A pilot study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1664-1674.	1.0	5
87	Improving the Quality of Hypertension Management: Multifaceted Approach. <i>Korean Circulation Journal</i> , 2019, 49, 528.	0.7	5
88	Association of Physical Activity and Lower Respiratory Tract Infection Outcomes in Patients With Cardiovascular Disease. <i>Journal of the American Heart Association</i> , 2022, 11, e023775.	1.6	5
89	Benidipine has effects similar to losartan on the central blood pressure and arterial stiffness in mild to moderate essential hypertension. <i>Chinese Medical Journal</i> , 2013, 126, 2021-8.	0.9	5
90	Noninvasive Assessment of Coronary Vasodilating Capacity Using Freehand 3-Dimensional Echocardiography with Rotational Scanning. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 113-118.	1.2	4

#	ARTICLE	IF	CITATIONS
91	Relationship between Resting Electrocardiographic Parameters and Estimated 10-Year Risk for Coronary Heart Disease in Healthy Adults in the USA. <i>Annals of Noninvasive Electrocardiology</i> , 2010, 15, 315-320.	0.5	4
92	Impact of antihypertensive treatment on left ventricular systolic dyssynchrony in treatment-naïve hypertensive patients. <i>Hypertension Research</i> , 2012, 35, 661-666.	1.5	4
93	A simple screening score for undiagnosed hypertension. <i>International Journal of Cardiology</i> , 2014, 172, e465-e467.	0.8	4
94	Effects of candesartan cilexetil and amlodipine orotate on receptor for advanced glycation end products expression in the aortic wall of Otsuka Long-Evans Tokushima Fatty (OLETF) type 2 diabetic rats. <i>Archives of Pharmacal Research</i> , 2016, 39, 565-576.	2.7	4
95	Low plasma renin activity is an independent predictor of near-term incidence of hypertension in Asian populations. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 330-335.	0.5	4
96	Physician adherence and patient-reported outcomes in heart failure with reduced ejection fraction in the era of angiotensin receptor-neprilysin inhibitor therapy. <i>Scientific Reports</i> , 2022, 12, 7730.	1.6	4
97	Morphologic Differences of Vessel Wall at Sites of Focal and Diffuse Coronary Vasospasm by Intravascular Ultrasound(IVUS). <i>Sunhwan'gi</i> , 2001, 31, 749.	0.3	3
98	A Novel Cardiomyopathy Mimicking Acute Myocardial Infarction. <i>Sunhwan'gi</i> , 2002, 32, 608.	0.3	3
99	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 389.	0.7	3
100	Efficacy of a fixed dose combination of irbesartan and atorvastatin (Rovelito [®]) in Korean adults with hypertension and hypercholesterolemia. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 633-645.	2.0	3
101	In vivo MRI detection of intraplaque macrophages with biocompatible silica-coated iron oxide nanoparticles in murine atherosclerosis. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2021, 19, 228080002110147.	0.7	3
102	A Standardized <i>Lindera obtusiloba</i> Extract Improves Endothelial Dysfunction and Attenuates Plaque Development in Hyperlipidemic ApoE-Knockout Mice. <i>Plants</i> , 2021, 10, 2493.	1.6	3
103	Elevated On-Treatment Diastolic Blood Pressure and Cardiovascular Outcomes in the Presence of Achieved Systolic Blood Pressure Targets. <i>Korean Circulation Journal</i> , 2022, 52, 460.	0.7	3
104	Is Systemic Inflammation Associated with Passive Smoke Exposure? A Population-Based Observational Study. <i>Korean Circulation Journal</i> , 2006, 36, 510.	0.7	2
105	Clinical, Electrocardiographic, and Procedural Characteristics of Patients With Coronary Chronic Total Occlusions. <i>Korean Circulation Journal</i> , 2009, 39, 111.	0.7	2
106	A Multicenter, Eight-Week Treatment, Single-Step Titration, Open-Label Study Assessing the Percentage of Korean Dyslipidemic Patients Achieving LDL Cholesterol Target with Atorvastatin Starting Doses of 10Åmg, 20Åmg and 40Åmg. <i>Cardiovascular Drugs and Therapy</i> , 2010, 24, 181-188.	1.3	2
107	Negative association between plasma aldosterone concentration/plasma renin activity and morning blood pressure surge in never-treated hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 195-199.	0.5	2
108	Massive pulmonary thromboembolism combined with transient thyrotoxicosis in an 18-year old girl. <i>Clinical Hypertension</i> , 2020, 26, 17.	0.7	2

#	ARTICLE	IF	CITATIONS
109	Combined Effect of Elevated Blood Pressure and Obesity on Left Ventricular Diastolic Function. <i>Cardiometabolic Syndrome Journal</i> , 2022, 2, 39.	1.0	2
110	Diuretics versus others for long-term clinical outcomes as first-line antihypertensive medications: analysis of national real-world database. <i>Hypertension Research</i> , 2022, , .	1.5	2
111	Non-Dipper and Inappropriate Left Ventricular Mass in Hypertensive Patients. <i>Korean Circulation Journal</i> , 2011, 41, 175.	0.7	1
112	Pathophysiology and Optimal Management of Hypertension in Patients with Cardiometabolic Syndrome. <i>Cardiometabolic Syndrome Journal</i> , 2021, 1, 46.	1.0	1
113	Morning blood pressure surge in the early stage of hypertensive patients impacts three-dimensional left ventricular speckle tracking echocardiography. <i>Clinical Hypertension</i> , 2021, 27, 16.	0.7	1
114	Impact of a screening protocol for blood pressure level for hypertension in the Korean community health survey. <i>Blood Pressure</i> , 2021, 30, 403-410.	0.7	1
115	Higher visceral fat rate estimated by bioelectrical impedance analysis increases risk for prehypertension in normal weight healthy adults. <i>Journal of Clinical Hypertension</i> , 2019, 21, 540-540.	1.0	0
116	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2021, 43, 1746-1756.	1.1	0
117	ALMP3 induces laminopathy and senescence of vascular smooth muscle cells by reducing lamin A expression and leads to vascular aging in vivo. <i>Experimental Gerontology</i> , 2021, 153, 111483.	1.2	0
118	Utility of B-Type Natriuretic Peptide in Detecting Left Ventricular Systolic Dysfunction. <i>Journal of the Korean Society of Echocardiography</i> , 2003, 11, 87.	0.0	0
119	PPAR-gamma Agonist Attenuates Myocardial Fibrosis in a Type 2 Diabetic Rat Model. <i>Korean Circulation Journal</i> , 2005, 35, 883.	0.7	0
120	Abstract P545: Prehypertension is Associated With Metabolic Disturbance and Delayed Heart Rate Recovery: Potential Link Between Prehypertension and Metabolic-autonomic Dysfunction. <i>Hypertension</i> , 2017, 70, .	1.3	0
121	A count-based decision method for target blood pressure achievement in home blood pressure monitoring data interpretation for clinical practices. <i>Scientific Reports</i> , 2022, 12, 3897.	1.6	0