

Pan Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8425174/publications.pdf>

Version: 2024-02-01

149
papers

12,711
citations

31949

53
h-index

25770

108
g-index

155
all docs

155
docs citations

155
times ranked

18538
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel aptamer-based small RNA delivery platform and its application to cancer therapy. <i>Genes and Diseases</i> , 2023, 10, 1075-1089.	1.5	2
2	A novel clinically relevant graft-versus-leukemia model in humanized mice. <i>Journal of Leukocyte Biology</i> , 2022, 111, 427-437.	1.5	4
3	Pharmacological or genetic inhibition of hypoxia signaling attenuates oncogenic RAS-induced cancer phenotypes. <i>DMM Disease Models and Mechanisms</i> , 2022, 15, .	1.2	6
4	Treatment with soluble CD24 attenuates COVID-19-associated systemic immunopathology. <i>Journal of Hematology and Oncology</i> , 2022, 15, 5.	6.9	30
5	Efficacy and safety of CD24Fc in hospitalised patients with COVID-19: a randomised, double-blind, placebo-controlled, phase 3 study. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 611-621.	4.6	22
6	Targeting HIF-1 α abrogates PD-L1 α -mediated immune evasion in tumor microenvironment but promotes tolerance in normal tissues. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	42
7	CD24Fc ameliorates immune-related adverse events while preserving anti-tumor therapeutic effect. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, .	7.1	7
8	Microsatellite instability status differentially associates with intratumoral immune microenvironment in human cancers. <i>Briefings in Bioinformatics</i> , 2021, 22, .	3.2	22
9	MYC oncogene is associated with suppression of tumor immunity and targeting Myc induces tumor cell immunogenicity for therapeutic whole cell vaccination. , 2021, 9, e001388.		33
10	Targeting the HIF-1 α -IGFBP2 axis therapeutically reduces IGF1-AKT signaling and blocks the growth and metastasis of relapsed anaplastic Wilms tumor. <i>Oncogene</i> , 2021, 40, 4809-4819.	2.6	12
11	The HIF1 α -PDGFR α axis controls glioblastoma growth at normoxia/mild-hypoxia and confers sensitivity to targeted therapy by echinomycin. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 278.	3.5	25
12	Preserving the CTLA-4 Checkpoint for Safer and More Effective Cancer Immunotherapy. <i>Trends in Pharmacological Sciences</i> , 2020, 41, 4-12.	4.0	82
13	Liposomal formulation of HIF-1 α inhibitor echinomycin eliminates established metastases of triple-negative breast cancer. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2020, 29, 102278.	1.7	32
14	Structure of CTLA-4 complexed with a pH-sensitive cancer immunotherapeutic antibody. <i>Cell Discovery</i> , 2020, 6, 79.	3.1	6
15	CD24Fc protects against viral pneumonia in simian immunodeficiency virus-infected Chinese rhesus monkeys. <i>Cellular and Molecular Immunology</i> , 2020, 17, 887-888.	4.8	33
16	Therapeutic targeting of TP53-mutated acute myeloid leukemia by inhibiting HIF-1 α with echinomycin. <i>Oncogene</i> , 2020, 39, 3015-3027.	2.6	25
17	Mechanism- and Immune Landscape-Based Ranking of Therapeutic Responsiveness of 22 Major Human Cancers to Next Generation Anti-CTLA-4 Antibodies. <i>Cancers</i> , 2020, 12, 284.	1.7	9
18	Amplification of the CD24 Gene Is an Independent Predictor for Poor Prognosis of Breast Cancer. <i>Frontiers in Genetics</i> , 2019, 10, 560.	1.1	19

#	ARTICLE	IF	CITATIONS
19	Hijacking antibody-induced CTLA-4 lysosomal degradation for safer and more effective cancer immunotherapy. <i>Cell Research</i> , 2019, 29, 609-627.	5.7	74
20	T Regulatory Cells and Priming the Suppressive Tumor Microenvironment. <i>Frontiers in Immunology</i> , 2019, 10, 2453.	2.2	156
21	En masse discovery of anti-cancer human monoclonal antibodies by de novo assembly of immunoglobulin sequences from transcriptomes and genome sequences of cancer tissues. <i>Cellular and Molecular Immunology</i> , 2019, 16, 943-945.	4.8	1
22	<i>MYC</i> Drives Group 3 Medulloblastoma through Transformation of Sox2+ Astrocyte Progenitor Cells. <i>Cancer Research</i> , 2019, 79, 1967-1980.	0.4	29
23	Siglec genes confer resistance to systemic lupus erythematosus in humans and mice. <i>Cellular and Molecular Immunology</i> , 2019, 16, 154-164.	4.8	20
24	Uncoupling therapeutic from immunotherapy-related adverse effects for safer and effective anti-CTLA-4 antibodies in CTLA4 humanized mice. <i>Cell Research</i> , 2018, 28, 433-447.	5.7	91
25	A reappraisal of CTLA-4 checkpoint blockade in cancer immunotherapy. <i>Cell Research</i> , 2018, 28, 416-432.	5.7	188
26	Anti-CTLA-4 antibodies in cancer immunotherapy: selective depletion of intratumoral regulatory T cells or checkpoint blockade?. <i>Cell and Bioscience</i> , 2018, 8, 30.	2.1	88
27	CD24-p53 axis suppresses diethylnitrosamine-induced hepatocellular carcinogenesis by sustaining intrahepatic macrophages. <i>Cell Discovery</i> , 2018, 4, 6.	3.1	14
28	The CD24-Siglec G axis protects mice against cuprizone-induced oligodendrocyte loss: targeting danger signal for neuroprotection. <i>Cellular and Molecular Immunology</i> , 2018, 15, 79-81.	4.8	6
29	How Does an Anti-CTLA-4 Antibody Promote Cancer Immunity?. <i>Trends in Immunology</i> , 2018, 39, 953-956.	2.9	55
30	Regulation of Pathogenic T Helper 17 Cell Differentiation by Steroid Receptor Coactivator-3. <i>Cell Reports</i> , 2018, 23, 2318-2329.	2.9	31
31	CD24 and Fc fusion protein protects SIVmac239-infected Chinese rhesus macaque against progression to AIDS. <i>Antiviral Research</i> , 2018, 157, 9-17.	1.9	32
32	Tumor cells versus host immune cells: whose PD-L1 contributes to PD-1/PD-L1 blockade mediated cancer immunotherapy?. <i>Cell and Bioscience</i> , 2018, 8, 34.	2.1	83
33	IL-27 gene therapy induces depletion of Tregs and enhances the efficacy of cancer immunotherapy. <i>JCI Insight</i> , 2018, 3, .	2.3	42
34	Trap1a is an X-linked and cell-intrinsic regulator of thymocyte development. <i>Cellular and Molecular Immunology</i> , 2017, 14, 685-692.	4.8	4
35	An aptamer-based targeted delivery of miR-26a protects mice against chemotherapy toxicity while suppressing tumor growth. <i>Blood Advances</i> , 2017, 1, 1107-1119.	2.5	14
36	MYCN Amplification Is Associated with Repressed Cellular Immunity in Neuroblastoma: An In Silico Immunological Analysis of TARGET Database. <i>Frontiers in Immunology</i> , 2017, 8, 1473.	2.2	52

#	ARTICLE	IF	CITATIONS
37	A population of innate myelolymphoblastoid effector cell expanded by inactivation of mTOR complex 1 in mice. <i>ELife</i> , 2017, 6, .	2.8	5
38	The MicroRNA-183-96-182 Cluster Promotes T Helper 17 Cell Pathogenicity by Negatively Regulating Transcription Factor Foxo1 Expression. <i>Immunity</i> , 2016, 44, 1284-1298.	6.6	145
39	Fbxo30 Regulates Mammopoiesis by Targeting the Bipolar Mitotic Kinesin Eg5. <i>Cell Reports</i> , 2016, 15, 1111-1122.	2.9	6
40	A Critical Role for the Regulated Wnt-Myc Pathway in Naive T Cell Survival. <i>Journal of Immunology</i> , 2015, 194, 158-167.	0.4	32
41	Myeloid cell TRAF3 promotes metabolic inflammation, insulin resistance, and hepatic steatosis in obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E460-E469.	1.8	30
42	An mTORC1-Mdm2-Drosha Axis for miRNA Biogenesis in Response to Glucose- and Amino Acid-Deprivation. <i>Molecular Cell</i> , 2015, 57, 708-720.	4.5	72
43	FOXP3 Controls an miR-146/NF- κ B Negative Feedback Loop That Inhibits Apoptosis in Breast Cancer Cells. <i>Cancer Research</i> , 2015, 75, 1703-1713.	0.4	109
44	The Methylcytosine Dioxygenase Tet2 Promotes DNA Demethylation and Activation of Cytokine Gene Expression in T Cells. <i>Immunity</i> , 2015, 42, 613-626.	6.6	264
45	Intracellular CD24 disrupts the ARF-NPM interaction and enables mutational and viral oncogene-mediated p53 inactivation. <i>Nature Communications</i> , 2015, 6, 5909.	5.8	54
46	Broad and direct interaction between TLR and Siglec families of pattern recognition receptors and its regulation by Neu1. <i>ELife</i> , 2014, 3, e04066.	2.8	117
47	Siglec-G/10 in self-nonsel self discrimination of innate and adaptive immunity. <i>Glycobiology</i> , 2014, 24, 800-806.	1.3	70
48	Deletion of CD24 Impairs Development of Heat Shock Protein gp96-Driven Autoimmune Disease through Expansion of Myeloid-Derived Suppressor Cells. <i>Journal of Immunology</i> , 2014, 192, 5679-5686.	0.4	15
49	Echinomycin protects mice against relapsed acute myeloid leukemia without adverse effect on hematopoietic stem cells. <i>Blood</i> , 2014, 124, 1127-1135.	0.6	55
50	Siglec-G-CD24 axis controls the severity of graft-versus-host disease in mice. <i>Blood</i> , 2014, 123, 3512-3523.	0.6	76
51	Ribosomal protein S27-like is a physiological regulator of p53 that suppresses genomic instability and tumorigenesis. <i>ELife</i> , 2014, 3, e02236.	2.8	41
52	Laforin Prevents Stress-Induced Polyglucosan Body Formation and Lafora Disease Progression in Neurons. <i>Molecular Neurobiology</i> , 2013, 48, 49-61.	1.9	19
53	FOXP3: Genetic and epigenetic implications for autoimmunity. <i>Journal of Autoimmunity</i> , 2013, 41, 72-78.	3.0	60
54	Cytopenia and autoimmune diseases: A vicious cycle fueled by mTOR dysregulation in hematopoietic stem cells. <i>Journal of Autoimmunity</i> , 2013, 41, 182-187.	3.0	27

#	ARTICLE	IF	CITATIONS
55	Induction of Siglec-G by RNA Viruses Inhibits the Innate Immune Response by Promoting RIG-I Degradation. <i>Cell</i> , 2013, 152, 467-478.	13.5	228
56	FOXP3 Regulates Sensitivity of Cancer Cells to Irradiation by Transcriptional Repression of BRCA1. <i>Cancer Research</i> , 2013, 73, 2170-2180.	0.4	22
57	A Critical Role for Rictor in T Lymphopoiesis. <i>Journal of Immunology</i> , 2012, 189, 1850-1857.	0.4	42
58	Integrated Analysis Reveals Critical Genomic Regions in Prostate Tumor Microenvironment Associated with Clinicopathologic Phenotypes. <i>Clinical Cancer Research</i> , 2012, 18, 1578-1587.	3.2	34
59	CD24 on thymic APCs regulates negative selection of myelin antigen-specific T lymphocytes. <i>European Journal of Immunology</i> , 2012, 42, 924-935.	1.6	9
60	Laforin is required for the functional activation of malin in endoplasmic reticulum stress resistance in neuronal cells. <i>FEBS Journal</i> , 2012, 279, 2467-2478.	2.2	18
61	A hypermorphic SP1-binding CD24 variant associates with risk and progression of multiple sclerosis. <i>American Journal of Translational Research (discontinued)</i> , 2012, 4, 347-56.	0.0	15
62	FOXP3 Orchestrates H4K16 Acetylation and H3K4 Trimethylation for Activation of Multiple Genes by Recruiting MOF and Causing Displacement of PLU-1. <i>Molecular Cell</i> , 2011, 44, 770-784.	4.5	67
63	Targeting HIF1 α Eliminates Cancer Stem Cells in Hematological Malignancies. <i>Cell Stem Cell</i> , 2011, 8, 399-411.	5.2	368
64	Identification of a Tumor Suppressor Relay between the FOXP3 and the Hippo Pathways in Breast and Prostate Cancers. <i>Cancer Research</i> , 2011, 71, 2162-2171.	0.4	89
65	Sialoside-based pattern recognitions discriminating infections from tissue injuries. <i>Current Opinion in Immunology</i> , 2011, 23, 41-45.	2.4	24
66	Protein aggregation of SERCA2 mutants associated with Darier disease elicits ER stress and apoptosis in keratinocytes. <i>Journal of Cell Science</i> , 2011, 124, 3568-3580.	1.2	30
67	The Tuberous Sclerosis Complex "Mammalian Target of Rapamycin Pathway Maintains the Quiescence and Survival of Naive T Cells. <i>Journal of Immunology</i> , 2011, 187, 1106-1112.	0.4	80
68	Amelioration of sepsis by inhibiting sialidase-mediated disruption of the CD24-SiglecG interaction. <i>Nature Biotechnology</i> , 2011, 29, 428-435.	9.4	158
69	On self-nonsel self discrimination in pattern recognition. <i>Science China Life Sciences</i> , 2010, 53, 169-171.	2.3	8
70	X-linked tumor suppressors: perplexing inheritance, a unique therapeutic opportunity. <i>Trends in Genetics</i> , 2010, 26, 260-265.	2.9	22
71	Transgenic Expression of P1A Induced Thymic Tumor: A Role for Onco-Fetal Antigens in Tumorigenesis. <i>PLoS ONE</i> , 2010, 5, e13439.	1.1	2
72	Signalling through FOXP3 as an X-linked tumor suppressor. <i>International Journal of Biochemistry and Cell Biology</i> , 2010, 42, 1784-1787.	1.2	23

#	ARTICLE	IF	CITATIONS
73	CD24: from A to Z. Cellular and Molecular Immunology, 2010, 7, 100-103.	4.8	325
74	Mammalian target of rapamycin activation underlies HSC defects in autoimmune disease and inflammation in mice. Journal of Clinical Investigation, 2010, 120, 4091-4101.	3.9	93
75	FOXP3 as an X-linked tumor suppressor. Discovery Medicine, 2010, 10, 322-8.	0.5	18
76	Targeting lymphotoxin-mediated negative selection to prevent prostate cancer in mice with genetic predisposition. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 17134-17139.	3.3	17
77	B7 Blockade Alters the Balance between Regulatory T Cells and Tumor-reactive T Cells for Immunotherapy of Cancer. Clinical Cancer Research, 2009, 15, 960-970.	3.2	13
78	Deletions and missense mutations of EPM2A exacerbate unfolded protein response and apoptosis of neuronal cells induced by endoplasm reticulum stress. Human Molecular Genetics, 2009, 18, 2622-2631.	1.4	27
79	FOXP3 Up-regulates <i>p21</i> Expression by Site-Specific Inhibition of Histone Deacetylase 2/Histone Deacetylase 4 Association to the Locus. Cancer Research, 2009, 69, 2252-2259.	0.4	97
80	The axis of mTOR-mitochondria-ROS and stemness of the hematopoietic stem cells. Cell Cycle, 2009, 8, 1158-1160.	1.3	61
81	mTOR Regulation and Therapeutic Rejuvenation of Aging Hematopoietic Stem Cells. Science Signaling, 2009, 2, ra75.	1.6	569
82	CD24 and Siglec-10 Selectively Repress Tissue Damage-Induced Immune Responses. Science, 2009, 323, 1722-1725.	6.0	670
83	Activating Transcription Factor 2 and c-Jun-Mediated Induction of FoxP3 for Experimental Therapy of Mammary Tumor in the Mouse. Cancer Research, 2009, 69, 5954-5960.	0.4	32
84	Somatic Single Hits Inactivate the X-Linked Tumor Suppressor FOXP3 in the Prostate. Cancer Cell, 2009, 16, 336-346.	7.7	190
85	Selective elimination of autoreactive T cells in vivo by the regulatory T cells. Clinical Immunology, 2009, 130, 61-73.	1.4	5
86	CD24 polymorphisms affect risk and progression of chronic hepatitis B virus infection. Hepatology, 2009, 50, 735-742.	3.6	39
87	CD24-Siglec G/10 discriminates danger- from pathogen-associated molecular patterns. Trends in Immunology, 2009, 30, 557-561.	2.9	122
88	FoxP3: a life beyond regulatory T cells. International Journal of Clinical and Experimental Pathology, 2009, 2, 205-10.	0.5	1
89	1- α -Lactosylceramide as a Novel Sugar-Capped CD1d Ligand for Natural Killer T Cells: Biased Cytokine Profile and Therapeutic Activities. ChemBioChem, 2008, 9, 1423-1430.	1.3	22
90	FOXP3 Is an X-Linked Breast Cancer Suppressor Gene and an Important Repressor of the HER-2/ErbB2 Oncogene. Cell, 2008, 134, 546.	13.5	2

#	ARTICLE	IF	CITATIONS
91	TSC-mTOR maintains quiescence and function of hematopoietic stem cells by repressing mitochondrial biogenesis and reactive oxygen species. <i>Journal of Experimental Medicine</i> , 2008, 205, 2397-2408.	4.2	615
92	Cutting Edge: Broad Expression of the FoxP3 Locus in Epithelial Cells: A Caution against Early Interpretation of Fatal Inflammatory Diseases following In Vivo Depletion of FoxP3-Expressing Cells. <i>Journal of Immunology</i> , 2008, 180, 5163-5166.	0.4	118
93	Dendritic cells in the thymus contribute to T-regulatory cell induction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 19869-19874.	3.3	265
94	Homeostatic Proliferation in the Mice with Germline FoxP3 Mutation and its Contribution to Fatal Autoimmunity. <i>Journal of Immunology</i> , 2008, 181, 2399-2406.	0.4	30
95	Laforin Negatively Regulates Cell Cycle Progression through Glycogen Synthase Kinase 3 β -Dependent Mechanisms. <i>Molecular and Cellular Biology</i> , 2008, 28, 7236-7244.	1.1	20
96	Laforin Confers Cancer Resistance to Energy Deprivation-Induced Apoptosis. <i>Cancer Research</i> , 2008, 68, 4039-4044.	0.4	15
97	A Role for Cytoplasmic PML in Cellular Resistance to Viral Infection. <i>PLoS ONE</i> , 2008, 3, e2277.	1.1	38
98	Modulation of NKT Cell Development by B7-CD28 Interaction: An Expanding Horizon for Costimulation. <i>PLoS ONE</i> , 2008, 3, e2703.	1.1	24
99	Tumor Growth Decreases NK and B Cells as well as Common Lymphoid Progenitor. <i>PLoS ONE</i> , 2008, 3, e3180.	1.1	22
100	TSC-mTOR maintains quiescence and function of hematopoietic stem cells by repressing mitochondrial biogenesis and reactive oxygen species. <i>Journal of Cell Biology</i> , 2008, 183, i1-i1.	2.3	0
101	Inactivation of YAP oncoprotein by the Hippo pathway is involved in cell contact inhibition and tissue growth control. <i>Genes and Development</i> , 2007, 21, 2747-2761.	2.7	2,487
102	A Dinucleotide Deletion in CD24 Confers Protection against Autoimmune Diseases. <i>PLoS Genetics</i> , 2007, 3, e49.	1.5	70
103	FOXP3 and breast cancer: implications for therapy and diagnosis. <i>Pharmacogenomics</i> , 2007, 8, 1485-1487.	0.6	14
104	B7-Deficient Autoreactive T Cells Are Highly Susceptible to Suppression by CD4+CD25+ Regulatory T Cells. <i>Journal of Immunology</i> , 2007, 178, 1542-1552.	0.4	13
105	Immune competence of cancer-reactive T cells generated de novo in adult tumor-bearing mice. <i>Blood</i> , 2007, 109, 253-258.	0.6	2
106	FOXP3 Is an X-Linked Breast Cancer Suppressor Gene and an Important Repressor of the HER-2/ErbB2 Oncogene. <i>Cell</i> , 2007, 129, 1275-1286.	13.5	350
107	CD24: a genetic checkpoint in T cell homeostasis and autoimmune diseases. <i>Trends in Immunology</i> , 2007, 28, 315-320.	2.9	76
108	Siglecg Limits the Size of B1a B Cell Lineage by Down-Regulating NF κ B Activation. <i>PLoS ONE</i> , 2007, 2, e997.	1.1	50

#	ARTICLE	IF	CITATIONS
109	FOXP3 is a novel transcriptional repressor for the breast cancer oncogene SKP2. <i>Journal of Clinical Investigation</i> , 2007, 117, 3765-73.	3.9	201
110	Harnessing the regulatory feedback to T cells to enhance antitumor immune responses. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2006, 3, 31-34.	0.5	0
111	Tumor growth impedes natural-killer-cell maturation in the bone marrow. <i>Blood</i> , 2006, 108, 246-252.	0.6	79
112	Cutaneous marginal zone B-cell lymphoma in the setting of fluoxetine therapy: a hypothesis regarding pathogenesis based on in vitro suppression of T-cell-proliferative response. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 522-528.	0.7	28
113	Epm2a suppresses tumor growth in an immunocompromised host by inhibiting Wnt signaling. <i>Cancer Cell</i> , 2006, 10, 179-190.	7.7	54
114	FoxP3: A genetic link between immunodeficiency and autoimmune diseases. <i>Autoimmunity Reviews</i> , 2006, 5, 399-402.	2.5	33
115	Different Lineages of P1A-Expressing Cancer Cells Use Divergent Modes of Immune Evasion for T-Cell Adoptive Therapy. <i>Cancer Research</i> , 2006, 66, 8241-8249.	0.4	26
116	Dimerization of Laforin Is Required for Its Optimal Phosphatase Activity, Regulation of GSK3 ^β Phosphorylation, and Wnt Signaling*. <i>Journal of Biological Chemistry</i> , 2006, 281, 34768-34774.	1.6	43
117	Massive and destructive T cell response to homeostatic cue in CD24-deficient lymphopenic hosts. <i>Journal of Experimental Medicine</i> , 2006, 203, 1713-1720.	4.2	41
118	Combination Therapy with Anti-CTLA-4 and Anti-4-1BB Antibodies Enhances Cancer Immunity and Reduces Autoimmunity. <i>Cancer Research</i> , 2006, 66, 7276-7284.	0.4	165
119	Anti-human CTLA-4 monoclonal antibody promotes T-cell expansion and immunity in a hu-PBL-SCID model: a new method for preclinical screening of costimulatory monoclonal antibodies. <i>Blood</i> , 2005, 105, 1114-1120.	0.6	27
120	Human CTLA4 knock-in mice unravel the quantitative link between tumor immunity and autoimmunity induced by anti-CTLA-4 antibodies. <i>Blood</i> , 2005, 106, 3127-3133.	0.6	100
121	The Scurfy mutation of FoxP3 in the thymus stroma leads to defective thymopoiesis. <i>Journal of Experimental Medicine</i> , 2005, 202, 1141-1151.	4.2	93
122	A Rare Transporter Associated with Antigen Processing Polymorphism Overpresented in HLA ^{low} Colon Cancer Reveals the Functional Significance of the Signature Domain in Antigen Processing. <i>Clinical Cancer Research</i> , 2005, 11, 3614-3623.	3.2	14
123	CD24 in Experimental Autoimmune Encephalomyelitis and Multiple Sclerosis: Targeting Redundancy for Immunotherapy?. <i>Current Immunology Reviews</i> , 2005, 1, 173-176.	1.2	1
124	CD24 Controls Expansion and Persistence of Autoreactive T Cells in the Central Nervous System during Experimental Autoimmune Encephalomyelitis. <i>Journal of Experimental Medicine</i> , 2004, 200, 447-458.	4.2	89
125	CD24 Expression on T Cells Is Required for Optimal T Cell Proliferation in Lymphopenic Host. <i>Journal of Experimental Medicine</i> , 2004, 200, 1083-1089.	4.2	107
126	A new role for CD28 in the survival of autoreactive T cells in the periphery after chronic exposure to autoantigen. <i>International Immunology</i> , 2004, 16, 1403-1409.	1.8	1

#	ARTICLE	IF	CITATIONS
127	B7-CD28 Interaction Promotes Proliferation and Survival but Suppresses Differentiation of CD4 ⁺ CD8 ⁺ T Cells in the Thymus. <i>Journal of Immunology</i> , 2004, 173, 2253-2261.	0.4	18
128	Expression of tissue-specific autoantigens in the hematopoietic cells leads to activation-induced cell death of autoreactive T cells in the secondary lymphoid organs. <i>European Journal of Immunology</i> , 2004, 34, 3126-3134.	1.6	30
129	CIITA-regulated plexin-A1 affects T-cell-dendritic cell interactions. <i>Nature Immunology</i> , 2003, 4, 891-898.	7.0	129
130	Why Are Mice with Targeted Mutation of Co-stimulatory Molecules Prone to Autoimmune Disease?. <i>Annals of the New York Academy of Sciences</i> , 2003, 987, 307-308.	1.8	0
131	Central Tolerance in a Prostate Cancer Model TRAMP Mouse. <i>Annals of the New York Academy of Sciences</i> , 2003, 987, 322-323.	1.8	0
132	B7DC/PDL2 Promotes Tumor Immunity by a PD-1-independent Mechanism. <i>Journal of Experimental Medicine</i> , 2003, 197, 1721-1730.	4.2	130
133	A Single-nucleotide Deletion Leads to Rapid Degradation of TAP-1 mRNA in a Melanoma Cell Line. <i>Journal of Biological Chemistry</i> , 2003, 278, 15291-15296.	1.6	46
134	Differentiation of Monocytic Cell Clones into CD8 ⁺ Dendritic Cells (DC) Suggests that Monocytes Can Be Direct Precursors for Both CD8 ⁺ and CD8 ⁺ DC in the Mouse. <i>Journal of Immunology</i> , 2003, 170, 5927-5935.	0.4	20
135	CD24 is a genetic modifier for risk and progression of multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15041-15046.	3.3	102
136	Two-signal requirement for activation and effector function of natural killer cell response to allogeneic tumor cells. <i>Blood</i> , 2003, 102, 4456-4463.	0.6	19
137	Antigenic drift as a mechanism for tumor evasion of destruction by cytolytic T lymphocytes. <i>Journal of Clinical Investigation</i> , 2003, 111, 1487-1496.	3.9	87
138	Clonal Deletion of Simian Virus 40 Large T Antigen-Specific T Cells in the Transgenic Adenocarcinoma of Mouse Prostate Mice: An Important Role for Clonal Deletion in Shaping the Repertoire of T Cells Specific for Antigens Overexpressed in Solid Tumors. <i>Journal of Immunology</i> , 2002, 169, 4761-4769.	0.4	40
139	Cis elements for transporter associated with antigen-processing-2 transcription: two new promoters and an essential role of the IFN response factor binding element in IFN- γ -mediated activation of the transcription initiator. <i>International Immunology</i> , 2002, 14, 189-200.	1.8	14
140	Perinatal Blockade of B7-1 and B7-2 Inhibits Clonal Deletion of Highly Pathogenic Autoreactive T Cells. <i>Journal of Experimental Medicine</i> , 2002, 195, 959-971.	4.2	59
141	B7-CTLA4 interaction promotes cognate destruction of tumor cells by cytotoxic T lymphocytes in vivo. <i>Blood</i> , 2002, 99, 2880-2889.	0.6	20
142	B7H Costimulates Clonal Expansion of, and Cognate Destruction of Tumor Cells by, CD8 ⁺ T Lymphocytes In Vivo. <i>Journal of Experimental Medicine</i> , 2001, 194, 1339-1348.	4.2	111
143	Local Costimulation Reinvigorates Tumor-Specific Cytolytic T Lymphocytes for Experimental Therapy in Mice with Large Tumor Burdens. <i>Journal of Immunology</i> , 2001, 167, 3936-3943.	0.4	40
144	The heat-stable antigen determines pathogenicity of self-reactive T cells in experimental autoimmune encephalomyelitis. <i>Journal of Clinical Investigation</i> , 2000, 105, 1227-1232.	3.9	64

#	ARTICLE	IF	CITATIONS
145	Co-stimulatory molecules B7-1 and B7-2 as experimental therapeutic targets. <i>Expert Opinion on Therapeutic Targets</i> , 1999, 3, 93-108.	1.0	1
146	Proto-oncogene PML controls genes devoted to MHC class I antigen presentation. <i>Nature</i> , 1998, 396, 373-376.	13.7	149
147	CD28-independent Induction of T Helper Cells and Immunoglobulin Class Switches Requires Costimulation by the Heat-stable Antigen. <i>Journal of Experimental Medicine</i> , 1998, 187, 1151-1156.	4.2	67
148	Costimulation by B7 Modulates Specificity of Cytotoxic T Lymphocytes: A Missing Link That Explains Some Bystander T Cell Activation. <i>Journal of Experimental Medicine</i> , 1997, 186, 1787-1791.	4.2	14
149	CTLA-4-B7 Interaction Is Sufficient to Costimulate T Cell Clonal Expansion. <i>Journal of Experimental Medicine</i> , 1997, 185, 1327-1336.	4.2	103