
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8425254/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	The Lancet Commission on pollution and health. Lancet, The, 2018, 391, 462-512.	13.7	2,747
2	Intellectual Impairment in Children with Blood Lead Concentrations below 10 μg per Deciliter. New England Journal of Medicine, 2003, 348, 1517-1526.	27.0	1,891
3	Low-Level Environmental Lead Exposure and Children's Intellectual Function: An International Pooled Analysis. Environmental Health Perspectives, 2005, 113, 894-899.	6.0	1,750
4	Prevalence, Recognition, and Treatment of Attention-Deficit/Hyperactivity Disorder in a National Sample of US Children. JAMA Pediatrics, 2007, 161, 857.	3.0	656
5	Concerns over use of glyphosate-based herbicides and risks associated with exposures: a consensus statement. Environmental Health, 2016, 15, 19.	4.0	610
6	Pollution and health: a progress update. Lancet Planetary Health, The, 2022, 6, e535-e547.	11.4	548
7	Etiologic Subtypes of Attention-Deficit/Hyperactivity Disorder: Brain Imaging, Molecular Genetic and Environmental Factors and the Dopamine Hypothesis. Neuropsychology Review, 2007, 17, 39-59.	4.9	510
8	Impact of Early-Life Bisphenol A Exposure on Behavior and Executive Function in Children. Pediatrics, 2011, 128, 873-882.	2.1	481
9	Exposures to Environmental Toxicants and Attention Deficit Hyperactivity Disorder in U.S. Children. Environmental Health Perspectives, 2006, 114, 1904-1909.	6.0	466
10	The Contribution of Lead-Contaminated House Dust and Residential Soil to Children's Blood Lead Levels. Environmental Research, 1998, 79, 51-68.	7.5	423
11	Blood Lead Concentrations < 10 μg/dL and Child Intelligence at 6 Years of Age. Environmental Health Perspectives, 2008, 116, 243-248.	6.0	422
12	Prenatal Bisphenol A Exposure and Early Childhood Behavior. Environmental Health Perspectives, 2009, 117, 1945-1952.	6.0	394
13	Low-level lead exposure and mortality in US adults: a population-based cohort study. Lancet Public Health, The, 2018, 3, e177-e184.	10.0	372
14	Milk intake during childhood and adolescence, adult bone density, and osteoporotic fractures in US women. American Journal of Clinical Nutrition, 2003, 77, 257-265.	4.7	361
15	Decreased Brain Volume in Adults with Childhood Lead Exposure. PLoS Medicine, 2008, 5, e112.	8.4	349
16	Association of Prenatal and Childhood Blood Lead Concentrations with Criminal Arrests in Early Adulthood. PLoS Medicine, 2008, 5, e101.	8.4	332
17	Variability and Predictors of Urinary Bisphenol A Concentrations during Pregnancy. Environmental Health Perspectives, 2011, 119, 131-137.	6.0	306
18	Exposure to Environmental Tobacco Smoke and Cognitive Abilities among U.S. Children and Adolescents. Environmental Health Perspectives, 2005, 113, 98-103.	6.0	273

#	Article	IF	CITATIONS
19	Randomized Clinical Trial of Pacifier Use and Bottle-Feeding or Cupfeeding and Their Effect on Breastfeeding. Pediatrics, 2003, 111, 511-518.	2.1	271
20	Role of dopamine transporter genotype and maternal prenatal smoking in childhood hyperactive-impulsive, inattentive, and oppositional behaviors. Journal of Pediatrics, 2003, 143, 104-110.	1.8	264
21	Gestational Exposure to Endocrine-Disrupting Chemicals and Reciprocal Social, Repetitive, and Stereotypic Behaviors in 4- and 5-Year-Old Children: The HOME Study. Environmental Health Perspectives, 2014, 122, 513-520.	6.0	255
22	Prevalence, Patterns, and Persistence of Sleep Problems in the First 3 Years of Life. Pediatrics, 2012, 129, e276-e284.	2.1	228
23	Environmental lead exposure during early childhood. Journal of Pediatrics, 2002, 140, 40-47.	1.8	227
24	Pesticide Exposure in Children. Pediatrics, 2012, 130, e1765-e1788.	2.1	217
25	Pathways of Lead Exposure in Urban Children. Environmental Research, 1997, 74, 67-73.	7.5	213
26	Cadmium Exposure and Neurodevelopmental Outcomes in U.S. Children. Environmental Health Perspectives, 2012, 120, 758-763.	6.0	207
27	Association of Tobacco and Lead Exposures With Attention-Deficit/Hyperactivity Disorder. Pediatrics, 2009, 124, e1054-e1063.	2.1	197
28	Prenatal perfluoroalkyl substance exposure and child adiposity at 8 years of age: The <scp>HOME</scp> study. Obesity, 2016, 24, 231-237.	3.0	176
29	Organophosphate exposures during pregnancy and child neurodevelopment: Recommendations for essential policy reforms. PLoS Medicine, 2018, 15, e1002671.	8.4	168
30	Prenatal Polybrominated Diphenyl Ether Exposures and Neurodevelopment in U.S. Children through 5 Years of Age: The HOME Study. Environmental Health Perspectives, 2014, 122, 856-862.	6.0	167
31	Environmental Exposures to Lead and Urban Children's Blood Lead Levels. Environmental Research, 1998, 76, 120-130.	7.5	162
32	Association Between Maternal Fluoride Exposure During Pregnancy and IQ Scores in Offspring in Canada. JAMA Pediatrics, 2019, 173, 940.	6.2	160
33	Cohort Profile: The Maternalâ€Infant Research on Environmental Chemicals Research Platform. Paediatric and Perinatal Epidemiology, 2013, 27, 415-425.	1.7	146
34	ls it time to reassess current safety standards for glyphosate-based herbicides?. Journal of Epidemiology and Community Health, 2017, 71, 613-618.	3.7	146
35	Assessing the Role of Influential Mentors in the Research Development of Primary Care Fellows. Academic Medicine, 2004, 79, 865-872.	1.6	143
36	Changes in Serum Concentrations of Maternal Poly- and Perfluoroalkyl Substances over the Course of Pregnancy and Predictors of Exposure in a Multiethnic Cohort of Cincinnati, Ohio Pregnant Women during 2003–2006. Environmental Science & Technology, 2014, 48, 9600-9608.	10.0	143

#	Article	IF	CITATIONS
37	Optimal Exposure Biomarkers for Nonpersistent Chemicals in Environmental Epidemiology. Environmental Health Perspectives, 2015, 123, A166-8.	6.0	137
38	Developmental toxicity of nicotine: A transdisciplinary synthesis and implications for emerging tobacco products. Neuroscience and Biobehavioral Reviews, 2017, 72, 176-189.	6.1	135
39	The Impact of Toxins on the Developing Brain. Annual Review of Public Health, 2015, 36, 211-230.	17.4	130
40	Trends in Otitis Media Among Children in the United States. Pediatrics, 2003, 112, 514-520.	2.1	124
41	Project TENDR: Targeting Environmental Neuro-Developmental Risks The TENDR Consensus Statement. Environmental Health Perspectives, 2016, 124, A118-22.	6.0	123
42	Association of Environmental Toxicants and Conduct Disorder in U.S. Children: NHANES 2001–2004. Environmental Health Perspectives, 2008, 116, 956-962.	6.0	120
43	Associations of Prenatal Exposure to Organophosphate Pesticide Metabolites with Gestational Age and Birth Weight. Environmental Health Perspectives, 2012, 120, 1055-1060.	6.0	118
44	Prenatal Exposure to Bisphenol A and Child Wheeze from Birth to 3 Years of Age. Environmental Health Perspectives, 2012, 120, 916-920.	6.0	117
45	Association of pyrethroid pesticide exposure with attention-deficit/hyperactivity disorder in a nationally representative sample of U.S. children. Environmental Health, 2015, 14, 44.	4.0	114
46	Cohort Profile: The Health Outcomes and Measures of the Environment (HOME) study. International Journal of Epidemiology, 2017, 46, dyw006.	1.9	111
47	The Impact of Early Childhood Lead Exposure on Brain Organization: A Functional Magnetic Resonance Imaging Study of Language Function. Pediatrics, 2006, 118, 971-977.	2.1	107
48	Early-Life Bisphenol A Exposure and Child Body Mass Index: A Prospective Cohort Study. Environmental Health Perspectives, 2014, 122, 1239-1245.	6.0	106
49	Hepatitis C Virus Infection in Healthcare Workers: Risk of Exposure and Infection. Infection Control and Hospital Epidemiology, 1994, 15, 745-750.	1.8	105
50	Altered myelination and axonal integrity in adults with childhood lead exposure: A diffusion tensor imaging study. NeuroToxicology, 2009, 30, 867-875.	3.0	104
51	Evaluation of random forest regression and multiple linear regression for predicting indoor fine particulate matter concentrations in a highly polluted city. Environmental Pollution, 2019, 245, 746-753.	7.5	104
52	Gestational urinary bisphenol A and maternal and newborn thyroid hormone concentrations: The HOME Study. Environmental Research, 2015, 138, 453-460.	7.5	101
53	Variability and Predictors of Urinary Concentrations of Phthalate Metabolites during Early Childhood. Environmental Science & Technology, 2014, 48, 8881-8890.	10.0	100
54	Associations of Prenatal Urinary Bisphenol A Concentrations with Child Behaviors and Cognitive Abilities. Environmental Health Perspectives, 2017, 125, 067008.	6.0	99

#	Article	IF	CITATIONS
55	The impact of low-level lead toxicity on school performance among children in the Chicago Public Schools: a population-based retrospective cohort study. Environmental Health, 2015, 14, 21.	4.0	97
56	Exposure to polybrominated diphenyl ethers (PBDEs) and child behavior: Current findings and future directions. Hormones and Behavior, 2018, 101, 94-104.	2.1	95
57	Age of Greatest Susceptibility to Childhood Lead Exposure: A New Statistical Approach. Environmental Health Perspectives, 2009, 117, 1309-1312.	6.0	93
58	Maternal Polybrominated Diphenyl Ether (PBDE) Exposure and Thyroid Hormones in Maternal and Cord Sera: The HOME Study, Cincinnati, USA. Environmental Health Perspectives, 2015, 123, 1079-1085.	6.0	93
59	Association of lead-exposure risk and family income with childhood brain outcomes. Nature Medicine, 2020, 26, 91-97.	30.7	93
60	The association between maternal urinary phthalate concentrations and blood pressure in pregnancy: The HOME Study. Environmental Health, 2015, 14, 75.	4.0	92
61	Global Climate Change and Children's Health. Pediatrics, 2015, 136, e1468-e1484.	2.1	92
62	Effects of HEPA Air Cleaners on Unscheduled Asthma Visits and Asthma Symptoms for Children Exposed to Secondhand Tobacco Smoke. Pediatrics, 2011, 127, 93-101.	2.1	91
63	Primary Prevention of Childhood Lead Exposure: A Randomized Trial of Dust Control. Pediatrics, 1999, 103, 772-777.	2.1	88
64	Prenatal environmental chemical exposures and longitudinal patterns of child neurobehavior. NeuroToxicology, 2017, 62, 192-199.	3.0	88
65	Parental Responses to Infant Crying and Colic: The Effect on Breastfeeding Duration. Breastfeeding Medicine, 2006, 1, 146-155.	1.7	86
66	An International Pooled Analysis for Obtaining a Benchmark Dose for Environmental Lead Exposure in Children. Risk Analysis, 2013, 33, 450-461.	2.7	82
67	Iodine Deficiency, Pollutant Chemicals, and the Thyroid: New Information on an Old Problem. Pediatrics, 2014, 133, 1163-1166.	2.1	82
68	Prenatal polybrominated diphenyl ether and perfluoroalkyl substance exposures and executive function in school-age children. Environmental Research, 2016, 147, 556-564.	7.5	80
69	Variability and predictors of serum perfluoroalkyl substance concentrations during pregnancy and early childhood. Environmental Research, 2018, 165, 247-257.	7.5	78
70	Association of Prenatal Exposure to Air Pollution With Autism Spectrum Disorder. JAMA Pediatrics, 2019, 173, 86.	6.2	78
71	Effect of Educational Programs, Rigid Sharps Containers, and Universal Precautions on Reported Needlestick Injuries in Healthcare Workers. Infection Control and Hospital Epidemiology, 1991, 12, 214-219.	1.8	77
72	Gestational exposure to endocrine disrupting chemicals in relation to infant birth weight: a Bayesian analysis of the HOME Study. Environmental Health, 2017, 16, 115.	4.0	76

#	Article	IF	CITATIONS
73	Cross-Sectional Associations of Serum Perfluoroalkyl Acids and Thyroid Hormones in U.S. Adults: Variation According to TPOAb and Iodine Status (NHANES 2007–2008). Environmental Health Perspectives, 2016, 124, 935-942.	6.0	75
74	Maternal urinary phthalate metabolites during pregnancy and thyroid hormone concentrations in maternal and cord sera: The HOME Study. International Journal of Hygiene and Environmental Health, 2018, 221, 623-631.	4.3	74
75	Associations Between Secondhand Smoke Exposure and Sleep Patterns in Children. Pediatrics, 2010, 125, e261-e268.	2.1	73
76	Prenatal PBDE and PCB Exposures and Reading, Cognition, and Externalizing Behavior in Children. Environmental Health Perspectives, 2017, 125, 746-752.	6.0	73
77	Improving and Expanding Estimates of the Global Burden of Disease Due to Environmental Health Risk Factors. Environmental Health Perspectives, 2019, 127, 105001.	6.0	73
78	The influence of age of lead exposure on adult gray matter volume. NeuroToxicology, 2010, 31, 259-266.	3.0	72
79	Low-level toxicity of chemicals: No acceptable levels?. PLoS Biology, 2017, 15, e2003066.	5.6	72
80	Interactive Effects of a DRD4 Polymorphism, Lead, and Sex on Executive Functions in Children. Biological Psychiatry, 2007, 62, 243-249.	1.3	71
81	Prenatal Organophosphorus Pesticide Exposure and Child Neurodevelopment at 24 Months: An Analysis of Four Birth Cohorts. Environmental Health Perspectives, 2016, 124, 822-830.	6.0	71
82	Urinary triclosan concentrations during pregnancy and birth outcomes. Environmental Research, 2017, 156, 505-511.	7.5	70
83	The effects of iniquitous lead exposure on health. Nature Sustainability, 2020, 3, 77-79.	23.7	69
84	Association of Bisphenol A exposure and Attention-Deficit/Hyperactivity Disorder in a national sample of U.S. children. Environmental Research, 2016, 150, 112-118.	7.5	67
85	Early life bisphenol A exposure and neurobehavior at 8 years of age: Identifying windows of heightened vulnerability. Environment International, 2017, 107, 258-265.	10.0	67
86	Trends and Patterns of Playground Injuries in United States Children and Adolescents. Academic Pediatrics, 2001, 1, 227-233.	1.7	66
87	Bisphenol A Exposure and the Development of Wheeze and Lung Function in Children Through Age 5 Years. JAMA Pediatrics, 2014, 168, 1131.	6.2	66
88	Prenatal Exposure to Organophosphorous Pesticides and Fetal Growth: Pooled Results from Four Longitudinal Birth Cohort Studies. Environmental Health Perspectives, 2016, 124, 1084-1092.	6.0	65
89	Gestational Exposures to Phthalates and Folic Acid, and Autistic Traits in Canadian Children. Environmental Health Perspectives, 2020, 128, 27004.	6.0	64
90	Prevention of Lead Toxicity in US Children. Academic Pediatrics, 2003, 3, 27-36.	1.7	63

#	Article	IF	CITATIONS
91	Fluoride exposure from infant formula and child IQ in a Canadian birth cohort. Environment International, 2020, 134, 105315.	10.0	63
92	Maternal serum perfluoroalkyl substances during pregnancy and duration of breastfeeding. Environmental Research, 2016, 149, 239-246.	7.5	62
93	Blood lead and preeclampsia: A meta-analysis and review of implications. Environmental Research, 2018, 160, 12-19.	7.5	61
94	Exposures to chemical mixtures during pregnancy and neonatal outcomes: The HOME study. Environment International, 2020, 134, 105219.	10.0	61
95	Methodologic and Logistic Issues in Conducting Longitudinal Birth Cohort Studies: Lessons Learned from the Centers for Children's Environmental Health and Disease Prevention Research. Environmental Health Perspectives, 2005, 113, 1419-1429.	6.0	60
96	Deaths From Residential Injuries in US Children and Adolescents, 1985-1997. Pediatrics, 2005, 116, 454-461.	2.1	60
97	Proton Magnetic Resonance Spectroscopy in Adults with Childhood Lead Exposure. Environmental Health Perspectives, 2011, 119, 403-408.	6.0	59
98	The effect of portable HEPA filter air cleaners on indoor PM2.5 concentrations and second hand tobacco smoke exposure among pregnant women in Ulaanbaatar, Mongolia: The UGAAR randomized controlled trial. Science of the Total Environment, 2018, 615, 1379-1389.	8.0	59
99	Prenatal phthalate, triclosan, and bisphenol A exposures and child visual-spatial abilities. NeuroToxicology, 2017, 58, 75-83.	3.0	58
100	Clobal Climate Change and Children's Health. Pediatrics, 2015, 136, 992-997.	2.1	56
101	Profiles and Predictors of Environmental Chemical Mixture Exposure among Pregnant Women: The Health Outcomes and Measures of the Environment Study. Environmental Science & Technology, 2018, 52, 10104-10113.	10.0	56
102	Prenatal phthalate exposure and infant size at birth and gestational duration. Environmental Research, 2016, 150, 52-58.	7.5	54
103	Early-Life Phthalate Exposure and Adiposity at 8 Years of Age. Environmental Health Perspectives, 2017, 125, 097008.	6.0	54
104	The effect of soil abatement on blood lead levels in children living near a former smelting and milling operation. Public Health Reports, 2003, 118, 83-91.	2.5	54
105	Evaluation of Resident Communication Skills and Professionalism: A Matter of Perspective?. Pediatrics, 2006, 118, 1371-1379.	2.1	53
106	Indoor Environmental Control Practices and Asthma Management. Pediatrics, 2016, 138, .	2.1	53
107	Persistent Snoring in Preschool Children: Predictors and Behavioral and Developmental Correlates. Pediatrics, 2012, 130, 382-389.	2.1	52
108	The association of traffic-related air and noise pollution with maternal blood pressure and hypertensive disorders of pregnancy in the HOME study cohort. Environment International, 2018, 121, 574-581.	10.0	51

#	Article	IF	CITATIONS
109	Screening Housing to Prevent Lead Toxicity in Children. Public Health Reports, 2005, 120, 305-310.	2.5	50
110	Identifying Vulnerable Periods of Neurotoxicity to Triclosan Exposure in Children. Environmental Health Perspectives, 2018, 126, 057001.	6.0	50
111	Racial Differences in Exposure to Environmental Tobacco Smoke among Children. Environmental Health Perspectives, 2005, 113, 362-367.	6.0	49
112	Prenatal environmental tobacco smoke exposure and early childhood body mass index. Paediatric and Perinatal Epidemiology, 2010, 24, 524-534.	1.7	48
113	Effect of Residential Lead-Hazard Interventions on Childhood Blood Lead Concentrations and Neurobehavioral Outcomes. JAMA Pediatrics, 2018, 172, 934.	6.2	48
114	Polybrominated diphenyl ether (PBDE) exposures and thyroid hormones in children at age 3â€years. Environment International, 2018, 117, 339-347.	10.0	48
115	Low-level prenatal exposure to nicotine and infant neurobehavior. Neurotoxicology and Teratology, 2009, 31, 356-363.	2.4	47
116	Prenatal, concurrent, and sex-specific associations between blood lead concentrations and IQ in preschool Canadian children. Environment International, 2018, 121, 1235-1242.	10.0	46
117	Prenatal and childhood exposure to poly- and perfluoroalkyl substances (PFAS) and cognitive development in children at age 8 years. Environmental Research, 2019, 172, 242-248.	7.5	46
118	Concentrations and loadings of organophosphate and replacement brominated flame retardants in house dust from the home study during the PBDE phase-out. Chemosphere, 2020, 239, 124701.	8.2	46
119	Maternal serum perfluoroalkyl substance mixtures and thyroid hormone concentrations in maternal and cord sera: The HOME Study. Environmental Research, 2020, 185, 109395.	7.5	46
120	Trends and Patterns in the Transmission of Bloodborne Pathogens to Health Care Workers. Epidemiologic Reviews, 1994, 16, 437-450.	3.5	45
121	Community Water Fluoridation and Urinary Fluoride Concentrations in a National Sample of Pregnant Women in Canada. Environmental Health Perspectives, 2018, 126, 107001.	6.0	45
122	Identifying periods of susceptibility to the impact of phthalates on children's cognitive abilities. Environmental Research, 2019, 172, 604-614.	7.5	44
123	Urinary organophosphate insecticide metabolite concentrations during pregnancy and children's interpersonal, communication, repetitive, and stereotypic behaviors at 8 years of age: The home study. Environmental Research, 2017, 157, 9-16.	7.5	43
124	Patterns, Variability, and Predictors of Urinary Triclosan Concentrations during Pregnancy and Childhood. Environmental Science & amp; Technology, 2017, 51, 6404-6413.	10.0	43
125	Brief Report: Are Autistic-Behaviors in Children Related to Prenatal Vitamin Use and Maternal Whole Blood Folate Concentrations?. Journal of Autism and Developmental Disorders, 2014, 44, 2602-2607.	2.7	42
126	Patterns, Variability, and Predictors of Urinary Bisphenol A Concentrations during Childhood. Environmental Science & Technology, 2016, 50, 5981-5990.	10.0	42

#	Article	IF	CITATIONS
127	Organophosphate esters in a cohort of pregnant women: Variability and predictors of exposure. Environmental Research, 2020, 184, 109255.	7.5	42
128	Protecting Children from Environmental Toxins. PLoS Medicine, 2005, 2, e61.	8.4	41
129	Prenatal exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavior in US children through 8 years of age: The HOME study. Environmental Research, 2021, 195, 110825.	7.5	40
130	Case Report: High Prenatal Bisphenol A Exposure and Infant Neonatal Neurobehavior. Environmental Health Perspectives, 2011, 119, 1170-1175.	6.0	39
131	Vitamin D receptor Fok1 polymorphism and blood lead concentration in children Environmental Health Perspectives, 2003, 111, 1665-1669.	6.0	38
132	Childhood polybrominated diphenyl ether (PBDE) exposure and neurobehavior in children at 8 years. Environmental Research, 2017, 158, 677-684.	7.5	38
133	Prenatal exposure to endocrine disrupting chemical mixtures and infant birth weight: A Bayesian analysis using kernel machine regression. Environmental Research, 2021, 195, 110749.	7.5	38
134	An Observational Study to Evaluate Associations Between Low-Level Gestational Exposure to Organophosphate Pesticides and Cognition During Early Childhood. American Journal of Epidemiology, 2016, 184, 410-418.	3.4	37
135	Adolescent follow-up in the Health Outcomes and Measures of the Environment (HOME) Study: cohort profile. BMJ Open, 2020, 10, e034838.	1.9	37
136	Implications of different residential lead standards on children's blood lead levels in France: Predictions based on a national cross-sectional survey. International Journal of Hygiene and Environmental Health, 2013, 216, 743-750.	4.3	36
137	Associations of early life urinary triclosan concentrations with maternal, neonatal, and child thyroid hormone levels. Hormones and Behavior, 2018, 101, 77-84.	2.1	36
138	Gestational perfluoroalkyl substance exposure and body mass index trajectories over the first 12 years of life. International Journal of Obesity, 2021, 45, 25-35.	3.4	36
139	Childhood injuries and deaths due to falls from windows. Journal of Urban Health, 2000, 77, 26-33.	3.6	35
140	Reporting Individual Test Results of Environmental Chemicals in Breastmilk: Potential for Premature Weaning. Breastfeeding Medicine, 2008, 3, 207-213.	1.7	35
141	Prenatal and childhood perfluoroalkyl substances exposures and children's reading skills at ages 5 and 8 years. Environment International, 2018, 111, 224-231.	10.0	35
142	The effect of interior lead hazard controls on children's blood lead concentrations: a systematic evaluation Environmental Health Perspectives, 2002, 110, 103-107.	6.0	34
143	Early-life triclosan exposure and parent-reported behavior problems in 8-year-old children. Environment International, 2019, 128, 446-456.	10.0	34
144	Environmental Tobacco Smoke Exposure and Child Behaviors. Journal of Developmental and Behavioral Pediatrics, 2008, 29, 450-457.	1.1	33

#	Article	IF	CITATIONS
145	Lessons learned on lead poisoning in children: Oneâ€hundred years on from Turner's declaration. Journal of Paediatrics and Child Health, 2011, 47, 849-856.	0.8	33
146	The relationship between atmospheric lead emissions and aggressive crime: an ecological study. Environmental Health, 2016, 15, 23.	4.0	33
147	Exposure to Per- and Polyfluoroalkyl Substances and Adiposity at Age 12 Years: Evaluating Periods of Susceptibility. Environmental Science & Technology, 2020, 54, 16039-16049.	10.0	33
148	Gestational and childhood exposure to phthalates and child behavior. Environment International, 2020, 144, 106036.	10.0	33
149	The Effects of Housing Interventions on Child Health. Pediatric Annals, 2004, 33, 474-481.	0.8	33
150	Association of Epidural Analgesia During Labor and Delivery With Autism Spectrum Disorder in Offspring. JAMA - Journal of the American Medical Association, 2021, 326, 1178.	7.4	32
151	Prenatal exposure to polybrominated diphenyl ethers (PBDEs) and cognitive ability in early childhood. Environment International, 2021, 146, 106296.	10.0	32
152	Environmental exposures and exhaled nitric oxide in children with asthma. Journal of Pediatrics, 2006, 149, 220-226.	1.8	31
153	Prenatal and postnatal polybrominated diphenyl ether (PBDE) exposure and measures of inattention and impulsivity in children. Neurotoxicology and Teratology, 2017, 64, 20-28.	2.4	31
154	The effect of portable HEPA filter air cleaner use during pregnancy on fetal growth: The UGAAR randomized controlled trial. Environment International, 2018, 121, 981-989.	10.0	31
155	Association between gestational urinary bisphenol a concentrations and adiposity in young children: The MIREC study. Environmental Research, 2019, 172, 454-461.	7.5	31
156	Human Health Risks from Low-Level Environmental Exposures: No Apparent Safety Thresholds. PLoS Medicine, 2005, 2, e350.	8.4	30
157	Childhood perfluoroalkyl substance exposure and executive function in children at 8†years. Environment International, 2018, 119, 212-219.	10.0	30
158	Critical windows of fluoride neurotoxicity in Canadian children. Environmental Research, 2021, 200, 111315.	7.5	30
159	Childhood Lead Poisoning Prevention. JAMA - Journal of the American Medical Association, 2005, 293, 2274.	7.4	29
160	Seasonal variation and environmental predictors of exhaled nitric oxide in children with asthma. Pediatric Pulmonology, 2008, 43, 576-583.	2.0	29
161	Maternal Supervision of Children During Their First 3 Years of Life: The Influence of Maternal Depression and Child Gender. Journal of Pediatric Psychology, 2014, 39, 349-357.	2.1	29
162	Prenatal Polybrominated Diphenyl Ether Exposure and Body Mass Index in Children Up To 8 Years of Age. Environmental Health Perspectives, 2016, 124, 1891-1897.	6.0	29

#	Article	IF	CITATIONS
163	Prenatal and postnatal polybrominated diphenyl ether exposure and visual spatial abilities in children. Environmental Research, 2017, 153, 83-92.	7.5	29
164	Very low-level prenatal mercury exposure and behaviors in children: the HOME Study. Environmental Health, 2019, 18, 4.	4.0	29
165	Gestational and childhood exposure to per- and polyfluoroalkyl substances and cardiometabolic risk at age 12 years. Environment International, 2021, 147, 106344.	10.0	29
166	Randomized Controlled Trials in Environmental Health Research: Unethical or Underutilized?. PLoS Medicine, 2015, 12, e1001775.	8.4	28
167	Maternal serum PFOA concentration and DNA methylation in cord blood: A pilot study. Environmental Research, 2017, 158, 174-178.	7.5	28
168	Program Directors' Perspectives on Federally Funded Fellowship Training in Primary Care Research. Academic Medicine, 2000, 75, 74-80.	1.6	27
169	Prenatal and childhood exposure to perfluoroalkyl substances (PFAS) and measures of attention, impulse control, and visual spatial abilities. Environment International, 2018, 119, 413-420.	10.0	27
170	Organophosphate pesticides exposure during fetal development and IQ scores in 3 and 4-year old Canadian children. Environmental Research, 2020, 190, 110023.	7.5	27
171	Prenatal urinary triclosan concentrations and child neurobehavior. Environment International, 2018, 114, 152-159.	10.0	26
172	Assessing the Relation between Plasma PCB Concentrations and Elevated Autistic Behaviours using Bayesian Predictive Odds Ratios. International Journal of Environmental Research and Public Health, 2019, 16, 457.	2.6	26
173	Polybrominated diphenyl ether (PBDE) and poly- and perfluoroalkyl substance (PFAS) exposures during pregnancy and maternal depression. Environment International, 2020, 139, 105694.	10.0	26
174	Maternal Urinary Organophosphate Esters and Alterations in Maternal and Neonatal Thyroid Hormones. American Journal of Epidemiology, 2021, 190, 1793-1802.	3.4	25
175	Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: The HOME Study. Environment International, 2021, 156, 106747.	10.0	25
176	Environmental exposures, nitric oxide synthase genes, and exhaled nitric oxide in asthmatic children. Pediatric Pulmonology, 2009, 44, 812-819.	2.0	24
177	Comparison of Biomarkers and Parent Report of Tobacco Exposure to Predict Wheeze. Journal of Pediatrics, 2011, 159, 776-782.	1.8	24
178	Exposure to polybrominated diphenyl ethers (PBDEs) during childhood and adiposity measures at age 8†years. Environment International, 2019, 123, 148-155.	10.0	24
179	Childhood polybrominated diphenyl ether (PBDE) serum concentration and reading ability at ages 5 and 8†years: The HOME Study. Environment International, 2019, 122, 330-339.	10.0	24
180	Flame Retardants and Neurodevelopment: an Updated Review of Epidemiological Literature. Current Epidemiology Reports, 2020, 7, 220-236.	2.4	24

#	Article	IF	CITATIONS
181	Gestational Perfluoroalkyl Substance Exposure and DNA Methylation at Birth and 12 Years of Age: A Longitudinal Epigenome-Wide Association Study. Environmental Health Perspectives, 2022, 130, 37005.	6.0	24
182	Eliminating childhood lead toxicity in Australia: a call to lower the intervention level. Medical Journal of Australia, 2012, 197, 493-493.	1.7	23
183	Australia's leading public health body delays action on the revision of the public health goal for blood lead exposures. Environment International, 2014, 70, 113-117.	10.0	23
184	Impact of Early‣ife Weight Status on Cognitive Abilities in Children. Obesity, 2018, 26, 1088-1095.	3.0	23
185	Prenatal exposure to a mixture of persistent organic pollutants (POPs) and child reading skills at school age. International Journal of Hygiene and Environmental Health, 2020, 228, 113527.	4.3	23
186	Deaths in Custody in Shelby County, Tennessee, January 1970-July 1985. American Journal of Forensic Medicine and Pathology, 1987, 8, 299-301.	0.8	22
187	The Training and Career Paths of Fellows in the National Research Service Award (NRSA) Program for Research in Primary Medical Care. Academic Medicine, 2002, 77, 712-718.	1.6	22
188	The Conquest of Lead Poisoning: A Pyrrhic Victory. Environmental Health Perspectives, 2007, 115, A484-5.	6.0	22
189	The Role of Air Nicotine in Explaining Racial Differences in Cotinine Among Tobacco-Exposed Children. Chest, 2007, 131, 856-862.	0.8	21
190	Parental Concern about Environmental Chemical Exposures and Children's Urinary Concentrations of Phthalates and Phenols. Journal of Pediatrics, 2017, 186, 138-144.e3.	1.8	21
191	Associations of Maternal Serum Perfluoroalkyl Substances Concentrations with Early Adolescent Bone Mineral Content and Density: The Health Outcomes and Measures of the Environment (HOME) Study. Environmental Health Perspectives, 2021, 129, 97011.	6.0	21
192	Associations of prenatal urinary phthalate exposure with preterm birth: the Maternal-Infant Research on Environmental Chemicals (MIREC) Study. Canadian Journal of Public Health, 2020, 111, 333-341.	2.3	19
193	Association Between Gestational Exposure to Toxicants and Autistic Behaviors Using Bayesian Quantile Regression. American Journal of Epidemiology, 2021, 190, 1803-1813.	3.4	19
194	The Ambulatory Pediatric Association Fellowship in Pediatric Environmental Health: A 5-Year Assessment. Environmental Health Perspectives, 2007, 115, 1383-1387.	6.0	18
195	Coal smoke, gestational cadmium exposure, and fetal growth. Environmental Research, 2019, 179, 108830.	7.5	18
196	Chemical mixture exposures during pregnancy and cognitive abilities in school-aged children. Environmental Research, 2021, 197, 111027.	7.5	18
197	Risk factors for the early acquisition of human herpesvirus 6 and human herpesvirus 7 infections in children. Pediatric Infectious Disease Journal, 1998, 17, 792-795.	2.0	18
198	Efficacy of Informational Letters on Hepatitis B Immunization Rates in University Students. Journal of American College Health, 1998, 47, 123-127.	1.5	17

#	Article	IF	CITATIONS
199	Lessons Learned for the Study of Childhood Asthma from the Centers for Children's Environmental Health and Disease Prevention Research. Environmental Health Perspectives, 2005, 113, 1430-1436.	6.0	17
200	Per- and polyfluoroalkyl substance mixtures and gestational weight gain among mothers in the Health Outcomes and Measures of the Environment study. International Journal of Hygiene and Environmental Health, 2021, 231, 113660.	4.3	17
201	A Side-by-Side Comparison of Sampling Methods for Settled, Indoor Allergens. Environmental Research, 2001, 87, 37-46.	7.5	16
202	Association of the Conners' Kiddie Continuous Performance Test (K-CPT) Performance and Parent-Report Measures of Behavior and Executive Functioning. Journal of Attention Disorders, 2018, 22, 1056-1065.	2.6	16
203	Childhood polybrominated diphenyl ether (PBDE) exposure and executive function in children in the HOME Study. International Journal of Hygiene and Environmental Health, 2018, 221, 87-94.	4.3	16
204	Blood metal levels and early childhood anthropometric measures in a cohort of Canadian children. Environmental Research, 2019, 179, 108736.	7.5	16
205	Still Treating Lead Poisoning After All These Years. Pediatrics, 2017, 140, .	2.1	15
206	Measurement Error and Its Impact on the Estimated Relationship between Dust Lead and Children's Blood Lead. Environmental Research, 1997, 72, 82-92.	7.5	14
207	Prenatal exposure to polybrominated diphenyl ethers and predisposition to frustration at 7â€ <sup>-</sup> months: Results from the MIREC study. Environment International, 2018, 119, 79-88.	10.0	14
208	Associations between Urinary, Dietary, and Water Fluoride Concentrations among Children in Mexico and Canada. Toxics, 2020, 8, 110.	3.7	14
209	Maternal cadmium exposure and neurobehavior in children: The HOME study. Environmental Research, 2020, 186, 109583.	7.5	14
210	Lowering Urinary Phthalate Metabolite Concentrations among Children by Reducing Contaminated Dust in Housing Units: A Randomized Controlled Trial and Observational Study. Environmental Science & Technology, 2020, 54, 4327-4335.	10.0	14
211	Associations Between Early Low-Level Tobacco Smoke Exposure and Executive Function at Age 8 Years. Journal of Pediatrics, 2020, 221, 174-180.e1.	1.8	14
212	The conundrum of unmeasured confounding: Comment on: "Can some of the detrimental neurodevelopmental effects attributed to lead be due to pesticides? by Brian Gulson― Science of the Total Environment, 2008, 396, 196-200.	8.0	13
213	Developmental lead exposure and adult criminal behavior: A 30-year prospective birth cohort study. Neurotoxicology and Teratology, 2021, 85, 106960.	2.4	13
214	A Benchmark Dose Analysis for Maternal Pregnancy Urineâ€Fluoride and IQ in Children. Risk Analysis, 2022, 42, 439-449.	2.7	13
215	Direct LC-MS/MS and indirect GC–MS/MS methods for measuring urinary bisphenol A concentrations are comparable. Environment International, 2021, 157, 106874.	10.0	13
216	Gestational Exposure to Phthalates and Social Responsiveness Scores in Children Using Quantile Regression: The EARLI and HOME Studies. International Journal of Environmental Research and Public Health, 2021, 18, 1254.	2.6	13

#	Article	IF	CITATIONS
217	Associations of mid-childhood bisphenol A and bisphenol S exposure with mid-childhood and adolescent obesity. Environmental Epidemiology, 2022, 6, e187.	3.0	13
218	The Impact of Low-Level Lead Toxicity on School Performance among Hispanic Subgroups in the Chicago Public Schools. International Journal of Environmental Research and Public Health, 2016, 13, 774.	2.6	12
219	Early infant attention as a predictor of social and communicative behavior in childhood. International Journal of Behavioral Development, 2019, 43, 204-211.	2.4	12
220	Effects of gestational exposures to chemical mixtures on birth weight using Bayesian factor analysis in the Health Outcome and Measures of Environment (HOME) Study. Environmental Epidemiology, 2021, 5, e159.	3.0	12
221	Prenatal exposure to a mixture of organophosphate esters and intelligence among 8-year-old children of the HOME Study. NeuroToxicology, 2021, 87, 149-155.	3.0	12
222	Chemical mixtures and neurobehavior: a review of epidemiologic findings and future directions. Reviews on Environmental Health, 2020, 35, 245-256.	2.4	12
223	Patterns of Children's Blood Lead Screening and Blood Lead Levels in North Carolina, 2011–2018—Who Is Tested, Who Is Missed?. Environmental Health Perspectives, 2022, 130, .	6.0	12
224	Gestational and childhood urinary triclosan concentrations and academic achievement among 8-year-old children. NeuroToxicology, 2020, 78, 170-176.	3.0	11
225	Prenatal perfluoroalkyl substances and newborn anogenital distance in a Canadian cohort. Reproductive Toxicology, 2020, 94, 31-39.	2.9	11
226	Childhood exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavioral domains in children at age 8Âyears. Neurotoxicology and Teratology, 2021, 88, 107022.	2.4	11
227	Effect of Plasma and Blood Donations on Levels of Perfluoroalkyl and Polyfluoroalkyl Substances in Firefighters in Australia. JAMA Network Open, 2022, 5, e226257.	5.9	11
228	Low-Level Prenatal Toxin Exposures and Breastfeeding Duration: A Prospective Cohort Study. Maternal and Child Health Journal, 2017, 21, 2245-2255.	1.5	10
229	Prenatal exposure to perfluoroalkyl substances and adipocytokines: the HOME Study. Pediatric Research, 2018, 84, 854-860.	2.3	10
230	Associations of cord blood leptin and adiponectin with children's cognitive abilities. Psychoneuroendocrinology, 2019, 99, 257-264.	2.7	10
231	Gestational Pesticide Exposure and Child Respiratory Health. International Journal of Environmental Research and Public Health, 2020, 17, 7165.	2.6	10
232	Identifying sensitive windows of airborne lead exposure associated with behavioral outcomes at age 12. Environmental Epidemiology, 2021, 5, e144.	3.0	10
233	Comparing adolescent self staging of pubertal development with hormone biomarkers. Journal of Pediatric Endocrinology and Metabolism, 2021, 34, 1531-1541.	0.9	10
234	Invited Commentary: Asthma Surveillance in US Children. American Journal of Epidemiology, 2003, 158, 105-107.	3.4	9

#	Article	IF	CITATIONS
235	Environmental Neurotoxins. Pediatrics in Review, 2005, 26, 191-198.	0.4	9
236	Early-life exposure to traffic-related air pollution and child anthropometry. Environmental Epidemiology, 2019, 3, e061.	3.0	9
237	Longer sleep duration during infancy and toddlerhood predicts weight normalization among high birth weight infants. Sleep, 2019, 42, .	1.1	9
238	Ambient air pollution and inflammatory effects in a Canadian pregnancy cohort. Environmental Epidemiology, 2021, 5, e168.	3.0	9
239	Portable HEPA filter air cleaner use during pregnancy and children's body mass index at two years of age: The UGAAR randomized controlled trial. Environment International, 2021, 156, 106728.	10.0	9
240	The Association Between Maternal Prenatal Fish Intake and Child Autism-Related Traits in the EARLI and HOME Studies. Journal of Autism and Developmental Disorders, 2021, 51, 487-500.	2.7	8
241	Secondhand tobacco smoke exposure among children under 5 years old: questionnaires versus cotinine biomarkers: a cohort study. BMJ Open, 2021, 11, e044829.	1.9	8
242	Risk of lead exposure, subcortical brain structure, and cognition in a large cohort of 9- to 10-year-old children. PLoS ONE, 2021, 16, e0258469.	2.5	8
243	Gestational exposure to polybrominated diphenyl ethers and social skills and problem behaviors in adolescents: The HOME study. Environment International, 2022, 159, 107036.	10.0	8
244	The impact of clinical and population strategies on coronary heart disease mortality: an assessment of Rose's big idea. BMC Public Health, 2022, 22, 14.	2.9	8
245	Association between blood metals mixtures concentrations and cognitive performance, and effect modification by diet in older US adults. Environmental Epidemiology, 2022, 6, e192.	3.0	8
246	Portable HEPA Filter Air Cleaner Use during Pregnancy and Children's Cognitive Performance at Four Years of Age: The UGAAR Randomized Controlled Trial. Environmental Health Perspectives, 2022, 130, .	6.0	8
247	Response to: "What is the meaning of non-linear dose–response relationships between blood lead concentration and IQ?― NeuroToxicology, 2006, 27, 635-635.	3.0	7
248	Understanding preferences for disclosure of individual biomarker results among participants in a longitudinal birth cohort. Journal of Medical Ethics, 2010, 36, 736-740.	1.8	7
249	Serum cotinine and whole blood folate concentrations in pregnancy. Annals of Epidemiology, 2014, 24, 498-503.e1.	1.9	7
250	Beyond Alcohol and Tobacco Smoke: Are WeÂDoing Enough to Reduce Fetal Toxicant Exposure?. Journal of Obstetrics and Gynaecology Canada, 2016, 38, 56-59.	0.7	7
251	Predictors of Plasma Fluoride Concentrations in Children and Adolescents. International Journal of Environmental Research and Public Health, 2020, 17, 9205.	2.6	7
252	Associations of pregnancy phthalate concentrations and their mixture with early adolescent bone mineral content and density: The Health Outcomes and Measures of the Environment (HOME) study. Bone, 2022, 154, 116251.	2.9	7

#	Article	IF	CITATIONS
253	Log-Additive versus Log-Linear Analysis of Lead-Contaminated House Dust and Children's Blood-Lead Levels. Environmental Research, 1997, 72, 173-184.	7.5	6
254	Trials and Tribulations of Protecting Children from Environmental Hazards. Environmental Health Perspectives, 2006, 114, 1609-1612.	6.0	6
255	The challenge of pollution and health in Canada. Canadian Journal of Public Health, 2019, 110, 159-164.	2.3	6
256	Associations of Breast Milk Consumption with Urinary Phthalate and Phenol Exposure Biomarkers in Infants. Environmental Science and Technology Letters, 2020, 7, 733-739.	8.7	6
257	Urinary phthalates and body mass index in preschool children: The MIREC Child Development Plus study. International Journal of Hygiene and Environmental Health, 2021, 232, 113689.	4.3	6
258	Early prenatal use of a multivitamin diminishes the risk for inadequate vitamin D status in pregnant women: results from the Maternal-Infant Research on Environmental Chemicals (MIREC) cohort study. American Journal of Clinical Nutrition, 2021, 114, 1238-1250.	4.7	6
259	Maternal urinary OPE metabolite concentrations and blood pressure during pregnancy: The HOME study. Environmental Research, 2022, 207, 112220.	7.5	6
260	Residential dust lead levels and the risk of childhood lead poisoning in United States children. Pediatric Research, 2021, 90, 896-902.	2.3	5
261	Associations of Fraction of Exhaled Nitric Oxide with Beta Agonist Use in Children with Asthma. Pediatric, Allergy, Immunology, and Pulmonology, 2011, 24, 45-50.	0.8	4
262	Targeting Environmental Neurodevelopmental Risks to Protect Children. Pediatrics, 2017, 139, e20162245.	2.1	4
263	Cochrane review: Household interventions for prevention of domestic lead exposure in children. Evidence-Based Child Health: A Cochrane Review Journal, 2009, 4, 951-999.	2.0	3
264	White blood cell DNA adducts in a cohort of asthmatic children exposed to environmental tobacco smoke. International Archives of Occupational and Environmental Health, 2011, 84, 19-27.	2.3	3
265	Cognitive and motor abilities of young children and risk of injuries in the home. Injury Prevention, 2017, 23, 16-21.	2.4	3
266	Does fetal leptin and adiponectin influence children's lung function and risk of wheeze?. Journal of Developmental Origins of Health and Disease, 2021, 12, 570-577.	1.4	3
267	Association between self-reported caffeine intake during pregnancy and social responsiveness scores in childhood: The EARLI and HOME studies. PLoS ONE, 2021, 16, e0245079.	2.5	3
268	Portable HEPA filter air cleaner use during pregnancy and children's behavior problem scores: a secondary analysis of the UGAAR randomized controlled trial. Environmental Health, 2021, 20, 78.	4.0	3
269	Identifying periods of heightened susceptibility to lead exposure in relation to behavioral problems. Journal of Exposure Science and Environmental Epidemiology, 2022, 32, 1-9.	3.9	3
270	Blood metals and vitamin D status in a pregnancy cohort: A bidirectional biomarker analysis. Environmental Research, 2022, 211, 113034.	7.5	3

#	Article	IF	CITATIONS
271	Follow-up testing among children with elevated screening blood lead levels. Journal of Pediatrics, 2005, 147, 708-709.	1.8	2
272	Response to "Comment on â€~Optimal Exposure Biomarkers for Nonpersistent Chemicals in Environmental Epidemiology'― Environmental Health Perspectives, 2016, 124, A66-7.	6.0	2
273	Maternal Exposure to Air Pollution During Pregnancy and Autism Spectrum Disorder in Offspring—Reply. JAMA Pediatrics, 2019, 173, 698.	6.2	2
274	Association Between Maternal Fluoride Exposure and Child IQ—Reply. JAMA Pediatrics, 2020, 174, 216.	6.2	2
275	Neonatal and Adolescent Adipocytokines as Predictors of Adiposity and Cardiometabolic Risk in Adolescence. Obesity, 2021, 29, 1036-1045.	3.0	2
276	Hepatitis B Immunoprophylaxis: Developing a Cost-Effective Program in the Hospital Setting. Infection Control and Hospital Epidemiology, 1990, 11, 47-50.	1.8	2
277	Medical Journals and Free Speech. Pediatrics, 2015, 135, 403-405.	2.1	1
278	Further analysis of the relationship between atmospheric lead emissions and aggressive crime: an ecological study. Environmental Health, 2018, 17, 10.	4.0	1
279	Environmental exposure to lead: old myths never die – Authors' reply. Lancet Public Health, The, 2018, 3, e363.	10.0	1
280	Prenatal and Early Childhood Triclosan Exposure and Allergic Outcomes in a Prospective Pregnancy and Birth Cohort. Journal of Allergy and Clinical Immunology, 2020, 145, AB179.	2.9	1
281	Blood lead levels in children have fallen, but vigilance is still needed. Medical Journal of Australia, 2020, 212, 161-162.	1.7	1
282	Differences in Cotinine in Tobacco-Exposed Children: Response. Chest, 2007, 132, 1716-1717.	0.8	0
283	Regarding: The Heart of the Matter on Breastmilk and Environmental Chemicals: Essential Points for Healthcare Providers and New Parents. Breastfeeding Medicine, 2009, 4, 125-126.	1.7	0
284	Response to Brody et al Breastfeeding Medicine, 2009, 4, 123-123.	1.7	0
285	Summary of â€~Household interventions for prevention of domestic lead exposure in children', including tables of key findings and quality of included trials. Evidence-Based Child Health: A Cochrane Review Journal, 2009, 4, 1000-1002.	2.0	0
286	Commentary on â€~Household interventions for prevention of domestic lead exposure in children', with a response from the review authors. Evidence-Based Child Health: A Cochrane Review Journal, 2009, 4, 1003-1004.	2.0	0
287	Bisphenol A and Infant Neonatal Neurobehavior: Sathyanarayana et al. Respond. Environmental Health Perspectives, 2012, 120, .	6.0	0
288	Author's Response. Pediatrics, 2017, 139, e20163662B.	2.1	0

#	Article	IF	CITATIONS
289	Toward the elimination of bias in Pediatric Research. Pediatric Research, 2019, 86, 680-681.	2.3	0
290	Maternal, cord, and threeâ€yearâ€old child serum thyroid hormone concentrations in the Health Outcomes and Measures of the Environment study. Clinical Endocrinology, 2020, 92, 366-372.	2.4	0
291	Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: the HOME Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	Ο
292	Portable HEPA Filter Air Cleaner Use During Pregnancy and Children's Behavior Problem Scores: The UGAAR Randomized Controlled Trial. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
293	Maternal urinary organophosphate ester concentrations and blood pressure during pregnancy: The HOME Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	Ο
294	Gestational Exposure to Polybrominated Diphenyl Ethers and Social Skills and Problem Behaviors in Adolescents: The HOME Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
295	Associations Between Prenatal Fluoride Exposure and Performance IQ in Canadian Preschool Aged Children: A Multilevel Modeling Approach. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
296	Longitudinal analysis of DNA methylation in relation to gestational perfluoroalkyl substance exposure: An epigenome-wide association study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
297	Gestational Perfluorooctanoate Exposure and Childhood Metabolome at Age 8 Years. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
298	Identifying periods of susceptibility to perfluoroalkyl substances and bone mineral density in early adolescence: the HOME Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
299	Gestational organophosphate ester exposures and bone mineral density in early adolescence: The HOME Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
300	Variability of urinary organophosphate esters (OPEs) during childhood: The HOME Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
301	The association of gestational and childhood phthalate exposure with adolescent hair cortisol: The HOME Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
302	Gestational Exposure to Toxicants and Autistic Behaviors using Bayesian Quantile Regression. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
303	Does early life phthalate exposure mediate racial disparities in children's cognitive abilities?. Environmental Epidemiology, 2022, 6, e205.	3.0	0