

Haner Direskeneli

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8425267/haner-direskeneli-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

3,045
citations

28
h-index

49
g-index

166
ext. papers

3,941
ext. citations

3.3
avg, IF

5.27
L-index

#	Paper	IF	Citations
141	EULAR recommendations for the use of imaging in large vessel vasculitis in clinical practice. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 636-643	2.4	401
140	Management of Takayasu arteritis: a systematic review. <i>Rheumatology</i> , 2014 , 53, 793-801	3.9	134
139	'MHC-I-opathy'-unified concept for spondyloarthritis and Behçet disease. <i>Nature Reviews Rheumatology</i> , 2015 , 11, 731-40	8.1	124
138	Identification of multiple genetic susceptibility loci in Takayasu arteritis. <i>American Journal of Human Genetics</i> , 2013 , 93, 298-305	11	115
137	Long-term efficacy and safety of low-dose and dose-escalating interferon alfa-2a therapy in refractory Behçet uveitis. <i>JAMA Ophthalmology</i> , 2011 , 129, 288-94		87
136	Behçet disease with vascular involvement: effects of different therapeutic regimens on the incidence of new relapses. <i>Medicine (United States)</i> , 2015 , 94, e494	1.8	81
135	The OMERACT core set of outcome measures for use in clinical trials of ANCA-associated vasculitis. <i>Journal of Rheumatology</i> , 2011 , 38, 1480-6	4.1	78
134	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010 , 49, 1889-93	3.9	76
133	Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. <i>Rheumatology</i> , 2014 , 53, 741-5	3.9	64
132	Development of outcome measures for large-vessel vasculitis for use in clinical trials: opportunities, challenges, and research agenda. <i>Journal of Rheumatology</i> , 2011 , 38, 1471-9	4.1	64
131	Sequencing of 16S rRNA reveals a distinct salivary microbiome signature in Behçet's disease. <i>Clinical Immunology</i> , 2016 , 169, 28-35	9	58
130	Characteristics Predicting Tuberculosis Risk under Tumor Necrosis Factor- α Inhibitors: Report from a Large Multicenter Cohort with High Background Prevalence. <i>Journal of Rheumatology</i> , 2016 , 43, 524-9	4.1	58
129	British Society for Rheumatology guideline on diagnosis and treatment of giant cell arteritis. <i>Rheumatology</i> , 2020 , 59, e1-e23	3.9	57
128	A genome-wide association study identifies nucleotide variants at SIGLEC5 and DEFA1A3 as risk loci for periodontitis. <i>Human Molecular Genetics</i> , 2017 , 26, 2577-2588	5.6	55
127	Assessment of disease activity and progression in Takayasu's arteritis. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S86-91	2.2	51
126	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012 , 14, R27	5.7	50
125	Impaired quality of life, disability and mental health in Takayasu's arteritis. <i>Rheumatology</i> , 2013 , 52, 1898-904	3.9	46

124	Outcome measures used in clinical trials for Behçet syndrome: a systematic review. <i>Journal of Rheumatology</i> , 2014 , 41, 599-612	4.1	41
123	Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , 2016 , 69, 59-63	15.5	39
122	The close association between dental and periodontal treatments and oral ulcer course in behcet's disease: a prospective clinical study. <i>Journal of Oral Pathology and Medicine</i> , 2009 , 38, 410-5	3.3	39
121	The association of fatigue, comorbidity burden, disease activity, disability and gross domestic product in patients with rheumatoid arthritis. Results from 34 countries participating in the Quest-RA program. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 869-77	2.2	39
120	The role of depression, anxiety, fatigue, and fibromyalgia on the evaluation of the remission status in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2014 , 41, 1755-60	4.1	38
119	Analysis of the common genetic component of large-vessel vasculitides through a meta-ImmunoChip strategy. <i>Scientific Reports</i> , 2017 , 7, 43953	4.9	34
118	Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018 , 70, 1090-1094	4.7	34
117	Update on Takayasu's arteritis. <i>Presse Medicale</i> , 2015 , 44, e259-65	2.2	33
116	Incidence of Cyclophosphamide-induced Urotoxicity and Protective Effect of Mesna in Rheumatic Diseases. <i>Journal of Rheumatology</i> , 2015 , 42, 1661-6	4.1	32
115	Unmet need in Behcet's disease: most patients in routine follow-up continue to have oral ulcers. <i>Clinical Rheumatology</i> , 2014 , 33, 1773-6	3.9	28
114	British Society for Rheumatology guideline on diagnosis and treatment of giant cell arteritis: executive summary. <i>Rheumatology</i> , 2020 , 59, 487-494	3.9	27
113	Update on Outcome Measure Development for Large Vessel Vasculitis: Report from OMERACT 12. <i>Journal of Rheumatology</i> , 2015 , 42, 2465-9	4.1	26
112	The IL-33 gene is related to increased susceptibility to systemic sclerosis. <i>Rheumatology International</i> , 2016 , 36, 579-84	3.6	26
111	The epidemiology of Takayasu arteritis: a hospital-based study from northwestern part of Turkey. <i>Rheumatology International</i> , 2016 , 36, 911-6	3.6	25
110	Current status of outcome measure development in vasculitis. <i>Journal of Rheumatology</i> , 2014 , 41, 593-84.1	4.1	25
109	Development of a Core Set of Outcome Measures for Large-vessel Vasculitis: Report from OMERACT 2016. <i>Journal of Rheumatology</i> , 2017 , 44, 1933-1937	4.1	25
108	Salivary levels of antimicrobial peptides Hnp 1-3, LL-37 and S100 in Behcet's disease. <i>Archives of Oral Biology</i> , 2012 , 57, 642-6	2.8	24
107	A possible decline in the incidence and severity of Behçet's disease: implications for an infectious etiology and oral health. <i>Clinical and Experimental Rheumatology</i> , 2010 , 28, S86-90	2.2	24

106	Outcome measures for Takayasu's arteritis. <i>Current Opinion in Rheumatology</i> , 2015 , 27, 32-7	5.3	23
105	Assessment of the New 2012 EULAR/ACR Clinical Classification Criteria for Polymyalgia Rheumatica: A Prospective Multicenter Study. <i>Journal of Rheumatology</i> , 2016 , 43, 893-900	4.1	23
104	Takayasu arteritis: an update. <i>Turkish Journal of Medical Sciences</i> , 2018 , 48, 681-697	2.7	23
103	Recent advances in Takayasu's arteritis. <i>European Journal of Rheumatology</i> , 2015 , 2, 24-30	1.7	23
102	Patients with Takayasu's arteritis having persistent acute-phase response usually have an increased major vessel uptake by 18F-FDG-PET/CT. <i>Modern Rheumatology</i> , 2015 , 25, 752-5	3.3	22
101	Health-related quality of life assessed by LupusQoL questionnaire and SF-36 in Turkish patients with systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2016 , 35, 617-22	3.9	22
100	Th17-Inducing Conditions Lead to in vitro Activation of Both Th17 and Th1 Responses in Behcet's Disease. <i>Immunological Investigations</i> , 2017 , 46, 518-525	2.9	21
99	Fatigue in patients with Behçet's syndrome: relationship with quality of life, depression, anxiety, disability and disease activity. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 2139-2145	2.3	21
98	Pro-inflammatory cytokine and caspase-1 responses to pattern recognition receptor activation of neutrophils and dendritic cells in Behcet's disease. <i>Rheumatology</i> , 2013 , 52, 800-5	3.9	21
97	Triggering agents and microbiome as environmental factors on Behçet's syndrome. <i>Internal and Emergency Medicine</i> , 2019 , 14, 653-660	3.7	21
96	Discrepancies between vascular and systemic inflammation in large vessel vasculitis: an important problem revisited. <i>Rheumatology</i> , 2018 , 57, 784-790	3.9	20
95	An update on the role of epigenetics in systemic vasculitis. <i>Current Opinion in Rheumatology</i> , 2018 , 30, 4-15	5.3	20
94	Assessment of the frequency of cardiovascular risk factors in patients with Takayasu's arteritis. <i>Rheumatology</i> , 2017 , 56, 1939-1944	3.9	19
93	Developing a Core Set of Outcome Measures for Behçet Disease: Report from OMERACT 2016. <i>Journal of Rheumatology</i> , 2017 , 44, 1750-1753	4.1	18
92	Anxiety and depression predict quality of life in Turkish patients with systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 360-5	2.2	17
91	Assessment of Disease Activity in Large-vessel Vasculitis: Results of an International Delphi Exercise. <i>Journal of Rheumatology</i> , 2017 , 44, 1928-1932	4.1	16
90	Comparison of early versus late onset familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 880-884	2.3	15
89	Certolizumab pegol in the treatment of Takayasu arteritis. <i>Rheumatology</i> , 2018 , 57, 2101-2105	3.9	15

88	Clinical assessment in Takayasu's arteritis: major challenges and controversies. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 103, 189-193	2.2	15
87	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015 , 42, 1443-7	4.1	14
86	Current Status, Goals, and Research Agenda for Outcome Measures Development in Behçet Syndrome: Report from OMERACT 2014. <i>Journal of Rheumatology</i> , 2015 , 42, 2436-41	4.1	14
85	Increased stiffness of median nerve in systemic sclerosis. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 434	2.8	14
84	Effects of azithromycin on intracellular cytokine responses and mucocutaneous manifestations in Behçet's disease. <i>International Journal of Dermatology</i> , 2013 , 52, 1561-6	1.7	14
83	Venous vessel wall thickness in lower extremity is increased in male patients with Behçet's disease. <i>Clinical Rheumatology</i> , 2019 , 38, 1447-1451	3.9	14
82	Efficacy of TNF inhibitors for refractory vascular Behçet's disease: A multicenter observational study of 27 patients and a review of the literature. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 256-261	2.3	13
81	Regional myocardial dysfunction assessed by two-dimensional speckle tracking echocardiography in systemic sclerosis patients with fragmented QRS complexes. <i>Journal of Electrocardiology</i> , 2014 , 47, 677-83	1.4	13
80	Cardiac thrombosis in a patient with Behçet's disease: two years follow-up. <i>International Journal of Cardiovascular Imaging</i> , 2000 , 16, 377-82		13
79	The assessment of contributing factors to oral ulcer presence in Behçet's disease: Dietary and non-dietary factors. <i>European Journal of Rheumatology</i> , 2018 , 5, 240-243	1.7	13
78	Serum leptin levels do not correlate with disease activity in rheumatoid arthritis. <i>Acta Reumatologica Portuguesa</i> , 2015 , 40, 50-4	0.7	13
77	The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. <i>Turkish Journal of Medical Sciences</i> , 2019 , 49, 472-477	2.7	12
76	Management of Behçet's disease. <i>Current Opinion in Rheumatology</i> , 2018 , 30, 238-242	5.3	12
75	Post-thrombotic syndrome and venous disease-specific quality of life in patients with vascular Behçet's disease. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2016 , 4, 301-6	3.2	12
74	Management of vascular Behçet's disease. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22 Suppl 1, 105-108	2.3	10
73	A new Mucocutaneous Activity Index for Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S80-6	2.2	10
72	Salivary levels of HNP 1-3 are related to oral ulcer activity in Behçet's disease. <i>International Journal of Dermatology</i> , 2013 , 52, 1198-201	1.7	9
71	Presence of fibromyalgia in patients with Takayasu's arteritis. <i>Internal Medicine</i> , 2013 , 52, 2739-42	1.1	9

70	Plasma pentraxin-3 levels in patients with Takayasu's arteritis during routine follow-up. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S73-6	2.2	9
69	The association of PTPN22 R620W polymorphism is stronger with late-onset AChR-myasthenia gravis in Turkey. <i>PLoS ONE</i> , 2014 , 9, e104760	3.7	8
68	Exon 2: Is it the good police in familial mediterranean fever?. <i>European Journal of Rheumatology</i> , 2019 , 6, 34-37	1.7	8
67	Analysis of the genetic component of systemic sclerosis in Iranian and Turkish populations through a genome-wide association study. <i>Rheumatology</i> , 2019 , 58, 289-298	3.9	8
66	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021 , 108, 84-99	11	8
65	Oral health is a mediator for disease severity in patients with Behçet's disease: A multiple mediation analysis study. <i>Journal of Oral Rehabilitation</i> , 2019 , 46, 349-354	3.4	8
64	Conventional immunosuppressive therapy in severe Behçet's Uveitis: the switch rate to the biological agents. <i>BMC Ophthalmology</i> , 2018 , 18, 261	2.3	8
63	Long-Term Efficacy of Pegylated Interferon Alpha-2b in Behçet's Uveitis: A Small Case Series. <i>Ocular Immunology and Inflammation</i> , 2019 , 27, 15-22	2.8	7
62	Novel and known periodontal pathogens residing in gingival crevicular fluid are associated with rheumatoid arthritis. <i>Journal of Periodontology</i> , 2021 , 92, 359-370	4.6	7
61	Association of venous thromboembolic events with skin, pulmonary and kidney involvement in ANCA-associated vasculitis: a multinational study. <i>Rheumatology</i> , 2021 , 60, 4654-4661	3.9	7
60	Association of TRPM Channel Gene Polymorphisms with Systemic Sclerosis. <i>In Vivo</i> , 2015 , 29, 763-70	2.3	7
59	Ultrasonographic Assessment of Fifth Metatarsophalangeal Joint Erosion in Rheumatoid Arthritis: Which Aspect Is Better?. <i>Ultrasound in Medicine and Biology</i> , 2016 , 42, 864-9	3.5	6
58	Genetic Association of a Gain-of-Function IFNGR1 Polymorphism and the Intergenic Region LNCAROD/DKK1 With Behçet's Disease. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1244-1252	9.5	6
57	Remarkable damage along with poor quality of life in Takayasu arteritis: cross-sectional results of a long-term followed-up multicentre cohort. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 103, 77-82	2.2	6
56	Health-related outcomes of importance to patients with Takayasu's arteritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 111, 51-57	2.2	6
55	Evaluation of salivary gland ultrasonography in primary Sjögren's syndrome: does it reflect clinical activity and outcome of the disease?. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 118, 140-145	2.2	6
54	The 2013 ACC/AHA 10-year atherosclerotic cardiovascular disease risk index is better than SCORE and QRisk II in rheumatoid arthritis: is it enough?. <i>Rheumatology</i> , 2016 , 55, 513-22	3.9	5
53	Oral ulcer activity in Behçet's disease: Poor medication adherence is an underestimated risk factor. <i>European Journal of Rheumatology</i> , 2017 , 4, 109-112	1.7	5

52	Pathogenesis of Behçet's Syndrome: Genetic, Environmental and Immunological Factors. <i>Frontiers in Medicine</i> , 2021 , 8, 713052	4.9	5
51	Femoral vein wall thickness measurement: A new diagnostic tool for Behçet's disease. <i>Rheumatology</i> , 2021 , 60, 288-296	3.9	5
50	Structural variation of centromeric endogenous retroviruses in human populations and their impact on cutaneous T-cell lymphoma, Sjögren syndrome, and HIV infection. <i>BMC Medical Genomics</i> , 2019 , 12, 58	3.7	4
49	Update on Outcome Measure Development in Large-vessel Vasculitis: Report from OMERACT 2018. <i>Journal of Rheumatology</i> , 2019 , 46, 1198-1201	4.1	4
48	Biomarkers in Remission According to Different Criteria in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 2066-70	4.1	4
47	Are Salivary Gland Ultrasonography Scores Associated with Salivary Flow Rates and Oral Health-related Quality of Life in Sjögren Syndrome?. <i>Journal of Rheumatology</i> , 2020 , 47, 1774-1779	4.1	4
46	Assessment of damage in Takayasu's arteritis. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 586-591	5.3	4
45	Association of , and Polymorphisms with Radiographic Severity of Ankylosing Spondylitis. <i>Open Rheumatology Journal</i> , 2017 , 11, 1-9	0.2	4
44	Predictive factors for work-day loss in Behçet's syndrome: A multi-center study. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 240-246	2.3	4
43	Vitamin D Levels in Takayasu's Arteritis and a Review of the Literature on Vasculitides. <i>Journal of Clinical Laboratory Analysis</i> , 2016 , 30, 529-33	3	4
42	Analysis of Systemic Sclerosis-associated Genes in a Turkish Population. <i>Journal of Rheumatology</i> , 2016 , 43, 1376-9	4.1	4
41	Autoimmunity in psoriatic arthritis: pathophysiological and clinical aspects. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 1601-1614	2.7	4
40	Elevated serum TREM-1 is associated with periodontitis and disease activity in rheumatoid arthritis. <i>Scientific Reports</i> , 2021 , 11, 2888	4.9	4
39	Prevalence of inflammatory back pain and radiologic sacroiliitis is increased in patients with primary Sjögren's syndrome. <i>Pan African Medical Journal</i> , 2018 , 30, 98	1.2	4
38	PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S11-4	2.2	4
37	Direct and indirect healthcare costs of rheumatoid arthritis patients in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 1033-1037	2.2	4
36	Decreasing incidence and severity of Behçet disease: a changing trend in epidemiological spectrum possibly associated with oral health. <i>Turkish Journal of Medical Sciences</i> , 2020 , 50, 1587-1590	2.7	3
35	Predictors and the optimal duration of sustained remission in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2019 , 38, 3033-3039	3.9	3

34	Femoral Vein Wall Thickness Measurement May Be a Distinctive Diagnostic Tool to Differentiate Behçet's Disease with Intestinal Involvement and Crohn's Disease. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 2750-2755	4	3
33	Advances in the Treatment of Behcet's Disease. <i>Current Rheumatology Reports</i> , 2021 , 23, 47	4.9	3
32	Does illness perception associate with disease symptoms in Behçet's disease?. <i>Internal and Emergency Medicine</i> , 2019 , 14, 691-697	3.7	3
31	Oral ulcer activity assessment with the composite index according to different treatment modalities in Behçet's syndrome: a multicentre study. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 121, 98-104	2.2	3
30	Patient-reported outcomes in Takayasu's arteritis. <i>Presse Medicale</i> , 2017 , 46, e225-e227	2.2	2
29	Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. <i>Journal of Dermatology</i> , 2020 , 47, 1403-1410	1.6	2
28	Biologic treatments in Takayasu's Arteritis: A comparative study of tumor necrosis factor inhibitors and tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 1224-1229	5.3	2
27	Factors associated with progression to critical illness in 28 days among COVID-19 patients: results from a tertiary care hospital in Istanbul, Turkey		2
26	THU0303 THE OMERACT CORE DOMAIN SET FOR CLINICAL TRIALS IN BEHÇET'S SYNDROME 2019 ,		2
25	Myocardial involvement in Behçet's disease may be higher in patients with Neuro-Behçet's disease: a speckle tracking echocardiographic study. <i>Acta Cardiologica</i> , 2021 , 1-9	0.9	2
24	Severe neuro-Behcet's disease treated with a combination of immunosuppressives and a TNF-inhibitor. <i>Acta Reumatologica Portuguesa</i> , 2016 , 41, 367-371	0.7	2
23	Impaired endothelial function in patients with Takayasu's arteritis		1
22	A severe case of systemic lupus erythematosus with increased pressure communicating hydrocephalus. <i>European Journal of Rheumatology</i> , 2015 , 2, 76-77	1.7	1
21	HADS-depression score is a mediator for illness perception and daily life impairment in Takayasu's arteritis. <i>Clinical Rheumatology</i> , 2021 , 40, 4109-4116	3.9	1
20	Predictors for the risk and severity of post-thrombotic syndrome in vascular Behçet's disease. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2021 , 9, 1451-1459	3.2	1
19	Childhood-onset versus adult-onset Takayasu arteritis: A study of 141 patients from Turkey. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 192-197	5.3	1
18	Impaired cardiac and vascular motion in patients with Takayasu's arteritis: A velocity vector imaging-based study. <i>European Journal of Rheumatology</i> , 2018 , 5, 16-21	1.7	1
17	Impact of rheumatoid arthritis in Turkey: a questionnaire study. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 477-83	2.2	1

16	The assessment of malnutrition and severity of gastrointestinal disease by using symptom-based questionnaires in systemic sclerosis: is it related to severe organ involvement or capillary rarefaction at microcirculation?. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 125, 127-131	2.2	1
15	Apremilast for oral ulcers associated with active Behçet's syndrome over 68 weeks: long-term results from a phase 3 randomised clinical trial. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 80-87	2.2	1
14	Pulmonary Endarterectomy in Patients with Antiphospholipid Syndrome-Associated Chronic Thromboembolic Pulmonary Hypertension. 2022 , 26, 394-400		1
13	Vitamin D levels in patients with small and medium vessel vasculitis.. <i>Reumatologia Clínica (English Edition)</i> , 2022 , 18, 141-146	0.1	0
12	Comment on: Monitoring Achilles enthesitis in ankylosing spondylitis during TNF- α antagonist therapy: an ultrasound study: reply. <i>Rheumatology</i> , 2010 , 49, 1419-1420	3.9	
11	A composite index for determining the impact of oral ulcer activity in Behçet disease and recurrent aphthous stomatitis. <i>Journal of Oral Pathology and Medicine</i> , 2010 , 39, 511-511	3.3	
10	FRAX scores are increased in patients with ANCA-associated vasculitis. <i>International Urology and Nephrology</i> , 2021 , 53, 2333-2339	2.3	
9	Impact of concomitant obstructive sleep apnea on pulmonary involvement and main pulmonary artery diameter in adults with scleroderma. <i>Sleep and Breathing</i> , 2021 , 25, 135-143	3.1	
8	Risk of tuberculosis is increased in Behçet disease compared to other rheumatological disorders after anti-TNF α treatments: a case series and review of the literature. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 1689-1694	2.7	
7	Arterial and Venous Involvement in Behçet Disease. <i>Rare Diseases of the Immune System</i> , 2021 , 257-275	0.2	
6	The prevalence of metabolic syndrome is increased in patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>International Urology and Nephrology</i> , 2021 , 53, 1427-1434	2.3	
5	Clinical Manifestations, Differential Diagnosis, and Laboratory Markers. <i>Rare Diseases of the Immune System</i> , 2021 , 93-104	0.2	
4	Reply to: Assessing the role of pentraxin-3 in Takayasu's arteritis. De Luca G. et al. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 103, 222	2.2	
3	Damage assessment in adult IgA vasculitis. Cross-sectional results of a multicentre cohort. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 155-160	2.2	
2	Apremilast for oral ulcers associated with active Behçet's syndrome over 68 weeks: long-term results from a phase 3 randomised clinical trial. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 132, 80-87	2.2	
1	Fibroscan detection of fatty liver and liver fibrosis in patients with systemic lupus erythematosus.. <i>Lupus</i> , 2022 , 9612033221094708	2.6	