

Haner Direskeneli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8425267/haner-direskeneli-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

3,045
citations

28
h-index

49
g-index

166
ext. papers

3,941
ext. citations

3.3
avg, IF

5.27
L-index

#	Paper	IF	Citations
141	Vitamin D levels in patients with small and medium vessel vasculitis.. <i>Reumatologia Clínica (English Edition)</i> , 2022 , 18, 141-146	0.1	0
140	Pulmonary Endarterectomy in Patients with Antiphospholipid Syndrome-Associated Chronic Thromboembolic Pulmonary Hypertension. 2022 , 26, 394-400		1
139	Fibroscan detection of fatty liver and liver fibrosis in patients with systemic lupus erythematosus.. <i>Lupus</i> , 2022 , 9612033221094708	2.6	
138	Pathogenesis of Behçet's Syndrome: Genetic, Environmental and Immunological Factors. <i>Frontiers in Medicine</i> , 2021 , 8, 713052	4.9	5
137	Biologic treatments in Takayasu's Arteritis: A comparative study of tumor necrosis factor inhibitors and tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 1224-1229	5.3	2
136	Femoral Vein Wall Thickness Measurement May Be a Distinctive Diagnostic Tool to Differentiate Behçet's Disease with Intestinal Involvement and Crohn's Disease. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 2750-2755	4	3
135	FRAX scores are increased in patients with ANCA-associated vasculitis. <i>International Urology and Nephrology</i> , 2021 , 53, 2333-2339	2.3	
134	HADS-depression score is a mediator for illness perception and daily life impairment in Takayasu's arteritis. <i>Clinical Rheumatology</i> , 2021 , 40, 4109-4116	3.9	1
133	Genetic Association of a Gain-of-Function IFNGR1 Polymorphism and the Intergenic Region LNCAROD/DKK1 With Behçet's Disease. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1244-1252	9.5	6
132	Advances in the Treatment of Behçet's Disease. <i>Current Rheumatology Reports</i> , 2021 , 23, 47	4.9	3
131	Impact of concomitant obstructive sleep apnea on pulmonary involvement and main pulmonary artery diameter in adults with scleroderma. <i>Sleep and Breathing</i> , 2021 , 25, 135-143	3.1	
130	Femoral vein wall thickness measurement: A new diagnostic tool for Behçet's disease. <i>Rheumatology</i> , 2021 , 60, 288-296	3.9	5
129	Novel and known periodontal pathogens residing in gingival crevicular fluid are associated with rheumatoid arthritis. <i>Journal of Periodontology</i> , 2021 , 92, 359-370	4.6	7
128	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021 , 108, 84-99	11	8
127	Risk of tuberculosis is increased in Behçet's disease compared to other rheumatological disorders after anti-TNF treatments: a case series and review of the literature. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 1689-1694	2.7	
126	Arterial and Venous Involvement in Behçet's Disease. <i>Rare Diseases of the Immune System</i> , 2021 , 257-275	0.2	
125	Autoimmunity in psoriatic arthritis: pathophysiological and clinical aspects. <i>Turkish Journal of Medical Sciences</i> , 2021 , 51, 1601-1614	2.7	4

124	Elevated serum TREM-1 is associated with periodontitis and disease activity in rheumatoid arthritis. <i>Scientific Reports</i> , 2021 , 11, 2888	4.9	4
123	Predictors for the risk and severity of post-thrombotic syndrome in vascular Behçet's disease. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2021 , 9, 1451-1459	3.2	1
122	Association of venous thromboembolic events with skin, pulmonary and kidney involvement in ANCA-associated vasculitis: a multinational study. <i>Rheumatology</i> , 2021 , 60, 4654-4661	3.9	7
121	Childhood-onset versus adult-onset Takayasu arteritis: A study of 141 patients from Turkey. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 192-197	5.3	1
120	Myocardial involvement in Behçet's disease may be higher in patients with Neuro-Behçet's disease: a speckle tracking echocardiographic study. <i>Acta Cardiologica</i> , 2021 , 1-9	0.9	2
119	The prevalence of metabolic syndrome is increased in patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>International Urology and Nephrology</i> , 2021 , 53, 1427-1434	2.3	
118	Clinical Manifestations, Differential Diagnosis, and Laboratory Markers. <i>Rare Diseases of the Immune System</i> , 2021 , 93-104	0.2	
117	Apremilast for oral ulcers associated with active Behçet's syndrome over 68 weeks: long-term results from a phase 3 randomised clinical trial. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 132, 80-87	2.2	
116	Apremilast for oral ulcers associated with active Behçet's syndrome over 68 weeks: long-term results from a phase 3 randomised clinical trial. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 80-87	2.2	1
115	Decreasing incidence and severity of Behçet's disease: a changing trend in epidemiological spectrum possibly associated with oral health. <i>Turkish Journal of Medical Sciences</i> , 2020 , 50, 1587-1590	2.7	3
114	Are Salivary Gland Ultrasonography Scores Associated with Salivary Flow Rates and Oral Health-related Quality of Life in Sjögren Syndrome?. <i>Journal of Rheumatology</i> , 2020 , 47, 1774-1779	4.1	4
113	Assessment of damage in Takayasu's arteritis. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 586-591	5.3	4
112	British Society for Rheumatology guideline on diagnosis and treatment of giant cell arteritis: executive summary. <i>Rheumatology</i> , 2020 , 59, 487-494	3.9	27
111	British Society for Rheumatology guideline on diagnosis and treatment of giant cell arteritis. <i>Rheumatology</i> , 2020 , 59, e1-e23	3.9	57
110	Efficacy of TNF inhibitors for refractory vascular Behçet's disease: A multicenter observational study of 27 patients and a review of the literature. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 256-261	2.3	13
109	Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. <i>Journal of Dermatology</i> , 2020 , 47, 1403-1410	1.6	2
108	Predictive factors for work-day loss in Behçet's syndrome: A multi-center study. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 240-246	2.3	4
107	Damage assessment in adult IgA vasculitis. Cross-sectional results of a multicentre cohort. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 155-160	2.2	

106	The assessment of malnutrition and severity of gastrointestinal disease by using symptom-based questionnaires in systemic sclerosis: is it related to severe organ involvement or capillary rarefaction at microcirculation?. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 125, 127-131	2.2	1
105	The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. <i>Turkish Journal of Medical Sciences</i> , 2019 , 49, 472-477	2.7	12
104	Structural variation of centromeric endogenous retroviruses in human populations and their impact on cutaneous T-cell lymphoma, Sjögren syndrome, and HIV infection. <i>BMC Medical Genomics</i> , 2019 , 12, 58	3.7	4
103	Update on Outcome Measure Development in Large-vessel Vasculitis: Report from OMERACT 2018. <i>Journal of Rheumatology</i> , 2019 , 46, 1198-1201	4.1	4
102	Predictors and the optimal duration of sustained remission in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2019 , 38, 3033-3039	3.9	3
101	Exon 2: Is it the good police in familial mediterranean fever?. <i>European Journal of Rheumatology</i> , 2019 , 6, 34-37	1.7	8
100	Venous vessel wall thickness in lower extremity is increased in male patients with Behçet's disease. <i>Clinical Rheumatology</i> , 2019 , 38, 1447-1451	3.9	14
99	THU0303 THE OMERACT CORE DOMAIN SET FOR CLINICAL TRIALS IN BEHÇET'S SYNDROME 2019 ,		2
98	Does illness perception associate with disease symptoms in Behçet's disease?. <i>Internal and Emergency Medicine</i> , 2019 , 14, 691-697	3.7	3
97	Triggering agents and microbiome as environmental factors on Behçet's syndrome. <i>Internal and Emergency Medicine</i> , 2019 , 14, 653-660	3.7	21
96	Analysis of the genetic component of systemic sclerosis in Iranian and Turkish populations through a genome-wide association study. <i>Rheumatology</i> , 2019 , 58, 289-298	3.9	8
95	Long-Term Efficacy of Pegylated Interferon Alpha-2b in Behçet's Uveitis: A Small Case Series. <i>Ocular Immunology and Inflammation</i> , 2019 , 27, 15-22	2.8	7
94	Management of vascular Behçet's disease. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22 Suppl 1, 105-108	2.3	10
93	Oral health is a mediator for disease severity in patients with Behçet's disease: A multiple mediation analysis study. <i>Journal of Oral Rehabilitation</i> , 2019 , 46, 349-354	3.4	8
92	Evaluation of salivary gland ultrasonography in primary Sjögren's syndrome: does it reflect clinical activity and outcome of the disease?. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 118, 140-145	2.2	6
91	Oral ulcer activity assessment with the composite index according to different treatment modalities in Behçet's syndrome: a multicentre study. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 121, 98-104	2.2	3
90	Discrepancies between vascular and systemic inflammation in large vessel vasculitis: an important problem revisited. <i>Rheumatology</i> , 2018 , 57, 784-790	3.9	20
89	Management of Behçet's disease. <i>Current Opinion in Rheumatology</i> , 2018 , 30, 238-242	5.3	12

88	EULAR recommendations for the use of imaging in large vessel vasculitis in clinical practice. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 636-643	2.4	401
87	Comparison of early versus late onset familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 880-884	2.3	15
86	Fatigue in patients with Behçet's syndrome: relationship with quality of life, depression, anxiety, disability and disease activity. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 2139-2145	2.3	21
85	An update on the role of epigenetics in systemic vasculitis. <i>Current Opinion in Rheumatology</i> , 2018 , 30, 4-15	5.3	20
84	Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018 , 70, 1090-1094	4.7	34
83	Certolizumab pegol in the treatment of Takayasu arteritis. <i>Rheumatology</i> , 2018 , 57, 2101-2105	3.9	15
82	Takayasu arteritis: an update. <i>Turkish Journal of Medical Sciences</i> , 2018 , 48, 681-697	2.7	23
81	The assessment of contributing factors to oral ulcer presence in Behçet's disease: Dietary and non-dietary factors. <i>European Journal of Rheumatology</i> , 2018 , 5, 240-243	1.7	13
80	Impaired cardiac and vascular motion in patients with Takayasu's arteritis: A velocity vector imaging-based study. <i>European Journal of Rheumatology</i> , 2018 , 5, 16-21	1.7	1
79	Conventional immunosuppressive therapy in severe Behçet's Uveitis: the switch rate to the biological agents. <i>BMC Ophthalmology</i> , 2018 , 18, 261	2.3	8
78	Prevalence of inflammatory back pain and radiologic sacroiliitis is increased in patients with primary Sjögren's syndrome. <i>Pan African Medical Journal</i> , 2018 , 30, 98	1.2	4
77	Health-related outcomes of importance to patients with Takayasu's arteritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 111, 51-57	2.2	6
76	Analysis of the common genetic component of large-vessel vasculitides through a meta-immunochip strategy. <i>Scientific Reports</i> , 2017 , 7, 43953	4.9	34
75	Th17-Inducing Conditions Lead to in vitro Activation of Both Th17 and Th1 Responses in Behçet's Disease. <i>Immunological Investigations</i> , 2017 , 46, 518-525	2.9	21
74	A genome-wide association study identifies nucleotide variants at SIGLEC5 and DEFA1A3 as risk loci for periodontitis. <i>Human Molecular Genetics</i> , 2017 , 26, 2577-2588	5.6	55
73	Developing a Core Set of Outcome Measures for Behçet Disease: Report from OMERACT 2016. <i>Journal of Rheumatology</i> , 2017 , 44, 1750-1753	4.1	18
72	Increased stiffness of median nerve in systemic sclerosis. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 434	2.8	14
71	Development of a Core Set of Outcome Measures for Large-vessel Vasculitis: Report from OMERACT 2016. <i>Journal of Rheumatology</i> , 2017 , 44, 1933-1937	4.1	25

70	Assessment of Disease Activity in Large-vessel Vasculitis: Results of an International Delphi Exercise. <i>Journal of Rheumatology</i> , 2017 , 44, 1928-1932	4.1	16
69	Patient-reported outcomes in Takayasu's arteritis. <i>Presse Medicale</i> , 2017 , 46, e225-e227	2.2	2
68	Assessment of the frequency of cardiovascular risk factors in patients with Takayasu's arteritis. <i>Rheumatology</i> , 2017 , 56, 1939-1944	3.9	19
67	Association of , and Polymorphisms with Radiographic Severity of Ankylosing Spondylitis. <i>Open Rheumatology Journal</i> , 2017 , 11, 1-9	0.2	4
66	Oral ulcer activity in Behcet's disease: Poor medication adherence is an underestimated risk factor. <i>European Journal of Rheumatology</i> , 2017 , 4, 109-112	1.7	5
65	Remarkable damage along with poor quality of life in Takayasu arteritis: cross-sectional results of a long-term followed-up multicentre cohort. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 103, 77-82	2.2	6
64	Clinical assessment in Takayasu's arteritis: major challenges and controversies. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 103, 189-193	2.2	15
63	Reply to: Assessing the role of pentraxin-3 in Takayasu's arteritis. De Luca G. et al. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 103, 222	2.2	
62	The 2013 ACC/AHA 10-year atherosclerotic cardiovascular disease risk index is better than SCORE and QRisk II in rheumatoid arthritis: is it enough?. <i>Rheumatology</i> , 2016 , 55, 513-22	3.9	5
61	Sequencing of 16S rRNA reveals a distinct salivary microbiome signature in Behçet's disease. <i>Clinical Immunology</i> , 2016 , 169, 28-35	9	58
60	The IL-33 gene is related to increased susceptibility to systemic sclerosis. <i>Rheumatology International</i> , 2016 , 36, 579-84	3.6	26
59	Characteristics Predicting Tuberculosis Risk under Tumor Necrosis Factor- α Inhibitors: Report from a Large Multicenter Cohort with High Background Prevalence. <i>Journal of Rheumatology</i> , 2016 , 43, 524-9	4.1	58
58	The epidemiology of Takayasu arteritis: a hospital-based study from northwestern part of Turkey. <i>Rheumatology International</i> , 2016 , 36, 911-6	3.6	25
57	Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , 2016 , 69, 59-63	15.5	39
56	Assessment of the New 2012 EULAR/ACR Clinical Classification Criteria for Polymyalgia Rheumatica: A Prospective Multicenter Study. <i>Journal of Rheumatology</i> , 2016 , 43, 893-900	4.1	23
55	Post-thrombotic syndrome and venous disease-specific quality of life in patients with vascular Behçet's disease. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2016 , 4, 301-6	3.2	12
54	Ultrasonographic Assessment of Fifth Metatarsophalangeal Joint Erosion in Rheumatoid Arthritis: Which Aspect Is Better?. <i>Ultrasound in Medicine and Biology</i> , 2016 , 42, 864-9	3.5	6
53	Health-related quality of life assessed by LupusQoL questionnaire and SF-36 in Turkish patients with systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2016 , 35, 617-22	3.9	22

52	Vitamin D Levels in Takayasu's Arteritis and a Review of the Literature on Vasculitides. <i>Journal of Clinical Laboratory Analysis</i> , 2016 , 30, 529-33	3	4
51	Analysis of Systemic Sclerosis-associated Genes in a Turkish Population. <i>Journal of Rheumatology</i> , 2016 , 43, 1376-9	4.1	4
50	Plasma pentraxin-3 levels in patients with Takayasu's arteritis during routine follow-up. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S73-6	2.2	9
49	Direct and indirect healthcare costs of rheumatoid arthritis patients in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 1033-1037	2.2	4
48	Severe neuro-Behcet's disease treated with a combination of immunosuppressives and a TNF-inhibitor. <i>Acta Reumatologica Portuguesa</i> , 2016 , 41, 367-371	0.7	2
47	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015 , 42, 1443-7	4.1	14
46	Incidence of Cyclophosphamide-induced Urotoxicity and Protective Effect of Mesna in Rheumatic Diseases. <i>Journal of Rheumatology</i> , 2015 , 42, 1661-6	4.1	32
45	Behçet disease with vascular involvement: effects of different therapeutic regimens on the incidence of new relapses. <i>Medicine (United States)</i> , 2015 , 94, e494	1.8	81
44	Outcome measures for Takayasu's arteritis. <i>Current Opinion in Rheumatology</i> , 2015 , 27, 32-7	5.3	23
43	Patients with Takayasu's arteritis having persistent acute-phase response usually have an increased major vessel uptake by 18F-FDG-PET/CT. <i>Modern Rheumatology</i> , 2015 , 25, 752-5	3.3	22
42	'MHC-I-opathy'-unified concept for spondyloarthritis and Behçet disease. <i>Nature Reviews Rheumatology</i> , 2015 , 11, 731-40	8.1	124
41	Current Status, Goals, and Research Agenda for Outcome Measures Development in Behçet Syndrome: Report from OMERACT 2014. <i>Journal of Rheumatology</i> , 2015 , 42, 2436-41	4.1	14
40	Biomarkers in Remission According to Different Criteria in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 2066-70	4.1	4
39	Update on Outcome Measure Development for Large Vessel Vasculitis: Report from OMERACT 12. <i>Journal of Rheumatology</i> , 2015 , 42, 2465-9	4.1	26
38	Recent advances in Takayasu's arteritis. <i>European Journal of Rheumatology</i> , 2015 , 2, 24-30	1.7	23
37	Update on Takayasu's arteritis. <i>Presse Medicale</i> , 2015 , 44, e259-65	2.2	33
36	A severe case of systemic lupus erythematosus with increased pressure communicating hydrocephalus. <i>European Journal of Rheumatology</i> , 2015 , 2, 76-77	1.7	1
35	Serum leptin levels do not correlate with disease activity in rheumatoid arthritis. <i>Acta Reumatologica Portuguesa</i> , 2015 , 40, 50-4	0.7	13

34	Anxiety and depression predict quality of life in Turkish patients with systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 360-5	2.2	17
33	Association of TRPM Channel Gene Polymorphisms with Systemic Sclerosis. <i>In Vivo</i> , 2015 , 29, 763-70	2.3	7
32	Management of Takayasu arteritis: a systematic review. <i>Rheumatology</i> , 2014 , 53, 793-801	3.9	134
31	Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. <i>Rheumatology</i> , 2014 , 53, 741-5	3.9	64
30	The role of depression, anxiety, fatigue, and fibromyalgia on the evaluation of the remission status in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2014 , 41, 1755-60	4.1	38
29	Current status of outcome measure development in vasculitis. <i>Journal of Rheumatology</i> , 2014 , 41, 593-8	4.1	25
28	Regional myocardial dysfunction assessed by two-dimensional speckle tracking echocardiography in systemic sclerosis patients with fragmented QRS complexes. <i>Journal of Electrocardiology</i> , 2014 , 47, 677-83	1.4	13
27	Outcome measures used in clinical trials for Behçet syndrome: a systematic review. <i>Journal of Rheumatology</i> , 2014 , 41, 599-612	4.1	41
26	Unmet need in Behçet's disease: most patients in routine follow-up continue to have oral ulcers. <i>Clinical Rheumatology</i> , 2014 , 33, 1773-6	3.9	28
25	The association of PTPN22 R620W polymorphism is stronger with late-onset AChR-myasthenia gravis in Turkey. <i>PLoS ONE</i> , 2014 , 9, e104760	3.7	8
24	Impact of rheumatoid arthritis in Turkey: a questionnaire study. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 477-83	2.2	1
23	A new Mucocutaneous Activity Index for Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S80-6	2.2	10
22	The association of fatigue, comorbidity burden, disease activity, disability and gross domestic product in patients with rheumatoid arthritis. Results from 34 countries participating in the Quest-RA program. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 869-77	2.2	39
21	Identification of multiple genetic susceptibility loci in Takayasu arteritis. <i>American Journal of Human Genetics</i> , 2013 , 93, 298-305	11	115
20	Impaired quality of life, disability and mental health in Takayasu's arteritis. <i>Rheumatology</i> , 2013 , 52, 1898-904	3.9	46
19	Salivary levels of HNP 1-3 are related to oral ulcer activity in Behçet's disease. <i>International Journal of Dermatology</i> , 2013 , 52, 1198-201	1.7	9
18	Pro-inflammatory cytokine and caspase-1 responses to pattern recognition receptor activation of neutrophils and dendritic cells in Behçet's disease. <i>Rheumatology</i> , 2013 , 52, 800-5	3.9	21
17	Effects of azithromycin on intracellular cytokine responses and mucocutaneous manifestations in Behçet's disease. <i>International Journal of Dermatology</i> , 2013 , 52, 1561-6	1.7	14

16	Presence of fibromyalgia in patients with Takayasu's arteritis. <i>Internal Medicine</i> , 2013 , 52, 2739-42	1.1	9
15	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012 , 14, R27	5.7	50
14	Salivary levels of antimicrobial peptides Hnp 1-3, LL-37 and S100 in Behcet's disease. <i>Archives of Oral Biology</i> , 2012 , 57, 642-6	2.8	24
13	PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S11-4	2.2	4
12	The OMERACT core set of outcome measures for use in clinical trials of ANCA-associated vasculitis. <i>Journal of Rheumatology</i> , 2011 , 38, 1480-6	4.1	78
11	Development of outcome measures for large-vessel vasculitis for use in clinical trials: opportunities, challenges, and research agenda. <i>Journal of Rheumatology</i> , 2011 , 38, 1471-9	4.1	64
10	Long-term efficacy and safety of low-dose and dose-escalating interferon alfa-2a therapy in refractory Behçet uveitis. <i>JAMA Ophthalmology</i> , 2011 , 129, 288-94		87
9	Assessment of disease activity and progression in Takayasu's arteritis. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S86-91	2.2	51
8	Comment on: Monitoring Achilles enthesitis in ankylosing spondylitis during TNF- α antagonist therapy: an ultrasound study: reply. <i>Rheumatology</i> , 2010 , 49, 1419-1420	3.9	
7	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010 , 49, 1889-93	3.9	76
6	A composite index for determining the impact of oral ulcer activity in Behçet disease and recurrent aphthous stomatitis. <i>Journal of Oral Pathology and Medicine</i> , 2010 , 39, 511-511	3.3	
5	A possible decline in the incidence and severity of Behçet's disease: implications for an infectious etiology and oral health. <i>Clinical and Experimental Rheumatology</i> , 2010 , 28, S86-90	2.2	24
4	The close association between dental and periodontal treatments and oral ulcer course in behcet's disease: a prospective clinical study. <i>Journal of Oral Pathology and Medicine</i> , 2009 , 38, 410-5	3.3	39
3	Cardiac thrombosis in a patient with Behçet's disease: two years follow-up. <i>International Journal of Cardiovascular Imaging</i> , 2000 , 16, 377-82		13
2	Impaired endothelial function in patients with Takayasu's arteritis		1
1	Factors associated with progression to critical illness in 28 days among COVID-19 patients: results from a tertiary care hospital in Istanbul, Turkey		2