

Gerard Pujadas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8425370/publications.pdf>

Version: 2024-02-01

60
papers

3,737
citations

126907

33
h-index

133252

59
g-index

62
all docs

62
docs citations

62
times ranked

5531
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular fingerprint similarity search in virtual screening. <i>Methods</i> , 2015, 71, 58-63.	3.8	506
2	Grape-seed procyanidins prevent low-grade inflammation by modulating cytokine expression in rats fed a high-fat diet. <i>Journal of Nutritional Biochemistry</i> , 2009, 20, 210-218.	4.2	260
3	Inhibition of Angiotensin-Converting Enzyme Activity by Flavonoids: Structure-Activity Relationship Studies. <i>PLoS ONE</i> , 2012, 7, e49493.	2.5	257
4	Grape-Seed Procyanidins Act as Antiinflammatory Agents in Endotoxin-Stimulated RAW 264.7 Macrophages by Inhibiting NFκB Signaling Pathway. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 4357-4365.	5.2	240
5	The Light and Dark Sides of Virtual Screening: What Is There to Know?. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1375.	4.1	160
6	DecoyFinder: an easy-to-use python GUI application for building target-specific decoy sets. <i>Bioinformatics</i> , 2012, 28, 1661-1662.	4.1	155
7	Modulatory effect of grape-seed procyanidins on local and systemic inflammation in diet-induced obesity rats. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 380-387.	4.2	140
8	Prediction of Novel Inhibitors of the Main Protease (M-pro) of SARS-CoV-2 through Consensus Docking and Drug Reposition. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3793.	4.1	123
9	Tools for in silico target fishing. <i>Methods</i> , 2015, 71, 98-103.	3.8	114
10	SRide: a server for identifying stabilizing residues in proteins. <i>Nucleic Acids Research</i> , 2005, 33, W303-W305.	14.5	107
11	Effects of a grape seed procyanidin extract (GSPE) on insulin resistance. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 961-967.	4.2	99
12	Dietary procyanidins enhance transcriptional activity of bile acid-activated FXR <i>in vitro</i> and reduce triglyceridemia <i>in vivo</i> in a FXR-dependent manner. <i>Molecular Nutrition and Food Research</i> , 2009, 53, 805-814.	3.3	85
13	Oligomers of grape-seed procyanidin extract activate the insulin receptor and key targets of the insulin signaling pathway differently from insulin. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 476-481.	4.2	82
14	Peroxisome Proliferator-Activated Receptor β (PPAR β) and Ligand Choreography: Newcomers Take the Stage. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 5381-5394.	6.4	75
15	Locating the stabilizing residues in (1 \pm /1 2)8 barrel proteins based on hydrophobicity, long-range interactions, and sequence conservation. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 55, 316-329.	2.6	73
16	Dietary procyanidins lower triglyceride levels signaling through the nuclear receptor small heterodimer partner. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 1172-1181.	3.3	69
17	Protein-ligand Docking: A Review of Recent Advances and Future Perspectives. <i>Current Pharmaceutical Analysis</i> , 2008, 4, 1-19.	0.6	67
18	Grape Seed-Derived Procyanidins Decrease Dipeptidyl-peptidase 4 Activity and Expression. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 9055-9061.	5.2	66

#	ARTICLE	IF	CITATIONS
19	Evolution of α -Amylases: Architectural Features and Key Residues in the Stabilization of the $(\alpha/\alpha)_8$ Scaffold. <i>Molecular Biology and Evolution</i> , 2001, 18, 38-54.	8.9	57
20	Procyanidin Effects on Adipocyte-Related Pathologies. <i>Critical Reviews in Food Science and Nutrition</i> , 2006, 46, 543-550.	10.3	55
21	Identification of PPARgamma Partial Agonists of Natural Origin (I): Development of a Virtual Screening Procedure and In Vitro Validation. <i>PLoS ONE</i> , 2012, 7, e50816.	2.5	48
22	Structural insights for the design of new PPARgamma partial agonists with high binding affinity and low transactivation activity. <i>Journal of Computer-Aided Molecular Design</i> , 2011, 25, 717-728.	2.9	47
23	Procyanidin dimer B1 and trimer C1 impair inflammatory response signalling in human monocytes. <i>Free Radical Research</i> , 2011, 45, 611-619.	3.3	47
24	Haste makes waste: A critical review of docking-based virtual screening in drug repurposing for SARS-CoV-2 main protease (M ^{pro}) inhibition. <i>Medicinal Research Reviews</i> , 2022, 42, 744-769.	10.5	46
25	Resveratrol Enhances Palmitate-Induced ER Stress and Apoptosis in Cancer Cells. <i>PLoS ONE</i> , 2014, 9, e113929.	2.5	45
26	Dietary catechins and procyanidins modulate zinc homeostasis in human HepG2 cells. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 153-163.	4.2	42
27	The good, the bad and the dubious: VHELIBS, a validation helper for ligands and binding sites. <i>Journal of Cheminformatics</i> , 2013, 5, 36.	6.1	42
28	Understanding the variability of the S1 ^{pro} pocket to improve matrix metalloproteinase inhibitor selectivity profiles. <i>Drug Discovery Today</i> , 2020, 25, 38-57.	6.4	41
29	Inhibitory Effects of Grape Seed Procyanidins on Foam Cell Formation in Vitro. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 2588-2594.	5.2	38
30	The lipid-lowering effect of dietary proanthocyanidins in rats involves both chylomicron-rich and VLDL-rich fractions. <i>British Journal of Nutrition</i> , 2012, 108, 208-217.	2.3	36
31	BDT: an easy-to-use front-end application for automation of massive docking tasks and complex docking strategies with AutoDock. <i>Bioinformatics</i> , 2006, 22, 1803-1804.	4.1	35
32	Procyanidins modify insulinemia by affecting insulin production and degradation. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 1565-1572.	4.2	35
33	Identification of Novel Human Dipeptidyl Peptidase-IV Inhibitors of Natural Origin (Part I): Virtual Screening and Activity Assays. <i>PLoS ONE</i> , 2012, 7, e44971.	2.5	34
34	Activity and selectivity cliffs for DPP-IV inhibitors: Lessons we can learn from SAR studies and their application to virtual screening. <i>Medicinal Research Reviews</i> , 2018, 38, 1874-1915.	10.5	32
35	A Review of the Current Landscape of SARS-CoV-2 Main Protease Inhibitors: Have We Hit the Bullseye Yet?. <i>International Journal of Molecular Sciences</i> , 2022, 23, 259.	4.1	31
36	Moderate red-wine consumption partially prevents body weight gain in rats fed a hyperlipidic diet. <i>Journal of Nutritional Biochemistry</i> , 2006, 17, 139-142.	4.2	30

#	ARTICLE	IF	CITATIONS
37	Resveratrol Potently Counteracts Quercetin Starvation-Induced Autophagy and Sensitizes HepG2 Cancer Cells to Apoptosis. <i>Molecular Nutrition and Food Research</i> , 2018, 62, 1700610.	3.3	30
38	A trimer plus a dimer-gallate reproduce the bioactivity described for an extract of grape seed procyanidins. <i>Food Chemistry</i> , 2009, 116, 265-270.	8.2	28
39	Evolution of α -amylase: Patterns of variation and conservation in subfamily sequences in relation to parsimony mechanisms. <i>Proteins: Structure, Function and Bioinformatics</i> , 1996, 25, 456-472.	2.6	26
40	In Vivo, in Vitro, and in Silico Studies of Cu/Zn-Superoxide Dismutase Regulation by Molecules in Grape Seed Procyanidin Extract. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 3934-3942.	5.2	25
41	Identification of PPARgamma Partial Agonists of Natural Origin (II): In Silico Prediction in Natural Extracts with Known Antidiabetic Activity. <i>PLoS ONE</i> , 2013, 8, e55889.	2.5	25
42	Identification of Human IKK-2 Inhibitors of Natural Origin (Part I): Modeling of the IKK-2 Kinase Domain, Virtual Screening and Activity Assays. <i>PLoS ONE</i> , 2011, 6, e16903.	2.5	23
43	Identification of human IKK-2 inhibitors of natural origin (Part II): In Silico prediction of IKK-2 inhibitors in natural extracts with known anti-inflammatory activity. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 6098-6103.	5.5	22
44	Identification of Novel Human Dipeptidyl Peptidase-IV Inhibitors of Natural Origin (Part II): In Silico Prediction in Antidiabetic Extracts. <i>PLoS ONE</i> , 2012, 7, e44972.	2.5	18
45	Ephedrine as a lead compound for the development of new DPP-IV inhibitors. <i>Future Medicinal Chemistry</i> , 2017, 9, 2129-2146.	2.3	17
46	Characterization of the activity and stability of amylase from saliva and detergent: Laboratory practicals for studying the activity and stability of amylase from saliva and various commercial detergents. <i>Biochemistry and Molecular Biology Education</i> , 2012, 40, 254-265.	1.2	15
47	Development of docking-based 3D-QSAR models for PPARgamma full agonists. <i>Journal of Molecular Graphics and Modelling</i> , 2012, 36, 1-9.	2.4	13
48	Molecular mimicry of substrate oxygen atoms by water molecules in the α -amylase active site. <i>Protein Science</i> , 2001, 10, 1645-1657.	7.6	12
49	Grape seed procyanidins inhibit the expression of metallothionein in genes in human HepG2 cells. <i>Genes and Nutrition</i> , 2007, 2, 105-109.	2.5	12
50	Characterization of the protease activity of detergents laboratory practicals for studying the protease profile and activity of various commercial detergents. <i>Biochemistry and Molecular Biology Education</i> , 2011, 39, 280-290.	1.2	11
51	Differential effects of grape-seed derived procyanidins on adipocyte differentiation markers in different in vivo situations. <i>Genes and Nutrition</i> , 2007, 2, 101-103.	2.5	8
52	Anti-Inflammatory and Immunomodulatory Effects of the Grifola frondosa Natural Compound o-Orsellinaldehyde on LPS-Challenged Murine Primary Glial Cells. Roles of NF- κ B and MAPK. <i>Pharmaceutics</i> , 2021, 13, 806.	4.5	7
53	Identification of Broad-Spectrum MMP Inhibitors by Virtual Screening. <i>Molecules</i> , 2021, 26, 4553.	3.8	6
54	Anti-inflammatory and Proapoptotic Properties of the Natural Compound o-Orsellinaldehyde. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 10952-10963.	5.2	5

#	ARTICLE	IF	CITATIONS
55	Combined Ligand- and Receptor-Based Virtual Screening Methodology to Identify Structurally Diverse Protein Tyrosine Phosphatase 1B Inhibitors. ChemMedChem, 2018, 13, 1939-1948.	3.2	5
56	Anatomy of a conformational transition of Î²-strand 6 in soybean Î²-amylase caused by substrate (or) Tj ETQq0 0.0 rgBT /Overlock 10	7.6	4
57	How do Detergents Work? A Qualitative Assay to Measure Amylase Activity. Journal of Biological Education, 2016, 50, 251-260.	1.5	3
58	3D-QSAR Study of Pyridine Derivates as IKK-Î² Inhibitors. QSAR and Combinatorial Science, 2009, 28, 678-695.	1.4	2
59	Mining large databases to find new leads with low similarity to known actives: application to find new DPP-IV inhibitors. Future Medicinal Chemistry, 2019, 11, 1387-1401.	2.3	1
60	In silico identification of red wine catechin binding sites on human and rat serotransferrins. Genes and Nutrition, 2007, 2, 99-100.	2.5	0