Rick Wai-Kwok Wong

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8425375/rick-wai-kwok-wong-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6,444 69 174 47 h-index g-index citations papers 6,845 5.51 177 4.9 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
174	Lanthanide-tetrapyrrole complexes: synthesis, redox chemistry, photophysical properties, and photonic applications. <i>Chemical Society Reviews</i> , 2021 , 50, 12189-12257	58.5	10
173	Facile Preparation of Phthalocyanine-Based Nanodots for Photoacoustic Imaging and Photothermal Cancer Therapy In Vivo. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 5230-5239	5.5	17
172	Impressive near-infrared brightness and singlet oxygen generation from strategic lanthanide-porphyrin double-decker complexes in aqueous solution. <i>Light: Science and Applications</i> , 2019 , 8, 46	16.7	23
171	Bladder Cancer Photodynamic Therapeutic Agent with Off-On Magnetic Resonance Imaging Enhancement. <i>Advanced Therapeutics</i> , 2019 , 2, 1900068	4.9	13
170	Enhanced light-harvesting of benzodithiophene conjugated porphyrin electron donors in organic solar cells. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 380-386	7.1	9
169	Functionalized Imidazole-Fused Porphyrin-Donor-Based Dyes: Effect of Linker and Acceptor on Optoelectronic and Photovoltaic Properties. <i>ChemistrySelect</i> , 2018 , 3, 2558-2564	1.8	8
168	Porphyrin-Implanted Carbon Nanodots for Photoacoustic Imaging and in Vivo Breast Cancer Ablation. <i>ACS Applied Bio Materials</i> , 2018 , 1, 110-117	4.1	79
167	Near-infrared and visible dual emissive transparent nanopaper based on Yb(III) darbon quantum dots grafted oxidized nanofibrillated cellulose for anti-counterfeiting applications. <i>Cellulose</i> , 2018 , 25, 377-389	5.5	45
166	Chemically driven supramolecular self-assembly of porphyrin donors for high-performance organic solar cells. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 14675-14680	13	20
165	Single-component Eu3+IIb3+IId3+-grafted polymer with ultra-high color rendering index white-light emission. <i>RSC Advances</i> , 2017 , 7, 6762-6771	3.7	19
164	Study of Arylamine-Substituted Porphyrins as Hole-Transporting Materials in High-Performance Perovskite Solar Cells. <i>ACS Applied Materials & English (Materials & English)</i> 13231-13239	9.5	82
163	Esoform specific erbium complexes highly specific for bladder cancer imaging and photodynamic therapy. <i>Chemical Communications</i> , 2017 , 53, 557-560	5.8	15
162	A visible-near-infrared absorbing ADDDDD type dimeric-porphyrin donor for high-performance organic solar cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 25460-25468	13	35
161	Facile synthesis of N-rich carbon quantum dots from porphyrins as efficient probes for bioimaging and biosensing in living cells. <i>International Journal of Nanomedicine</i> , 2017 , 12, 7375-7391	7.3	80
160	New Terthiophene-Conjugated Porphyrin Donors for Highly Efficient Organic Solar Cells. <i>ACS Applied Materials & Donors (Solar Cells)</i> 8, 30176-30183	9.5	53
159	Room temperature molecular up conversion in solution. <i>Nature Communications</i> , 2016 , 7, 11978	17.4	65
158	Gallium and Functionalized-Porphyrins Combine to Form Potential Lysosome-Specific Multimodal Bioprobes. <i>Inorganic Chemistry</i> , 2016 , 55, 6839-41	5.1	11

(2015-2016)

157	Synthesis, crystal structure and photophysical study of luminescent three-coordinate cuprous bromide complexes based on pyrazole derivatives. <i>Journal of Coordination Chemistry</i> , 2016 , 69, 926-933	1.6	9	
156	Structural engineering of porphyrin-based small molecules as donors for efficient organic solar cells. <i>Chemical Science</i> , 2016 , 7, 4301-4307	9.4	69	
155	Pure white-light and colour-tuning of Eu(3+)-Gd(3+)-containing metallopolymer. <i>Chemical Communications</i> , 2016 , 52, 3713-6	5.8	48	
154	New Co(OH)2/CdS nanowires for efficient visible light photocatalytic hydrogen production. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 5282-5287	13	99	
153	A reversible biocompatible Burn-onlFluorescent probe for the detection of mercury(II). <i>Journal of Luminescence</i> , 2016 , 170, 187-193	3.8	8	
152	pH-Dependent Cancer-Directed Photodynamic Therapy by a Water-Soluble Graphitic-Phase Carbon Nitride-Porphyrin Nanoprobe. <i>ChemPlusChem</i> , 2016 , 81, 535-540	2.8	32	
151	PMMA-supported hybrid materials doped with highly near-infrared (NIR) luminescent complexes [Zn(L1)(Py)Ln(L2)3] (Ln = Nd, Yb or Er). <i>New Journal of Chemistry</i> , 2015 , 39, 3698-3707	3.6	30	
150	Solution-processed new porphyrin-based small molecules as electron donors for highly efficient organic photovoltaics. <i>Chemical Communications</i> , 2015 , 51, 14439-42	5.8	62	
149	Effects of peripheral substitutions on the singlet oxygen quantum yields of monophthalocyaninato ytterbium(III) complexes. <i>RSC Advances</i> , 2015 , 5, 22294-22299	3.7	5	
148	SILAC-based quantitative proteomics identified lysosome as a fast response target to PDT agent Gd-N induced oxidative stress in human ovarian cancer IGROV1 cells. <i>Molecular BioSystems</i> , 2015 , 11, 3059-67		6	
147	Photocytotoxicity, cellular uptake and subcellular localization of amidinophenylporphyrins as potential photodynamic therapeutic agents: An in vitro cell study. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 4513-7	2.9	26	
146	Effects of various Econjugated spacers in thiadiazole[3,4-c]pyridine-cored panchromatic organic dyes for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 3103-3112	13	36	
145	Phosphorescent Cu(I) complexes based on bis(pyrazol-1-yl-methyl)-pyridine derivatives for organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 138-146	7.1	44	
144	A novel bifunctional mitochondria-targeted anticancer agent with high selectivity for cancer cells. <i>Scientific Reports</i> , 2015 , 5, 13543	4.9	55	
143	An Amphiphilic BODIPY-Porphyrin Conjugate: Intense Two-Photon Absorption and Rapid Cellular Uptake for Two-Photon-Induced Imaging and Photodynamic Therapy. <i>ChemBioChem</i> , 2015 , 16, 2357-64	3.8	13	
142	A-D-A Type Small Molecules Based on Boron Dipyrromethene for Solution-Processed Organic Solar Cells. <i>Chemistry - an Asian Journal</i> , 2015 , 10, 1513-8	4.5	39	
141	Co-sensitization of 3D bulky phenothiazine-cored photosensitizers with planar squaraine dyes for efficient dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13848-13855	13	46	
140	Synthesis, characterization and oscillator-vibrated near-infrared (NIR) luminescence of two pseudo-polymorphic [Yb4((OH)2-Salophen)4] complexes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 142, 188-95	4.4	1	

139	First Examples of Near-Infrared Luminescent Poly(methyl methacrylate)-Supported Metallopolymers Based on Zn2Ln-Arrayed Schiff Base Complexes. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 2839-2848	2.3	28
138	Near-infrared (NIR) luminescent metallopolymers based on Ln4(Salen)4 nanoclusters (Ln = Nd or Yb). <i>Journal of Materials Chemistry C</i> , 2014 , 2, 1489	7.1	29
137	Panchromatic light harvesting by N719 with a porphyrin molecule for high-performance dye-sensitized solar cells. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 3521	7.1	24
136	New simple panchromatic dyes based on thiadiazolo[3,4-c]pyridine unit for dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2014 , 102, 196-203	4.6	23
135	Highly selective and responsive visible to near-IR ytterbium emissive probe for monitoring mercury(II). <i>Chemistry - A European Journal</i> , 2014 , 20, 970-3	4.8	21
134	In vivo selective cancer-tracking gadolinium eradicator as new-generation photodynamic therapy agent. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E5492	2 .7 1.5	63
133	Temperature-dependent self-assembly of near-infrared (NIR) luminescent Zn2Ln and Zn2Ln3 (Ln=Nd, Yb or Er) complexes from the flexible Salen-type Schiff-base ligand. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 132, 205-14	4.4	15
132	Conformational engineering of co-sensitizers to retard back charge transfer for high-efficiency dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11553	13	88
131	Photo-luminescent hetero-tetranuclear Zn2Ln2 (Ln=Nd, Yb, Er, Gd, Eu or Tb) complexes self-assembled from the benzimidazole-based HL and bpe. <i>Inorganic Chemistry Communication</i> , 2013 , 35, 213-216	3.1	3
130	Near-infrared (NIR) luminescent hetero-tetranuclear Zn2Ln2 (Ln = Nd, Yb or Er) complexes self-assembled from the benzimidazole-based HL and two rigid 4,4'-bipyridine ligands with different spacers. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2013 , 116, 102	4·4 -10	5
129	Bulky dendritic triarylamine-based organic dyes for efficient co-adsorbent-free dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2013 , 237, 195-203	8.9	36
128	Fast uptake, water-soluble, mitochondria-specific erbium complex for a dual function molecular probe Imaging and photodynamic therapy. <i>RSC Advances</i> , 2013 , 3, 382-385	3.7	22
127	Porphyrin-based ytterbium complexes targeting anionic phospholipid membranes as selective biomarkers for cancer cell imaging. <i>Chemical Communications</i> , 2013 , 49, 7252-4	5.8	20
126	Light-harvesting ytterbium(III)-porphyrinate-BODIPY conjugates: synthesis, excitation-energy transfer, and two-photon-induced near-infrared-emission studies. <i>Chemistry - A European Journal</i> , 2013 , 19, 739-48	4.8	44
125	New phenothiazine-based dyes for efficient dye-sensitized solar cells: Positioning effect of a donor group on the cell performance. <i>Journal of Power Sources</i> , 2013 , 243, 253-259	8.9	68
124	Photophysics of three delocalized lipophilic cations in reverse micelles: A fluorescence spectroscopy study. <i>Journal of Luminescence</i> , 2013 , 134, 830-836	3.8	1
123	Hetero-trinuclear near-infrared (NIR) luminescent ZnLn2 (Ln = Nd, Yb or Er) complexes based on monomer ZnL Schiff-base precursor and o-vanillin. <i>Inorganic Chemistry Communication</i> , 2013 , 36, 11-13	3.1	5
122	Synthesis, Characterization, and Photophysical Properties of First Heterobinuclear Zn-Ln (Ln = La, Nd, Eu, Gd, Tb, Er, and Yb) Complexes Based on Asymmetric Schiff-Base Ligand. <i>Spectroscopy Letters</i> 2013 46 109-116	1.1	4

121	In vivo antitumour activity of amphiphilic silicon(IV) phthalocyanine with axially ligated rhodamine B. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 2373-6	2.9	4
120	Significant Improvement of Dye-Sensitized Solar Cell Performance Using Simple Phenothiazine-Based Dyes. <i>Chemistry of Materials</i> , 2013 , 25, 2146-2153	9.6	231
119	Synthesis and two-photon absorption properties of unsymmetrical metallosalophen complexes. <i>Polyhedron</i> , 2013 , 49, 121-128	2.7	10
118	Heterobinuclear Zn-Ln (Ln = La, Nd, Eu, Gd, Tb, Er and Yb) complexes based on asymmetric Schiff-base ligand: synthesis, characterization and photophysical properties. <i>Luminescence</i> , 2013 , 28, 690-5	2.5	1
117	Synthesis, structure and near-infrared (NIR) luminescence of series of Zn2Ln (Ln=Nd, Yb or Er) complexes based on the Salen-type Schiff-base ligand with the flexible linker. <i>Inorganic Chemistry Communication</i> , 2012 , 20, 33-36	3.1	20
116	Effective enhancement of near-infrared emission by carbazole modification in the ZnNd bimetallic Schiff-base complexes. <i>Inorganic Chemistry Communication</i> , 2012 , 20, 41-45	3.1	22
115	Comparative studies of the cellular uptake, subcellular localization, and cytotoxic and phototoxic antitumor properties of ruthenium(II)-porphyrin conjugates with different linkers. <i>Bioconjugate Chemistry</i> , 2012 , 23, 1623-38	6.3	84
114	Photo-luminescent hetero-trinuclear Zn2Ln (Ln = Nd, Yb, Er or Gd) complexes based on the binuclear Zn2L precursor. <i>Inorganic Chemistry Communication</i> , 2012 , 24, 148-152	3.1	15
113	Anion-induced self-assembly of luminescent and magnetic homoleptic cyclic tetranuclear Ln4(salen)4 and Ln4(salen)2 complexes (Ln = Nd, Yb, Er, or Gd). <i>Inorganic Chemistry</i> , 2012 , 51, 11377-86	5.1	60
112	Acetylene bridged porphyrin-monophthalocyaninato ytterbium(III) hybrids with strong two-photon absorption and high singlet oxygen quantum yield. <i>Dalton Transactions</i> , 2012 , 41, 4536-43	4.3	13
111	Synthesis, circular dichroism, DNA cleavage and singlet oxygen photogeneration of 4-amidinophenyl porphyrins. <i>Journal of Porphyrins and Phthalocyanines</i> , 2012 , 16, 85-92	1.8	19
110	Highly selective mitochondria-targeting amphiphilic silicon(IV) phthalocyanines with axially ligated rhodamine B for photodynamic therapy. <i>Inorganic Chemistry</i> , 2012 , 51, 812-21	5.1	60
109	A potential water-soluble ytterbium-based porphyrin-cyclen dual bio-probe for Golgi apparatus imaging and photodynamic therapy. <i>Chemical Communications</i> , 2012 , 48, 9646-8	5.8	40
108	New phosphorescent platinum(II) Schiff base complexes for PHOLED applications. <i>Journal of Materials Chemistry</i> , 2012 , 22, 16448		62
107	Hetero-binuclear near-infrared (NIR) luminescent ZnLn (Ln = Nd, Yb or Er) complexes self-assembled from the benzimidazole-based ligand. <i>Inorganic Chemistry Communication</i> , 2012 , 22, 126	i -1 30	4
106	Near-infrared (NIR) luminescent homoleptic lanthanide Salen complexes Ln4(Salen)4 (Ln = Nd, Yb or Er). <i>CrystEngComm</i> , 2012 , 14, 3456	3.3	47
105	Hetero-binuclear near-infrared (NIR) luminescent Zn-Nd complexes self-assembled from the benzimidazole-based ligands. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012 , 98, 359-66	4.4	11
104	Anion-dependent construction of two hexanuclear 3d-4f complexes with a flexible Schiff base ligand. <i>Dalton Transactions</i> , 2012 , 41, 11449-53	4.3	60

103	Fluorescent Properties of the Amidinophenylporphyrins Interacting with DNA. <i>Chinese Journal of Chemistry</i> , 2012 , 30, 529-533	4.9	3
102	Biocompatible CdSe quantum dot-based photosensitizer under two-photon excitation for photodynamic therapy. <i>Journal of Materials Chemistry</i> , 2011 , 21, 2455		81
101	Water-soluble mitochondria-specific ytterbium complex with impressive NIR emission. <i>Journal of the American Chemical Society</i> , 2011 , 133, 20120-2	16.4	124
100	Construction of 1-D 4f and 3d-4f coordination polymers with flexible Schiff base ligands. <i>Dalton Transactions</i> , 2011 , 40, 9795-801	4.3	44
99	Two-photon induced luminescence, singlet oxygen generation, cellular uptake and photocytotoxic properties of amphiphilic Ru(II) polypyridyl-porphyrin conjugates as potential bifunctional photodynamic therapeutic agents. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 6004-10	3.9	47
98	Synthesis, Structure, and Photophysical Properties of Some Gadolinium(III) Porphyrinate Complexes. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 3314-3320	2.3	24
97	Design and Synthesis of Near-Infrared Emissive Lanthanide Complexes Based on Macrocyclic Ligands. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 4651-4674	2.3	73
96	Synthesis, characterization, and DNA-binding and -photocleavage properties of water-soluble lanthanide porphyrinate complexes. <i>Chemistry - A European Journal</i> , 2011 , 17, 7041-52	4.8	24
95	Anion-induced near-infrared (NIR) luminescent Zn2Nd and ZnNd complexes based on the pure Salen-type Schiff-base ligand. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 75-78	3.1	23
94	Adjustment of coordination environment of Ln3+ ions to modulate near-infrared luminescent properties of Ln3+ complexes. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 200-204	3.1	15
93	Further insight into aryl nitration of tetraphenylporphyrin. <i>Tetrahedron</i> , 2011 , 67, 6030-6035	2.4	5
92	Responsive and mitochondria-specific ruthenium(II) complex for dual in vitro applications: two-photon (near-infrared) induced imaging and regioselective cell killing. <i>Chemical Communications</i> , 2010 , 46, 6678-80	5.8	53
91	Transformation of a Luminescent Benzimidazole-Based Yb3 Cluster into a One-Dimensional Coordination Polymer. <i>Crystal Growth and Design</i> , 2010 , 10, 970-976	3.5	26
90	Near-Infrared Luminescent, Neutral, Cyclic Zn2Ln2 (Ln = Nd, Yb, and Er) Complexes from Asymmetric Salen-Type Schiff Base Ligands. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 2714-	2 7 22	51
89	An amphiphilic ruthenium(II)-polypyridyl appended porphyrin as potential bifunctional two-photon tumor-imaging and photodynamic therapeutic agent. <i>Journal of Inorganic Biochemistry</i> , 2010 , 104, 62-7	0 ^{4.2}	44
88	Synthesis, excitation energy transfer and singlet oxygen photogeneration of covalently linked N-confused porphyrinporphyrin and Zn(II) porphyrin dyads. <i>Tetrahedron Letters</i> , 2010 , 51, 664-668	2	19
87	Synthesis, Characterization, Singlet-Oxygen Photogeneration, DNA Photocleavage and Two-Photon-Absorption Properties of Some (4-Cyanophenyl)porphyrins. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 922-928	2.3	28
86	Synthesis, Crystal Structure, and Photophysical Properties of Novel (Monophthalocyaninato)lanthanide Complexes Stabilized by an Organometallic Tripodal Ligand. Furnnean Journal of Ingraphy Chemistry 2009, 2009, 1243-1247	2.3	19

(2008-2009)

85	Synthesis of novel diselenide-linked porphyrin dimers under phase-transfer catalysis condition and their interactions with DNA. <i>Chemistry and Biodiversity</i> , 2009 , 6, 1131-43	2.5	5
84	Multinuclear NIR luminescent 1,4-BDC bridged Schiff-base complexes of Nd(III). <i>Polyhedron</i> , 2009 , 28, 27-32	2.7	50
83	Unsymmetrical exo-dentate INIIigand for further self-assembly with the ZnIIId Salen-type Schiff-base ligands. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 267-271	3.1	28
82	Co-existence of heterometallic Zn2Er and ZnEr arrayed chromophores for the sensitization of near-infrared (NIR) luminescence. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 1216-1219	3.1	25
81	Heteronuclear trimetallic and 1D polymeric 3d-4f Schiff base complexes with OCN- and SCN-ligands. <i>Dalton Transactions</i> , 2009 , 9595-602	4.3	49
80	Syntheses, structures, and photoluminescence of 1-D lanthanide coordination polymers. <i>Dalton Transactions</i> , 2009 , 10505-10	4.3	45
79	Hetero-trinuclear near-infrared (NIR) luminescent Zn2Ln complexes from Salen-type Schiff-base ligands. <i>New Journal of Chemistry</i> , 2009 , 33, 2326	3.6	55
78	Anion dependant self-assembly and the first X-ray structure of a neutral homoleptic lanthanide salen complex Tb4(salen)6. <i>Chemical Communications</i> , 2008 , 3266-8	5.8	58
77	Novel host materials for single-component white organic light-emitting diodes based on 9-naphthylanthracene derivatives. <i>Journal of Materials Chemistry</i> , 2008 , 18, 4529		59
76	Tetranuclear NIR luminescent Schiff-base ZnNd complexes. New Journal of Chemistry, 2008, 32, 127-137	1 3.6	83
75	Pentanuclear tetra-decker luminescent lanthanide Schiff base complexes. <i>Dalton Transactions</i> , 2008 , 1676-8	4.3	68
74	High-efficiency and color-stable white organic light-emitting devices based on sky blue electrofluorescence and orange electrophosphorescence. <i>Applied Physics Letters</i> , 2008 , 92, 083301	3.4	110
73	Effect of Heavy-Atom (Br) at the Phenyl Rings of Schiff-Base Ligands on the NIR Luminescence of their Bimetallic Zn-Nd Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008 , 634, 1795-	1800	39
72	An amphiphilic bisporphyrin and its Yb(III) complex: development of a bifunctional photodynamic therapeutic and near-infrared tumor-imaging agent. <i>ChemBioChem</i> , 2008 , 9, 1034-9	3.8	26
71	Synthesis, Photophysical Characterization, and Surface Photovoltage Spectra of Windmill-Shaped Phthalocyanine B orphyrin Heterodimers and Heteropentamers. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 119-128	2.3	17
70	Self-Assembly of Luminescent Platinum-Salen Schiff-Base Complexes. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 523-528	2.3	23
69	Reactivity of Cationic Lanthanide(III) Monoporphyrinates towards Anionic Cyanometallates Preparation, Crystal Structure, and Luminescence Properties of Cyanido-Bridged Di- and Trinuclear dfl Complexes. European Journal of Inorganic Chemistry, 2008, 2008, 3515-3523	2.3	21
68	Synthesis, Structure and Spectroscopic Properties of Lanthanide Complexes of N-Confused Porphyrins. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 3151-3162	2.3	17

67	Construction and NIR luminescent property of hetero-bimetallic ZnNd complexes from two chiral salen-type Schiff-base ligands. <i>Journal of Molecular Structure</i> , 2008 , 891, 450-455	3.4	42
66	Formation and luminescence of 1D helical polymeric excimer from Pt-MeO-salen precursor. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 699-702	3.1	6
65	Synthesis, structure and near-infrared (NIR) luminescence of three solvent-induced pseudo-polymorphic complexes from a bimetallic ZnNd Schiff-base molecular unit. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 1316-1319	3.1	33
64	A near-infrared fluorescent chemodosimeter for silver(I) ion based on an expanded porphyrin. <i>Tetrahedron Letters</i> , 2008 , 49, 1843-1846	2	43
63	An ultrasonic wave-assisted synthesis of meso-amidinophenyl substituted porphyrins. <i>Tetrahedron Letters</i> , 2008 , 49, 2114-2118	2	5
62	Synthesis of an octanuclear Eu(III) cage from Eu(4)(2+): chloride anion encapsulation, luminescence, and reversible MeOH adsorption via a porous supramolecular architecture. <i>Inorganic Chemistry</i> , 2007 , 46, 7050-4	5.1	51
61	Fluorescent Ethenyl- and Ethynyl-dimesitylboranes Derived from 5-(Dimethylamino)-N-(prop-2-ynyl)naphthalene-1-sulfonamide. <i>Australian Journal of Chemistry</i> , 2007 , 60, 915	1.2	17
60	Antibacterial effects of a monoporphyrinato ytterbium(III) complex and its free components on Staphylococcus aureus as determined by stop-flow microcalorimetry. <i>Chemistry and Biodiversity</i> , 2007 , 4, 1492-500	2.5	19
59	Microcalorimetric and spectroscopic investigation of the antibacterial properties of cationic ytterbium(III)-porphyrin complexes lacking charged peripheral groups. <i>Chemistry and Biodiversity</i> , 2007 , 4, 2889-99	2.5	12
58	Synthesis, Structures and Optical Power Limiting of Some Transition Metal and Lanthanide Monoporphyrinate Complexes Containing Electron-Rich Diphenylamino Substituents. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 2004-2013	2.3	43
57	Synthesis, Characterization, and Photophysical Properties of Some Heterodimetallic Bisporphyrins of Ytterbium and Transition Metals Enhancement and Lifetime Extension of Yb3+ Emission by Transition-Metal Porphyrin Sensitization. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 3365-337	2.3 74	35
56	Synthesis, structure, reactivity and photoluminescence of lanthanide(III) monoporphyrinate complexes. <i>Coordination Chemistry Reviews</i> , 2007 , 251, 2386-2399	23.2	104
55	Novel ebselen-porphyrin conjugates: synthesis and nucleic acid interaction study. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007 , 17, 4266-70	2.9	10
54	Highly efficient white organic light-emitting diodes with single small molecular emitting material. <i>Applied Physics Letters</i> , 2007 , 91, 183504	3.4	32
53	Highly efficient and stable white light organic light-emitting devices. <i>Applied Physics Letters</i> , 2007 , 91, 073517	3.4	16
52	A near-infrared-fluorescent chemodosimeter for mercuric ion based on an expanded porphyrin. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 3150-4	16.4	231
51	The Template Effect of Palladium(II): Synthesis, Characterization, and Crystal Structures of 2,4-Substituted 1,3,5-Triazapentadienatopalladium(II) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 3634-3640	2.3	23
50	Investigation of Antibacterial Activity of Two Kinds of Novel Schiff Bases on Escherichia coli by Microcalorimetry. <i>Chinese Journal of Chemistry</i> , 2006 , 24, 1295-1300	4.9	7

49	Highly efficient and stable sky blue organic light-emitting devices. <i>Applied Physics Letters</i> , 2006 , 89, 121	931.4	43
48	Design and synthesis of a near infra-red luminescent hexanuclear Zn-Nd prism. <i>Chemical Communications</i> , 2006 , 1836-8	5.8	139
47	Multinuclear luminescent Schiff-base Zn-Nd sandwich complexes. <i>Inorganic Chemistry</i> , 2006 , 45, 4340-5	5.1	134
46	Near Infrared Luminescence and Supramolecular Structure of a Helical Triple-Decker Yb(III) Schiff Base Cluster. <i>Crystal Growth and Design</i> , 2006 , 6, 2122-2125	3.5	48
45	Synthesis of New Monoporphyrinato Lanthanide Complexes for Potential Use in Optical Limiting. <i>Chemistry Letters</i> , 2006 , 35, 802-803	1.7	4
44	Synthesis of new mer,trans-rhodium(III) hydrido-bis(acetylide) complexes: Structure of mer,trans-[(PMe3)3Rh(CCII6H4-4-NMe2)2H]. <i>Inorganica Chimica Acta</i> , 2006 , 359, 2859-2863	2.7	11
43	Synthesis, crystal structures and antenna-like sensitization of visible and near infrared emission in heterobimetallic ZnEu and ZnNd Schiff base compounds. <i>Polyhedron</i> , 2006 , 25, 271-278	2.7	77
42	Heterobimetallic Zn(II)-Ln(III) phenylene-bridged schiff base complexes, computational studies, and evidence for singlet energy transfer as the main pathway in the sensitization of near-infrared Nd3+ luminescence. <i>Inorganic Chemistry</i> , 2006 , 45, 9315-25	5.1	149
41	Synthesis and crystal structure of the first lanthanide complex of N-confused porphyrin with an eta2 agostic C-H interaction. <i>Chemical Communications</i> , 2005 , 1022-4	5.8	28
40	Dipyrrolylquinoxaline-bridged Schiff bases: a new class of fluorescent sensors for mercury(II). <i>Dalton Transactions</i> , 2005 , 3235-40	4.3	55
40 39		4.3	55 25
	Dalton Transactions, 2005, 3235-40 A Highly Selective Fluorescent Chemosensor for Hg2+in Aqueous Solution. Chemistry Letters, 2005,		
39	Dalton Transactions, 2005, 3235-40 A Highly Selective Fluorescent Chemosensor for Hg2+in Aqueous Solution. Chemistry Letters, 2005, 34, 934-935 Synthesis and structural characterization of some arylamidinium diphenylphosphinates: Formation of one-, two- and three-dimensional networks by charge-assisted hydrogen bonds. Polyhedron,	1.7	25
39	Dalton Transactions, 2005, 3235-40 A Highly Selective Fluorescent Chemosensor for Hg2+in Aqueous Solution. Chemistry Letters, 2005, 34, 934-935 Synthesis and structural characterization of some arylamidinium diphenylphosphinates: Formation of one-, two- and three-dimensional networks by charge-assisted hydrogen bonds. Polyhedron, 2005, 24, 927-939 Synthesis, Crystal Structures and Photophysical Properties of Novel Tetranuclear Cadmium(II)	1.7 2.7	25
39 38 37	A Highly Selective Fluorescent Chemosensor for Hg2+in Aqueous Solution. <i>Chemistry Letters</i> , 2005 , 34, 934-935 Synthesis and structural characterization of some arylamidinium diphenylphosphinates: Formation of one-, two- and three-dimensional networks by charge-assisted hydrogen bonds. <i>Polyhedron</i> , 2005 , 24, 927-939 Synthesis, Crystal Structures and Photophysical Properties of Novel Tetranuclear Cadmium(II) Schiff-Base Complexes. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 3950-3954 One-Step Synthesis of Cyclohexanone from Benzene with O2/H2 Catalyzed by Ruthenium Diaminodiphosphine Complex. <i>Catalysis Letters</i> , 2004 , 92, 25-27 Template Synthesis, Crystal Structure and Luminescent Properties of Neutral N4O3 Tripodal LnIIIL Complexes (LnIII = La3+, Eu3+, Gd3+, Tb3+, Dy3+, Ho3+, Er3+, Tm3+ or Lu3+; H3L = Tris{[3?-(2??-pyridyl)-5?-tert-butyl-2?-hydroxybenzylidene-2-imino]ethyl}amine). <i>European Journal of</i>	1.7 2.7 2.3	25 13 42
39 38 37 36	A Highly Selective Fluorescent Chemosensor for Hg2+in Aqueous Solution. <i>Chemistry Letters</i> , 2005 , 34, 934-935 Synthesis and structural characterization of some arylamidinium diphenylphosphinates: Formation of one-, two- and three-dimensional networks by charge-assisted hydrogen bonds. <i>Polyhedron</i> , 2005 , 24, 927-939 Synthesis, Crystal Structures and Photophysical Properties of Novel Tetranuclear Cadmium(II) Schiff-Base Complexes. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 3950-3954 One-Step Synthesis of Cyclohexanone from Benzene with O2/H2 Catalyzed by Ruthenium Diaminodiphosphine Complex. <i>Catalysis Letters</i> , 2004 , 92, 25-27 Template Synthesis, Crystal Structure and Luminescent Properties of Neutral N4O3 Tripodal LnIIIL Complexes (LnIII = La3+, Eu3+, Gd3+, Tb3+, Dy3+, Ho3+, Er3+, Tm3+ or Lu3+; H3L =	1.72.72.32.8	25 13 42 3
39 38 37 36 35	A Highly Selective Fluorescent Chemosensor for Hg2+in Aqueous Solution. <i>Chemistry Letters</i> , 2005 , 34, 934-935 Synthesis and structural characterization of some arylamidinium diphenylphosphinates: Formation of one-, two- and three-dimensional networks by charge-assisted hydrogen bonds. <i>Polyhedron</i> , 2005 , 24, 927-939 Synthesis, Crystal Structures and Photophysical Properties of Novel Tetranuclear Cadmium(II) Schiff-Base Complexes. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 3950-3954 One-Step Synthesis of Cyclohexanone from Benzene with O2/H2 Catalyzed by Ruthenium Diaminodiphosphine Complex. <i>Catalysis Letters</i> , 2004 , 92, 25-27 Template Synthesis, Crystal Structure and Luminescent Properties of Neutral N4O3 Tripodal LnIIIL Complexes (LnIII = La3+, Eu3+, Gd3+, Tb3+, Dy3+, Ho3+, Er3+, Tm3+ or Lu3+; H3L = Tris{[3?-(2??-pyridyl)-5?-tert-butyl-2?-hydroxybenzylidene-2-imino]ethyl}amine). <i>European Journal of</i> Syntheses and Crystal Structures of Tetrakis(arylamidine)nickel(II) Chloride and Bis[2,4-dipyridyl-1,3,5-triazapentadienato]nickel(II). <i>European Journal of Inorganic Chemistry</i> , 2004 ,	1.72.72.32.82.3	25 13 42 3 43

31	Monoporphyrinate neodymium (III) complexes stabilized by tripodal ligand: synthesis, characterization and luminescence. <i>Inorganica Chimica Acta</i> , 2004 , 357, 4379-4388	2.7	26
30	Synthesis and structure of a novel Pd(0)Pd(IV)Pd(IV)Pd(0) mixed-valence complex. <i>Inorganic Chemistry Communication</i> , 2004 , 7, 737-740	3.1	5
29	Reactivity of aqua coordinated monoporphyrinate lanthanide complexes: synthetic, structural and photoluminescent studies of lanthanide porphyrinate dimers. <i>Dalton Transactions</i> , 2004 , 4064-73	4.3	50
28	Synthesis, characterization and photoluminescence properties of monoporphyrinate lanthanide complexes. <i>Synthetic Metals</i> , 2004 , 143, 81-87	3.6	20
27	Synthesis, structure and photoluminescence of novel lanthanide (Tb(III), Gd(III)) complexes with 6-diphenylamine carbonyl 2-pyridine carboxylate. <i>Journal of Alloys and Compounds</i> , 2004 , 368, 326-332	5.7	16
26	Synthesis, Characterization, and Near-Infrared Photoluminescence of Novel Neodymium(III) Complexes. <i>Australian Journal of Chemistry</i> , 2004 , 57, 803	1.2	17
25	Synthesis and characterization of silver(I) complexes [AgL]2[BF4]2 and [Ag(OAc)L][[L=(CH2NHCOC2H4PPh2)2]. <i>Inorganic Chemistry Communication</i> , 2003 , 6, 1315-1318	3.1	4
24	Effect of CNTs on direct oxidation of cyclohexene catalyzed by ruthenium diaminodiphosphine complex. <i>Journal of Molecular Catalysis A</i> , 2003 , 193, 71-75		11
23	Synthesis and luminescence of a novel conjugated europium complex with 6-paramethylaniline carbonyl 2-pyridine carboxylate. <i>Journal of Alloys and Compounds</i> , 2003 , 352, 143-147	5.7	12
22	Syntheses, crystal structures, and luminescent properties of lanthanide complexes with tripodal ligands bearing benzimidazole and pyridine groups. <i>Inorganic Chemistry</i> , 2003 , 42, 169-79	5.1	69
21	Synthesis, characterization and near-infrared photoluminescent studies of diethyl malonate appended mono-porphyrinate lanthanide complexes. <i>Dalton Transactions</i> , 2003 , 980-986	4.3	27
20	Synthesis, Chemistry, and Catalytic Activity of Ruthenium Diaminodiphosphane Complexes Crystal Structures of trans-[RuCl2{B-Ph2PC6H4CH=NC6H10N(H)CH2C6H4PPh2}(PPh3)] and cis-[RuCl2{B-Ph2PC6H4CH=NC6H10N(H)CH2C6H4PPh2}]. European Journal of Inorganic Chemistry,	2.3	7
19	Synthesis and luminescence of a novel conjugated europium complex with 6-parachloroaniline carbonyl 2-pyridine carboxylic acid. <i>Journal of Luminescence</i> , 2002 , 99, 155-160	3.8	23
18	Synthesis and near-infrared luminescence of 3d-4f bi-metallic Schiff base complexes. <i>New Journal of Chemistry</i> , 2002 , 26, 275-278	3.6	136
17	Synthesis, structure and catalytic activity of ruthenium diaminodiphosphine complexes. <i>Dalton Transactions RSC</i> , 2002 , 1139-1146		14
16	Pendant Functionalised Triphosphamacrocycles. <i>European Journal of Inorganic Chemistry</i> , 2001 , 2001, 2865	2.3	14
15	Synthesis, structure and near-infrared luminescence of neutral 3dlf bi-metallic monoporphyrinate complexes. <i>Dalton Transactions RSC</i> , 2001 , 3092-3098		67
14	Reactivity of chiral diiminodiphosphine ligands towards PdCl2(PhCN)2: synthesis and crystal structures of two unexpected dinuclear palladium(II) complexes. <i>Dalton Transactions RSC</i> , 2000 , 1397-1	398	10

LIST OF PUBLICATIONS

13	Synthesis and X-ray crystal structure of an unexpected neutral oxalate-bridged ytterbium(III) porphyrinate dimer. <i>Dalton Transactions RSC</i> , 2000 , 2245-2246		15
12	Synthesis, characterization and crystal structures of neutral mono- and di-nuclear lanthanide(III) porphyrinate complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 3053-3062		27
11	Synthesis and crystal structures of cationic lanthanide(III) monoporphyrinate complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 615-622		43
10	Syntheses, Photophysics, and Fluxional Properties of Luminescent A-Frame Diplatinum(II) Acetylide Complexes. <i>Organometallics</i> , 1998 , 17, 2590-2596	3.8	42
9	Synthesis and characterization of iron(2+) and ruthenium(2+) diimino-, diamino- and diamido-diphosphine complexes. X-ray crystal structure of trans-RuCl2(P2N2C2H4) *d CHCl3. <i>Polyhedron</i> , 1996 , 15, 1241-1251	2.7	20
8	Synthesis and X-ray crystal structure of [(C5Me5)Ru(P2N2)]2[ZnCl4] [2H2O. <i>Polyhedron</i> , 1996 , 15, 1575-	12577	3
7	Synthesis and characterization of chiral diimino- and diaminodiphosphine complexes of ruthenium. X-ray crystal structure of Trans- RuCl2(1R,2R-cyclohexyl-P2N2)[C6H5CH3. <i>Polyhedron</i> , 1996 , 15, 3905-39	0677	6
6	Preparation of chiral diimino- and diaminodiphosphine ligands and their CuI and AgI complexes. X-ray crystal structures of [Cu(1S,2S-cyclohexyl-P2N2)][PF6] and [Ag(1R,2R-cyclohexyl-P2N2H4)][BF4]. <i>Polyhedron</i> , 1996 , 15, 4447-4460	2.7	16
5	Synthesis and X-ray crystal structures of [Ph2PMe2][(I5-C5H4But)2Li] and [(I5-C5H4But)2Yb(Cl)CH2P(Me)Ph2]. <i>Polyhedron</i> , 1996 , 15, 4593-4597	2.7	10
4	Dalton communications. Synthesis and crystal structure of [RuCl2(PPh3){N(SiMe3)C(Ph)NH(PPh2)}]. Journal of the Chemical Society Dalton Transactions, 1995 , 3087		6
3	Electrophilic attack on the [µ3-acetyl-C1(Fe1 : Fe2)O(Fe1 : Fe3)]nonacarbonyl-triangulo-triferrate(1µanion by fluoroboric acid and methyl fluorosulphate. Carbon®xygen bond cleavage to give µ3-ethylidyne and µ-methoxo-groups. X-Ray crystal		28
2	Synthesis and crystal structures of tetraethylammonium (D3-OMe), and \$\bar{\partial}\$3-acetyl-C1-(Fe1Fe2)O(Fe1Fe3)-nonacarbonyl-triangulo-triferrate and tetraethyl-ammonium \frac{1563}{1563} \$\bar{\partial}\$-carbonyl-nonacarbonyl-\$\bar{\partial}\$3-2,4-dioxapentylidyne-triangulo-triferrate. <i>Journal of the Chemical</i>		11
1	X-Ray crystal structure and chemical transformations of the neutral metal formyl [(\(\text{\Phi}\)C5H5)Re(PPh3)(NO)(CHO)]. <i>Journal of the Chemical Society Chemical Communications</i> , 1979 , 530-532		23