
## **Chris Monten**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8425814/publications.pdf Version: 2024-02-01



CHDIS MONTEN

#	Article	IF	CITATIONS
1	Reproducibility of repeated breathhold and impact of breathhold failure in whole breast and regional nodal irradiation in prone crawl position. Scientific Reports, 2022, 12, 1887.	1.6	1
2	Manual lymphatic drainage with or without fluoroscopy guidance did not substantially improve the effect of decongestive lymphatic therapy in people with breast cancer-related lymphoedema (EFforT-BCRL trial): a multicentre randomised trial. Journal of Physiotherapy, 2022, 68, 110-122.	0.7	20
3	Accelerated radiotherapy in patients over sixty years old after mastectomy: Acute and one-year physician-assessed toxicity and health-related quality of life. Breast Disease, 2022, 41, 261-266.	0.4	1
4	Acute toxicity and health-related quality of life after accelerated whole breast irradiation in 5 fractions with simultaneous integrated boost. Breast, 2021, 55, 105-111.	0.9	10
5	Adoption of single fraction radiotherapy for uncomplicated bone metastases in a tertiary centre. Clinical and Translational Radiation Oncology, 2021, 27, 64-69.	0.9	6
6	Two-year toxicity of simultaneous integrated boost in hypofractionated prone breast cancer irradiation: Comparison with sequential boost in a randomized trial. Radiotherapy and Oncology, 2021, 158, 62-66.	0.3	10
7	Prolonging deep inspiration breath-hold time to 3Âmin during radiotherapy, a simple solution. Clinical and Translational Radiation Oncology, 2021, 28, 10-16.	0.9	7
8	5-Year Outcomes of a Randomized Trial Comparing Prone and Supine Whole Breast Irradiation in Large-Breasted Women. International Journal of Radiation Oncology Biology Physics, 2021, 110, 766-771.	0.4	6
9	Delineation guidelines for the lymphatic target volumes in â€~prone crawl' radiotherapy treatment position for breast cancer patients. Scientific Reports, 2021, 11, 22529.	1.6	1
10	Health-related quality of life after accelerated breast irradiation in five fractions: A comparison with fifteen fractions. Radiotherapy and Oncology, 2020, 151, 47-55.	0.3	14
11	Feasibility study on pre or postoperative accelerated radiotherapy (POP-ART) in breast cancer patients. Pilot and Feasibility Studies, 2020, 6, 154.	0.5	4
12	Crawl positioning improves set-up precision and patient comfort in prone whole breast irradiation. Scientific Reports, 2020, 10, 16376.	1.6	11
13	Two-year toxicity of hypofractionated breast cancer radiotherapy in five fractions. Acta Oncológica, 2020, 59, 872-875.	0.8	7
14	Accelerating adjuvant breast irradiation in women over 65 years: Matched case analysis comparing a 5-fractions schedule with 15 fractions in early and locally advanced breast cancer. Journal of Geriatric Oncology, 2019, 10, 987-989.	0.5	10
15	Critical review and quality-assessment of cost analyses in radiotherapy: How reliable are the data?. Radiotherapy and Oncology, 2019, 141, 14-26.	0.3	7
16	A new approach for modeling patient overall radiosensitivity and predicting multiple toxicity endpoints for breast cancer patients. Acta OncolÃ <sup>3</sup> gica, 2018, 57, 604-612.	0.8	4
17	Adjuvant breast radiotherapy: How to trade-off cost and effectiveness?. Radiotherapy and Oncology, 2018, 126, 132-138.	0.3	29
18	Exploring the relative importance of work-organizational burnout risk factors in Belgian residents. Medical Education Online, 2018, 23, 1521246.	1.1	5

CHRIS MONTEN

#	Article	IF	CITATIONS
19	External partial breast irradiation in prone position: how to improve accuracy?. Acta Oncológica, 2018, 57, 1339-1345.	0.8	3
20	Highly Accelerated Irradiation in 5 Fractions (HAI-5): Feasibility in Elderly Women With Early or Locally Advanced Breast Cancer. International Journal of Radiation Oncology Biology Physics, 2017, 98, 922-930.	0.4	20
21	A systematic review of health economic evaluation in adjuvant breast radiotherapy: Quality counted by numbers. Radiotherapy and Oncology, 2017, 125, 186-192.	0.3	14
22	Whole breast and regional nodal irradiation in prone versus supine position in left sided breast cancer. Radiation Oncology, 2017, 12, 89.	1.2	32
23	Deep inspiration breath hold in the prone position retracts the heart from the breast and internal mammary lymph node region. Radiotherapy and Oncology, 2015, 117, 473-476.	0.3	17