

Tobin Filleter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8430464/tobin-filleter-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

4,073
citations

31
h-index

63
g-index

106
ext. papers

4,996
ext. citations

9.6
avg, IF

5.57
L-index

#	Paper	IF	Citations
98	Influence of different design parameters on a coplanar capacitive sensor performance. <i>NDT and E International</i> , 2022 , 126, 102588	4.1	4
97	Multi-electrode coplanar capacitive probe with various arrangements for non-destructive testing of materials. <i>IEEE Sensors Journal</i> , 2022 , 1-1	4	2
96	Enhancement of Defect Characterization with AC Magnetic Flux Leakage: Far-side Defect Shape Estimation and Sensor Lift-off Compensation. <i>IEEE Transactions on Magnetics</i> , 2022 , 1-1	2	1
95	Sectorization of Macromolecular Single Crystals Unveiled by Probing Shear Anisotropy.. <i>ACS Macro Letters</i> , 2022 , 11, 53-59	6.6	
94	High Performance Space Lubrication of MoS ₂ with Tantalum (Adv. Funct. Mater. 20/2022). <i>Advanced Functional Materials</i> , 2022 , 32, 2270117	15.6	
93	Electrically and thermally graded microcellular polymer/graphene nanoplatelet composite foams and their EMI shielding properties. <i>Carbon</i> , 2021 ,	10.4	5
92	Influence of Magnetostriction Induced by the Periodic Permanent Magnet Electromagnetic Acoustic Transducer (PPM EMAT) on Steel. <i>Sensors</i> , 2021 , 21,	3.8	1
91	Scalable Characterization of 2D Gallium-Intercalated Epitaxial Graphene. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 55428-55439	9.5	1
90	Friction of magnetene, a non-van der Waals 2D material. <i>Science Advances</i> , 2021 , 7, eabk2041	14.3	4
89	Gas-Phase Fluorination of Hexagonal Boron Nitride. <i>Advanced Materials</i> , 2021 , e2106084	24	2
88	Corrosion Resistance of Sulfur-Selenium Alloy Coatings. <i>Advanced Materials</i> , 2021 , e2104467	24	3
87	Fracture and Fatigue of AlO-Graphene Nanolayers. <i>Nano Letters</i> , 2021 , 21, 437-444	11.5	1
86	Numerical Simulation and Experimental Study of Capacitive Imaging Technique as a Nondestructive Testing Method. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3804	2.6	2
85	Experimental Analysis of Friction and Wear of Self-Lubricating Composites Used for Dry Lubrication of Ball Bearing for Space Applications. <i>Lubricants</i> , 2021 , 9, 38	3.1	3
84	Clean manufacturing of nanocellulose-reinforced hydrophobic flexible substrates. <i>Journal of Cleaner Production</i> , 2021 , 293, 126141	10.3	1
83	Interfacial Interactions and Tribological Behavior of Metal-Oxide/2D-Material Contacts. <i>Tribology Letters</i> , 2021 , 69, 1	2.8	4
82	Multication perovskite 2D/3D interfaces form via progressive dimensional reduction. <i>Nature Communications</i> , 2021 , 12, 3472	17.4	24

81	Damage-tolerant 3D-printed ceramics via conformal coating. <i>Science Advances</i> , 2021 , 7,	14.3	5
80	Enhanced electromagnetic wave absorption performance of polymer/SiC-nanowire/MXene (Ti3C2Tx) composites. <i>Carbon</i> , 2021 , 179, 408-416	10.4	11
79	Fatigue resistance of atomically thin graphene oxide. <i>Carbon</i> , 2021 , 183, 780-788	10.4	2
78	Role of chemical vs. physical interfacial interaction and adsorbed water on the tribology of ultrathin 2D-material/steel interfaces. <i>Tribology International</i> , 2021 , 163, 107194	4.9	4
77	Low energy proton irradiation tolerance of molybdenum disulfide lubricants. <i>Applied Surface Science</i> , 2021 , 567, 150677	6.7	2
76	Enhanced sensitivity of nanoscale subsurface imaging by photothermal excitation in atomic force microscopy. <i>Review of Scientific Instruments</i> , 2020 , 91, 063703	1.7	2
75	Structure-Dependent Wear and Shear Mechanics of Nanostructured MoS2 Coatings. <i>Advanced Materials Interfaces</i> , 2020 , 7, 1901870	4.6	6
74	Tailoring the Mechanical and Electrochemical Properties of an Artificial Interphase for High-Performance Metallic Lithium Anode. <i>Advanced Energy Materials</i> , 2020 , 10, 2001139	21.8	21
73	Fatigue of graphene. <i>Nature Materials</i> , 2020 , 19, 405-411	27	59
72	High Temperature Microtribological Studies of MoS2 Lubrication for Low Earth Orbit. <i>Lubricants</i> , 2020 , 8, 49	3.1	6
71	Toughening of graphene-based polymer nanocomposites via tuning chemical functionalization. <i>Composites Science and Technology</i> , 2020 , 194, 108140	8.6	27
70	Graphene fatigue through van der Waals interactions. <i>Science Advances</i> , 2020 , 6,	14.3	12
69	Hexagonal Boron Nitride for Sulfur Corrosion Inhibition. <i>ACS Nano</i> , 2020 , 14, 14809-14819	16.7	21
68	Thermally conductive polymer-graphene nanoplatelet composite foams 2019 ,		1
67	Natural SEI-Inspired Dual-Protective Layers via Atomic/Molecular Layer Deposition for Long-Life Metallic Lithium Anode. <i>Matter</i> , 2019 , 1, 1215-1231	12.7	72
66	Investigating the detection limit of subsurface holes under graphite with atomic force acoustic microscopy. <i>Nanoscale</i> , 2019 , 11, 10961-10967	7.7	10
65	Evaluation of a Magnetic Dipole Model in a DC Magnetic Flux Leakage System. <i>IEEE Transactions on Magnetics</i> , 2019 , 55, 1-7	2	9
64	Effects of polymer-filler interactions on controlling the conductive network formation in polyamide 6/multi-Walled carbon nanotube composites. <i>Polymer</i> , 2019 , 178, 121684	3.9	23

63	Insight into the Directional Thermal Transport of Hexagonal Boron Nitride Composites. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 41726-41735	9.5	18
62	Understanding the Independent and Interdependent Role of Water and Oxidation on the Tribology of Ultrathin Molybdenum Disulfide (MoS ₂). <i>Advanced Materials Interfaces</i> , 2019 , 6, 1901246	4.6	10
61	Nanomechanical elasticity and fracture studies of lithium phosphate (LPO) and lithium tantalate (LTO) solid-state electrolytes. <i>Nanoscale</i> , 2019 , 11, 18730-18738	7.7	11
60	Local strain mapping of GO nanosheets under in situ TEM tensile testing. <i>Applied Materials Today</i> , 2019 , 14, 102-107	6.6	3
59	Nonlinear fracture toughness measurement and crack propagation resistance of functionalized graphene multilayers. <i>Science Advances</i> , 2018 , 4, eaao7202	14.3	48
58	Effect of lattice stacking orientation and local thickness variation on the mechanical behavior of few layer graphene oxide. <i>Carbon</i> , 2018 , 136, 168-175	10.4	11
57	Optimization of Periodic Permanent Magnet Configuration in Lorentz-Force EMATs. <i>Research in Nondestructive Evaluation</i> , 2018 , 29, 95-108	0.9	9
56	Ultralight Microcellular Polymer-Graphene Nanoplatelet Foams with Enhanced Dielectric Performance. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 19987-19998	9.5	61
55	Enhanced Electrical and Electromagnetic Interference Shielding Properties of Polymer-Graphene Nanoplatelet Composites Fabricated via Supercritical-Fluid Treatment and Physical Foaming. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 30752-30761	9.5	99
54	Effect of Humidity and Water Intercalation on the Tribological Behavior of Graphene and Graphene Oxide. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 22537-22544	9.5	50
53	Highly stretchable conductive thermoplastic vulcanizate/carbon nanotube nanocomposites with segregated structure, low percolation threshold and improved cyclic electromechanical performance. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 350-359	7.1	39
52	Enhanced Thermal Conductivity of Graphene Nanoplatelet-Polymer Nanocomposites Fabricated via Supercritical Fluid-Assisted in Situ Exfoliation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 1225-1236	9.5	88
51	An Insight into the Phase Transformation of WS upon Fluorination. <i>Advanced Materials</i> , 2018 , 30, e1803366	11.6	15
50	Static and dynamic calibration of torsional spring constants of cantilevers. <i>Review of Scientific Instruments</i> , 2018 , 89, 093701	1.7	3
49	Mechanical stability of the cell nucleus - roles played by the cytoskeleton in nuclear deformation and strain recovery. <i>Journal of Cell Science</i> , 2018 , 131,	5.3	43
48	Conductive network formation and destruction in polypropylene/carbon nanotube composites via crystal control using supercritical carbon dioxide. <i>Polymer</i> , 2017 , 129, 179-188	3.9	39
47	Role of graphene in enhancing the mechanical properties of TiO ₂ /graphene heterostructures. <i>Nanoscale</i> , 2017 , 9, 11678-11684	7.7	17
46	Work of Adhesion Measurements of MoS ₂ Dry Lubricated 440C Stainless Steel Tribological Contacts. <i>Advanced Engineering Materials</i> , 2017 , 19, 1700423	3.5	3

45	Nanoscale Mechanical Characterization of 1D and 2D Materials with Application to Nanocomposites 2016 , 77-95		
44	Interfacial Shear Strength of Multilayer Graphene Oxide Films. <i>ACS Nano</i> , 2016 , 10, 1939-47	16.7	55
43	Improvements in the mechanical properties of carbon nanotube fibers through graphene oxide interlocking. <i>Carbon</i> , 2016 , 98, 291-299	10.4	27
42	In Situ Transmission Electron Microscopy: Mechanical Testing 2016 , 1543-1554		
41	Surface and Mechanical Characterization of Dental Yttria-Stabilized Tetragonal Zirconia Polycrystals (3Y-TZP) After Different Aging Processes. <i>Microscopy and Microanalysis</i> , 2016 , 22, 1179-1188	0.5	19
40	Enhanced electrocatalytic CO reduction via field-induced reagent concentration. <i>Nature</i> , 2016 , 537, 382-384	3.6	997
39	In situ TEM tensile testing of carbon-linked graphene oxide nanosheets using a MEMS device. <i>Nanotechnology</i> , 2016 , 27, 28LT01	3.4	13
38	An NDT guided wave technique for the identification of corrosion defects at support locations. <i>NDT and E International</i> , 2015 , 75, 72-79	4.1	26
37	Reference Specimen for Nondestructive Evaluation: Characterization of the Oxide Layer of a Cold Shot in Inconel 600. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 875-884	1.6	
36	Strengthening in Graphene Oxide Nanosheets: Bridging the Gap between Interplanar and Intraplanar Fracture. <i>Nano Letters</i> , 2015 , 15, 6528-34	11.5	45
35	High strength measurement of monolayer graphene oxide. <i>Carbon</i> , 2015 , 81, 497-504	10.4	117
34	Mechanical characterization of thin films using a MEMS device inside SEM 2015 ,		2
33	Effect of structure on the tribology of ultrathin graphene and graphene oxide films. <i>Nanotechnology</i> , 2015 , 26, 135702	3.4	37
32	Statistical shear lag model - unraveling the size effect in hierarchical composites. <i>Acta Biomaterialia</i> , 2015 , 18, 206-12	10.8	28
31	Inherent carbonaceous impurities on arc-discharge multiwalled carbon nanotubes and their implications for nanoscale interfaces. <i>Carbon</i> , 2014 , 80, 1-11	10.4	13
30	Characterizing mechanical behavior of atomically thin films: A review. <i>Journal of Materials Research</i> , 2014 , 29, 338-347	2.5	31
29	In situ electron microscopy four-point electromechanical characterization of freestanding metallic and semiconducting nanowires. <i>Small</i> , 2014 , 10, 725-33	11	31
28	Mechanical Characterization of Graphene 2014 , 121-135		4

27	Multi-scale mechanical improvement produced in carbon nanotube fibers by irradiation cross-linking. <i>Carbon</i> , 2013 , 56, 1-11	10.4	79
26	Atomistic Investigation of Load Transfer Between DWNT Bundles [Crosslinked] by PMMA Oligomers. <i>Advanced Functional Materials</i> , 2013 , 23, 1883-1892	15.6	40
25	Carbon Nanotubes: Atomistic Investigation of Load Transfer Between DWNT Bundles [Crosslinked] by PMMA Oligomers (Adv. Funct. Mater. 15/2013). <i>Advanced Functional Materials</i> , 2013 , 23, 1976-1976	15.6	
24	In situ TEM electromechanical testing of nanowires and nanotubes. <i>Small</i> , 2012 , 8, 3233-52	11	68
23	Multiscale Experimental Mechanics of Hierarchical Carbon-Based Materials 2012 , 95-127		
22	Experimental-computational study of shear interactions within double-walled carbon nanotube bundles. <i>Nano Letters</i> , 2012 , 12, 732-42	11.5	49
21	Nucleation-controlled distributed plasticity in penta-twinned silver nanowires. <i>Small</i> , 2012 , 8, 2986-93	11	83
20	Multiscale experimental mechanics of hierarchical carbon-based materials. <i>Advanced Materials</i> , 2012 , 24, 2805-23	24	42
19	In-Situ TEM Electromechanical Testing of Nanowires and Nanotubes 2012 , 191-226		1
18	Ultrahigh strength and stiffness in cross-linked hierarchical carbon nanotube bundles. <i>Advanced Materials</i> , 2011 , 23, 2855-60	24	182
17	Structural and frictional properties of graphene films on SiC(0001) studied by atomic force microscopy. <i>Physical Review B</i> , 2010 , 81,	3.3	114
16	A multiscale study of high performance double-walled nanotube-polymer fibers. <i>ACS Nano</i> , 2010 , 4, 6463-66	3.6	109
15	Microscopic Friction Studies on Metal Surfaces. <i>Tribology Letters</i> , 2010 , 39, 19-24	2.8	36
14	Atomic Friction Investigations on Ordered Superstructures. <i>Tribology Letters</i> , 2010 , 39, 321-327	2.8	20
13	Friction and dissipation in epitaxial graphene films. <i>Physical Review Letters</i> , 2009 , 102, 086102	7.4	412
12	Nano-meter scale plasticity in KBr studied by nanoindenter and force microscopy. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1185, 90		2
11	A kelvin probe force microscopy of charged indentation-induced dislocation structures in KBr. <i>Nanotechnology</i> , 2009 , 20, 264005	3.4	19
10	Local work function measurements of epitaxial graphene. <i>Applied Physics Letters</i> , 2008 , 93, 133117	3.4	186

9	Atomic structure and friction of ultrathin films of KBr on Cu(100). <i>Physical Review B</i> , 2008 , 77,	3-3	43
8	Interpretation of atomic friction experiments based on atomistic simulations. <i>Journal of Vacuum Science & Technology B</i> , 2007 , 25, 1547		11
7	Asymmetry in the reciprocal epitaxy of NaCl and KBr. <i>Physical Review B</i> , 2007 , 75,	3-3	18
6	Nanometre-scale plasticity of Cu(100). <i>Nanotechnology</i> , 2007 , 18, 044004	3-4	18
5	Atomic-scale yield and dislocation nucleation in KBr. <i>Physical Review B</i> , 2006 , 73,	3-3	31
4	Fluctuations and jump dynamics in atomic friction experiments. <i>Physical Review B</i> , 2005 , 72,	3-3	100
3	High Performance Space Lubrication of MoS ₂ with Tantalum. <i>Advanced Functional Materials</i> , 2110429	15.6	2
2	Mechanical Size Effect of Freestanding Nanoconfined Polymer Films. <i>Macromolecules</i> ,	5-5	3
1	Quantum-size-tuned heterostructures enable efficient and stable inverted perovskite solar cells. <i>Nature Photonics</i> ,	33-9	35