

Mingyan Wu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8430849/mingyan-wu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

5,100
citations

41
h-index

66
g-index

144
ext. papers

5,725
ext. citations

5.5
avg, IF

5.55
L-index

#	Paper	IF	Citations
137	A Cage-based Porous Metal-organic Framework for Efficient C ₂ H ₂ Storage and Separation. <i>Chemical Research in Chinese Universities</i> , 2022 , 38, 82-86	2.2	0
136	Sodalite Cd-Cage-Based Metal-Organic Framework Constructed by Cd and Cd Metal-Organic Clusters. <i>Inorganic Chemistry</i> , 2021 , 60, 17435-17439	5.1	1
135	Cage-Like Porous Materials with Simultaneous High C ₂ H ₂ Storage and Excellent C ₂ H ₂ /CO Separation Performance. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 10828-10832	16.4	22
134	Cage-Like Porous Materials with Simultaneous High C ₂ H ₂ Storage and Excellent C ₂ H ₂ /CO ₂ Separation Performance. <i>Angewandte Chemie</i> , 2021 , 133, 10923-10927	3.6	5
133	Structural Chemistry of Metal-Oxo Clusters 2021 , 81-111		0
132	Structural Chemistry of Metal-Oxo Clusters 2021 , 111-161		
131	A flexible Zr-MOF with dual stimulus responses to temperature and guest molecules. <i>Inorganic Chemistry Communication</i> , 2021 , 128, 108597	3.1	1
130	Synthesis, structure, magnetic property and selective dye absorption of a coordination polymer with intrinsic positive charged sites. <i>Inorganic Chemistry Communication</i> , 2021 , 123, 108323	3.1	0
129	Simultaneous fluorescence and phosphorescence in Zn(II) zwitterionic coordination polymers with tunable colors. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 4233-4239	7.1	2
128	Two Pyrene-Based Metal-Organic Frameworks for Chemiluminescence. <i>Inorganic Chemistry</i> , 2021 , 60, 1320-1324	5.1	0
127	A Microporous Metal-Organic Framework for Efficient C ₂ H ₂ /CO ₂ and C ₂ H ₆ /CH ₄ Separation. <i>Crystal Growth and Design</i> , 2021 , 21, 2277-2282	3.5	3
126	Tuning the Structure of Fe-Tetracarboxylate Frameworks Through Linker-Symmetry Reduction. <i>CCS Chemistry</i> , 2021 , 3, 1701-1709	7.2	3
125	An Unprecedented Pillar-Cage Fluorinated Hybrid Porous Framework with Highly Efficient Acetylene Storage and Separation. <i>Angewandte Chemie</i> , 2021 , 133, 7625-7630	3.6	7
124	An Unprecedented Pillar-Cage Fluorinated Hybrid Porous Framework with Highly Efficient Acetylene Storage and Separation. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 7547-7552	16.4	28
123	An ultra-stable microporous supramolecular framework with highly selective adsorption and separation of water over ethanol. <i>Nano Research</i> , 2021 , 14, 2584-2588	10	1
122	A flexible microporous framework with temperature-dependent gate-opening behaviours for C ₂ gases. <i>Chemical Communications</i> , 2021 , 57, 3785-3788	5.8	1
121	Building a robust 3D Ca-MOF by a new square CaO SBU for purification of natural gas. <i>Dalton Transactions</i> , 2020 , 49, 8836-8840	4.3	14

120	Precisely Embedding Active Sites into a Mesoporous Zr-Framework through Linker Installation for High-Efficiency Photocatalysis. <i>Journal of the American Chemical Society</i> , 2020 , 142, 15020-15026	16.4	28
119	A Robust Multifunctional Eu ₆ -Cluster Based Framework for Gas Separation and Recognition of Small Molecules and Heavy Metal Ions. <i>Crystal Growth and Design</i> , 2019 , 19, 6381-6387	3.5	17
118	Tuning the Ionicity of Stable Metal-Organic Frameworks through Ionic Linker Installation. <i>Journal of the American Chemical Society</i> , 2019 , 141, 3129-3136	16.4	42
117	A water-stable 3D Eu-MOF based on a metallacyclodimeric secondary building unit for sensitive fluorescent detection of acetone molecules. <i>CrystEngComm</i> , 2019 , 21, 321-328	3.3	23
116	Flexible Microporous Framework Based on Pb ₄ Clusters for Highly Selective Storage and Separation of Energy Gases. <i>Crystal Growth and Design</i> , 2019 , 19, 3103-3108	3.5	5
115	An indium-organic framework for the efficient storage of light hydrocarbons and selective removal of organic dyes. <i>Dalton Transactions</i> , 2019 , 48, 5527-5533	4.3	27
114	Enhancing Electroreduction of CO ₂ to Formate of Pd Catalysts Loaded on TiO ₂ Nanotubes Arrays by N, B-Support Modification. <i>ChemistrySelect</i> , 2019 , 4, 8626-8633	1.8	5
113	Azobenzene Decorated NbO-Type Metal-Organic Framework for High-Capacity Storage of Energy Gases. <i>Inorganic Chemistry</i> , 2019 , 58, 11983-11987	5.1	15
112	A robust cage-based framework for the highly selective purification of natural gas. <i>Chemical Communications</i> , 2019 , 55, 10257-10260	5.8	15
111	Solvent-Assisted, Thermally Triggered Structural Transformation in Flexible Mesoporous Metal-Organic Frameworks. <i>Chemistry of Materials</i> , 2019 , 31, 8787-8793	9.6	23
110	An Anionic Uranium-Based Metal-Organic Framework with Ultralarge Nanocages for Selective Dye Adsorption. <i>Crystal Growth and Design</i> , 2018 , 18, 576-580	3.5	54
109	3D metal-organic frameworks based on lanthanide-seamed dimeric pyrogallol[4]arene nanocapsules. <i>Science China Chemistry</i> , 2018 , 61, 664-669	7.9	15
108	Syntheses, structures, photoluminescence and magnetic properties of 1D lanthanide chains featuring 2,2'-bipyridine-5-carboxylic ligands. <i>Inorganic Chemistry Communication</i> , 2018 , 93, 29-32	3.1	4
107	Interconvertible vanadium-seamed hexameric pyrogallol[4]arene nanocapsules. <i>Nature Communications</i> , 2018 , 9, 4941	17.4	37
106	Enhancing Pore-Environment Complexity Using a Trapezoidal Linker: Toward Stepwise Assembly of Multivariate Quinary Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2018 , 140, 12328-12332	16.4	65
105	An Ultrastable and Easily Regenerated Hydrogen-Bonded Organic Molecular Framework with Permanent Porosity. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 2101-2104	16.4	157
104	An Ultrastable and Easily Regenerated Hydrogen-Bonded Organic Molecular Framework with Permanent Porosity. <i>Angewandte Chemie</i> , 2017 , 129, 2133-2136	3.6	43
103	Control the Structure of Zr-Tetracarboxylate Frameworks through Steric Tuning. <i>Journal of the American Chemical Society</i> , 2017 , 139, 16939-16945	16.4	115

102	Flexible Zirconium MOFs as Bromine-Nanocontainers for Bromination Reactions under Ambient Conditions. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 14622-14626	16.4	48
101	Flexible Zirconium MOFs as Bromine-Nanocontainers for Bromination Reactions under Ambient Conditions. <i>Angewandte Chemie</i> , 2017 , 129, 14814-14818	3.6	12
100	Selective CO Capture and High Proton Conductivity of a Functional Star-of-David Catenane Metal-Organic Framework. <i>Advanced Materials</i> , 2017 , 29, 1703301	24	34
99	A monomeric bowl-like pyrogallol[4]arene Ti coordination complex. <i>Chemical Communications</i> , 2017 , 53, 9598-9601	5.8	26
98	The dynamic response of a flexible indium based metal-organic framework to gas sorption. <i>Chemical Communications</i> , 2016 , 52, 2277-80	5.8	34
97	Two microporous metal-organic frameworks constructed from trinuclear cobalt(II) and cadmium(II) cluster subunits. <i>CrystEngComm</i> , 2016 , 18, 2239-2243	3.3	8
96	Visualizing the Dynamics of Temperature- and Solvent-Responsive Soft Crystals. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7478-82	16.4	43
95	Visualizing the Dynamics of Temperature- and Solvent-Responsive Soft Crystals. <i>Angewandte Chemie</i> , 2016 , 128, 7604-7608	3.6	8
94	Syntheses, structures, luminescence and magnetic properties of three high-nuclearity neodymium compounds based on mixed sulfonylcalix[4]arene-phosphonate ligands. <i>CrystEngComm</i> , 2016 , 18, 4921-4928	2.3	9
93	Two novel pillar-layered Mn(II) coordination networks based on aromatic carboxylic acids with aminodiacetate functionality. <i>Inorganic Chemistry Communication</i> , 2015 , 58, 43-47	3.1	2
92	A porous metal-organic framework with ultrahigh acetylene uptake capacity under ambient conditions. <i>Nature Communications</i> , 2015 , 6, 7575	17.4	229
91	Magnetic Properties of 3D Heptanuclear Lanthanide Frameworks Supported by Mixed Ligands. <i>Inorganic Chemistry</i> , 2015 , 54, 6081-3	5.1	39
90	Stable porphyrin Zr and Hf metal-organic frameworks featuring 2.5 nm cages: high surface areas, SCSC transformations and catalyses. <i>Chemical Science</i> , 2015 , 6, 3466-3470	9.4	107
89	Construction of Zn(II)/Cd(II) coordination polymers derived from a tetrazole derivative: Syntheses, structures and luminescent properties. <i>Inorganic Chemistry Communication</i> , 2015 , 56, 129-132	3.1	4
88	Controllable coordination-driven self-assembly: from discrete metallocages to infinite cage-based frameworks. <i>Accounts of Chemical Research</i> , 2015 , 48, 201-10	24.3	232
87	Effects of Temperature and Anion on the Copper(II) Complexes based on 2-(Carboxyphenyl)iminodiacetic Acid and 1,10-Phenanthroline. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2015 , 641, 1998-2004	1.3	6
86	An unusual bifunctional Tb-MOF for highly sensitive sensing of Ba ²⁺ ions and with remarkable selectivities for CO ₂ /N ₂ and CO ₂ /H ₄ . <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13526-13532	13	80
85	Diverse architectures and luminescence properties of two novel copper(I) coordination polymers assembled from 2,6-bis[3-(pyrid-4-yl)-1,2,4-triazolyl]pyridine ligands. <i>CrystEngComm</i> , 2015 , 17, 1541-1548	3.3	19

84	Structural Diversity Modulated by the Ratios of a Ternary Solvent Mixture: Syntheses, Structures, and Luminescent Properties of Five Zinc(II) Metal-Organic Frameworks. <i>Crystal Growth and Design</i> , 2015 , 15, 1481-1491	3.5	32
83	Coexistence of cages and one-dimensional channels in a porous MOF with high H ₂ and CH ₄ uptakes. <i>Chemical Communications</i> , 2014 , 50, 2834-6	5.8	50
82	Polymeric double-anion templated Er ₄₈ nanotubes. <i>Chemical Communications</i> , 2014 , 50, 1113-5	5.8	52
81	Construction of two microporous metal-organic frameworks with flu and pyr topologies based on Zn ₄ (β-OH) ₂ (CO ₂) ₆ and Zn ₆ (β-O)(CO ₂) ₆ secondary building units. <i>Inorganic Chemistry</i> , 2014 , 53, 1032-8	5.1	46
80	Five novel Zn(II)/Cd(II) coordination polymers based on bis(pyrazinyl)-triazole and varied polycarboxylates: syntheses, topologies and photoluminescence. <i>CrystEngComm</i> , 2014 , 16, 11078-11087	3.3	20
79	A Series of d ¹⁰ Metal Clusters Constructed by 2,6-Bis[3-(pyrazin-2-yl)-1,2,4-triazolyl]pyridine: Crystal Structures and Unusual Luminescences. <i>Crystal Growth and Design</i> , 2014 , 14, 5011-5018	3.5	32
78	Sorption comparison of two indium-organic framework isomers with syn-anti configurations. <i>CrystEngComm</i> , 2014 , 16, 7434	3.3	11
77	Open pentameric calixarene nanocage. <i>Inorganic Chemistry</i> , 2014 , 53, 18-20	5.1	30
76	SO ₄ ²⁻ anion directed hexagonal-prismatic cages via cooperative C-H...O hydrogen bonds. <i>Chemical Science</i> , 2014 , 5, 4163-4166	9.4	15
75	Generalized Synthesis of Calixarene-Based High-Nuclearity M _{4n} Nanocages (M = Ni or Co; n = 2-8). <i>Crystal Growth and Design</i> , 2014 , 14, 3116-3123	3.5	39
74	Europium and Terbium Coordination Polymers Assembled from Hexacarboxylate Ligands: Structures and Luminescent Properties. <i>Crystal Growth and Design</i> , 2014 , 14, 1010-1017	3.5	62
73	Metal-Organic Frameworks Based on Lanthanide Clusters. <i>Structure and Bonding</i> , 2014 , 145-183	0.9	8
72	A solid AND logic stimuli-responsive material with bright nondestructive performance designed by sensitive cuprophilicity. <i>Chemical Communications</i> , 2013 , 49, 10227-9	5.8	33
71	Auxiliary ligand-directed and counter anion-templated effects on coordination networks based on semirigid 2-aminodiacetic terephthalic acid ligand. <i>CrystEngComm</i> , 2013 , 15, 911-921	3.3	29
70	Multistimuli-Responsive Luminescent Material Reversible Switching Colors via Temperature and Mechanical Force. <i>Crystal Growth and Design</i> , 2013 , 13, 1377-1381	3.5	78
69	Thiacalix[4]arene-supported kite-like heterometallic tetranuclear Zn(II)Ln(III) ₃ (Ln = Gd, Tb, Dy, Ho) complexes. <i>Inorganic Chemistry</i> , 2013 , 52, 3780-6	5.1	43
68	A multi-metal-cluster MOF with Cu ₄ L ₄ and Cu ₆ S ₆ as functional groups exhibiting dual emission with both thermochromic and near-IR character. <i>Chemical Science</i> , 2013 , 4, 1484	9.4	178
67	Using cuprophilicity as a multi-responsive chromophore switching color in response to temperature, mechanical force and solvent vapors. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 4339	7.1	74

66	pH modulated assembly in the mixed-ligand system Cd(II) with phenanthroline: structural diversity and luminescent properties. <i>CrystEngComm</i> , 2013 , 15, 3992	3-3	35
65	Two polymeric 36-metal pure lanthanide nanosize clusters. <i>Chemical Science</i> , 2013 , 4, 3104	9-4	140
64	The 3D porous metal-organic frameworks based on bis(pyrazinyl)triazole: structures, photoluminescence and gas adsorption properties. <i>CrystEngComm</i> , 2013 , 15, 5673	3-3	25
63	A series of novel zinc(II) entangled coordination polymers based on carboxyphenyl-terpyridine ligands. <i>Dalton Transactions</i> , 2013 , 42, 9954-65	4-3	75
62	Photoluminescences and 1D chain-like structures with dinuclear lanthanide(III) units featuring bipyridine-tetracarboxylate. <i>Inorganic Chemistry Communication</i> , 2012 , 15, 25-28	3-1	13
61	Topological and luminescent properties of two coordination polymers constructed from 3-pyridinepropionic acid. <i>Inorganic Chemistry Communication</i> , 2012 , 15, 140-145	3-1	13
60	Two dual-emissive Zn(II) coordination polymers with tunable photoluminescence properties. <i>CrystEngComm</i> , 2012 , 14, 6394	3-3	28
59	Three novel 3D coordination polymers based on a flexible multisite cyclotetraphosphazene ligand. <i>Dalton Transactions</i> , 2012 , 41, 14038-41	4-3	26
58	The unusual thermochromic NIR luminescence of Cu(I) clusters: tuned by Cu-Cu interactions and packing modes. <i>Dalton Transactions</i> , 2012 , 41, 9411-6	4-3	44
57	Self-assembly of discrete M ₆ L ₈ coordination cages based on a conformationally flexible tripodal phosphoric triamide ligand. <i>Inorganic Chemistry</i> , 2012 , 51, 4116-22	5-1	73
56	Structure and photoluminescent properties of lanthanide coordination polymers based on two isomers of iminodiacetic acid substituted isophthalate and terephthalate ligands. <i>CrystEngComm</i> , 2012 , 14, 6055	3-3	15
55	Highly selective carbon dioxide adsorption in a water-stable indium-organic framework material. <i>Chemical Communications</i> , 2012 , 48, 9696-8	5-8	130
54	Unprecedented three-level hierarchical entanglement in a coordination polymer. <i>Chemical Communications</i> , 2012 , 48, 12168-70	5-8	40
53	Two novel chains based on capsules supported by water-soluble calixarenes and metal complexes. <i>Journal of Solid State Chemistry</i> , 2012 , 192, 215-220	3-3	11
52	Temperature-controlled reduction of Cu(II) and structural transformation on the assembly of coordination network. <i>CrystEngComm</i> , 2012 , 14, 4181	3-3	19
51	Assembly of Discrete One-, Two-, and Three-Dimensional Zn(II) Complexes Containing Semirigid V-Shaped Tricarboxylate Ligands. <i>Crystal Growth and Design</i> , 2012 , 12, 1452-1463	3-5	106
50	2D sheet-like architectures constructed from main-group metal ions, 4,4'-bipyridine and 1,2-alternate p-sulfonatothiacalix[4]arene. <i>Dalton Transactions</i> , 2012 , 41, 540-5	4-3	9
49	Truncated octahedral coordination cage incorporating six tetranuclear-metal building blocks and twelve linear edges. <i>Chemical Science</i> , 2012 , 3, 2321	9-4	110

48	1D chain, 2D layer and trinuclear unit based 3D frameworks of indium(iii)-biphenyl carboxylate complexes. <i>Inorganica Chimica Acta</i> , 2012 , 386, 36-45	2.7	3
47	A non-interpenetrated porous metal-organic framework with high gas-uptake capacity. <i>Chemical Communications</i> , 2011 , 47, 9861-3	5.8	96
46	A versatile tripodal host with cylindrical conformation: solvatomorphism, inclusion behavior, and separation of guests. <i>Chemistry - A European Journal</i> , 2011 , 17, 2189-98	4.8	18
45	The Zn(II)-organic coordination polymers based on 2-(pyridin-4-yl)-1H-imidazole-4,5-dicarboxylate ligands: Crystal structures and luminescent properties. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 1400-1405	3.1	25
44	Construction of 5-Aminodiacetic Isophthalate Based Nickel(II) Complexes with Diverse Topologies through Modulating the Auxiliary Ligands. <i>Crystal Growth and Design</i> , 2011 , 11, 3273-3281	3.5	36
43	Crystal Structures, Topological Analyses, and Magnetic Properties of Manganese-Dihydroxyterephthalate Complexes. <i>Australian Journal of Chemistry</i> , 2010 , 63, 286	1.2	13
42	Structures and Photoluminescent Properties of the Lanthanide Coordination Complexes with Hydroxyquinoline Carboxylate Ligands. <i>Crystal Growth and Design</i> , 2010 , 10, 2306-2313	3.5	89
41	Mn(II)-Binaphthalenyl Dicarboxylate Complexes: Helical Rectangular Tubes, (4,4) Grid Chiral Layer and Three-Dimensional Cubic Diamond Frameworks. <i>Crystal Growth and Design</i> , 2010 , 10, 184-190	3.5	39
40	Synthesis, X-ray crystal structure, and magnetic property of a 3-D self-assembled supermolecule. <i>Journal of Coordination Chemistry</i> , 2009 , 62, 2307-2315	1.6	3
39	Solvothermal syntheses and structures of indium(III)-binaphthalenyl dicarboxylate complexes with yellow/blue luminescence. <i>Journal of Solid State Chemistry</i> , 2009 , 182, 1499-1505	3.3	16
38	Solvent-Induced Pseudopolymorphism of a New Dinuclear Oxovanadium(V) Compound Based on 2,6-Di(hydroxymethyl)-4-methylphenol. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009 , 635, 379-383	1.3	3
37	Two Coordination Networks Built from p-Sulfonatothiacalix[4]arene Tetranuclear Clusters. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009 , 635, 1669-1672	1.3	7
36	Inclusion of p-sulfonatothiacalix[4]arene and its metal complexes. <i>Chemical Record</i> , 2009 , 9, 155-68	6.6	7
35	Intricate 3D lanthanide-organic frameworks with mixed nodes nets. <i>Journal of Solid State Chemistry</i> , 2009 , 182, 215-222	3.3	28
34	Construction of a 2D luminescent network with a novel asymmetric flexible ligand involving unique octameric water clusters. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 290-292	3.1	14
33	A chiral twofold interpenetrated diamond-like 3D In(III) coordination network with 4,4',4''-phosphoryltribenzoate. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 1238-1241	3.1	12
32	Coordination-Driven Face-Directed Self-Assembly of a M9L6 Hexahedral Nanocage from Octahedral Ni(II) Ions and Asymmetric Hydrazone Ligands. <i>Crystal Growth and Design</i> , 2009 , 9, 28-31	3.5	12
31	A Porous Polyhedral Metal-Organic Framework Based on Zn ₂ (COO) ₃ and Zn ₂ (COO) ₄ SBUs. <i>Crystal Growth and Design</i> , 2009 , 9, 2559-2561	3.5	53

30	Hydrogen-Bonded Helical Array, Sodium-Ion-Mediated Head-to-Tail Chain, and Regular Ionic Bilayer: Structural Diversities of p-Sulfonatothiacalix[4]arene Tetranuclear Cluster Units. <i>Crystal Growth and Design</i> , 2009 , 9, 1584-1589	3.5	10
29	A novel supramolecular tetrahedron assembled from tetranuclear copper(I) cluster molecules via aryl embrace interactions. <i>Inorganic Chemistry</i> , 2009 , 48, 420-2	5.1	56
28	1D Infinite silver(I) chains reside in the big cavities built by the novel p-sulfonatocalix[4]arene-trisilver blocks. <i>Chemical Communications</i> , 2009 , 1840-2	5.8	42
27	A luminescent homochiral 3D Cd(II) framework with a threefold interpenetrating uniform net 8(6). <i>Chemical Communications</i> , 2009 , 5296-8	5.8	111
26	Precursory disilver(I) macrocycle with pendent binding sites: a new building block for targeting coordination polymers based on solvent-controlled conformational variation. <i>CrystEngComm</i> , 2009 , 11, 576	3.3	10
25	Double-walled tubular metal-organic frameworks constructed from bi-strand helices. <i>CrystEngComm</i> , 2009 , 11, 1831	3.3	14
24	Indium(III)-2,5-pyridine dicarboxylate complexes with mononuclear, 1D chain, 2D layer and 3D chiral frameworks. <i>CrystEngComm</i> , 2009 , 11, 918	3.3	21
23	A polynuclear d10-d10 metal complex with unusual near-infrared luminescence and high thermal stability. <i>Inorganic Chemistry</i> , 2009 , 48, 2873-9	5.1	107
22	A Prototypical Zeolitic Lanthanide-Organic Framework with Nanotubular Structure. <i>Crystal Growth and Design</i> , 2008 , 8, 166-168	3.5	84
21	Cd(II)-sulfonyldibenzoate coordination polymers based on mono-, bi-, tri- and tetranuclear cores as nodes. <i>CrystEngComm</i> , 2008 , 10, 905	3.3	60
20	Half-Open Hollow Cages of Pentadecavanadate and Hexadecavanadate Compounds with Large -O ₁₀ V ₅ - Windows. <i>Crystal Growth and Design</i> , 2008 , 8, 4092-4099	3.5	12
19	Extending the Structures of the p-Sulfonatothiacalix[4]arene Dimers Through Second-sphere Coordination and π -Stacking Interactions. <i>Supramolecular Chemistry</i> , 2008 , 20, 289-293	1.8	6
18	Cobalt-lanthanide coordination polymers constructed with metalloligands: a ferromagnetic coupled quasi-1D Dy ³⁺ chain showing slow relaxation. <i>Chemistry - A European Journal</i> , 2008 , 14, 10340-7	4.8	130
17	Twofold interpenetration corrugated brick wall frameworks of 3d ⁸ f heterometallic coordination polymers. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 840-842	3.1	24
16	A novel one-dimensional coordination polymer capturing hydrated Co(II) cations. <i>Journal of Molecular Structure</i> , 2008 , 877, 132-137	3.4	6
15	Unprecedented ferromagnetic interaction in an erbium(III)-copper(II) coordination polymer. <i>Journal of Molecular Structure</i> , 2008 , 885, 23-27	3.4	11
14	Formation of an Infinite Three-Dimensional Water Network by the Hierarchic Assembly of Bilayer Water Nanotubes of Octamers. <i>Crystal Growth and Design</i> , 2007 , 7, 1385-1387	3.5	71
13	A 3D porous cobalt-organic framework exhibiting spin-canted antiferromagnetism and field-induced spin-flop transition. <i>Inorganic Chemistry</i> , 2007 , 46, 9609-15	5.1	91

12	Captures of Copper(II) ₂ BPpy Complexes in Conformation-Fixed Homometallic Anionic Dimers and Heterometallic Clusters. <i>Crystal Growth and Design</i> , 2007 , 7, 1446-1451	3.5	18
11	Syntheses, crystal structures and photoluminescences of two (4,4) topological coordination networks derived from the flexible bipyridyl ligands. <i>Inorganica Chimica Acta</i> , 2007 , 360, 2207-2214	2.7	14
10	A p-Sulfonatothiacalix[4]arene Supramolecular Capsule Containing a Dinuclear Copper(II) Complex. <i>Supramolecular Chemistry</i> , 2007 , 19, 411-417	1.8	4
9	Inclusion of Metal Complexes into Cavities of 2D Coordination Networks Built from p-Sulfonatothiacalix[4]arene Tetranuclear Clusters. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 526-530	2.3	11
8	Guest-Induced Molecular Capsule Assembly of p-Sulfonatothiacalix[4]arene. <i>Crystal Growth and Design</i> , 2006 , 6, 514-518	3.5	33
7	1D Tube, 2D Layer, and 3D Framework Derived from a New Series of Metal(II)-Aminodiacetic Isophthalate Coordination Polymers. <i>Crystal Growth and Design</i> , 2006 , 6, 1168-1174	3.5	109
6	A novel chiral framework constructed through three-fold interpenetration of (4,4) nets of Ni(II)-thiouconate ₄ -bipyridine. <i>Inorganic Chemistry Communication</i> , 2006 , 9, 371-374	3.1	12
5	Assembly of luminescent Ag(I) coordination architectures adjusted by modification of pyrimidine-based thioether ligands. <i>Inorganica Chimica Acta</i> , 2005 , 358, 2005-2013	2.7	32
4	A luminescent polymeric silver(I) coordination tubular helicate. <i>Inorganic Chemistry Communication</i> , 2005 , 8, 529-532	3.1	12
3	Mono- and Bilayered Lead(II)-BPNO Polymers with Unusual Low Energy Emission Properties (BPNO = 4,4'-Bipyridine N,N'-Dioxide). <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 2054-2059	2.3	41
2	Poly[[aquaneodymium(III)]-citrate]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005 , 61, m108-m109		6
1	An Ultrastable Stacked Porous Organic Molecular Framework as a Crystalline Sponge for Rapid Molecular Structure Determination. <i>CCS Chemistry</i> , 1352-1362	7.2	3