

Michael Hinz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8431397/publications.pdf>

Version: 2024-02-01

22
papers

4,038
citations

394421

19
h-index

677142

22
g-index

24
all docs

24
docs citations

24
times ranked

6457
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcriptional repression of <i>NFKBIA</i> triggers constitutive IKK and proteasome-independent p65/RelA activation in senescence. <i>EMBO Journal</i> , 2021, 40, e104296.	7.8	34
2	Human endogenous retrovirus HERV-K(HML-2) RNA causes neurodegeneration through Toll-like receptors. <i>JCI Insight</i> , 2020, 5, .	5.0	68
3	The I κ B kinase complex is a regulator of mRNA stability. <i>EMBO Journal</i> , 2018, 37, .	7.8	21
4	Potent anti-tumor response by targeting B cell maturation antigen (BCMA) in a mouse model of multiple myeloma. <i>Molecular Oncology</i> , 2015, 9, 1348-1358.	4.6	27
5	RC3H1 post-transcriptionally regulates A20 mRNA and modulates the activity of the IKK/NF- κ B pathway. <i>Nature Communications</i> , 2015, 6, 7367.	12.8	99
6	The I κ B kinase complex in NF- κ B regulation and beyond. <i>EMBO Reports</i> , 2014, 15, 46-61.	4.5	418
7	An unconventional role for miRNA: let-7 activates Toll-like receptor 7 and causes neurodegeneration. <i>Nature Neuroscience</i> , 2012, 15, 827-835.	14.8	647
8	It takes two to tango: I κ Bs, the multifunctional partners of NF- κ B. <i>Immunological Reviews</i> , 2012, 246, 59-76.	6.0	136
9	A Cytoplasmic ATM-TRAF6-clAP1 Module Links Nuclear DNA Damage Signaling to Ubiquitin-Mediated NF- κ B Activation. <i>Molecular Cell</i> , 2010, 40, 63-74.	9.7	247
10	Stat1 Nuclear Translocation by Nucleolin upon Monocyte Differentiation. <i>PLoS ONE</i> , 2009, 4, e8302.	2.5	19
11	A Nuclear Poly(ADP-Ribose)-Dependent Signalosome Confers DNA Damage-Induced I κ B Kinase Activation. <i>Molecular Cell</i> , 2009, 36, 365-378.	9.7	216
12	Striking Back at the Activator: How I κ B Kinase Terminates Antigen Receptor Responses. <i>Science's STKE: Signal Transduction Knowledge Environment</i> , 2007, 2007, pe19.	3.9	6
13	Signal Responsiveness of I κ B Kinases Is Determined by Cdc37-assisted Transient Interaction with Hsp90. <i>Journal of Biological Chemistry</i> , 2007, 282, 32311-32319.	3.4	73
14	Inducible shRNA expression for application in a prostate cancer mouse model. <i>Nucleic Acids Research</i> , 2003, 31, 127e-127.	14.5	156
15	Inhibition of NF- κ B essentially contributes to arsenic-induced apoptosis. <i>Blood</i> , 2003, 102, 1028-1034.	1.4	149
16	Nuclear Factor κ B-dependent Gene Expression Profiling of Hodgkin's Disease Tumor Cells, Pathogenetic Significance, and Link to Constitutive Signal Transducer and Activator of Transcription 5a Activity. <i>Journal of Experimental Medicine</i> , 2002, 196, 605-617.	8.5	244
17	Up-regulation of the chemokine receptor CCR7 in classical but not in lymphocyte-predominant Hodgkin disease correlates with distinct dissemination of neoplastic cells in lymphoid organs. <i>Blood</i> , 2002, 99, 1109-1116.	1.4	98
18	Activation of cyclin D1 and D2 promoters by human T-cell leukemia virus type I tax protein is associated with IL-2-independent growth of T cells. <i>International Journal of Cancer</i> , 2002, 99, 378-385.	5.1	47

#	ARTICLE	IF	CITATIONS
19	Aberrantly expressed c-Jun and JunB are a hallmark of Hodgkin lymphoma cells, stimulate proliferation and synergize with NF-kappaB. EMBO Journal, 2002, 21, 4104-4113.	7.8	323
20	Constitutive NF- κ B maintains high expression of a characteristic gene network, including CD40, CD86, and a set of antiapoptotic genes in Hodgkin/Reed-Sternberg cells. Blood, 2001, 97, 2798-2807.	1.4	246
21	NF- κ B Function in Growth Control: Regulation of Cyclin D1 Expression and G ₀ /G ₁ -to-S-Phase Transition. Molecular and Cellular Biology, 1999, 19, 2690-2698.	2.3	745
22	Domain Analysis of Human U5 RNA CAP TRIMETHYLATION, PROTEIN BINDING, AND SPLICEOSOME ASSEMBLY. Journal of Biological Chemistry, 1996, 271, 19001-19007.	3.4	18