Francesco Bartoli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8431870/publications.pdf

Version: 2024-02-01

136740 197535 3,015 114 32 49 citations h-index g-index papers 120 120 120 4213 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Disentangling the Association Between Child Abuse and Eating Disorders. Psychosomatic Medicine, 2016, 78, 79-90.	1.3	215
2	Depression after Stroke and Risk of Mortality: A Systematic Review and Meta-Analysis. Stroke Research and Treatment, 2013, 2013, 1-11.	0.5	182
3	Acute variations of cytokine levels after antipsychotic treatment in drug-naÃ-ve subjects with a first-episode psychosis: A meta-analysis. Neuroscience and Biobehavioral Reviews, 2017, 77, 122-128.	2.9	101
4	Ketamine as a rapid-acting agent for suicidal ideation: A meta-analysis. Neuroscience and Biobehavioral Reviews, 2017, 77, 232-236.	2.9	91
5	Attempted suicide in people with co-occurring bipolar and substance use disorders: Systematic review and meta-analysis. Journal of Affective Disorders, 2014, 167, 125-135.	2.0	90
6	Early Post-stroke Depression and Mortality: Meta-Analysis and Meta-Regression. Frontiers in Psychiatry, 2018, 9, 530.	1.3	86
7	Metabolic Syndrome in People Suffering from Posttraumatic Stress Disorder: A Systematic Review and Meta-Analysis. Metabolic Syndrome and Related Disorders, 2013, 11, 301-308.	0.5	79
8	Facial emotion recognition in alcohol and substance use disorders: A meta-analysis. Neuroscience and Biobehavioral Reviews, 2015, 59, 147-154.	2.9	77
9	Posttraumatic Stress Disorder and Risk of Obesity. Journal of Clinical Psychiatry, 2015, 76, e1253-e1261.	1.1	69
10	Uric acid levels in subjects with bipolar disorder: A comparative meta-analysis. Journal of Psychiatric Research, 2016, 81, 133-139.	1.5	68
11	Risk and maintenance factors for young women's DSM-5 eating disorders. Archives of Women's Mental Health, 2017, 20, 721-731.	1.2	65
12	Plasma adiponectin levels in schizophrenia and role of second-generation antipsychotics: A meta-analysis. Psychoneuroendocrinology, 2015, 56, 179-189.	1.3	61
13	The kynurenine pathway in bipolar disorder: a meta-analysis on the peripheral blood levels of tryptophan and related metabolites. Molecular Psychiatry, 2021, 26, 3419-3429.	4.1	55
14	Chemokine alterations in bipolar disorder: A systematic review and meta-analysis. Brain, Behavior, and Immunity, 2020, 88, 870-877.	2.0	55
15	Rates and correlates of suicidal ideation among stroke survivors: a meta-analysis. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 498-504.	0.9	54
16	Antioxidant uric acid in treated and untreated subjects with major depressive disorder: a meta-analysis and meta-regression. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 119-127.	1.8	53
17	Antipsychotic Dose Mediates the Association between Polypharmacy and Corrected QT Interval. PLoS ONE, 2016, 11, e0148212.	1.1	50
18	Second-generation antipsychotics and adiponectin levels in schizophrenia: A comparative meta-analysis. European Neuropsychopharmacology, 2015, 25, 1767-1774.	0.3	48

#	Article	IF	CITATIONS
19	The prevalence of metabolic syndrome in people with severe mental illness: a mediation analysis. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1739-1746.	1.6	46
20	Association between depression and non-fatal overdoses among drug users: A systematic review and meta-analysis. Drug and Alcohol Dependence, 2014, 134, 12-21.	1.6	46
21	From DSM-IV to DSM-5 alcohol use disorder: An overview of epidemiological data. Addictive Behaviors, 2015, 41, 46-50.	1.7	46
22	Prevalence and correlates of QTc prolongation in Italian psychiatric care: cross-sectional multicentre study. Epidemiology and Psychiatric Sciences, 2016, 25, 532-540.	1.8	46
23	Factors associated with first- versus second-generation long-acting antipsychotics prescribed under ordinary clinical practice in Italy. PLoS ONE, 2018, 13, e0201371.	1.1	44
24	Prevalence and Correlates of Binge Drinking among Young Adults Using Alcohol: A Cross-Sectional Survey. BioMed Research International, 2014, 2014, 1-7.	0.9	43
25	Allopurinol as add-on treatment for mania symptoms in bipolar disorder: Systematic review and meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2017, 210, 10-15.	1.7	43
26	Surveilling COVID-19 Emotional Contagion on Twitter by Sentiment Analysis. European Psychiatry, 2021, 64, e17.	0.1	43
27	Immune-inflammatory markers and psychosis risk: A systematic review and meta-analysis. Psychoneuroendocrinology, 2021, 127, 105200.	1.3	43
28	Purinergic system dysfunctions in subjects with bipolar disorder: A comparative cross-sectional study. Comprehensive Psychiatry, 2017, 73, 1-6.	1.5	41
29	Impact of a Mobile E-Health Intervention on Binge Drinking in Young People: The Digital–Alcohol Risk Alertness Notifying Network for Adolescents and Young Adults Project. Journal of Adolescent Health, 2016, 58, 520-526.	1.2	40
30	Comorbid Addiction and Major Mental Illness in Europe: A Narrative Review. Substance Abuse, 2015, 36, 75-81.	1.1	38
31	Association between total serum cholesterol and suicide attempts in subjects with major depressive disorder: Exploring the role of clinical and biochemical confounding factors. Clinical Biochemistry, 2017, 50, 274-278.	0.8	36
32	Purinergic Signaling and Related Biomarkers in Depression. Brain Sciences, 2020, 10, 160.	1.1	36
33	Exploring the association between bipolar disorder and uric acid: A mediation analysis. Journal of Psychosomatic Research, 2016, 84, 56-59.	1.2	34
34	Bipolar Disorder, Schizophrenia, and Metabolic Syndrome. American Journal of Psychiatry, 2013, 170, 927-928.	4.0	32
35	Appetite regulating hormones in first-episode psychosis: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 102, 362-370.	2.9	31
36	Cannabis use disorder and suicide attempts in bipolar disorder: A meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 103, 14-20.	2.9	29

#	Article	IF	CITATIONS
37	Cardiovascular risk factors among people with severe mental illness in Italy: A cross-sectional comparative study. General Hospital Psychiatry, 2014, 36, 698-702.	1.2	28
38	Schizoaffective disorder and metabolic syndrome: A meta-analytic comparison with schizophrenia and other non-affective psychoses. Journal of Psychiatric Research, 2015, 66-67, 127-134.	1.5	27
39	Association between depression and neuropathy in people with type 2 diabetes: a metaâ€analysis. International Journal of Geriatric Psychiatry, 2016, 31, 829-836.	1.3	26
40	Recent suicide attempts and serum lipid profile in subjects with mental disorders: A cross-sectional study. Psychiatry Research, 2018, 270, 611-615.	1.7	26
41	First-generation antipsychotics and QTc: any role for mediating variables?. Human Psychopharmacology, 2016, 31, 313-318.	0.7	24
42	Lipid profile and suicide attempt in bipolar disorder: A meta-analysis of published and unpublished data. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 79, 90-95.	2.5	23
43	Repurposed drugs as adjunctive treatments for mania and bipolar depression: A meta-review and critical appraisal of meta-analyses of randomized placebo-controlled trials. Journal of Psychiatric Research, 2021, 143, 230-238.	1.5	23
44	Violence risk and mental disorders (VIORMED-2): A prospective multicenter study in Italy. PLoS ONE, 2019, 14, e0214924.	1.1	22
45	Thyroid hormones in persons with schizophrenia: A systematic review and meta-analysis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 111, 110402.	2.5	22
46	Benefits and harms of low and high second-generation antipsychotics doses for bipolar depression: A meta-analysis. Journal of Psychiatric Research, 2017, 88, 38-46.	1.5	21
47	Family members' perspectives of child protection services, a metasynthesis of the literature. Children and Youth Services Review, 2021, 128, 106094.	1.0	21
48	Digital mental health interventions for anxiety and depressive symptoms in university students during the COVID-19 pandemic: A systematic review of randomized controlled trials. Revista De PsiquiatrÃa Y Salud Mental, 2023, 16, 47-58.	1.0	20
49	Area-Level Deprivation and Adverse Consequences in People With Substance Use Disorders: Findings From the Psychiatric and Addictive Dual Disorder in Italy (PADDI) Study. Substance Use and Misuse, 2017, 52, 451-458.	0.7	19
50	Some of us are most at risk: Systematic review and meta-analysis of correlates of depressive symptoms among healthcare workers during the SARS-CoV-2 outbreak. Neuroscience and Biobehavioral Reviews, 2021, 131, 912-922.	2.9	19
51	Validity and clinical utility of the DSM-5 severity specifier for bulimia nervosa: results from a multisite sample of patients who received evidence-based treatment. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 823-829.	1.8	17
52	Assessing vulnerability to psychological distress during the COVID-19 pandemic through the analysis of microblogging content. Future Generation Computer Systems, 2021, 125, 446-459.	4.9	17
53	Adjunctive second-generation antipsychotics for specific symptom domains of schizophrenia resistant to clozapine: A meta-analysis. Journal of Psychiatric Research, 2019, 108, 24-33.	1.5	16
54	Facial emotion recognition in people with schizophrenia and a history of violence: a mediation analysis. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 761-769.	1.8	16

#	Article	IF	CITATIONS
55	Pre-Discharge Predictors of 1-Year Rehospitalization in Adolescents and Young Adults with Severe Mental Disorders: A Retrospective Cohort Study. Medicina (Lithuania), 2020, 56, 613.	0.8	16
56	Glial and neuronal markers in bipolar disorder: A meta-analysis testing S100B and NSE peripheral blood levels. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 101, 109922.	2.5	16
57	Clinical correlates of comorbid attention deficit hyperactivity disorder in adults suffering from bipolar disorder: A meta-analysis. Australian and New Zealand Journal of Psychiatry, 2023, 57, 34-48.	1.3	16
58	The effects of psychoeducational family intervention on coping strategies of relatives of patients with bipolar I disorder: results from a controlled, real-world, multicentric study. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 977-989.	1.0	15
59	Trends of Major Depressive Episode among People with Cannabis Use: Findings from the National Survey on Drug use and Health 2006–2015. Substance Abuse, 2019, 40, 178-184.	1.1	14
60	Comparing Long-Acting Antipsychotic Discontinuation Rates Under Ordinary Clinical Circumstances: A Survival Analysis from an Observational, Pragmatic Study. CNS Drugs, 2021, 35, 655-665.	2.7	14
61	Association of depression and SSRIs with mortality after stroke. Neurology, 2014, 83, 1998-1999.	1.5	13
62	Reasons for initiating long-acting antipsychotics in psychiatric practice: findings from the STAR Network Depot Study. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532097810.	1.2	13
63	Testing the association of serum uric acid levels with behavioral and clinical characteristics in subjects with major affective disorders: A cross-sectional study. Psychiatry Research, 2018, 269, 118-123.	1.7	12
64	The mediating role of depression in pathways linking positive and negative symptoms in schizophrenia. A longitudinal analysis using latent variable structural equation modelling. Psychological Medicine, 2020, 50, 566-574.	2.7	12
65	Clinical correlates of paliperidone palmitate and aripiprazole monohydrate prescription for subjects with schizophrenia-spectrum disorders: findings from the STAR Network Depot Study. International Clinical Psychopharmacology, 2020, 35, 214-220.	0.9	12
66	Detecting Binge Drinking and Alcohol-Related Risky Behaviours from Twitter's Users: An Exploratory Content- and Topology-Based Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 1510.	1.2	12
67	Antidepressant Response and Dissociative Effects After Ketamine Treatment. Journal of Clinical Psychiatry, 2017, 78, e1318.	1.1	12
68	Risk Estimation Modeling and Feasibility Testing for A Mobile Ehealth Intervention for Binge Drinking among Young People: The D-ARIANNA (Digital-Alcohol Risk Alertness Notifying Network for) Tj ETQq0 0 0 rgBT /	Overhock :	10 Tif150 217 T
69	Engagement in the Overdose RIsk InfOrmatioN (ORION) e-Health Tool for Opioid Overdose Prevention and Self-Efficacy: A Preliminary Study. Cyberpsychology, Behavior, and Social Networking, 2017, 20, 762-768.	2.1	11
70	Efficacy of Cannabidiol for î"-9-Tetrahydrocannabinol-Induced Psychotic Symptoms, Schizophrenia, and Cannabis Use Disorders: A Narrative Review. Journal of Clinical Medicine, 2021, 10, 1303.	1.0	11
71	Were anxiety, depression and psychological distress associated with local mortality rates during COVID-19 outbreak in Italy? Findings from the COMET study. Journal of Psychiatric Research, 2022, 152, 242-249.	1.5	11
72	Purinergic dysfunction in bipolar disorder: Any role for the antioxidant uric acid as a trait and state biomarker?. Psychiatry and Clinical Neurosciences, 2017, 71, 417-417.	1.0	10

#	Article	IF	CITATIONS
73	Poverty matters: Cannabis use among people with serious mental illness: Findings from the United States survey on drug use and health, 2015. International Journal of Social Psychiatry, 2018, 64, 656-659.	1.6	10
74	Purinergic system and suicidal behavior: exploring the link between adenosine A2A receptors and depressive/impulsive features. Molecular Psychiatry, 2020, 25, 512-513.	4.1	10
75	Clinical correlates of DSM-5 mixed features in bipolar disorder: A meta-analysis. Journal of Affective Disorders, 2020, 276, 234-240.	2.0	10
76	Comparing 1-year effectiveness and acceptability of once-monthly paliperidone palmitate and aripiprazole monohydrate for schizophrenia spectrum disorders: Findings from the STAR Network Depot Study. Psychiatry Research, 2022, 309, 114405.	1.7	10
77	Update on bipolar disorder biomarker candidates: what about uric acid/adenosine hypothesis?. Expert Review of Molecular Diagnostics, 2017, 17, 105-106.	1.5	9
78	Facial emotion recognition in schizophrenia: An exploratory study on the role of comorbid alcohol and substance use disorders and $COMT Val158Met. Human Psychopharmacology, 2017, 32, e2630.$	0.7	8
79	Effect of clinical response to active drugs and placebo on antipsychotics and mood stabilizers relative efficacy for bipolar depression and mania: A meta-regression analysis. Journal of Psychopharmacology, 2018, 32, 416-422.	2.0	8
80	Untreated depression and non-medical use of prescription pain relievers: findings from the National Survey on Drug Use and Health 2008-2014. Postgraduate Medicine, 2019, 131, 52-59.	0.9	8
81	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. Trials, 2020, 21, 695.	0.7	8
82	The kynurenine pathway in schizophrenia and other mental disorders: Insight from meta-analyses on the peripheral blood levels of tryptophan and related metabolites. Schizophrenia Research, 2021, 232, 61-62.	1.1	8
83	Professionals' Digital Training for Child Maltreatment Prevention in the COVID-19 Era: A Pan-European Model. International Journal of Environmental Research and Public Health, 2022, 19, 885.	1.2	8
84	Clinical utility of a single-item test for DSM-5 alcohol use disorder among outpatients with anxiety and depressive disorders. Drug and Alcohol Dependence, 2016, 165, 283-287.	1.6	7
85	Factors Associated with Medication Adherence to Long-Acting Injectable Antipsychotics: Results from the STAR Network Depot Study. Pharmacopsychiatry, 2022, 55, 281-289.	1.7	6
86	Cannabis use disorder as a correlate of suicide attempts among people with bipolar disorder. Bipolar Disorders, 2015, 17, 113-114.	1.1	5
87	Executive control in schizophrenia: a preliminary study on the moderating role of <i>COMT</i> Val158Met for comorbid alcohol and substance use disorders. Nordic Journal of Psychiatry, 2017, 71, 332-339.	0.7	5
88	Testing the role of the antioxidant uric acid as a biomarker of suicidal ideation in subjects with major affective disorders: An exploratory study. General Hospital Psychiatry, 2018, 51, 128-129.	1.2	5
89	Disentangling the Association between ADHD and Alcohol Use Disorder in Individuals Suffering from Bipolar Disorder: A Systematic Review and Meta-Analysis. Brain Sciences, 2022, 12, 38.	1.1	5
90	Appetite-regulating hormones in bipolar disorder: A systematic review and meta-analysis. Frontiers in Neuroendocrinology, 2022, 67, 101013.	2.5	5

#	Article	IF	CITATIONS
91	Agreement between DSM-IV and DSM-5 criteria for alcohol use disorder among outpatients suffering from depressive and anxiety disorders. American Journal on Addictions, 2017, 26, 53-56.	1.3	4
92	Web- and text-based interventions for smoking cessation: Meta-analysis and meta-regression. Drugs: Education, Prevention and Policy, 2018, 25, 207-216.	0.8	4
93	Ketamine and esketamine for suicidal ideation: Recent progress and practical issues. Australian and New Zealand Journal of Psychiatry, 2020, 54, 206-207.	1.3	4
94	The Role of Attitudes Toward Medication and Treatment Adherence in the Clinical Response to LAIs: Findings From the STAR Network Depot Study. Frontiers in Psychiatry, 2021, 12, 784366.	1.3	4
95	The association between PTSD and metabolic syndrome: A role for comorbid depression?. Metabolism: Clinical and Experimental, 2015, 64, 1373-1375.	1.5	3
96	The antioxidant uric acid and depression: clinical evidence and biological hypotheses. Acta Psychiatrica Scandinavica, 2018, 137, 79-79.	2.2	3
97	Biomolecular Research on Electroconvulsive Therapy for Mental Disorders: State of the Art and Future Directions., 2022, 23, 57-58.		3
98	Insomnia as an additional clinical correlate of suicidal ideation after stroke. General Hospital Psychiatry, 2018, 51, 126-127.	1.2	2
99	Predicting Young Adults Binge Drinking in Nightlife Scenes: An Evaluation of the D-ARIANNA Risk Estimation Model. Journal of Addiction Medicine, 2018, 12, 401-409.	1.4	2
100	Differences in serum uric acid between †unipolar†and †bipolar†depression: Preliminary data. Bipolar Disorders, 2019, 21, 280-281.	1,1	2
101	Cannabidiol for Mood Disorders: A Call for More Research. Canadian Journal of Psychiatry, 2021, 66, 182-183.	0.9	2
102	Mixed features and suicidal behavior in bipolar disorder: A clinical relationship that calls for lithium treatment. Bipolar Disorders, 2022, 24, 8-9.	1.1	2
103	Influence of positive and negative symptoms on hedonic and eudaemonic well-being in people with schizophrenia: A longitudinal analysis from the EuroSc study. Schizophrenia Research, 2022, 244, 21-28.	1.1	2
104	Comorbid Anxiety and Alcohol orÂSubstance Use Disorders: An Overview., 2021,, 1315-1325.		1
105	E-health app to reduce binge drinking among adolescents and young adults: the D-ARIANNA Project. European Journal of Public Health, 2015, 25, .	0.1	O
106	Commentary on Ostergaard et al. (2017): Evidence of an association between cannabis use and suicide in subjects with bipolar disorder. Addiction, 2017, 112, 1260-1261.	1.7	0
107	Role of Co-occurring Alcohol and Substances Abuse on QTc Interval Prolongation Among Psychiatric Patients: A Cross-sectional National Survey. European Psychiatry, 2017, 41, S201-S202.	0.1	O
108	Ketamine for suicidal ideation treatment: Available evidence remains convincing. Neuroscience and Biobehavioral Reviews, 2019, 99, 1-2.	2.9	0

#	Article	IF	CITATIONS
109	Comorbid Anxiety and Alcohol or Substance Use Disorders: An Overview., 2015,, 1971-1983.		0
110	Metabolic Syndrome Among People with PTSD: Epidemiological Overview., 2015, , 1-14.		0
111	Metabolic Syndrome Among People with PTSD: Epidemiological Overview. , 2016, , 1297-1313.		0
112	Facial emotion recognition performance influences executive control impairment in Anorexia Nervosa: an exploratory study. Global Psychiatry, 2018, 1, 53-60.	2.0	0
113	Psychotic Disorders and Substance Use Disorders. , 2021, , 1341-1355.		0
114	Focus on Peripheral Biomarkers of Mental Disorders. Brain Sciences, 2022, 12, 756.	1.1	0